













Mode	48																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5008.99</td><td>52.71</td><td>74.00</td><td>-21.29</td><td>40.30</td><td>34.81</td><td>9.86</td><td>32.26</td><td>384</td><td>170</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5008.99	52.71	74.00	-21.29	40.30	34.81	9.86	32.26	384	170	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>102.69</td><td>-----</td><td>-----</td><td>89.51</td><td>35.20</td><td>10.16</td><td>32.18</td><td>384</td><td>170</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	102.69	-----	-----	89.51	35.20	10.16	32.18	384	170
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5008.99	52.71	74.00	-21.29	40.30	34.81	9.86	32.26	384	170	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5310.00	102.69	-----	-----	89.51	35.20	10.16	32.18	384	170	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5079.67</td><td>42.85</td><td>54.00</td><td>-11.15</td><td>30.31</td><td>34.88</td><td>9.91</td><td>32.25</td><td>384</td><td>170</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5079.67	42.85	54.00	-11.15	30.31	34.88	9.91	32.25	384	170	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>94.15</td><td>-----</td><td>-----</td><td>80.97</td><td>35.20</td><td>10.16</td><td>32.18</td><td>384</td><td>170</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	94.15	-----	-----	80.97	35.20	10.16	32.18	384	170
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5079.67	42.85	54.00	-11.15	30.31	34.88	9.91	32.25	384	170	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5310.00	94.15	-----	-----	80.97	35.20	10.16	32.18	384	170	AVERAGE																																																																															





Mode	48																																																
	Band Edge - R																																																
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																
ANT	1																																																
Pol.	Horizontal					Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5362.05</td><td>53.70</td><td>74.00</td><td>-20.30</td><td>40.44</td><td>35.20</td><td>10.23</td><td>32.17</td><td>384</td><td>170 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5362.05	53.70	74.00	-20.30	40.44	35.20	10.23	32.17	384	170 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	5362.05	53.70	74.00	-20.30	40.44	35.20	10.23	32.17	384	170 PEAK																																							
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.30</td><td>45.21</td><td>54.00</td><td>-8.79</td><td>31.96</td><td>35.20</td><td>10.22</td><td>32.17</td><td>384</td><td>170 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5355.30	45.21	54.00	-8.79	31.96	35.20	10.22	32.17	384	170 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	5355.30	45.21	54.00	-8.79	31.96	35.20	10.22	32.17	384	170 AVERAGE																																							







Mode	48																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																																																											
ANT	1																																																																																											
Pol.	Vertical						Fundamental																																																																																					
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5043.09</td><td>52.86</td><td>74.00</td><td>-21.14</td><td>40.39</td><td>34.85</td><td>9.88</td><td>32.26</td><td>100</td><td>122</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5043.09	52.86	74.00	-21.14	40.39	34.85	9.88	32.26	100	122	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>101.29</td><td>-----</td><td>-----</td><td>88.12</td><td>35.20</td><td>10.15</td><td>32.18</td><td>100</td><td>122</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	101.29	-----	-----	88.12	35.20	10.15	32.18	100	122
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5043.09	52.86	74.00	-21.14	40.39	34.85	9.88	32.26	100	122	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5310.00	101.29	-----	-----	88.12	35.20	10.15	32.18	100	122	PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5076.57</td><td>42.83</td><td>54.00</td><td>-11.17</td><td>30.29</td><td>34.88</td><td>9.91</td><td>32.25</td><td>100</td><td>122</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5076.57	42.83	54.00	-11.17	30.29	34.88	9.91	32.25	100	122	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>91.20</td><td>-----</td><td>-----</td><td>78.04</td><td>35.20</td><td>10.14</td><td>32.18</td><td>100</td><td>122</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	91.20	-----	-----	78.04	35.20	10.14	32.18	100	122
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5076.57	42.83	54.00	-11.17	30.29	34.88	9.91	32.25	100	122	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5310.00	91.20	-----	-----	78.04	35.20	10.14	32.18	100	122	AVERAGE																																																																																	





Mode	48																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Full RU_5310MHz																																																		
ANT	1																																																		
Pol.	Vertical						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.50</td><td>52.39</td><td>74.00</td><td>-21.61</td><td>39.13</td><td>35.20</td><td>10.23</td><td>32.17</td><td>100</td><td>122</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5359.50	52.39	74.00	-21.61	39.13	35.20	10.23	32.17	100	122	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5359.50	52.39	74.00	-21.61	39.13	35.20	10.23	32.17	100	122	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5356.50</td><td>44.05</td><td>54.00</td><td>-9.95</td><td>30.80</td><td>35.20</td><td>10.22</td><td>32.17</td><td>100</td><td>122</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5356.50	44.05	54.00	-9.95	30.80	35.20	10.22	32.17	100	122	AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5356.50	44.05	54.00	-9.95	30.80	35.20	10.22	32.17	100	122	AVERAGE																																								



Mode	49																																																																																											
	Band Edge - L																																																																																											
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Partial_RU242/62_5310MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5137.95</td><td>52.63</td><td>74.00</td><td>-21.37</td><td>39.99</td><td>34.94</td><td>9.95</td><td>32.25</td><td>329</td><td>189</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5137.95	52.63	74.00	-21.37	39.99	34.94	9.95	32.25	329	189	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>105.55</td><td>-----</td><td>-----</td><td>92.36</td><td>35.20</td><td>10.17</td><td>32.18</td><td>329</td><td>189</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	105.55	-----	-----	92.36	35.20	10.17	32.18	329	189
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5137.95	52.63	74.00	-21.37	39.99	34.94	9.95	32.25	329	189	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5310.00	105.55	-----	-----	92.36	35.20	10.17	32.18	329	189	PEAK																																																																																	
Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5068.82</td><td>42.53</td><td>54.00</td><td>-11.47</td><td>30.02</td><td>34.87</td><td>9.90</td><td>32.26</td><td>329</td><td>189</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5068.82	42.53	54.00	-11.47	30.02	34.87	9.90	32.26	329	189	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5310.00</td><td>97.18</td><td>-----</td><td>-----</td><td>83.99</td><td>35.20</td><td>10.17</td><td>32.18</td><td>329</td><td>189</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5310.00	97.18	-----	-----	83.99	35.20	10.17	32.18	329	189
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5068.82	42.53	54.00	-11.47	30.02	34.87	9.90	32.26	329	189	AVERAGE																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5310.00	97.18	-----	-----	83.99	35.20	10.17	32.18	329	189	AVERAGE																																																																																	





Mode	49																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Partial_RU242/62_5310MHz																																																		
ANT	1																																																		
Pol.	Horizontal										Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.80</td><td>55.02</td><td>74.00</td><td>-18.98</td><td>41.78</td><td>35.20</td><td>10.21</td><td>32.17</td><td>329</td><td>189</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.80	55.02	74.00	-18.98	41.78	35.20	10.21	32.17	329	189	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5350.80	55.02	74.00	-18.98	41.78	35.20	10.21	32.17	329	189	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5351.25</td><td>43.61</td><td>54.00</td><td>-10.39</td><td>30.37</td><td>35.20</td><td>10.21</td><td>32.17</td><td>329</td><td>189</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5351.25	43.61	54.00	-10.39	30.37	35.20	10.21	32.17	329	189	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5351.25	43.61	54.00	-10.39	30.37	35.20	10.21	32.17	329	189	AVERAGE																																								







		49																																																																																							
Mode		Band Edge - L																																																																																							
		U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Partial_RU242/62_5310MHz																																																																																							
ANT		1																																																																																							
Pol.	Vertical										Fundamental																																																																														
Peak																																																																																									
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5109.12	52.80	74.00	-21.20	40.21	34.91	9.93	32.25	181	122	PEAK		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	101.47	-----	-----	88.27	35.20	10.18	32.18	181	122	PEAK									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5109.12	52.80	74.00	-21.20	40.21	34.91	9.93	32.25	181	122	PEAK																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5310.00	101.47	-----	-----	88.27	35.20	10.18	32.18	181	122	PEAK																																																																														
Avg																																																																																									
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5074.40	42.54	54.00	-11.46	30.01	34.88	9.90	32.25	181	122	AVERAGE		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5310.00	93.09	-----	-----	79.89	35.20	10.18	32.18	181	122	AVERAGE									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5074.40	42.54	54.00	-11.46	30.01	34.88	9.90	32.25	181	122	AVERAGE																																																																														
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5310.00	93.09	-----	-----	79.89	35.20	10.18	32.18	181	122	AVERAGE																																																																														





Mode	49																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE40_CH62_Partial_RU242/62_5310MHz																																																		
ANT	1																																																		
Pol.	Vertical										Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5433.75</td><td>50.67</td><td>74.00</td><td>-23.33</td><td>37.41</td><td>35.20</td><td>10.29</td><td>32.23</td><td>181</td><td>122</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5433.75	50.67	74.00	-23.33	37.41	35.20	10.29	32.23	181	122	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5433.75	50.67	74.00	-23.33	37.41	35.20	10.29	32.23	181	122	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.35</td><td>42.21</td><td>54.00</td><td>-11.79</td><td>28.97</td><td>35.20</td><td>10.21</td><td>32.17</td><td>181</td><td>122</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.35	42.21	54.00	-11.79	28.97	35.20	10.21	32.17	181	122	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5350.35	42.21	54.00	-11.79	28.97	35.20	10.21	32.17	181	122	AVERAGE																																								







Mode	50																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																									
ANT	1																																																																																									
Pol.	Horizontal						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.69</td><td>52.85</td><td>74.00</td><td>-21.15</td><td>40.26</td><td>34.91</td><td>9.93</td><td>32.25</td><td>376</td><td>171</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.69	52.85	74.00	-21.15	40.26	34.91	9.93	32.25	376	171	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>99.54</td><td>-----</td><td>-----</td><td>86.35</td><td>35.20</td><td>10.17</td><td>32.18</td><td>376</td><td>171</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.54	-----	-----	86.35	35.20	10.17	32.18	376	171
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5104.69	52.85	74.00	-21.15	40.26	34.91	9.93	32.25	376	171	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5290.00	99.54	-----	-----	86.35	35.20	10.17	32.18	376	171	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5104.11</td><td>43.10</td><td>54.00</td><td>-10.90</td><td>30.52</td><td>34.91</td><td>9.92</td><td>32.25</td><td>376</td><td>171</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5104.11	43.10	54.00	-10.90	30.52	34.91	9.92	32.25	376	171	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>90.37</td><td>-----</td><td>-----</td><td>77.17</td><td>35.20</td><td>10.18</td><td>32.18</td><td>376</td><td>171</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	90.37	-----	-----	77.17	35.20	10.18	32.18	376	171
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5104.11	43.10	54.00	-10.90	30.52	34.91	9.92	32.25	376	171	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																	
1	5290.00	90.37	-----	-----	77.17	35.20	10.18	32.18	376	171	AVERAGE																																																																															



Mode	50																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																								
ANT	1																																								
Pol.	Horizontal	Fundamental																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5392.34</td><td>62.42</td><td>74.00</td><td>-11.58</td><td>49.13</td><td>35.20</td><td>10.27</td><td>32.18</td><td>376</td><td>171 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5392.34	62.42	74.00	-11.58	49.13	35.20	10.27	32.18	376	171 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5392.34	62.42	74.00	-11.58	49.13	35.20	10.27	32.18	376	171 PEAK																															
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.17</td><td>49.73</td><td>54.00</td><td>-4.27</td><td>36.45</td><td>35.20</td><td>10.25</td><td>32.17</td><td>376</td><td>171 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5375.17	49.73	54.00	-4.27	36.45	35.20	10.25	32.17	376	171 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5375.17	49.73	54.00	-4.27	36.45	35.20	10.25	32.17	376	171 AVERAGE																															





Mode	50																																																																																													
	Band Edge - L																																																																																													
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical						Fundamental																																																																																							
Peak																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5134.27</td><td>52.20</td><td>74.00</td><td>-21.80</td><td>39.56</td><td>34.94</td><td>9.95</td><td>32.25</td><td>101</td><td>122</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5134.27	52.20	74.00	-21.80	39.56	34.94	9.95	32.25	101	122	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>98.10</td><td>-----</td><td>-----</td><td>84.93</td><td>35.20</td><td>10.15</td><td>32.18</td><td>101</td><td>122</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	98.10	-----	-----	84.93	35.20	10.15	32.18	101	122
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5134.27	52.20	74.00	-21.80	39.56	34.94	9.95	32.25	101	122	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5290.00	98.10	-----	-----	84.93	35.20	10.15	32.18	101	122	PEAK																																																																																			
Avg																																																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5037.99</td><td>42.87</td><td>54.00</td><td>-11.13</td><td>30.41</td><td>34.84</td><td>9.88</td><td>32.26</td><td>101</td><td>122</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5037.99	42.87	54.00	-11.13	30.41	34.84	9.88	32.26	101	122	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>89.30</td><td>-----</td><td>-----</td><td>76.10</td><td>35.20</td><td>10.18</td><td>32.18</td><td>101</td><td>122</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	89.30	-----	-----	76.10	35.20	10.18	32.18	101	122
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5037.99	42.87	54.00	-11.13	30.41	34.84	9.88	32.26	101	122	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																				
1	5290.00	89.30	-----	-----	76.10	35.20	10.18	32.18	101	122	AVERAGE																																																																																			







Mode	50																																																		
	Band Edge - R																																																		
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																		
ANT	1																																																		
Pol.	Vertical										Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5383.33</td><td>56.51</td><td>74.00</td><td>-17.49</td><td>43.23</td><td>35.20</td><td>10.26</td><td>32.18</td><td>101</td><td>122</td><td>PEAK</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5383.33	56.51	74.00	-17.49	43.23	35.20	10.26	32.18	101	122	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5383.33	56.51	74.00	-17.49	43.23	35.20	10.26	32.18	101	122	PEAK																																								
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5375.34</td><td>47.06</td><td>54.00</td><td>-6.94</td><td>33.78</td><td>35.20</td><td>10.25</td><td>32.17</td><td>101</td><td>122</td><td>AVERAGE</td></tr></table>											Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5375.34	47.06	54.00	-6.94	33.78	35.20	10.25	32.17	101	122	AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5375.34	47.06	54.00	-6.94	33.78	35.20	10.25	32.17	101	122	AVERAGE																																								





Mode	50																																																																																															
	Harmonic																																																																																															
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Full RU_5290MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10580.00</td><td>46.06</td><td>68.30</td><td>-22.24</td><td>54.71</td><td>37.39</td><td>13.50 59.54</td></tr><tr><td>2</td><td>15870.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>47.95</td><td>40.42</td><td>15.98 58.61</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10580.00	46.06	68.30	-22.24	54.71	37.39	13.50 59.54	2	15870.00	45.74	74.00	-28.26	47.95	40.42	15.98 58.61	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10580.00</td><td>47.49</td><td>68.30</td><td>-20.81</td><td>56.14</td><td>37.39</td><td>13.50 59.54</td></tr><tr><td>2</td><td>15870.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>49.10</td><td>40.42</td><td>15.98 58.61</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10580.00	47.49	68.30	-20.81	56.14	37.39	13.50 59.54	2	15870.00	46.89	74.00	-27.11	49.10	40.42	15.98 58.61
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	10580.00	46.06	68.30	-22.24	54.71	37.39	13.50 59.54																																																																																									
2	15870.00	45.74	74.00	-28.26	47.95	40.42	15.98 58.61																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	10580.00	47.49	68.30	-20.81	56.14	37.39	13.50 59.54																																																																																									
2	15870.00	46.89	74.00	-27.11	49.10	40.42	15.98 58.61																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10580.00</td><td>46.06</td><td>68.30</td><td>-22.24</td><td>54.71</td><td>37.39</td><td>13.50 59.54</td></tr><tr><td>2</td><td>15870.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>47.95</td><td>40.42</td><td>15.98 58.61</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10580.00	46.06	68.30	-22.24	54.71	37.39	13.50 59.54	2	15870.00	45.74	74.00	-28.26	47.95	40.42	15.98 58.61	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10580.00</td><td>47.49</td><td>68.30</td><td>-20.81</td><td>56.14</td><td>37.39</td><td>13.50 59.54</td></tr><tr><td>2</td><td>15870.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>49.10</td><td>40.42</td><td>15.98 58.61</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10580.00	47.49	68.30	-20.81	56.14	37.39	13.50 59.54	2	15870.00	46.89	74.00	-27.11	49.10	40.42	15.98 58.61	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	10580.00	46.06	68.30	-22.24	54.71	37.39	13.50 59.54																																																																																									
2	15870.00	45.74	74.00	-28.26	47.95	40.42	15.98 58.61																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	10580.00	47.49	68.30	-20.81	56.14	37.39	13.50 59.54																																																																																									
2	15870.00	46.89	74.00	-27.11	49.10	40.42	15.98 58.61																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10580.00</td><td>46.06</td><td>68.30</td><td>-22.24</td><td>54.71</td><td>37.39</td><td>13.50 59.54</td></tr><tr><td>2</td><td>15870.00</td><td>45.74</td><td>74.00</td><td>-28.26</td><td>47.95</td><td>40.42</td><td>15.98 58.61</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10580.00	46.06	68.30	-22.24	54.71	37.39	13.50 59.54	2	15870.00	45.74	74.00	-28.26	47.95	40.42	15.98 58.61	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>10580.00</td><td>47.49</td><td>68.30</td><td>-20.81</td><td>56.14</td><td>37.39</td><td>13.50 59.54</td></tr><tr><td>2</td><td>15870.00</td><td>46.89</td><td>74.00</td><td>-27.11</td><td>49.10</td><td>40.42</td><td>15.98 58.61</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	10580.00	47.49	68.30	-20.81	56.14	37.39	13.50 59.54	2	15870.00	46.89	74.00	-27.11	49.10	40.42	15.98 58.61	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	10580.00	46.06	68.30	-22.24	54.71	37.39	13.50 59.54																																																																																									
2	15870.00	45.74	74.00	-28.26	47.95	40.42	15.98 58.61																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																																									
1	10580.00	47.49	68.30	-20.81	56.14	37.39	13.50 59.54																																																																																									
2	15870.00	46.89	74.00	-27.11	49.10	40.42	15.98 58.61																																																																																									







Mode	51																																																																																										
	Band Edge - L																																																																																										
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Partial_RU484/66_5290MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5074.82</td><td>52.99</td><td>74.00</td><td>-21.01</td><td>40.46</td><td>34.88</td><td>9.90</td><td>32.25</td><td>287</td><td>149</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5074.82	52.99	74.00	-21.01	40.46	34.88	9.90	32.25	287	149	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>102.98</td><td>-----</td><td>-----</td><td>89.79</td><td>35.20</td><td>10.17</td><td>32.18</td><td>287</td><td>149</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	102.98	-----	-----	89.79	35.20	10.17	32.18	287	149
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5074.82	52.99	74.00	-21.01	40.46	34.88	9.90	32.25	287	149	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5290.00	102.98	-----	-----	89.79	35.20	10.17	32.18	287	149	PEAK																																																																																
Avg																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5119.48</td><td>42.64</td><td>54.00</td><td>-11.36</td><td>30.03</td><td>34.92</td><td>9.94</td><td>32.25</td><td>287</td><td>149</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5119.48	42.64	54.00	-11.36	30.03	34.92	9.94	32.25	287	149	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>94.06</td><td>-----</td><td>-----</td><td>80.86</td><td>35.20</td><td>10.18</td><td>32.18</td><td>287</td><td>149</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	94.06	-----	-----	80.86	35.20	10.18	32.18	287	149
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5119.48	42.64	54.00	-11.36	30.03	34.92	9.94	32.25	287	149	AVERAGE																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5290.00	94.06	-----	-----	80.86	35.20	10.18	32.18	287	149	AVERAGE																																																																																





Mode	51																																																
	Band Edge - R																																																
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Partial_RU484/66_5290MHz																																																
ANT	1																																																
Pol.	Horizontal					Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.56</td><td>67.57</td><td>74.00</td><td>-6.43</td><td>54.32</td><td>35.20</td><td>10.22</td><td>32.17</td><td>287</td><td>149 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5352.56	67.57	74.00	-6.43	54.32	35.20	10.22	32.17	287	149 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	5352.56	67.57	74.00	-6.43	54.32	35.20	10.22	32.17	287	149 PEAK																																							
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.35</td><td>49.67</td><td>54.00</td><td>-4.33</td><td>36.43</td><td>35.20</td><td>10.21</td><td>32.17</td><td>287</td><td>149 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.35	49.67	54.00	-4.33	36.43	35.20	10.21	32.17	287	149 AVERAGE	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																								
1	5350.35	49.67	54.00	-4.33	36.43	35.20	10.21	32.17	287	149 AVERAGE																																							







Mode	51																																																																																									
	Band Edge - L																																																																																									
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Partial_RU484/66_5290MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5088.74</td><td>52.31</td><td>74.00</td><td>-21.69</td><td>39.76</td><td>34.89</td><td>9.91</td><td>32.25</td><td>100</td><td>41</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5088.74	52.31	74.00	-21.69	39.76	34.89	9.91	32.25	100	41	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>98.03</td><td>-----</td><td>-----</td><td>84.84</td><td>35.20</td><td>10.17</td><td>32.18</td><td>100</td><td>41</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	98.03	-----	-----	84.84	35.20	10.17	32.18	100	41
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5088.74	52.31	74.00	-21.69	39.76	34.89	9.91	32.25	100	41	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5290.00	98.03	-----	-----	84.84	35.20	10.17	32.18	100	41	PEAK																																																																															
Avg																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5073.37</td><td>42.55</td><td>54.00</td><td>-11.45</td><td>30.02</td><td>34.88</td><td>9.90</td><td>32.25</td><td>100</td><td>41</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5073.37	42.55	54.00	-11.45	30.02	34.88	9.90	32.25	100	41	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>89.18</td><td>-----</td><td>-----</td><td>75.98</td><td>35.20</td><td>10.18</td><td>32.18</td><td>100</td><td>41</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5290.00	89.18	-----	-----	75.98	35.20	10.18	32.18	100	41
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5073.37	42.55	54.00	-11.45	30.02	34.88	9.90	32.25	100	41	AVERAGE																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5290.00	89.18	-----	-----	75.98	35.20	10.18	32.18	100	41	AVERAGE																																																																															







Mode	51																																								
	Band Edge - R																																								
	U-NII-2A_5.25-5.35_802.11ax HE80_CH58_Partial_RU484/66_5290MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.39</td><td>62.44</td><td>74.00</td><td>-11.56</td><td>49.19</td><td>35.20</td><td>10.22</td><td>32.17</td><td>100</td><td>41 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5352.39	62.44	74.00	-11.56	49.19	35.20	10.22	32.17	100	41 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5352.39	62.44	74.00	-11.56	49.19	35.20	10.22	32.17	100	41 PEAK																															
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.69</td><td>45.65</td><td>54.00</td><td>-8.35</td><td>32.41</td><td>35.20</td><td>10.21</td><td>32.17</td><td>100</td><td>41 AVERAGE</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5350.69	45.65	54.00	-8.35	32.41	35.20	10.21	32.17	100	41 AVERAGE	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5350.69	45.65	54.00	-8.35	32.41	35.20	10.21	32.17	100	41 AVERAGE																															





Mode	52																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.05</td><td>52.10</td><td>74.00</td><td>-21.90</td><td>38.86</td><td>35.20</td><td>10.30</td><td>32.26</td><td>377</td><td>127</td><td>PEAK</td></tr><tr><td>2</td><td>5466.55</td><td>54.66</td><td>68.30</td><td>-13.64</td><td>41.42</td><td>35.20</td><td>10.30</td><td>32.26</td><td>377</td><td>127</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.05	52.10	74.00	-21.90	38.86	35.20	10.30	32.26	377	127	PEAK	2	5466.55	54.66	68.30	-13.64	41.42	35.20	10.30	32.26	377	127	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.97</td><td>-----</td><td>-----</td><td>89.74</td><td>35.20</td><td>10.30</td><td>32.27</td><td>377</td><td>127</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	102.97	-----	-----	89.74	35.20	10.30	32.27	377	127	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5459.05	52.10	74.00	-21.90	38.86	35.20	10.30	32.26	377	127	PEAK																																																																																												
2	5466.55	54.66	68.30	-13.64	41.42	35.20	10.30	32.26	377	127	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5500.00	102.97	-----	-----	89.74	35.20	10.30	32.27	377	127	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.95</td><td>42.47</td><td>54.00</td><td>-11.53</td><td>29.23</td><td>35.20</td><td>10.30</td><td>32.26</td><td>377</td><td>127</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.95	42.47	54.00	-11.53	29.23	35.20	10.30	32.26	377	127	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>96.65</td><td>-----</td><td>-----</td><td>83.42</td><td>35.20</td><td>10.30</td><td>32.27</td><td>377</td><td>127</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	96.65	-----	-----	83.42	35.20	10.30	32.27	377	127	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5459.95	42.47	54.00	-11.53	29.23	35.20	10.30	32.26	377	127	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5500.00	96.65	-----	-----	83.42	35.20	10.30	32.27	377	127	AVERAGE																																																																																												







Mode	52																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5440.00</td><td>50.78</td><td>74.00</td><td>-23.22</td><td>37.53</td><td>35.20</td><td>10.29</td><td>32.24</td><td>108</td><td>124</td><td>PEAK</td></tr><tr><td>2</td><td>5467.15</td><td>53.20</td><td>68.30</td><td>-15.10</td><td>39.96</td><td>35.20</td><td>10.30</td><td>32.26</td><td>108</td><td>124</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5440.00	50.78	74.00	-23.22	37.53	35.20	10.29	32.24	108	124	PEAK	2	5467.15	53.20	68.30	-15.10	39.96	35.20	10.30	32.26	108	124	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>99.98</td><td>-----</td><td>-----</td><td>86.75</td><td>35.20</td><td>10.30</td><td>32.27</td><td>108</td><td>124</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	99.98	-----	-----	86.75	35.20	10.30	32.27	108	124	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5440.00	50.78	74.00	-23.22	37.53	35.20	10.29	32.24	108	124	PEAK																																																																																												
2	5467.15	53.20	68.30	-15.10	39.96	35.20	10.30	32.26	108	124	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5500.00	99.98	-----	-----	86.75	35.20	10.30	32.27	108	124	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.15</td><td>42.10</td><td>54.00</td><td>-11.90</td><td>28.86</td><td>35.20</td><td>10.29</td><td>32.25</td><td>108</td><td>124</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5449.15	42.10	54.00	-11.90	28.86	35.20	10.29	32.25	108	124	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>93.64</td><td>-----</td><td>-----</td><td>80.41</td><td>35.20</td><td>10.30</td><td>32.27</td><td>108</td><td>124</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	93.64	-----	-----	80.41	35.20	10.30	32.27	108	124	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5449.15	42.10	54.00	-11.90	28.86	35.20	10.29	32.25	108	124	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5500.00	93.64	-----	-----	80.41	35.20	10.30	32.27	108	124	AVERAGE																																																																																												



Mode	52																																																																																	
	Harmonic																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH100_5500MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Vertical																																																																																
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11000.00</td><td>48.41</td><td>74.00</td><td>-25.59</td><td>55.60</td><td>37.90</td><td>13.61</td></tr><tr><td>2</td><td>16500.00</td><td>49.07</td><td>68.30</td><td>-19.23</td><td>49.55</td><td>41.29</td><td>16.43</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11000.00	48.41	74.00	-25.59	55.60	37.90	13.61	2	16500.00	49.07	68.30	-19.23	49.55	41.29	16.43	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>11000.00</td><td>47.84</td><td>74.00</td><td>-26.16</td><td>55.03</td><td>37.90</td><td>13.61</td></tr><tr><td>2</td><td>16500.00</td><td>48.29</td><td>68.30</td><td>-20.01</td><td>48.77</td><td>41.29</td><td>16.43</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	11000.00	47.84	74.00	-26.16	55.03	37.90	13.61	2	16500.00	48.29	68.30	-20.01	48.77	41.29	16.43
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	11000.00	48.41	74.00	-25.59	55.60	37.90	13.61																																																																											
2	16500.00	49.07	68.30	-19.23	49.55	41.29	16.43																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																											
1	11000.00	47.84	74.00	-26.16	55.03	37.90	13.61																																																																											
2	16500.00	48.29	68.30	-20.01	48.77	41.29	16.43																																																																											







Mode	53																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5448.44</td><td>50.50</td><td>74.00</td><td>-23.50</td><td>37.26</td><td>35.20</td><td>10.29</td><td>32.25</td><td>362</td><td>137</td><td>PEAK</td></tr><tr><td>2</td><td>5460.40</td><td>50.49</td><td>68.30</td><td>-17.81</td><td>37.25</td><td>35.20</td><td>10.30</td><td>32.26</td><td>362</td><td>137</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5448.44	50.50	74.00	-23.50	37.26	35.20	10.29	32.25	362	137	PEAK	2	5460.40	50.49	68.30	-17.81	37.25	35.20	10.30	32.26	362	137	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>105.11</td><td>-----</td><td>-----</td><td>91.80</td><td>35.28</td><td>10.31</td><td>32.28</td><td>362</td><td>137</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5580.00	105.11	-----	-----	91.80	35.28	10.31	32.28	362	137	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5448.44	50.50	74.00	-23.50	37.26	35.20	10.29	32.25	362	137	PEAK																																																																																												
2	5460.40	50.49	68.30	-17.81	37.25	35.20	10.30	32.26	362	137	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5580.00	105.11	-----	-----	91.80	35.28	10.31	32.28	362	137	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.19</td><td>41.83</td><td>54.00</td><td>-12.17</td><td>28.59</td><td>35.20</td><td>10.30</td><td>32.26</td><td>362</td><td>137</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5454.19	41.83	54.00	-12.17	28.59	35.20	10.30	32.26	362	137	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5580.00</td><td>98.06</td><td>-----</td><td>-----</td><td>84.75</td><td>35.28</td><td>10.31</td><td>32.28</td><td>362</td><td>137</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5580.00	98.06	-----	-----	84.75	35.28	10.31	32.28	362	137	AVERAGE												
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5454.19	41.83	54.00	-12.17	28.59	35.20	10.30	32.26	362	137	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5580.00	98.06	-----	-----	84.75	35.28	10.31	32.28	362	137	AVERAGE																																																																																												




Mode	53																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	Level (dBuV/m) Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.19</td><td>51.28</td><td>68.30</td><td>-17.02</td><td>37.70</td><td>35.57</td><td>10.37</td><td>32.36</td><td>362</td><td>137</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5728.19	51.28	68.30	-17.02	37.70	35.57	10.37	32.36	362	137	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5728.19	51.28	68.30	-17.02	37.70	35.57	10.37	32.36	362	137	PEAK																																								





Mode	53																																																																																
	Band Edge - L																																																																																
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																
ANT	1																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>5399.45</td><td>51.33</td><td>74.00</td><td>-22.67</td><td>38.03</td><td>35.20</td><td>10.28</td></tr><tr><td>2</td><td>5469.37</td><td>49.95</td><td>68.30</td><td>-18.35</td><td>36.71</td><td>35.20</td><td>10.30</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5399.45	51.33	74.00	-22.67	38.03	35.20	10.28	2	5469.37	49.95	68.30	-18.35	36.71	35.20	10.30	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>5580.00</td><td>101.42</td><td>88.11</td><td>35.28</td><td>10.31</td><td>32.28</td><td>116</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5580.00	101.42	88.11	35.28	10.31	32.28
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																										
1	5399.45	51.33	74.00	-22.67	38.03	35.20	10.28																																																																										
2	5469.37	49.95	68.30	-18.35	36.71	35.20	10.30																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																										
1	5580.00	101.42	88.11	35.28	10.31	32.28	116																																																																										
Avg																																																																																	
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>5457.87</td><td>41.74</td><td>54.00</td><td>-12.26</td><td>28.50</td><td>35.20</td><td>10.30</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5457.87	41.74	54.00	-12.26	28.50	35.20	10.30	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>5580.00</td><td>94.04</td><td>80.75</td><td>35.27</td><td>10.31</td><td>32.29</td><td>116</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5580.00	94.04	80.75	35.27	10.31	32.29	116							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																										
1	5457.87	41.74	54.00	-12.26	28.50	35.20	10.30																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																										
1	5580.00	94.04	80.75	35.27	10.31	32.29	116																																																																										






Mode	53																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																			
ANT	1																																																			
Pol.	Vertical						Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5729.67</td><td>51.44</td><td>68.30</td><td>-16.86</td><td>37.85</td><td>35.57</td><td>10.38</td><td>32.36</td><td>116</td><td>122</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5729.67	51.44	68.30	-16.86	37.85	35.57	10.38	32.36	116	122	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5729.67	51.44	68.30	-16.86	37.85	35.57	10.38	32.36	116	122	PEAK																																									






Mode	53																																																																																																	
	Harmonic																																																																																																	
	U-NII-2C_5.47-5.725_802.11a_CH116_5580MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal	Vertical																																																																																																
Peak Avg	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>47.13</td><td>74.00</td><td>-26.87</td><td>53.75</td><td>38.06</td><td>13.73</td><td>58.41</td><td>--</td><td>-- Peak</td></tr><tr><td>2 16740.00</td><td>47.27</td><td>68.30</td><td>-21.03</td><td>46.78</td><td>41.92</td><td>16.58</td><td>58.01</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	47.13	74.00	-26.87	53.75	38.06	13.73	58.41	--	-- Peak	2 16740.00	47.27	68.30	-21.03	46.78	41.92	16.58	58.01	--	-- Peak	 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1 11160.00</td><td>48.15</td><td>74.00</td><td>-25.85</td><td>54.77</td><td>38.06</td><td>13.73</td><td>58.41</td><td>--</td><td>-- Peak</td></tr><tr><td>2 16740.00</td><td>47.86</td><td>68.30</td><td>-20.44</td><td>47.37</td><td>41.92</td><td>16.58</td><td>58.01</td><td>--</td><td>-- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1 11160.00	48.15	74.00	-25.85	54.77	38.06	13.73	58.41	--	-- Peak	2 16740.00	47.86	68.30	-20.44	47.37	41.92	16.58	58.01	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																										
	Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11160.00	47.13	74.00	-26.87	53.75	38.06	13.73	58.41	--	-- Peak																																																																																									
2 16740.00	47.27	68.30	-21.03	46.78	41.92	16.58	58.01	--	-- Peak																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1 11160.00	48.15	74.00	-25.85	54.77	38.06	13.73	58.41	--	-- Peak																																																																																									
2 16740.00	47.86	68.30	-20.44	47.37	41.92	16.58	58.01	--	-- Peak																																																																																									





Mode	54																																																																																												
	Band Edge																																																																																												
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																												
ANT	1																																																																																												
Pol.	Horizontal						Fundamental																																																																																						
Peak	 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5730.75</td><td>58.22</td><td>68.30</td><td>-10.08</td><td>44.62</td><td>35.58</td><td>10.38</td><td>32.36</td><td>384</td><td>136</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5730.75	58.22	68.30	-10.08	44.62	35.58	10.38	32.36	384	136	PEAK	 Level (dBuV/m) Frequency (MHz) PART 15.407 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.44</td><td>-----</td><td>-----</td><td>90.93</td><td>35.50</td><td>10.36</td><td>32.35</td><td>384</td><td>136</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.44	-----	-----	90.93	35.50	10.36	32.35	384	136	PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5730.75	58.22	68.30	-10.08	44.62	35.58	10.38	32.36	384	136	PEAK																																																																																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	104.44	-----	-----	90.93	35.50	10.36	32.35	384	136	PEAK																																																																																		
Avg	Blank						 Level (dBuV/m) Frequency (MHz) PART 15.407 AVG <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>96.87</td><td>-----</td><td>-----</td><td>83.36</td><td>35.50</td><td>10.36</td><td>32.35</td><td>384</td><td>136</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	96.87	-----	-----	83.36	35.50	10.36	32.35	384	136	AVERAGE																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5700.00	96.87	-----	-----	83.36	35.50	10.36	32.35	384	136	AVERAGE																																																																																		





Mode	54																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																										
ANT	1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5728.80</td><td>53.16</td><td>68.30</td><td>-15.14</td><td>39.57</td><td>35.57</td><td>10.38</td><td>32.36</td><td>104</td><td>130</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5728.80	53.16	68.30	-15.14	39.57	35.57	10.38	32.36	104	130	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.14</td><td>-----</td><td>-----</td><td>84.61</td><td>35.52</td><td>10.36</td><td>32.35</td><td>104</td><td>130</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	98.14	-----	-----	84.61	35.52	10.36	32.35	104	130
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5728.80	53.16	68.30	-15.14	39.57	35.57	10.38	32.36	104	130	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	98.14	-----	-----	84.61	35.52	10.36	32.35	104	130	PEAK																																																																																
Avg	Blank																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>91.23</td><td>-----</td><td>-----</td><td>77.67</td><td>35.54</td><td>10.37</td><td>32.35</td><td>104</td><td>130</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	91.23	-----	-----	77.67	35.54	10.37	32.35	104	130	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	91.23	-----	-----	77.67	35.54	10.37	32.35	104	130	AVERAGE																																																																																





Mode	54																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.725_802.11a_CH140_5700MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>47.29</td><td>74.00</td><td>-26.71</td><td>53.05</td><td>38.30</td><td>13.92</td><td>57.98</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.20</td><td>68.30</td><td>-20.10</td><td>46.76</td><td>42.54</td><td>16.76</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	47.29	74.00	-26.71	53.05	38.30	13.92	57.98	--	--	Peak	2	17100.00	48.20	68.30	-20.10	46.76	42.54	16.76	57.86	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.14</td><td>74.00</td><td>-27.86</td><td>51.90</td><td>38.30</td><td>13.92</td><td>57.98</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.06</td><td>68.30</td><td>-20.24</td><td>46.62</td><td>42.54</td><td>16.76</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	46.14	74.00	-27.86	51.90	38.30	13.92	57.98	--	--	Peak	2	17100.00	48.06	68.30	-20.24	46.62	42.54	16.76	57.86	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11400.00	47.29	74.00	-26.71	53.05	38.30	13.92	57.98	--	--	Peak																																																																																																									
2	17100.00	48.20	68.30	-20.10	46.76	42.54	16.76	57.86	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11400.00	46.14	74.00	-27.86	51.90	38.30	13.92	57.98	--	--	Peak																																																																																																									
2	17100.00	48.06	68.30	-20.24	46.62	42.54	16.76	57.86	--	--	Peak																																																																																																									





Mode	55																																																																								
	Band Edge																																																																								
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																								
ANT	1																																																																								
Pol.	Horizontal					Fundamental																																																																			
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5419.30</td><td>50.79</td><td>74.00</td><td>-23.21</td><td>37.51</td><td>35.20</td><td>10.29</td><td>32.21</td><td>372 170 Peak</td></tr><tr><td>2 5469.35</td><td>49.19</td><td>68.30</td><td>-19.11</td><td>35.95</td><td>35.20</td><td>10.30</td><td>32.26</td><td>372 170 Peak</td></tr><tr><td>3 5720.00</td><td>102.36</td><td>-----</td><td>-----</td><td>88.80</td><td>35.55</td><td>10.37</td><td>32.36</td><td>372 170 Peak</td></tr><tr><td>4 5876.90</td><td>51.37</td><td>68.30</td><td>-16.93</td><td>37.36</td><td>35.94</td><td>10.48</td><td>32.41</td><td>372 170 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5419.30	50.79	74.00	-23.21	37.51	35.20	10.29	32.21	372 170 Peak	2 5469.35	49.19	68.30	-19.11	35.95	35.20	10.30	32.26	372 170 Peak	3 5720.00	102.36	-----	-----	88.80	35.55	10.37	32.36	372 170 Peak	4 5876.90	51.37	68.30	-16.93	37.36	35.94	10.48	32.41	372 170 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5419.30	50.79	74.00	-23.21	37.51	35.20	10.29	32.21	372 170 Peak																																																																	
2 5469.35	49.19	68.30	-19.11	35.95	35.20	10.30	32.26	372 170 Peak																																																																	
3 5720.00	102.36	-----	-----	88.80	35.55	10.37	32.36	372 170 Peak																																																																	
4 5876.90	51.37	68.30	-16.93	37.36	35.94	10.48	32.41	372 170 Peak																																																																	
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5451.75</td><td>40.92</td><td>54.00</td><td>-13.08</td><td>27.69</td><td>35.20</td><td>10.29</td><td>32.26</td><td>372 170 Average</td></tr><tr><td>2 5720.00</td><td>96.62</td><td>-----</td><td>-----</td><td>83.06</td><td>35.55</td><td>10.37</td><td>32.36</td><td>372 170 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5451.75	40.92	54.00	-13.08	27.69	35.20	10.29	32.26	372 170 Average	2 5720.00	96.62	-----	-----	83.06	35.55	10.37	32.36	372 170 Average																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5451.75	40.92	54.00	-13.08	27.69	35.20	10.29	32.26	372 170 Average																																																																	
2 5720.00	96.62	-----	-----	83.06	35.55	10.37	32.36	372 170 Average																																																																	






Mode	55																																																																																		
	Band Edge																																																																																		
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																																		
ANT	1																																																																																		
Pol.	Vertical					Fundamental																																																																													
Peak	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5402.25</td><td>49.64</td><td>74.00</td><td>-24.36</td><td>36.33</td><td>35.20</td><td>10.29</td><td>32.18</td><td>169</td><td>360</td><td>Peak</td></tr><tr><td>2</td><td>5468.25</td><td>48.57</td><td>68.30</td><td>-19.73</td><td>35.33</td><td>35.20</td><td>10.30</td><td>32.26</td><td>169</td><td>360</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>104.89</td><td>-----</td><td>-----</td><td>91.33</td><td>35.55</td><td>10.37</td><td>32.36</td><td>169</td><td>360</td><td>Peak</td></tr><tr><td>4</td><td>5897.80</td><td>51.61</td><td>68.30</td><td>-16.69</td><td>37.53</td><td>36.00</td><td>10.50</td><td>32.42</td><td>169</td><td>360</td><td>Peak</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5402.25	49.64	74.00	-24.36	36.33	35.20	10.29	32.18	169	360	Peak	2	5468.25	48.57	68.30	-19.73	35.33	35.20	10.30	32.26	169	360	Peak	3	5720.00	104.89	-----	-----	91.33	35.55	10.37	32.36	169	360	Peak	4	5897.80	51.61	68.30	-16.69	37.53	36.00	10.50	32.42	169	360	Peak
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5402.25	49.64	74.00	-24.36	36.33	35.20	10.29	32.18	169	360	Peak																																																																								
2	5468.25	48.57	68.30	-19.73	35.33	35.20	10.30	32.26	169	360	Peak																																																																								
3	5720.00	104.89	-----	-----	91.33	35.55	10.37	32.36	169	360	Peak																																																																								
4	5897.80	51.61	68.30	-16.69	37.53	36.00	10.50	32.42	169	360	Peak																																																																								
Avg	Blank					<table><tr><th></th><th>Freq</th><th>Level</th><th>Limit</th><th>Line Margin</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5454.50</td><td>40.88</td><td>54.00</td><td>-13.12</td><td>27.64</td><td>35.20</td><td>10.30</td><td>32.26</td><td>169</td><td>360</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>97.46</td><td>-----</td><td>-----</td><td>83.90</td><td>35.55</td><td>10.37</td><td>32.36</td><td>169</td><td>360</td><td>Average</td></tr></table>							Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5454.50	40.88	54.00	-13.12	27.64	35.20	10.30	32.26	169	360	Average	2	5720.00	97.46	-----	-----	83.90	35.55	10.37	32.36	169	360	Average																								
	Freq	Level	Limit	Line Margin	Read Level	Ant Factor	Cable Loss	Preamp Factor	APos	TPos	Remark																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5454.50	40.88	54.00	-13.12	27.64	35.20	10.30	32.26	169	360	Average																																																																								
2	5720.00	97.46	-----	-----	83.90	35.55	10.37	32.36	169	360	Average																																																																								




Mode	55																																																																														
	Harmonic																																																																														
	U-NII-2C_5.47-5.725_802.11a_CH144_5720MHz																																																																														
ANT	1																																																																														
Pol.	Horizontal						Vertical																																																																								
Peak Avg																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>53.63</td><td>37.28</td><td>11.42</td><td>57.91</td></tr><tr><td>2</td><td>17160.00</td><td>47.24</td><td>68.30</td><td>-21.06</td><td>50.86</td><td>41.12</td><td>13.16</td><td>57.90</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11440.00	44.42	74.00	-29.58	53.63	37.28	11.42	57.91	2	17160.00	47.24	68.30	-21.06	50.86	41.12	13.16	57.90	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>56.24</td><td>37.28</td><td>11.42</td><td>57.91</td></tr><tr><td>2</td><td>17160.00</td><td>47.75</td><td>68.30</td><td>-20.55</td><td>51.37</td><td>41.12</td><td>13.16</td><td>57.90</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	1	11440.00	47.03	74.00	-26.97	56.24	37.28	11.42	57.91	2	17160.00	47.75	68.30	-20.55	51.37	41.12	13.16	57.90
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
1	11440.00	44.42	74.00	-29.58	53.63	37.28	11.42	57.91																																																																							
2	17160.00	47.24	68.30	-21.06	50.86	41.12	13.16	57.90																																																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																								
1	11440.00	47.03	74.00	-26.97	56.24	37.28	11.42	57.91																																																																							
2	17160.00	47.75	68.30	-20.55	51.37	41.12	13.16	57.90																																																																							
<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>44.42</td><td>74.00</td><td>-29.58</td><td>53.63</td><td>37.28</td><td>11.42</td><td>57.91</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17160.00</td><td>47.24</td><td>68.30</td><td>-21.06</td><td>50.86</td><td>41.12</td><td>13.16</td><td>57.90</td><td>--</td><td>-- Peak</td></tr></tbody></table>							MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	44.42	74.00	-29.58	53.63	37.28	11.42	57.91	--	-- Peak	2	17160.00	47.24	68.30	-21.06	50.86	41.12	13.16	57.90	--	-- Peak	<table><thead><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>11440.00</td><td>47.03</td><td>74.00</td><td>-26.97</td><td>56.24</td><td>37.28</td><td>11.42</td><td>57.91</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17160.00</td><td>47.75</td><td>68.30</td><td>-20.55</td><td>51.37</td><td>41.12</td><td>13.16</td><td>57.90</td><td>--</td><td>-- Peak</td></tr></tbody></table>						MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.03	74.00	-26.97	56.24	37.28	11.42	57.91	--	-- Peak	2	17160.00	47.75	68.30	-20.55	51.37	41.12	13.16	57.90	--	-- Peak			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	11440.00	44.42	74.00	-29.58	53.63	37.28	11.42	57.91	--	-- Peak																																																																					
2	17160.00	47.24	68.30	-21.06	50.86	41.12	13.16	57.90	--	-- Peak																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																					
1	11440.00	47.03	74.00	-26.97	56.24	37.28	11.42	57.91	--	-- Peak																																																																					
2	17160.00	47.75	68.30	-20.55	51.37	41.12	13.16	57.90	--	-- Peak																																																																					




Mode	56																																																																																																										
	Band Edge																																																																																																										
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz																																																																																																										
ANT	1																																																																																																										
Pol.	Horizontal						Fundamental																																																																																																				
Peak																																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5457.10</td><td>51.52</td><td>74.00</td><td>-22.48</td><td>38.28</td><td>35.20</td><td>10.30</td><td>32.26</td><td>388</td><td>162</td><td>PEAK</td></tr><tr><td>2</td><td>5465.50</td><td>54.69</td><td>68.30</td><td>-13.61</td><td>41.45</td><td>35.20</td><td>10.30</td><td>32.26</td><td>388</td><td>162</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5457.10	51.52	74.00	-22.48	38.28	35.20	10.30	32.26	388	162	PEAK	2	5465.50	54.69	68.30	-13.61	41.45	35.20	10.30	32.26	388	162	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>103.34</td><td>-----</td><td>-----</td><td>90.11</td><td>35.20</td><td>10.30</td><td>32.27</td><td>388</td><td>162</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5500.00	103.34	-----	-----	90.11	35.20	10.30	32.27	388	162	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5457.10	51.52	74.00	-22.48	38.28	35.20	10.30	32.26	388	162	PEAK																																																																																																
2	5465.50	54.69	68.30	-13.61	41.45	35.20	10.30	32.26	388	162	PEAK																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																	
1	5500.00	103.34	-----	-----	90.11	35.20	10.30	32.27	388	162	PEAK																																																																																																





Mode	56	
	Band Edge	
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz	
ANT	1	
Pol.	Vertical	Fundamental






Mode	56
	Harmonic
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH100_5500MHz
ANT	1








Mode	57																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH116_5580MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11160.00</td><td>45.93</td><td>74.00</td><td>-28.07</td><td>52.55</td><td>38.06</td><td>13.73</td></tr><tr><td>2</td><td>16740.00</td><td>46.46</td><td>68.30</td><td>-21.84</td><td>45.97</td><td>41.92</td><td>16.58</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11160.00	45.93	74.00	-28.07	52.55	38.06	13.73	2	16740.00	46.46	68.30	-21.84	45.97	41.92	16.58	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11160.00</td><td>48.52</td><td>74.00</td><td>-25.48</td><td>55.14</td><td>38.06</td><td>13.73</td></tr><tr><td>2</td><td>16740.00</td><td>46.40</td><td>68.30</td><td>-21.90</td><td>45.91</td><td>41.92</td><td>16.58</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11160.00	48.52	74.00	-25.48	55.14	38.06	13.73	2	16740.00	46.40	68.30	-21.90	45.91	41.92	16.58
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11160.00	45.93	74.00	-28.07	52.55	38.06	13.73																																																																																									
2	16740.00	46.46	68.30	-21.84	45.97	41.92	16.58																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11160.00	48.52	74.00	-25.48	55.14	38.06	13.73																																																																																									
2	16740.00	46.40	68.30	-21.90	45.91	41.92	16.58																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11160.00</td><td>45.93</td><td>74.00</td><td>-28.07</td><td>52.55</td><td>38.06</td><td>13.73</td></tr><tr><td>2</td><td>16740.00</td><td>46.46</td><td>68.30</td><td>-21.84</td><td>45.97</td><td>41.92</td><td>16.58</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11160.00	45.93	74.00	-28.07	52.55	38.06	13.73	2	16740.00	46.46	68.30	-21.84	45.97	41.92	16.58	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11160.00</td><td>48.52</td><td>74.00</td><td>-25.48</td><td>55.14</td><td>38.06</td><td>13.73</td></tr><tr><td>2</td><td>16740.00</td><td>46.40</td><td>68.30</td><td>-21.90</td><td>45.91</td><td>41.92</td><td>16.58</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11160.00	48.52	74.00	-25.48	55.14	38.06	13.73	2	16740.00	46.40	68.30	-21.90	45.91	41.92	16.58	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11160.00	45.93	74.00	-28.07	52.55	38.06	13.73																																																																																									
2	16740.00	46.46	68.30	-21.84	45.97	41.92	16.58																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11160.00	48.52	74.00	-25.48	55.14	38.06	13.73																																																																																									
2	16740.00	46.40	68.30	-21.90	45.91	41.92	16.58																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11160.00</td><td>45.93</td><td>74.00</td><td>-28.07</td><td>52.55</td><td>38.06</td><td>13.73</td></tr><tr><td>2</td><td>16740.00</td><td>46.46</td><td>68.30</td><td>-21.84</td><td>45.97</td><td>41.92</td><td>16.58</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11160.00	45.93	74.00	-28.07	52.55	38.06	13.73	2	16740.00	46.46	68.30	-21.84	45.97	41.92	16.58	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11160.00</td><td>48.52</td><td>74.00</td><td>-25.48</td><td>55.14</td><td>38.06</td><td>13.73</td></tr><tr><td>2</td><td>16740.00</td><td>46.40</td><td>68.30</td><td>-21.90</td><td>45.91</td><td>41.92</td><td>16.58</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11160.00	48.52	74.00	-25.48	55.14	38.06	13.73	2	16740.00	46.40	68.30	-21.90	45.91	41.92	16.58	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11160.00	45.93	74.00	-28.07	52.55	38.06	13.73																																																																																									
2	16740.00	46.46	68.30	-21.84	45.97	41.92	16.58																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11160.00	48.52	74.00	-25.48	55.14	38.06	13.73																																																																																									
2	16740.00	46.40	68.30	-21.90	45.91	41.92	16.58																																																																																									





Mode	58																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.91</td><td>62.12</td><td>68.30</td><td>-6.18</td><td>48.54</td><td>35.57</td><td>10.37</td><td>32.36</td><td>383</td><td>167</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5726.91	62.12	68.30	-6.18	48.54	35.57	10.37	32.36	383	167	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.76</td><td>-----</td><td>-----</td><td>89.23</td><td>35.52</td><td>10.36</td><td>32.35</td><td>383</td><td>167</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	102.76	-----	-----	89.23	35.52	10.36	32.35	383	167
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5726.91	62.12	68.30	-6.18	48.54	35.57	10.37	32.36	383	167	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5700.00	102.76	-----	-----	89.23	35.52	10.36	32.35	383	167	PEAK																																																																																	
Avg	Blank																																																																																											
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th></th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>96.29</td><td>-----</td><td>-----</td><td>82.76</td><td>35.52</td><td>10.36</td><td>32.35</td><td>383</td><td>167</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor				Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	96.29	-----	-----	82.76	35.52	10.36	32.35	383	167	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line Margin	Level Factor	Loss Factor				Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5700.00	96.29	-----	-----	82.76	35.52	10.36	32.35	383	167	AVERAGE																																																																																	





Mode	58																																																																																						
	Band Edge																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical					Fundamental																																																																																	
Peak																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5726.46</td><td>61.18</td><td>68.30</td><td>-7.12</td><td>47.60</td><td>35.57</td><td>10.37</td><td>32.36</td><td>158</td><td>9 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5726.46	61.18	68.30	-7.12	47.60	35.57	10.37	32.36	158	9 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.84</td><td>-----</td><td>-----</td><td>87.31</td><td>35.52</td><td>10.36</td><td>32.35</td><td>158</td><td>9 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	100.84	-----	-----	87.31	35.52	10.36	32.35	158
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5726.46	61.18	68.30	-7.12	47.60	35.57	10.37	32.36	158	9 PEAK																																																																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5700.00	100.84	-----	-----	87.31	35.52	10.36	32.35	158	9 PEAK																																																																													
Avg	Blank																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>94.49</td><td>-----</td><td>-----</td><td>80.96</td><td>35.52</td><td>10.36</td><td>32.35</td><td>158</td><td>9 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	94.49	-----	-----	80.96	35.52	10.36	32.35	158	9 AVERAGE																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																														
1	5700.00	94.49	-----	-----	80.96	35.52	10.36	32.35	158	9 AVERAGE																																																																													





Mode	58																																																																																																									
	Harmonic																																																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH140_5700MHz																																																																																																									
ANT	1																																																																																																									
Pol.	Horizontal					Vertical																																																																																																				
Peak Avg																																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>46.62</td><td>74.00</td><td>-27.38</td><td>52.38</td><td>38.30</td><td>13.92</td><td>57.98</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17100.00</td><td>49.46</td><td>68.30</td><td>-18.84</td><td>48.02</td><td>42.54</td><td>16.76</td><td>57.86</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11400.00	46.62	74.00	-27.38	52.38	38.30	13.92	57.98	--	-- Peak	2	17100.00	49.46	68.30	-18.84	48.02	42.54	16.76	57.86	--	-- Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>48.97</td><td>74.00</td><td>-25.03</td><td>54.73</td><td>38.30</td><td>13.92</td><td>57.98</td><td>--</td><td>-- Peak</td></tr><tr><td>2</td><td>17100.00</td><td>49.29</td><td>68.30</td><td>-19.01</td><td>47.85</td><td>42.54</td><td>16.76</td><td>57.86</td><td>--</td><td>-- Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	11400.00	48.97	74.00	-25.03	54.73	38.30	13.92	57.98	--	-- Peak	2	17100.00	49.29	68.30	-19.01	47.85	42.54	16.76	57.86	--	-- Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																	
1	11400.00	46.62	74.00	-27.38	52.38	38.30	13.92	57.98	--	-- Peak																																																																																																
2	17100.00	49.46	68.30	-18.84	48.02	42.54	16.76	57.86	--	-- Peak																																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																																	
1	11400.00	48.97	74.00	-25.03	54.73	38.30	13.92	57.98	--	-- Peak																																																																																																
2	17100.00	49.29	68.30	-19.01	47.85	42.54	16.76	57.86	--	-- Peak																																																																																																





Mode	59																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH144_5720MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal					Fundamental																																																																																
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5386.30</td><td>50.51</td><td>74.00</td><td>-23.49</td><td>37.22</td><td>35.20</td><td>10.27</td><td>32.18</td><td>385</td><td>174</td><td>Peak</td></tr><tr><td>2</td><td>5460.00</td><td>49.64</td><td>68.30</td><td>-18.66</td><td>36.40</td><td>35.20</td><td>10.30</td><td>32.26</td><td>385</td><td>174</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>102.86</td><td>-----</td><td>-----</td><td>89.30</td><td>35.55</td><td>10.37</td><td>32.36</td><td>385</td><td>174</td><td>Peak</td></tr><tr><td>4</td><td>5878.55</td><td>51.90</td><td>68.30</td><td>-16.40</td><td>37.88</td><td>35.95</td><td>10.48</td><td>32.41</td><td>385</td><td>174</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5386.30	50.51	74.00	-23.49	37.22	35.20	10.27	32.18	385	174	Peak	2	5460.00	49.64	68.30	-18.66	36.40	35.20	10.30	32.26	385	174	Peak	3	5720.00	102.86	-----	-----	89.30	35.55	10.37	32.36	385	174	Peak	4	5878.55	51.90	68.30	-16.40	37.88	35.95	10.48	32.41	385	174	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5386.30	50.51	74.00	-23.49	37.22	35.20	10.27	32.18	385	174	Peak																																																																											
2	5460.00	49.64	68.30	-18.66	36.40	35.20	10.30	32.26	385	174	Peak																																																																											
3	5720.00	102.86	-----	-----	89.30	35.55	10.37	32.36	385	174	Peak																																																																											
4	5878.55	51.90	68.30	-16.40	37.88	35.95	10.48	32.41	385	174	Peak																																																																											
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5456.15</td><td>41.01</td><td>54.00</td><td>-12.99</td><td>27.77</td><td>35.20</td><td>10.30</td><td>32.26</td><td>385</td><td>174</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>95.83</td><td>-----</td><td>-----</td><td>82.27</td><td>35.55</td><td>10.37</td><td>32.36</td><td>385</td><td>174</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5456.15	41.01	54.00	-12.99	27.77	35.20	10.30	32.26	385	174	Average	2	5720.00	95.83	-----	-----	82.27	35.55	10.37	32.36	385	174	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5456.15	41.01	54.00	-12.99	27.77	35.20	10.30	32.26	385	174	Average																																																																											
2	5720.00	95.83	-----	-----	82.27	35.55	10.37	32.36	385	174	Average																																																																											







Mode	59																																																																																
	Band Edge																																																																																
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH144_5720MHz																																																																																
ANT	1																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5381.35</td><td>49.89</td><td>74.00</td><td>-24.11</td><td>36.61</td><td>35.20</td><td>10.26</td><td>32.18</td><td>156</td><td>9 Peak</td></tr><tr><td>2</td><td>5467.70</td><td>50.02</td><td>68.30</td><td>-18.28</td><td>36.78</td><td>35.20</td><td>10.30</td><td>32.26</td><td>156</td><td>9 Peak</td></tr><tr><td>3</td><td>5720.00</td><td>99.96</td><td>-----</td><td>-----</td><td>86.40</td><td>35.55</td><td>10.37</td><td>32.36</td><td>156</td><td>9 Peak</td></tr><tr><td>4</td><td>5877.45</td><td>50.94</td><td>68.30</td><td>-17.36</td><td>36.92</td><td>35.95</td><td>10.48</td><td>32.41</td><td>156</td><td>9 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5381.35	49.89	74.00	-24.11	36.61	35.20	10.26	32.18	156	9 Peak	2	5467.70	50.02	68.30	-18.28	36.78	35.20	10.30	32.26	156	9 Peak	3	5720.00	99.96	-----	-----	86.40	35.55	10.37	32.36	156	9 Peak	4	5877.45	50.94	68.30	-17.36	36.92	35.95	10.48	32.41	156	9 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1	5381.35	49.89	74.00	-24.11	36.61	35.20	10.26	32.18	156	9 Peak																																																																							
2	5467.70	50.02	68.30	-18.28	36.78	35.20	10.30	32.26	156	9 Peak																																																																							
3	5720.00	99.96	-----	-----	86.40	35.55	10.37	32.36	156	9 Peak																																																																							
4	5877.45	50.94	68.30	-17.36	36.92	35.95	10.48	32.41	156	9 Peak																																																																							
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5458.35</td><td>40.85</td><td>54.00</td><td>-13.15</td><td>27.61</td><td>35.20</td><td>10.30</td><td>32.26</td><td>156</td><td>9 Average</td></tr><tr><td>2</td><td>5720.00</td><td>92.81</td><td>-----</td><td>-----</td><td>79.25</td><td>35.55</td><td>10.37</td><td>32.36</td><td>156</td><td>9 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5458.35	40.85	54.00	-13.15	27.61	35.20	10.30	32.26	156	9 Average	2	5720.00	92.81	-----	-----	79.25	35.55	10.37	32.36	156	9 Average																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1	5458.35	40.85	54.00	-13.15	27.61	35.20	10.30	32.26	156	9 Average																																																																							
2	5720.00	92.81	-----	-----	79.25	35.55	10.37	32.36	156	9 Average																																																																							




Mode	59																																																																																															
	Harmonic																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT20_CH144_5720MHz																																																																																															
ANT	1																																																																																															
Pol.	Horizontal								Vertical																																																																																							
Peak Avg																																																																																																
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>55.63</td><td>37.28</td><td>11.42</td></tr><tr><td>2</td><td>17160.00</td><td>48.62</td><td>68.30</td><td>-19.68</td><td>52.24</td><td>41.12</td><td>13.16</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11440.00	46.42	74.00	-27.58	55.63	37.28	11.42	2	17160.00	48.62	68.30	-19.68	52.24	41.12	13.16	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>56.63</td><td>37.28</td><td>11.42</td></tr><tr><td>2</td><td>17160.00</td><td>47.17</td><td>68.30</td><td>-21.13</td><td>50.79</td><td>41.12</td><td>13.16</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11440.00	47.42	74.00	-26.58	56.63	37.28	11.42	2	17160.00	47.17	68.30	-21.13	50.79	41.12	13.16
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11440.00	46.42	74.00	-27.58	55.63	37.28	11.42																																																																																									
2	17160.00	48.62	68.30	-19.68	52.24	41.12	13.16																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11440.00	47.42	74.00	-26.58	56.63	37.28	11.42																																																																																									
2	17160.00	47.17	68.30	-21.13	50.79	41.12	13.16																																																																																									
<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>46.42</td><td>74.00</td><td>-27.58</td><td>55.63</td><td>37.28</td><td>11.42</td></tr><tr><td>2</td><td>17160.00</td><td>48.62</td><td>68.30</td><td>-19.68</td><td>52.24</td><td>41.12</td><td>13.16</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11440.00	46.42	74.00	-27.58	55.63	37.28	11.42	2	17160.00	48.62	68.30	-19.68	52.24	41.12	13.16	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr><tr><td>1</td><td>11440.00</td><td>47.42</td><td>74.00</td><td>-26.58</td><td>56.63</td><td>37.28</td><td>11.42</td></tr><tr><td>2</td><td>17160.00</td><td>47.17</td><td>68.30</td><td>-21.13</td><td>50.79</td><td>41.12</td><td>13.16</td></tr></table>									Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	11440.00	47.42	74.00	-26.58	56.63	37.28	11.42	2	17160.00	47.17	68.30	-21.13	50.79	41.12	13.16	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11440.00	46.42	74.00	-27.58	55.63	37.28	11.42																																																																																									
2	17160.00	48.62	68.30	-19.68	52.24	41.12	13.16																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																																									
1	11440.00	47.42	74.00	-26.58	56.63	37.28	11.42																																																																																									
2	17160.00	47.17	68.30	-21.13	50.79	41.12	13.16																																																																																									







Mode	60																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal					Fundamental																																																																																												
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.12</td><td>53.91</td><td>74.00</td><td>-20.09</td><td>40.67</td><td>35.20</td><td>10.30</td><td>32.26</td><td>400</td><td>170 PEAK</td></tr><tr><td>2</td><td>5465.52</td><td>55.40</td><td>68.30</td><td>-12.90</td><td>42.16</td><td>35.20</td><td>10.30</td><td>32.26</td><td>400</td><td>170 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.12	53.91	74.00	-20.09	40.67	35.20	10.30	32.26	400	170 PEAK	2	5465.52	55.40	68.30	-12.90	42.16	35.20	10.30	32.26	400	170 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>101.84</td><td>-----</td><td>-----</td><td>88.60</td><td>35.21</td><td>10.30</td><td>32.27</td><td>400</td><td>170 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	101.84	-----	-----	88.60	35.21	10.30	32.27	400
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5459.12	53.91	74.00	-20.09	40.67	35.20	10.30	32.26	400	170 PEAK																																																																																								
2	5465.52	55.40	68.30	-12.90	42.16	35.20	10.30	32.26	400	170 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5510.00	101.84	-----	-----	88.60	35.21	10.30	32.27	400	170 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>44.76</td><td>54.00</td><td>-9.24</td><td>31.52</td><td>35.20</td><td>10.30</td><td>32.26</td><td>400</td><td>170 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.92	44.76	54.00	-9.24	31.52	35.20	10.30	32.26	400	170 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>94.76</td><td>-----</td><td>-----</td><td>81.52</td><td>35.21</td><td>10.30</td><td>32.27</td><td>400</td><td>170 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	94.76	-----	-----	81.52	35.21	10.30	32.27	400	170 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5459.92	44.76	54.00	-9.24	31.52	35.20	10.30	32.26	400	170 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																																										
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5510.00	94.76	-----	-----	81.52	35.21	10.30	32.27	400	170 AVERAGE																																																																																								




Mode	60																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																									
ANT	1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5732.11</td><td>52.41</td><td>68.30</td><td>-15.89</td><td>38.81</td><td>35.58</td><td>10.38</td><td>32.36</td><td>400</td><td>170</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5732.11	52.41	68.30	-15.89	38.81	35.58	10.38	32.36	400	170	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5732.11	52.41	68.30	-15.89	38.81	35.58	10.38	32.36	400	170	PEAK																															







Mode	60																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>52.36</td><td>74.00</td><td>-21.64</td><td>39.12</td><td>35.20</td><td>10.30</td><td>32.26</td><td>158</td><td>26</td><td>PEAK</td></tr><tr><td>2</td><td>5468.72</td><td>54.79</td><td>68.30</td><td>-13.51</td><td>41.55</td><td>35.20</td><td>10.30</td><td>32.26</td><td>158</td><td>26</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.76	52.36	74.00	-21.64	39.12	35.20	10.30	32.26	158	26	PEAK	2	5468.72	54.79	68.30	-13.51	41.55	35.20	10.30	32.26	158	26	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>97.48</td><td>-----</td><td>-----</td><td>84.24</td><td>35.22</td><td>10.30</td><td>32.28</td><td>158</td><td>26</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	97.48	-----	-----	84.24	35.22	10.30	32.28	158	26
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5459.76	52.36	74.00	-21.64	39.12	35.20	10.30	32.26	158	26	PEAK																																																																																												
2	5468.72	54.79	68.30	-13.51	41.55	35.20	10.30	32.26	158	26	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5510.00	97.48	-----	-----	84.24	35.22	10.30	32.28	158	26	PEAK																																																																																												
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>43.16</td><td>54.00</td><td>-10.84</td><td>29.92</td><td>35.20</td><td>10.30</td><td>32.26</td><td>158</td><td>26</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.92	43.16	54.00	-10.84	29.92	35.20	10.30	32.26	158	26	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>90.31</td><td>-----</td><td>-----</td><td>77.07</td><td>35.22</td><td>10.30</td><td>32.28</td><td>158</td><td>26</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	90.31	-----	-----	77.07	35.22	10.30	32.28	158	26	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5459.92	43.16	54.00	-10.84	29.92	35.20	10.30	32.26	158	26	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5510.00	90.31	-----	-----	77.07	35.22	10.30	32.28	158	26	AVERAGE																																																																																												




Mode	60																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH102_5510MHz																																																		
ANT	1																																																		
Pol.	Vertical						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5749.19</td><td>51.78</td><td>68.30</td><td>-16.52</td><td>38.14</td><td>35.61</td><td>10.39</td><td>32.36</td><td>158</td><td>26</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5749.19	51.78	68.30	-16.52	38.14	35.61	10.39	32.36	158	26	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5749.19	51.78	68.30	-16.52	38.14	35.61	10.39	32.36	158	26	PEAK																																								







Mode	61																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5391.00</td><td>52.92</td><td>74.00</td><td>-21.08</td><td>39.63</td><td>35.20</td><td>10.27</td><td>32.18</td><td>374</td><td>172</td><td>PEAK</td></tr><tr><td>2</td><td>5464.40</td><td>51.89</td><td>68.30</td><td>-16.41</td><td>38.65</td><td>35.20</td><td>10.30</td><td>32.26</td><td>374</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5391.00	52.92	74.00	-21.08	39.63	35.20	10.27	32.18	374	172	PEAK	2	5464.40	51.89	68.30	-16.41	38.65	35.20	10.30	32.26	374	172	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>101.02</td><td>-----</td><td>-----</td><td>87.78</td><td>35.24</td><td>10.30</td><td>32.30</td><td>374</td><td>172</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5550.00	101.02	-----	-----	87.78	35.24	10.30	32.30	374	172
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5391.00	52.92	74.00	-21.08	39.63	35.20	10.27	32.18	374	172	PEAK																																																																																												
2	5464.40	51.89	68.30	-16.41	38.65	35.20	10.30	32.26	374	172	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5550.00	101.02	-----	-----	87.78	35.24	10.30	32.30	374	172	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5460.00</td><td>42.64</td><td>54.00</td><td>-11.36</td><td>29.40</td><td>35.20</td><td>10.30</td><td>32.26</td><td>374</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5460.00	42.64	54.00	-11.36	29.40	35.20	10.30	32.26	374	172	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>93.81</td><td>-----</td><td>-----</td><td>80.56</td><td>35.24</td><td>10.30</td><td>32.29</td><td>374</td><td>172</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5550.00	93.81	-----	-----	80.56	35.24	10.30	32.29	374	172	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5460.00	42.64	54.00	-11.36	29.40	35.20	10.30	32.26	374	172	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5550.00	93.81	-----	-----	80.56	35.24	10.30	32.29	374	172	AVERAGE																																																																																												



Mode	61																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																									
ANT	1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5758.34</td><td>51.19</td><td>68.30</td><td>-17.11</td><td>37.52</td><td>35.63</td><td>10.39</td><td>32.35</td><td>374</td><td>172</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5758.34	51.19	68.30	-17.11	37.52	35.63	10.39	32.35	374	172	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5758.34	51.19	68.30	-17.11	37.52	35.63	10.39	32.35	374	172	PEAK																															







Mode	61																																																																									
	Band Edge - L																																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																																																									
ANT	1																																																																									
Pol.	Vertical	Fundamental																																																																								
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5421.00</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>38.31</td><td>35.20</td><td>10.29</td></tr><tr><td>2</td><td>5467.60</td><td>51.17</td><td>68.30</td><td>-17.13</td><td>37.93</td><td>35.20</td><td>10.30</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5421.00	51.59	74.00	-22.41	38.31	35.20	10.29	2	5467.60	51.17	68.30	-17.13	37.93	35.20	10.30	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>97.20</td><td>-----</td><td>-----</td><td>83.96</td><td>35.23</td><td>10.30</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5550.00	97.20	-----	-----	83.96	35.23	10.30
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																			
1	5421.00	51.59	74.00	-22.41	38.31	35.20	10.29																																																																			
2	5467.60	51.17	68.30	-17.13	37.93	35.20	10.30																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																			
1	5550.00	97.20	-----	-----	83.96	35.23	10.30																																																																			
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5454.40</td><td>42.17</td><td>54.00</td><td>-11.83</td><td>28.93</td><td>35.20</td><td>10.30</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5454.40	42.17	54.00	-11.83	28.93	35.20	10.30	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>90.05</td><td>-----</td><td>-----</td><td>76.81</td><td>35.23</td><td>10.30</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	1	5550.00	90.05	-----	-----	76.81	35.23	10.30								
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																			
1	5454.40	42.17	54.00	-11.83	28.93	35.20	10.30																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB																																																																			
1	5550.00	90.05	-----	-----	76.81	35.23	10.30																																																																			




Mode	61																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH110_5550MHz																																									
ANT	1																																									
Pol.	Vertical	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5743.07</td><td>51.62</td><td>68.30</td><td>-16.68</td><td>38.00</td><td>35.60</td><td>10.38</td><td>32.36</td><td>158</td><td>17</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5743.07	51.62	68.30	-16.68	38.00	35.60	10.38	32.36	158	17	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5743.07	51.62	68.30	-16.68	38.00	35.60	10.38	32.36	158	17	PEAK																															







Mode	62																																																																																														
	Band Edge - L																																																																																														
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																														
ANT	1																																																																																														
Pol.	Horizontal					Fundamental																																																																																									
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5456.56</td><td>51.15</td><td>74.00</td><td>-22.85</td><td>37.91</td><td>35.20</td><td>10.30</td><td>32.26</td><td>374 173 PEAK</td></tr><tr><td>2</td><td>5462.96</td><td>50.66</td><td>68.30</td><td>-17.64</td><td>37.42</td><td>35.20</td><td>10.30</td><td>32.26</td><td>374 173 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5456.56	51.15	74.00	-22.85	37.91	35.20	10.30	32.26	374 173 PEAK	2	5462.96	50.66	68.30	-17.64	37.42	35.20	10.30	32.26	374 173 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>100.34</td><td>-----</td><td>-----</td><td>86.89</td><td>35.43</td><td>10.34</td><td>32.32</td><td>374 173 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	100.34	-----	-----	86.89	35.43	10.34	32.32
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5456.56	51.15	74.00	-22.85	37.91	35.20	10.30	32.26	374 173 PEAK																																																																																						
2	5462.96	50.66	68.30	-17.64	37.42	35.20	10.30	32.26	374 173 PEAK																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5670.00	100.34	-----	-----	86.89	35.43	10.34	32.32	374 173 PEAK																																																																																						
Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5448.88</td><td>41.86</td><td>54.00</td><td>-12.14</td><td>28.62</td><td>35.20</td><td>10.29</td><td>32.25</td><td>374 173 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5448.88	41.86	54.00	-12.14	28.62	35.20	10.29	32.25	374 173 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>92.70</td><td>-----</td><td>-----</td><td>79.25</td><td>35.43</td><td>10.34</td><td>32.32</td><td>374 173 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	92.70	-----	-----	79.25	35.43	10.34	32.32	374 173 AVERAGE									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5448.88	41.86	54.00	-12.14	28.62	35.20	10.29	32.25	374 173 AVERAGE																																																																																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																						
1	5670.00	92.70	-----	-----	79.25	35.43	10.34	32.32	374 173 AVERAGE																																																																																						




Mode	62																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.75</td><td>52.93</td><td>68.30</td><td>-15.37</td><td>39.33</td><td>35.58</td><td>10.38</td><td>32.36</td><td>374</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5733.75	52.93	68.30	-15.37	39.33	35.58	10.38	32.36	374	173	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5733.75	52.93	68.30	-15.37	39.33	35.58	10.38	32.36	374	173	PEAK																																								





Mode	62																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.00</td><td>52.74</td><td>74.00</td><td>-21.26</td><td>39.50</td><td>35.20</td><td>10.30</td><td>32.26</td><td>159</td><td>9 PEAK</td></tr><tr><td>2</td><td>5468.40</td><td>50.47</td><td>68.30</td><td>-17.83</td><td>37.23</td><td>35.20</td><td>10.30</td><td>32.26</td><td>159</td><td>9 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5454.00	52.74	74.00	-21.26	39.50	35.20	10.30	32.26	159	9 PEAK	2	5468.40	50.47	68.30	-17.83	37.23	35.20	10.30	32.26	159	9 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>97.62</td><td>-----</td><td>-----</td><td>84.17</td><td>35.43</td><td>10.34</td><td>32.32</td><td>159</td><td>9 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	97.62	-----	-----	84.17	35.43	10.34	32.32	159
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5454.00	52.74	74.00	-21.26	39.50	35.20	10.30	32.26	159	9 PEAK																																																																																								
2	5468.40	50.47	68.30	-17.83	37.23	35.20	10.30	32.26	159	9 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5670.00	97.62	-----	-----	84.17	35.43	10.34	32.32	159	9 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.20</td><td>41.77</td><td>54.00</td><td>-12.23</td><td>28.53</td><td>35.20</td><td>10.30</td><td>32.26</td><td>159</td><td>9 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.20	41.77	54.00	-12.23	28.53	35.20	10.30	32.26	159	9 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5670.00</td><td>90.74</td><td>-----</td><td>-----</td><td>77.29</td><td>35.43</td><td>10.34</td><td>32.32</td><td>159</td><td>9 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5670.00	90.74	-----	-----	77.29	35.43	10.34	32.32	159	9 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5457.20	41.77	54.00	-12.23	28.53	35.20	10.30	32.26	159	9 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5670.00	90.74	-----	-----	77.29	35.43	10.34	32.32	159	9 AVERAGE																																																																																								





Mode	62																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH134_5670MHz																																																			
ANT	1																																																			
Pol.	Vertical						Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5749.80</td><td>52.94</td><td>68.30</td><td>-15.36</td><td>39.30</td><td>35.61</td><td>10.39</td><td>32.36</td><td>159</td><td>9</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5749.80	52.94	68.30	-15.36	39.30	35.61	10.39	32.36	159	9	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5749.80	52.94	68.30	-15.36	39.30	35.61	10.39	32.36	159	9	PEAK																																									







Mode	63																																																																								
	Band Edge																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH142_5710MHz																																																																								
ANT	1																																																																								
Pol.	Horizontal					Fundamental																																																																			
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 5393.45</td><td>50.38</td><td>74.00</td><td>-23.62</td><td>37.08</td><td>35.20</td><td>10.28</td><td>32.18</td><td>373 177 Peak</td></tr><tr><td>2 5464.95</td><td>48.93</td><td>68.30</td><td>-19.37</td><td>35.69</td><td>35.20</td><td>10.30</td><td>32.26</td><td>373 177 Peak</td></tr><tr><td>3 5710.00</td><td>100.71</td><td>-----</td><td>-----</td><td>87.15</td><td>35.54</td><td>10.37</td><td>32.35</td><td>373 177 Peak</td></tr><tr><td>4 5889.55</td><td>52.26</td><td>68.30</td><td>-16.04</td><td>38.21</td><td>35.98</td><td>10.49</td><td>32.42</td><td>373 177 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5393.45	50.38	74.00	-23.62	37.08	35.20	10.28	32.18	373 177 Peak	2 5464.95	48.93	68.30	-19.37	35.69	35.20	10.30	32.26	373 177 Peak	3 5710.00	100.71	-----	-----	87.15	35.54	10.37	32.35	373 177 Peak	4 5889.55	52.26	68.30	-16.04	38.21	35.98	10.49	32.42	373 177 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1 5393.45	50.38	74.00	-23.62	37.08	35.20	10.28	32.18	373 177 Peak																																																																	
2 5464.95	48.93	68.30	-19.37	35.69	35.20	10.30	32.26	373 177 Peak																																																																	
3 5710.00	100.71	-----	-----	87.15	35.54	10.37	32.35	373 177 Peak																																																																	
4 5889.55	52.26	68.30	-16.04	38.21	35.98	10.49	32.42	373 177 Peak																																																																	
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th></th></tr><tr><td>1 5450.10</td><td>40.89</td><td>54.00</td><td>-13.11</td><td>27.65</td><td>35.20</td><td>10.29</td><td>32.25</td><td>373 177 Average</td></tr><tr><td>2 5710.00</td><td>93.57</td><td>-----</td><td>-----</td><td>80.01</td><td>35.54</td><td>10.37</td><td>32.35</td><td>373 177 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB		1 5450.10	40.89	54.00	-13.11	27.65	35.20	10.29	32.25	373 177 Average	2 5710.00	93.57	-----	-----	80.01	35.54	10.37	32.35	373 177 Average																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																	
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																		
1 5450.10	40.89	54.00	-13.11	27.65	35.20	10.29	32.25	373 177 Average																																																																	
2 5710.00	93.57	-----	-----	80.01	35.54	10.37	32.35	373 177 Average																																																																	




Mode	63																																																																								
	Band Edge																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT40_CH142_5710MHz																																																																								
ANT	1																																																																								
Pol.	Vertical					Fundamental																																																																			
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5373.65</td><td>50.82</td><td>74.00</td><td>-23.18</td><td>37.54</td><td>35.20</td><td>10.25</td><td>32.17</td><td>137</td></tr><tr><td>2 5465.50</td><td>49.58</td><td>68.30</td><td>-18.72</td><td>36.34</td><td>35.20</td><td>10.30</td><td>32.26</td><td>137</td></tr><tr><td>3 5710.00</td><td>97.35</td><td>-----</td><td>-----</td><td>83.79</td><td>35.54</td><td>10.37</td><td>32.35</td><td>137</td></tr><tr><td>4 5884.60</td><td>52.11</td><td>68.30</td><td>-16.19</td><td>38.07</td><td>35.97</td><td>10.49</td><td>32.42</td><td>137</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5373.65	50.82	74.00	-23.18	37.54	35.20	10.25	32.17	137	2 5465.50	49.58	68.30	-18.72	36.34	35.20	10.30	32.26	137	3 5710.00	97.35	-----	-----	83.79	35.54	10.37	32.35	137	4 5884.60	52.11	68.30	-16.19	38.07	35.97	10.49	32.42	137
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5373.65	50.82	74.00	-23.18	37.54	35.20	10.25	32.17	137																																																																	
2 5465.50	49.58	68.30	-18.72	36.34	35.20	10.30	32.26	137																																																																	
3 5710.00	97.35	-----	-----	83.79	35.54	10.37	32.35	137																																																																	
4 5884.60	52.11	68.30	-16.19	38.07	35.97	10.49	32.42	137																																																																	
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5458.90</td><td>40.85</td><td>54.00</td><td>-13.15</td><td>27.61</td><td>35.20</td><td>10.30</td><td>32.26</td><td>137</td></tr><tr><td>2 5710.00</td><td>89.98</td><td>-----</td><td>-----</td><td>76.42</td><td>35.54</td><td>10.37</td><td>32.35</td><td>137</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5458.90	40.85	54.00	-13.15	27.61	35.20	10.30	32.26	137	2 5710.00	89.98	-----	-----	76.42	35.54	10.37	32.35	137																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5458.90	40.85	54.00	-13.15	27.61	35.20	10.30	32.26	137																																																																	
2 5710.00	89.98	-----	-----	76.42	35.54	10.37	32.35	137																																																																	







Mode	64																																																																																																						
	Band Edge - L																																																																																																						
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5438.02</td><td>58.12</td><td>74.00</td><td>-15.88</td><td>44.86</td><td>35.20</td><td>10.29</td><td>32.23</td><td>100</td><td>141</td><td>PEAK</td></tr><tr><td>2</td><td>5461.78</td><td>57.44</td><td>68.30</td><td>-10.86</td><td>44.20</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>141</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5438.02	58.12	74.00	-15.88	44.86	35.20	10.29	32.23	100	141	PEAK	2	5461.78	57.44	68.30	-10.86	44.20	35.20	10.30	32.26	100	141	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>99.10</td><td>-----</td><td>-----</td><td>85.86</td><td>35.24</td><td>10.30</td><td>32.30</td><td>100</td><td>141</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	99.10	-----	-----	85.86	35.24	10.30	32.30	100	141
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5438.02	58.12	74.00	-15.88	44.86	35.20	10.29	32.23	100	141	PEAK																																																																																												
2	5461.78	57.44	68.30	-10.86	44.20	35.20	10.30	32.26	100	141	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	99.10	-----	-----	85.86	35.24	10.30	32.30	100	141	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.50</td><td>47.93</td><td>54.00</td><td>-6.07</td><td>34.70</td><td>35.20</td><td>10.29</td><td>32.26</td><td>100</td><td>141</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5453.50	47.93	54.00	-6.07	34.70	35.20	10.29	32.26	100	141	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>90.92</td><td>-----</td><td>-----</td><td>77.69</td><td>35.20</td><td>10.30</td><td>32.27</td><td>100</td><td>141</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5530.00	90.92	-----	-----	77.69	35.20	10.30	32.27	100	141	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5453.50	47.93	54.00	-6.07	34.70	35.20	10.29	32.26	100	141	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5530.00	90.92	-----	-----	77.69	35.20	10.30	32.27	100	141	AVERAGE																																																																																												




Mode	64																																																			
	Band Edge - R																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																			
ANT	1																																																			
Pol.	Horizontal						Fundamental																																													
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.92</td><td>52.38</td><td>68.30</td><td>-15.92</td><td>38.78</td><td>35.58</td><td>10.38</td><td>32.36</td><td>100</td><td>141</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5734.92	52.38	68.30	-15.92	38.78	35.58	10.38	32.36	100	141	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5734.92	52.38	68.30	-15.92	38.78	35.58	10.38	32.36	100	141	PEAK																																									







Mode	64																																																																																												
	Band Edge - L																																																																																												
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																																																												
ANT	1																																																																																												
Pol.	Vertical					Fundamental																																																																																							
Peak																																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5441.26	56.23	74.00	-17.77	42.98	35.20	10.29	32.24	110	59 PEAK	2	5462.14	54.27	68.30	-14.03	41.03	35.20	10.30	32.26	110	59 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>95.45</td><td>-----</td><td>-----</td><td>82.21</td><td>35.22</td><td>10.30</td><td>32.28</td><td>110</td><td>59 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	95.45	-----	-----	82.21	35.22	10.30	32.28	110
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5441.26	56.23	74.00	-17.77	42.98	35.20	10.29	32.24	110	59 PEAK																																																																																			
2	5462.14	54.27	68.30	-14.03	41.03	35.20	10.30	32.26	110	59 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5530.00	95.45	-----	-----	82.21	35.22	10.30	32.28	110	59 PEAK																																																																																			
Avg																																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.46	46.10	54.00	-7.90	32.86	35.20	10.30	32.26	110	59 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5530.00</td><td>87.52</td><td>-----</td><td>-----</td><td>74.29</td><td>35.20</td><td>10.30</td><td>32.27</td><td>110</td><td>59 AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos			Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	87.52	-----	-----	74.29	35.20	10.30	32.27	110	59 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5457.46	46.10	54.00	-7.90	32.86	35.20	10.30	32.26	110	59 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																			
1	5530.00	87.52	-----	-----	74.29	35.20	10.30	32.27	110	59 AVERAGE																																																																																			




Mode	64																																																	
	Band Edge - R																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH106_5530MHz																																																	
ANT	1																																																	
Pol.	Vertical						Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.40</td><td>53.20</td><td>68.30</td><td>-15.10</td><td>39.60</td><td>35.58</td><td>10.38</td><td>32.36</td><td>110</td><td>59 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5731.40	53.20	68.30	-15.10	39.60	35.58	10.38	32.36	110	59 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5731.40	53.20	68.30	-15.10	39.60	35.58	10.38	32.36	110	59 PEAK																																								







Mode	65																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																		
ANT	1																																																																																																		
Pol.	Horizontal						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5387.18</td><td>51.59</td><td>74.00</td><td>-22.41</td><td>38.30</td><td>35.20</td><td>10.27</td><td>32.18</td><td>100</td><td>139 PEAK</td></tr><tr><td>2</td><td>5469.86</td><td>52.17</td><td>68.30</td><td>-16.13</td><td>38.93</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>139 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5387.18	51.59	74.00	-22.41	38.30	35.20	10.27	32.18	100	139 PEAK	2	5469.86	52.17	68.30	-16.13	38.93	35.20	10.30	32.26	100	139 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>97.61</td><td>-----</td><td>-----</td><td>84.21</td><td>35.37</td><td>10.33</td><td>32.30</td><td>100</td><td>139 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	97.61	-----	-----	84.21	35.37	10.33	32.30	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5387.18	51.59	74.00	-22.41	38.30	35.20	10.27	32.18	100	139 PEAK																																																																																									
2	5469.86	52.17	68.30	-16.13	38.93	35.20	10.30	32.26	100	139 PEAK																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5610.00	97.61	-----	-----	84.21	35.37	10.33	32.30	100	139 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.04</td><td>42.40</td><td>54.00</td><td>-11.60</td><td>29.16</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>139 AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5455.04	42.40	54.00	-11.60	29.16	35.20	10.30	32.26	100	139 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5610.00</td><td>90.72</td><td>-----</td><td>-----</td><td>77.31</td><td>35.39</td><td>10.33</td><td>32.31</td><td>100</td><td>139 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5610.00	90.72	-----	-----	77.31	35.39	10.33	32.31	100	139 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5455.04	42.40	54.00	-11.60	29.16	35.20	10.30	32.26	100	139 AVERAGE																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																										
1	5610.00	90.72	-----	-----	77.31	35.39	10.33	32.31	100	139 AVERAGE																																																																																									




Mode	65																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																									
ANT	1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5764.85</td><td>52.21</td><td>68.30</td><td>-16.09</td><td>38.53</td><td>35.64</td><td>10.39</td><td>32.35</td><td>100</td><td>139 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5764.85	52.21	68.30	-16.09	38.53	35.64	10.39	32.35	100	139 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																
1	5764.85	52.21	68.30	-16.09	38.53	35.64	10.39	32.35	100	139 PEAK																																





Mode	65																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Vertical					Fundamental																																																																																														
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5448.80</td><td>51.50</td><td>74.00</td><td>-22.50</td><td>38.26</td><td>35.20</td><td>10.29</td><td>32.25</td><td>100</td><td>1 PEAK</td></tr><tr><td>2</td><td>5466.48</td><td>50.80</td><td>68.30</td><td>-17.50</td><td>37.56</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>1 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5448.80	51.50	74.00	-22.50	38.26	35.20	10.29	32.25	100	1 PEAK	2	5466.48	50.80	68.30	-17.50	37.56	35.20	10.30	32.26	100	1 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>94.33</td><td>-----</td><td>-----</td><td>80.94</td><td>35.36</td><td>10.32</td><td>32.29</td><td>100</td><td>1 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	94.33	-----	-----	80.94	35.36	10.32	32.29	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5448.80	51.50	74.00	-22.50	38.26	35.20	10.29	32.25	100	1 PEAK																																																																																										
2	5466.48	50.80	68.30	-17.50	37.56	35.20	10.30	32.26	100	1 PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5610.00	94.33	-----	-----	80.94	35.36	10.32	32.29	100	1 PEAK																																																																																										
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5446.20</td><td>41.94</td><td>54.00</td><td>-12.06</td><td>28.70</td><td>35.20</td><td>10.29</td><td>32.25</td><td>100</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5446.20	41.94	54.00	-12.06	28.70	35.20	10.29	32.25	100	1 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>86.61</td><td>-----</td><td>-----</td><td>73.19</td><td>35.40</td><td>10.33</td><td>32.31</td><td>100</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	86.61	-----	-----	73.19	35.40	10.33	32.31	100	1 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5446.20	41.94	54.00	-12.06	28.70	35.20	10.29	32.25	100	1 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5610.00	86.61	-----	-----	73.19	35.40	10.33	32.31	100	1 AVERAGE																																																																																										





Mode	65																																																									
	Band Edge - R																																																									
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH122_5610MHz																																																									
ANT	1																																																									
Pol.	Vertical						Fundamental																																																			
Peak	<table><tr><th colspan="2"></th><th colspan="2">Limit</th><th colspan="2">Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>5751.83</td><td>51.61</td><td>68.30</td><td>-16.69</td><td>37.95</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td></td><td>1 PEAK</td></tr></table>								Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg		1	5751.83	51.61	68.30	-16.69	37.95	35.62	10.39	32.35	100		1 PEAK	Blank				
		Limit		Read		Ant	Cable	Preamp	APos	TPos	Remark																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																
1	5751.83	51.61	68.30	-16.69	37.95	35.62	10.39	32.35	100		1 PEAK																																															







Mode	66																																																																								
	Band Edge																																																																								
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																																								
ANT	1																																																																								
Pol.	Horizontal					Fundamental																																																																			
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5446.80</td><td>50.88</td><td>74.00</td><td>-23.12</td><td>37.64</td><td>35.20</td><td>10.29</td><td>32.25</td><td>100 140 Peak</td></tr><tr><td>2 5461.65</td><td>48.31</td><td>68.30</td><td>-19.99</td><td>35.07</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100 140 Peak</td></tr><tr><td>3 5690.00</td><td>98.10</td><td>-----</td><td>84.60</td><td>35.50</td><td>10.35</td><td>32.35</td><td>100</td><td>140 Peak</td></tr><tr><td>4 5862.05</td><td>51.32</td><td>68.30</td><td>-16.98</td><td>37.36</td><td>35.90</td><td>10.47</td><td>32.41</td><td>100 140 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5446.80	50.88	74.00	-23.12	37.64	35.20	10.29	32.25	100 140 Peak	2 5461.65	48.31	68.30	-19.99	35.07	35.20	10.30	32.26	100 140 Peak	3 5690.00	98.10	-----	84.60	35.50	10.35	32.35	100	140 Peak	4 5862.05	51.32	68.30	-16.98	37.36	35.90	10.47	32.41	100 140 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5446.80	50.88	74.00	-23.12	37.64	35.20	10.29	32.25	100 140 Peak																																																																	
2 5461.65	48.31	68.30	-19.99	35.07	35.20	10.30	32.26	100 140 Peak																																																																	
3 5690.00	98.10	-----	84.60	35.50	10.35	32.35	100	140 Peak																																																																	
4 5862.05	51.32	68.30	-16.98	37.36	35.90	10.47	32.41	100 140 Peak																																																																	
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5457.80</td><td>41.32</td><td>54.00</td><td>-12.68</td><td>28.08</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100 140 Average</td></tr><tr><td>2 5690.00</td><td>90.45</td><td>-----</td><td>76.95</td><td>35.50</td><td>10.35</td><td>32.35</td><td>100</td><td>140 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5457.80	41.32	54.00	-12.68	28.08	35.20	10.30	32.26	100 140 Average	2 5690.00	90.45	-----	76.95	35.50	10.35	32.35	100	140 Average																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5457.80	41.32	54.00	-12.68	28.08	35.20	10.30	32.26	100 140 Average																																																																	
2 5690.00	90.45	-----	76.95	35.50	10.35	32.35	100	140 Average																																																																	




Mode	66																																																																																	
	Band Edge																																																																																	
	U-NII-2C_5.47-5.725_802.11ac VHT80_CH138_5690MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical					Fundamental																																																																												
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.10</td><td>50.75</td><td>74.00</td><td>-23.25</td><td>37.50</td><td>35.20</td><td>10.29</td><td>32.24</td><td>100</td><td>1 Peak</td></tr><tr><td>2</td><td>5463.85</td><td>50.09</td><td>68.30</td><td>-18.21</td><td>36.85</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>1 Peak</td></tr><tr><td>3</td><td>5690.00</td><td>95.37</td><td>-----</td><td>-----</td><td>81.87</td><td>35.50</td><td>10.35</td><td>32.35</td><td>100</td><td>1 Peak</td></tr><tr><td>4</td><td>5886.80</td><td>51.86</td><td>68.30</td><td>-16.44</td><td>37.82</td><td>35.97</td><td>10.49</td><td>32.42</td><td>100</td><td>1 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.10	50.75	74.00	-23.25	37.50	35.20	10.29	32.24	100	1 Peak	2	5463.85	50.09	68.30	-18.21	36.85	35.20	10.30	32.26	100	1 Peak	3	5690.00	95.37	-----	-----	81.87	35.50	10.35	32.35	100	1 Peak	4	5886.80	51.86	68.30	-16.44	37.82	35.97	10.49	32.42	100	1 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5439.10	50.75	74.00	-23.25	37.50	35.20	10.29	32.24	100	1 Peak																																																																								
2	5463.85	50.09	68.30	-18.21	36.85	35.20	10.30	32.26	100	1 Peak																																																																								
3	5690.00	95.37	-----	-----	81.87	35.50	10.35	32.35	100	1 Peak																																																																								
4	5886.80	51.86	68.30	-16.44	37.82	35.97	10.49	32.42	100	1 Peak																																																																								
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5457.80</td><td>40.94</td><td>54.00</td><td>-13.06</td><td>27.70</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>1 Average</td></tr><tr><td>2</td><td>5690.00</td><td>87.31</td><td>-----</td><td>-----</td><td>73.81</td><td>35.50</td><td>10.35</td><td>32.35</td><td>100</td><td>1 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5457.80	40.94	54.00	-13.06	27.70	35.20	10.30	32.26	100	1 Average	2	5690.00	87.31	-----	-----	73.81	35.50	10.35	32.35	100	1 Average																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5457.80	40.94	54.00	-13.06	27.70	35.20	10.30	32.26	100	1 Average																																																																								
2	5690.00	87.31	-----	-----	73.81	35.50	10.35	32.35	100	1 Average																																																																								







Mode	67																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-2C_5.47-5.725_802.11ac VHT160_CH114_5570MHz																																																																																																			
ANT	1																																																																																																			
Pol.	Horizontal					Fundamental																																																																																														
Peak																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5443.50</td><td>59.86</td><td>74.00</td><td>-14.14</td><td>46.61</td><td>35.20</td><td>10.29</td><td>32.24</td><td>100</td><td>139 PEAK</td></tr><tr><td>2</td><td>5466.16</td><td>61.83</td><td>68.30</td><td>-6.47</td><td>48.59</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>139 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5443.50	59.86	74.00	-14.14	46.61	35.20	10.29	32.24	100	139 PEAK	2	5466.16	61.83	68.30	-6.47	48.59	35.20	10.30	32.26	100	139 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>95.69</td><td>-----</td><td>-----</td><td>82.45</td><td>35.22</td><td>10.30</td><td>32.28</td><td>100</td><td>139 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	95.69	-----	-----	82.45	35.22	10.30	32.28	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5443.50	59.86	74.00	-14.14	46.61	35.20	10.29	32.24	100	139 PEAK																																																																																										
2	5466.16	61.83	68.30	-6.47	48.59	35.20	10.30	32.26	100	139 PEAK																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5570.00	95.69	-----	-----	82.45	35.22	10.30	32.28	100	139 PEAK																																																																																										
Avg																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5442.40</td><td>49.25</td><td>54.00</td><td>-4.75</td><td>36.00</td><td>35.20</td><td>10.29</td><td>32.24</td><td>100</td><td>139 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5442.40	49.25	54.00	-4.75	36.00	35.20	10.29	32.24	100	139 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>88.06</td><td>-----</td><td>-----</td><td>74.80</td><td>35.25</td><td>10.31</td><td>32.30</td><td>100</td><td>139 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5570.00	88.06	-----	-----	74.80	35.25	10.31	32.30	100	139 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5442.40	49.25	54.00	-4.75	36.00	35.20	10.29	32.24	100	139 AVERAGE																																																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5570.00	88.06	-----	-----	74.80	35.25	10.31	32.30	100	139 AVERAGE																																																																																										




Mode	67																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT160_CH114_5570MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5736.92</td><td>57.56</td><td>68.30</td><td>-10.74</td><td>43.95</td><td>35.59</td><td>10.38</td><td>32.36</td><td>100</td><td>139</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5736.92	57.56	68.30	-10.74	43.95	35.59	10.38	32.36	100	139	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5736.92	57.56	68.30	-10.74	43.95	35.59	10.38	32.36	100	139	PEAK																																								







Mode	67																																																																																															
	Band Edge - L																																																																																															
	U-NII-2C_5.47-5.725_802.11ac VHT160_CH114_5570MHz																																																																																															
ANT	1																																																																																															
Pol.	Vertical						Fundamental																																																																																									
Peak																																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.68	56.95	74.00	-17.05	43.71	35.20	10.30	32.26	103	55	PEAK	2	5469.46	57.17	68.30	-11.13	43.93	35.20	10.30	32.26	103	55	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>91.26</td><td>-----</td><td>-----</td><td>78.03</td><td>35.20</td><td>10.30</td><td>32.27</td><td>103</td><td>55</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	91.26	-----	-----	78.03	35.20	10.30	32.27	103	55
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5458.68	56.95	74.00	-17.05	43.71	35.20	10.30	32.26	103	55	PEAK																																																																																					
2	5469.46	57.17	68.30	-11.13	43.93	35.20	10.30	32.26	103	55	PEAK																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5570.00	91.26	-----	-----	78.03	35.20	10.30	32.27	103	55	PEAK																																																																																					
Avg																																																																																																
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5447.46	47.04	54.00	-6.96	33.80	35.20	10.29	32.25	103	55	AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5570.00</td><td>83.76</td><td>-----</td><td>-----</td><td>70.48</td><td>35.26</td><td>10.31</td><td>32.29</td><td>103</td><td>55</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5570.00	83.76	-----	-----	70.48	35.26	10.31	32.29	103	55	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5447.46	47.04	54.00	-6.96	33.80	35.20	10.29	32.25	103	55	AVERAGE																																																																																					
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																							
1	5570.00	83.76	-----	-----	70.48	35.26	10.31	32.29	103	55	AVERAGE																																																																																					







Mode	67																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ac VHT160_CH114_5570MHz																																																		
ANT	1																																																		
Pol.	Vertical						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5760.13</td><td>55.15</td><td>68.30</td><td>-13.15</td><td>41.48</td><td>35.63</td><td>10.39</td><td>32.35</td><td>103</td><td>55</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5760.13	55.15	68.30	-13.15	41.48	35.63	10.39	32.35	103	55	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5760.13	55.15	68.30	-13.15	41.48	35.63	10.39	32.35	103	55	PEAK																																								





Mode	68																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal					Fundamental																																																																																												
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.45</td><td>52.11</td><td>74.00</td><td>-21.89</td><td>38.87</td><td>35.20</td><td>10.29</td><td>32.25</td><td>100</td><td>139 PEAK</td></tr><tr><td>2</td><td>5469.55</td><td>53.30</td><td>68.30</td><td>-15.00</td><td>40.06</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>139 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5449.45	52.11	74.00	-21.89	38.87	35.20	10.29	32.25	100	139 PEAK	2	5469.55	53.30	68.30	-15.00	40.06	35.20	10.30	32.26	100	139 PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>104.90</td><td>-----</td><td>-----</td><td>91.67</td><td>35.20</td><td>10.30</td><td>32.27</td><td>100</td><td>139 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	104.90	-----	-----	91.67	35.20	10.30	32.27	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5449.45	52.11	74.00	-21.89	38.87	35.20	10.29	32.25	100	139 PEAK																																																																																								
2	5469.55	53.30	68.30	-15.00	40.06	35.20	10.30	32.26	100	139 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5500.00	104.90	-----	-----	91.67	35.20	10.30	32.27	100	139 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.95</td><td>43.09</td><td>54.00</td><td>-10.91</td><td>29.85</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>139 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.95	43.09	54.00	-10.91	29.85	35.20	10.30	32.26	100	139 AVERAGE	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>97.12</td><td>-----</td><td>-----</td><td>83.89</td><td>35.20</td><td>10.30</td><td>32.27</td><td>100</td><td>139 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	97.12	-----	-----	83.89	35.20	10.30	32.27	100	139 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5459.95	43.09	54.00	-10.91	29.85	35.20	10.30	32.26	100	139 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5500.00	97.12	-----	-----	83.89	35.20	10.30	32.27	100	139 AVERAGE																																																																																								







Mode	68																																																																																																	
	Band Edge																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5452.90</td><td>51.71</td><td>74.00</td><td>-22.29</td><td>38.48</td><td>35.20</td><td>10.29</td><td>32.26</td><td>110</td><td>54 PEAK</td></tr><tr><td>2</td><td>5464.90</td><td>54.16</td><td>68.30</td><td>-14.14</td><td>40.92</td><td>35.20</td><td>10.30</td><td>32.26</td><td>110</td><td>54 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5452.90	51.71	74.00	-22.29	38.48	35.20	10.29	32.26	110	54 PEAK	2	5464.90	54.16	68.30	-14.14	40.92	35.20	10.30	32.26	110	54 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.92</td><td>-----</td><td>-----</td><td>89.69</td><td>35.20</td><td>10.30</td><td>32.27</td><td>110</td><td>54 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	102.92	-----	-----	89.69	35.20	10.30	32.27	110
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5452.90	51.71	74.00	-22.29	38.48	35.20	10.29	32.26	110	54 PEAK																																																																																								
2	5464.90	54.16	68.30	-14.14	40.92	35.20	10.30	32.26	110	54 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5500.00	102.92	-----	-----	89.69	35.20	10.30	32.27	110	54 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.80</td><td>42.55</td><td>54.00</td><td>-11.45</td><td>29.31</td><td>35.20</td><td>10.30</td><td>32.26</td><td>110</td><td>54 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.80	42.55	54.00	-11.45	29.31	35.20	10.30	32.26	110	54 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>93.40</td><td>-----</td><td>-----</td><td>80.17</td><td>35.20</td><td>10.30</td><td>32.27</td><td>110</td><td>54 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	93.40	-----	-----	80.17	35.20	10.30	32.27	110	54 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5459.80	42.55	54.00	-11.45	29.31	35.20	10.30	32.26	110	54 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5500.00	93.40	-----	-----	80.17	35.20	10.30	32.27	110	54 AVERAGE																																																																																								







Mode	68																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Full RU_5500MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.25</td><td>74.00</td><td>-27.75</td><td>53.44</td><td>37.90</td><td>13.61</td><td>58.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>47.21</td><td>68.30</td><td>-21.09</td><td>47.69</td><td>41.29</td><td>16.43</td><td>58.20</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	46.25	74.00	-27.75	53.44	37.90	13.61	58.70	--	--	Peak	2	16500.00	47.21	68.30	-21.09	47.69	41.29	16.43	58.20	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11000.00</td><td>46.98</td><td>74.00</td><td>-27.02</td><td>54.17</td><td>37.90</td><td>13.61</td><td>58.70</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>16500.00</td><td>48.82</td><td>68.30</td><td>-19.48</td><td>49.30</td><td>41.29</td><td>16.43</td><td>58.20</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11000.00	46.98	74.00	-27.02	54.17	37.90	13.61	58.70	--	--	Peak	2	16500.00	48.82	68.30	-19.48	49.30	41.29	16.43	58.20	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11000.00	46.25	74.00	-27.75	53.44	37.90	13.61	58.70	--	--	Peak																																																																																																									
2	16500.00	47.21	68.30	-21.09	47.69	41.29	16.43	58.20	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11000.00	46.98	74.00	-27.02	54.17	37.90	13.61	58.70	--	--	Peak																																																																																																									
2	16500.00	48.82	68.30	-19.48	49.30	41.29	16.43	58.20	--	--	Peak																																																																																																									







Mode	69																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_RU26/0_5500MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5389.75</td><td>51.13</td><td>74.00</td><td>-22.87</td><td>37.84</td><td>35.20</td><td>10.27</td><td>32.18</td><td>289</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>5465.65</td><td>50.47</td><td>68.30</td><td>-17.83</td><td>37.23</td><td>35.20</td><td>10.30</td><td>32.26</td><td>289</td><td>146</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5389.75	51.13	74.00	-22.87	37.84	35.20	10.27	32.18	289	146	PEAK	2	5465.65	50.47	68.30	-17.83	37.23	35.20	10.30	32.26	289	146	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>110.55</td><td>-----</td><td>-----</td><td>97.32</td><td>35.20</td><td>10.30</td><td>32.27</td><td>289</td><td>146</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	110.55	-----	-----	97.32	35.20	10.30	32.27	289	146
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5389.75	51.13	74.00	-22.87	37.84	35.20	10.27	32.18	289	146	PEAK																																																																																												
2	5465.65	50.47	68.30	-17.83	37.23	35.20	10.30	32.26	289	146	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5500.00	110.55	-----	-----	97.32	35.20	10.30	32.27	289	146	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5455.45</td><td>42.48</td><td>54.00</td><td>-11.52</td><td>29.24</td><td>35.20</td><td>10.30</td><td>32.26</td><td>289</td><td>146</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5455.45	42.48	54.00	-11.52	29.24	35.20	10.30	32.26	289	146	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.31</td><td>-----</td><td>-----</td><td>89.08</td><td>35.20</td><td>10.30</td><td>32.27</td><td>289</td><td>146</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	102.31	-----	-----	89.08	35.20	10.30	32.27	289	146	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5455.45	42.48	54.00	-11.52	29.24	35.20	10.30	32.26	289	146	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5500.00	102.31	-----	-----	89.08	35.20	10.30	32.27	289	146	AVERAGE																																																																																												







Mode	69																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_RU26/0_5500MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5432.35</td><td>50.99</td><td>74.00</td><td>-23.01</td><td>37.73</td><td>35.20</td><td>10.29</td><td>32.23</td><td>101</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>5460.10</td><td>50.10</td><td>68.30</td><td>-18.20</td><td>36.86</td><td>35.20</td><td>10.30</td><td>32.26</td><td>101</td><td>136</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5432.35	50.99	74.00	-23.01	37.73	35.20	10.29	32.23	101	136	PEAK	2	5460.10	50.10	68.30	-18.20	36.86	35.20	10.30	32.26	101	136	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.43</td><td>-----</td><td>-----</td><td>89.20</td><td>35.20</td><td>10.30</td><td>32.27</td><td>101</td><td>136</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	102.43	-----	-----	89.20	35.20	10.30	32.27	101	136
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5432.35	50.99	74.00	-23.01	37.73	35.20	10.29	32.23	101	136	PEAK																																																																																												
2	5460.10	50.10	68.30	-18.20	36.86	35.20	10.30	32.26	101	136	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5500.00	102.43	-----	-----	89.20	35.20	10.30	32.27	101	136	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.60</td><td>41.79</td><td>54.00</td><td>-12.21</td><td>28.55</td><td>35.20</td><td>10.29</td><td>32.25</td><td>101</td><td>136</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5449.60	41.79	54.00	-12.21	28.55	35.20	10.29	32.25	101	136	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>96.56</td><td>-----</td><td>-----</td><td>83.33</td><td>35.20</td><td>10.30</td><td>32.27</td><td>101</td><td>136</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	96.56	-----	-----	83.33	35.20	10.30	32.27	101	136	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5449.60	41.79	54.00	-12.21	28.55	35.20	10.29	32.25	101	136	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5500.00	96.56	-----	-----	83.33	35.20	10.30	32.27	101	136	AVERAGE																																																																																												






Mode	70																																																													
	Band Edge																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_RU52/37_5500MHz																																																													
ANT	1																																																													
Pol.	Horizontal																																																													
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.45</td><td>52.63</td><td>74.00</td><td>-21.37</td><td>39.39</td><td>35.20</td><td>10.30</td><td>32.26</td><td>290</td><td>149</td><td>PEAK</td></tr><tr><td>2</td><td>5467.90</td><td>52.76</td><td>68.30</td><td>-15.54</td><td>39.52</td><td>35.20</td><td>10.30</td><td>32.26</td><td>290</td><td>149</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.45	52.63	74.00	-21.37	39.39	35.20	10.30	32.26	290	149	PEAK	2	5467.90	52.76	68.30	-15.54	39.52	35.20	10.30	32.26	290	149
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	5458.45	52.63	74.00	-21.37	39.39	35.20	10.30	32.26	290	149	PEAK																																																			
2	5467.90	52.76	68.30	-15.54	39.52	35.20	10.30	32.26	290	149	PEAK																																																			
Fundamental																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>111.18</td><td>-----</td><td>-----</td><td>97.95</td><td>35.20</td><td>10.30</td><td>32.27</td><td>290</td><td>149</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	111.18	-----	-----	97.95	35.20	10.30	32.27	290	149	PEAK											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	5500.00	111.18	-----	-----	97.95	35.20	10.30	32.27	290	149	PEAK																																																			
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5454.55</td><td>43.18</td><td>54.00</td><td>-10.82</td><td>29.94</td><td>35.20</td><td>10.30</td><td>32.26</td><td>290</td><td>149</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5454.55	43.18	54.00	-10.82	29.94	35.20	10.30	32.26	290	149	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	5454.55	43.18	54.00	-10.82	29.94	35.20	10.30	32.26	290	149	AVERAGE																																																			
AVERAGE																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.72</td><td>-----</td><td>-----</td><td>89.49</td><td>35.20</td><td>10.30</td><td>32.27</td><td>290</td><td>149</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	102.72	-----	-----	89.49	35.20	10.30	32.27	290	149	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	5500.00	102.72	-----	-----	89.49	35.20	10.30	32.27	290	149	AVERAGE																																																			







Mode	70																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_RU52/37_5500MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5415.70</td><td>51.03</td><td>74.00</td><td>-22.97</td><td>37.74</td><td>35.20</td><td>10.29</td><td>32.20</td><td>101</td><td>136</td><td>PEAK</td></tr><tr><td>2</td><td>5467.30</td><td>50.76</td><td>68.30</td><td>-17.54</td><td>37.52</td><td>35.20</td><td>10.30</td><td>32.26</td><td>101</td><td>136</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5415.70	51.03	74.00	-22.97	37.74	35.20	10.29	32.20	101	136	PEAK	2	5467.30	50.76	68.30	-17.54	37.52	35.20	10.30	32.26	101	136	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>105.91</td><td>-----</td><td>-----</td><td>92.68</td><td>35.20</td><td>10.30</td><td>32.27</td><td>101</td><td>136</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	105.91	-----	-----	92.68	35.20	10.30	32.27	101	136
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5415.70	51.03	74.00	-22.97	37.74	35.20	10.29	32.20	101	136	PEAK																																																																																												
2	5467.30	50.76	68.30	-17.54	37.52	35.20	10.30	32.26	101	136	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5500.00	105.91	-----	-----	92.68	35.20	10.30	32.27	101	136	PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.35</td><td>42.06</td><td>54.00</td><td>-11.94</td><td>28.83</td><td>35.20</td><td>10.29</td><td>32.26</td><td>101</td><td>136</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5453.35	42.06	54.00	-11.94	28.83	35.20	10.29	32.26	101	136	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>97.02</td><td>-----</td><td>-----</td><td>83.79</td><td>35.20</td><td>10.30</td><td>32.27</td><td>101</td><td>136</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	97.02	-----	-----	83.79	35.20	10.30	32.27	101	136	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5453.35	42.06	54.00	-11.94	28.83	35.20	10.29	32.26	101	136	AVERAGE																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5500.00	97.02	-----	-----	83.79	35.20	10.30	32.27	101	136	AVERAGE																																																																																												





Mode	71																																																																																																						
	Band Edge																																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_RU106/53_5500MHz																																																																																																						
ANT	1																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.90</td><td>51.90</td><td>74.00</td><td>-22.10</td><td>38.66</td><td>35.20</td><td>10.30</td><td>32.26</td><td>290</td><td>150</td><td>PEAK</td></tr><tr><td>2</td><td>5465.35</td><td>52.77</td><td>68.30</td><td>-15.53</td><td>39.53</td><td>35.20</td><td>10.30</td><td>32.26</td><td>290</td><td>150</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.90	51.90	74.00	-22.10	38.66	35.20	10.30	32.26	290	150	PEAK	2	5465.35	52.77	68.30	-15.53	39.53	35.20	10.30	32.26	290	150	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>110.63</td><td>-----</td><td>-----</td><td>97.40</td><td>35.20</td><td>10.30</td><td>32.27</td><td>290</td><td>150</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	110.63	-----	-----	97.40	35.20	10.30	32.27	290	150	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5458.90	51.90	74.00	-22.10	38.66	35.20	10.30	32.26	290	150	PEAK																																																																																												
2	5465.35	52.77	68.30	-15.53	39.53	35.20	10.30	32.26	290	150	PEAK																																																																																												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5500.00	110.63	-----	-----	97.40	35.20	10.30	32.27	290	150	PEAK																																																																																												
Avg	Blank																																																																																																						
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>102.15</td><td>-----</td><td>-----</td><td>88.92</td><td>35.20</td><td>10.30</td><td>32.27</td><td>290</td><td>150</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	102.15	-----	-----	88.92	35.20	10.30	32.27	290	150	AVERAGE																																																				
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																														
1	5500.00	102.15	-----	-----	88.92	35.20	10.30	32.27	290	150	AVERAGE																																																																																												






Mode	71																																																																																													
	Band Edge																																																																																													
	U-NII-2C_5.47-5.725_802.11ax HE20_CH100_Partial_RU106/53_5500MHz																																																																																													
ANT	1																																																																																													
Pol.	Vertical	Fundamental																																																																																												
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5449.15</td><td>51.57</td><td>74.00</td><td>-22.43</td><td>38.33</td><td>35.20</td><td>10.29</td><td>32.25</td><td>100</td><td>135</td><td>PEAK</td></tr><tr><td>2</td><td>5460.85</td><td>50.99</td><td>68.30</td><td>-17.31</td><td>37.75</td><td>35.20</td><td>10.30</td><td>32.26</td><td>100</td><td>135</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5449.15	51.57	74.00	-22.43	38.33	35.20	10.29	32.25	100	135	PEAK	2	5460.85	50.99	68.30	-17.31	37.75	35.20	10.30	32.26	100	135	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>106.53</td><td>-----</td><td>-----</td><td>93.30</td><td>35.20</td><td>10.30</td><td>32.27</td><td>100</td><td>135</td><td>PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	106.53	-----	-----	93.30	35.20	10.30	32.27	100	135	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5449.15	51.57	74.00	-22.43	38.33	35.20	10.29	32.25	100	135	PEAK																																																																																			
2	5460.85	50.99	68.30	-17.31	37.75	35.20	10.30	32.26	100	135	PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5500.00	106.53	-----	-----	93.30	35.20	10.30	32.27	100	135	PEAK																																																																																			
Avg	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5440.90</td><td>42.25</td><td>54.00</td><td>-11.75</td><td>29.00</td><td>35.20</td><td>10.29</td><td>32.24</td><td>100</td><td>135</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5440.90	42.25	54.00	-11.75	29.00	35.20	10.29	32.24	100	135	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>95.58</td><td>-----</td><td>-----</td><td>82.35</td><td>35.20</td><td>10.30</td><td>32.27</td><td>100</td><td>135</td><td>AVERAGE</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5500.00	95.58	-----	-----	82.35	35.20	10.30	32.27	100	135	AVERAGE												
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5440.90	42.25	54.00	-11.75	29.00	35.20	10.29	32.24	100	135	AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																					
1	5500.00	95.58	-----	-----	82.35	35.20	10.30	32.27	100	135	AVERAGE																																																																																			






Mode	72																																																																																											
	Harmonic																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH116_Full RU_5580MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal	Vertical																																																																																										
Peak Avg																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>11160.00</td><td>47.11</td><td>74.00</td><td>-26.89</td><td>53.73</td><td>38.06</td><td>13.73</td><td>58.41</td></tr><tr><td>2</td><td>16740.00</td><td>46.47</td><td>68.30</td><td>-21.83</td><td>45.98</td><td>41.92</td><td>16.58</td><td>58.01</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11160.00	47.11	74.00	-26.89	53.73	38.06	13.73	58.41	2	16740.00	46.47	68.30	-21.83	45.98	41.92	16.58	58.01	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>11160.00</td><td>46.27</td><td>74.00</td><td>-27.73</td><td>52.89</td><td>38.06</td><td>13.73</td><td>58.41</td></tr><tr><td>2</td><td>16740.00</td><td>46.69</td><td>68.30</td><td>-21.61</td><td>46.20</td><td>41.92</td><td>16.58</td><td>58.01</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	11160.00	46.27	74.00	-27.73	52.89	38.06	13.73	58.41	2	16740.00	46.69	68.30	-21.61	46.20	41.92	16.58	58.01
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1	11160.00	47.11	74.00	-26.89	53.73	38.06	13.73	58.41																																																																																				
2	16740.00	46.47	68.30	-21.83	45.98	41.92	16.58	58.01																																																																																				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																																				
1	11160.00	46.27	74.00	-27.73	52.89	38.06	13.73	58.41																																																																																				
2	16740.00	46.69	68.30	-21.61	46.20	41.92	16.58	58.01																																																																																				





Mode	73																																																																																											
	Band Edge																																																																																											
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																											
ANT	1																																																																																											
Pol.	Horizontal						Fundamental																																																																																					
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5734.52</td><td>53.21</td><td>68.30</td><td>-15.09</td><td>39.61</td><td>35.58</td><td>10.38</td><td>32.36</td><td>101</td><td>138</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5734.52	53.21	68.30	-15.09	39.61	35.58	10.38	32.36	101	138	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>103.77</td><td>-----</td><td>-----</td><td>90.26</td><td>35.50</td><td>10.36</td><td>32.35</td><td>101</td><td>138</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	103.77	-----	-----	90.26	35.50	10.36	32.35	101	138	PEAK
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5734.52	53.21	68.30	-15.09	39.61	35.58	10.38	32.36	101	138	PEAK																																																																																	
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																					
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5700.00	103.77	-----	-----	90.26	35.50	10.36	32.35	101	138	PEAK																																																																																	
Avg	Blank																																																																																											
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>95.14</td><td>-----</td><td>-----</td><td>81.63</td><td>35.50</td><td>10.36</td><td>32.35</td><td>101</td><td>138</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	95.14	-----	-----	81.63	35.50	10.36	32.35	101	138	AVERAGE																																								
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																			
1	5700.00	95.14	-----	-----	81.63	35.50	10.36	32.35	101	138	AVERAGE																																																																																	






Mode	73																																																																																									
	Band Edge																																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																									
ANT	1																																																																																									
Pol.	Vertical						Fundamental																																																																																			
Peak																																																																																										
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.29</td><td>58.71</td><td>68.30</td><td>-9.59</td><td>45.13</td><td>35.57</td><td>10.37</td><td>32.36</td><td>100</td><td>3</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5725.29	58.71	68.30	-9.59	45.13	35.57	10.37	32.36	100	3	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>101.94</td><td>-----</td><td>-----</td><td>88.41</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>3</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	101.94	-----	-----	88.41	35.52	10.36	32.35	100	3
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5725.29	58.71	68.30	-9.59	45.13	35.57	10.37	32.36	100	3	PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5700.00	101.94	-----	-----	88.41	35.52	10.36	32.35	100	3	PEAK																																																																															
Avg	Blank																																																																																									
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>92.69</td><td>-----</td><td>-----</td><td>79.16</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>3</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	92.69	-----	-----	79.16	35.52	10.36	32.35	100	3	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																	
1	5700.00	92.69	-----	-----	79.16	35.52	10.36	32.35	100	3	AVERAGE																																																																															






Mode	73																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Full RU_5700MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>49.17</td><td>74.00</td><td>-24.83</td><td>54.93</td><td>38.30</td><td>13.92</td><td>57.98</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.16</td><td>68.30</td><td>-20.14</td><td>46.72</td><td>42.54</td><td>16.76</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	49.17	74.00	-24.83	54.93	38.30	13.92	57.98	--	--	Peak	2	17100.00	48.16	68.30	-20.14	46.72	42.54	16.76	57.86	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11400.00</td><td>48.10</td><td>74.00</td><td>-25.90</td><td>53.86</td><td>38.30</td><td>13.92</td><td>57.98</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17100.00</td><td>48.54</td><td>68.30</td><td>-19.76</td><td>47.10</td><td>42.54</td><td>16.76</td><td>57.86</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11400.00	48.10	74.00	-25.90	53.86	38.30	13.92	57.98	--	--	Peak	2	17100.00	48.54	68.30	-19.76	47.10	42.54	16.76	57.86	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11400.00	49.17	74.00	-24.83	54.93	38.30	13.92	57.98	--	--	Peak																																																																																																									
2	17100.00	48.16	68.30	-20.14	46.72	42.54	16.76	57.86	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11400.00	48.10	74.00	-25.90	53.86	38.30	13.92	57.98	--	--	Peak																																																																																																									
2	17100.00	48.54	68.30	-19.76	47.10	42.54	16.76	57.86	--	--	Peak																																																																																																									






Mode	74																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU26/8_5700MHz																																																																																										
ANT	1																																																																																										
Pol.	Horizontal						Fundamental																																																																																				
Peak																																																																																											
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5732.44</td><td>52.58</td><td>68.30</td><td>-15.72</td><td>38.98</td><td>35.58</td><td>10.38</td><td>32.36</td><td>302</td><td>183</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5732.44	52.58	68.30	-15.72	38.98	35.58	10.38	32.36	302	183	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>110.53</td><td>-----</td><td>-----</td><td>96.97</td><td>35.54</td><td>10.37</td><td>32.35</td><td>302</td><td>183</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	110.53	-----	-----	96.97	35.54	10.37	32.35	302	183
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5732.44	52.58	68.30	-15.72	38.98	35.58	10.38	32.36	302	183	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	110.53	-----	-----	96.97	35.54	10.37	32.35	302	183	PEAK																																																																																
Avg	Blank																																																																																										
							<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>102.21</td><td>-----</td><td>-----</td><td>88.65</td><td>35.54</td><td>10.37</td><td>32.35</td><td>302</td><td>183</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	102.21	-----	-----	88.65	35.54	10.37	32.35	302	183	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	102.21	-----	-----	88.65	35.54	10.37	32.35	302	183	AVERAGE																																																																																






Mode	74																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU26/8_5700MHz																																																																																										
ANT	1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 5755.38 MHz. A red line indicates the limit at 70.0 dBuV/m. A blue line indicates the measured level at 52.67 dBuV/m. A vertical blue line marks the peak at 5755.38 MHz.						 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 5700.00 MHz. A red line indicates the limit at 70.0 dBuV/m. A blue line indicates the measured level at 106.33 dBuV/m. A vertical blue line marks the peak at 5700.00 MHz.																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5755.38</td><td>52.67</td><td>68.30</td><td>-15.63</td><td>39.01</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>137</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5755.38	52.67	68.30	-15.63	39.01	35.62	10.39	32.35	100	137	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>106.33</td><td>-----</td><td>-----</td><td>92.77</td><td>35.54</td><td>10.37</td><td>32.35</td><td>100</td><td>137</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	106.33	-----	-----	92.77	35.54	10.37	32.35	100	137
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5755.38	52.67	68.30	-15.63	39.01	35.62	10.39	32.35	100	137	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	106.33	-----	-----	92.77	35.54	10.37	32.35	100	137	PEAK																																																																																
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a peak at 5700.00 MHz. A red line indicates the limit at 52.5 dBuV/m. A blue line indicates the measured level at 97.43 dBuV/m. A vertical blue line marks the peak at 5700.00 MHz.																																																																																				
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>97.43</td><td>-----</td><td>-----</td><td>83.87</td><td>35.54</td><td>10.37</td><td>32.35</td><td>100</td><td>137</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	97.43	-----	-----	83.87	35.54	10.37	32.35	100	137	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	97.43	-----	-----	83.87	35.54	10.37	32.35	100	137	AVERAGE																																																																																






Mode	75																																																																				
	Band Edge																																																																				
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU52/40_5700MHz																																																																				
ANT	1																																																																				
Pol.	Horizontal					Fundamental																																																															
Peak																																																																					
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>5726.59</td><td>52.51</td><td>68.30</td><td>-15.79</td><td>38.93</td><td>35.57</td><td>10.37</td><td>32.36</td><td>318</td><td>181</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	5726.59	52.51	68.30	-15.79	38.93	35.57	10.37	32.36	318	181	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>5700.00</td><td>110.75</td><td>-----</td><td>-----</td><td>97.22</td><td>35.52</td><td>10.36</td><td>32.35</td><td>318</td><td>181</td><td>PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	5700.00	110.75	-----	-----	97.22	35.52	10.36	32.35	318	181
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																													
1	5726.59	52.51	68.30	-15.79	38.93	35.57	10.37	32.36	318	181	PEAK																																																										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																													
1	5700.00	110.75	-----	-----	97.22	35.52	10.36	32.35	318	181	PEAK																																																										
Avg	Blank																																																																				
						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><td>1</td><td>5700.00</td><td>102.29</td><td>-----</td><td>-----</td><td>88.73</td><td>35.54</td><td>10.37</td><td>32.35</td><td>318</td><td>181</td><td>AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	1	5700.00	102.29	-----	-----	88.73	35.54	10.37	32.35	318	181	AVERAGE																													
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																													
1	5700.00	102.29	-----	-----	88.73	35.54	10.37	32.35	318	181	AVERAGE																																																										






Mode	75																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU52/40_5700MHz																																																																																										
ANT	1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak	 Vertical Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peaking around 5713 MHz and a sharp peak at 5752 MHz. A red line indicates the limit at 70.0 dBuV/m. A red label 'PART 15.407' is present.						 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peaking around 5713 MHz and a sharp peak at 5752 MHz. A red line indicates the limit at 70.0 dBuV/m. A red label 'PART 15.407' is present.																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5753.11</td><td>52.86</td><td>68.30</td><td>-15.44</td><td>39.20</td><td>35.62</td><td>10.39</td><td>32.35</td><td>100</td><td>137</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5753.11	52.86	68.30	-15.44	39.20	35.62	10.39	32.35	100	137	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>107.11</td><td>-----</td><td>-----</td><td>93.58</td><td>35.52</td><td>10.36</td><td>32.35</td><td>100</td><td>137</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	107.11	-----	-----	93.58	35.52	10.36	32.35	100	137
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5753.11	52.86	68.30	-15.44	39.20	35.62	10.39	32.35	100	137	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	107.11	-----	-----	93.58	35.52	10.36	32.35	100	137	PEAK																																																																																
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal peaking around 5713 MHz and a sharp peak at 5752 MHz. A red line indicates the limit at 70.0 dBuV/m. A red label 'PART 15.407 AVG' is present.																																																																																				
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>98.14</td><td>-----</td><td>-----</td><td>84.58</td><td>35.54</td><td>10.37</td><td>32.35</td><td>100</td><td>137</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	98.14	-----	-----	84.58	35.54	10.37	32.35	100	137	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	98.14	-----	-----	84.58	35.54	10.37	32.35	100	137	AVERAGE																																																																																





Mode	76																																																																																								
	Band Edge																																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU106/54_5700MHz																																																																																								
ANT	1																																																																																								
Pol.	Horizontal						Fundamental																																																																																		
Peak	 Horizontal Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal level starting around 105 dBuV/m at 5700 MHz, dropping sharply to about 55 dBuV/m by 5726 MHz, and then remaining relatively flat. A red horizontal line indicates the limit at 70.0 dBuV/m. A blue vertical line marks the peak at 5726.20 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.20</td><td>55.30</td><td>68.30</td><td>-13.00</td><td>41.72</td><td>35.57</td><td>10.37</td><td>32.36</td><td>333</td><td>174 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5726.20	55.30	68.30	-13.00	41.72	35.57	10.37	32.36	333	174 PEAK	 Fundamental Peak Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal level starting around 35 dBuV/m at 1000 MHz, rising to about 55 dBuV/m by 5700 MHz, and then remaining relatively flat. A red horizontal line indicates the limit at 70.0 dBuV/m. A blue vertical line marks the peak at 5700.00 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>110.73</td><td>-----</td><td>-----</td><td>97.20</td><td>35.52</td><td>10.36</td><td>32.35</td><td>333</td><td>174 PEAK</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	110.73	-----	-----	97.20	35.52	10.36	32.35	333	174 PEAK
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5726.20	55.30	68.30	-13.00	41.72	35.57	10.37	32.36	333	174 PEAK																																																																															
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5700.00	110.73	-----	-----	97.20	35.52	10.36	32.35	333	174 PEAK																																																																															
Avg	Blank						 Fundamental Average Spectrum Plot showing Level (dBuV/m) vs Frequency (MHz). The plot shows a signal level starting around 35 dBuV/m at 1000 MHz, rising to about 55 dBuV/m by 5700 MHz, and then remaining relatively flat. A red horizontal line indicates the limit at 70.0 dBuV/m. A blue vertical line marks the peak at 5700.00 MHz. <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level</th><th>Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>101.79</td><td>-----</td><td>-----</td><td>88.26</td><td>35.52</td><td>10.36</td><td>32.35</td><td>333</td><td>174 AVERAGE</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	101.79	-----	-----	88.26	35.52	10.36	32.35	333	174 AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																		
Freq	Level	Line Margin	Level	Factor	Loss Factor			Remark																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																
1	5700.00	101.79	-----	-----	88.26	35.52	10.36	32.35	333	174 AVERAGE																																																																															





Mode	76																																																																																										
	Band Edge																																																																																										
	U-NII-2C_5.47-5.725_802.11ax HE20_CH140_Partial_RU106/54_5700MHz																																																																																										
ANT	1																																																																																										
Pol.	Vertical						Fundamental																																																																																				
Peak																																																																																											
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.35</td><td>55.68</td><td>68.30</td><td>-12.62</td><td>42.10</td><td>35.57</td><td>10.37</td><td>32.36</td><td>101</td><td>135</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5725.35	55.68	68.30	-12.62	42.10	35.57	10.37	32.36	101	135	PEAK	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.63</td><td>-----</td><td>-----</td><td>91.07</td><td>35.54</td><td>10.37</td><td>32.35</td><td>101</td><td>135</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	104.63	-----	-----	91.07	35.54	10.37	32.35	101	135
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5725.35	55.68	68.30	-12.62	42.10	35.57	10.37	32.36	101	135	PEAK																																																																																
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	104.63	-----	-----	91.07	35.54	10.37	32.35	101	135	PEAK																																																																																
Avg	Blank																																																																																										
							<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>95.40</td><td>-----</td><td>-----</td><td>81.87</td><td>35.52</td><td>10.36</td><td>32.35</td><td>101</td><td>135</td><td>AVERAGE</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5700.00	95.40	-----	-----	81.87	35.52	10.36	32.35	101	135	AVERAGE																																							
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																		
1	5700.00	95.40	-----	-----	81.87	35.52	10.36	32.35	101	135	AVERAGE																																																																																





Mode	77																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal					Fundamental																																																																																
Peak	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5449.55</td><td>50.51</td><td>74.00</td><td>-23.49</td><td>37.27</td><td>35.20</td><td>10.29</td><td>32.25</td><td>400</td><td>136</td><td>Peak</td></tr><tr><td>2</td><td>5468.80</td><td>49.32</td><td>68.30</td><td>-18.98</td><td>36.08</td><td>35.20</td><td>10.30</td><td>32.26</td><td>400</td><td>136</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>103.12</td><td>-----</td><td>-----</td><td>89.56</td><td>35.55</td><td>10.37</td><td>32.36</td><td>400</td><td>136</td><td>Peak</td></tr><tr><td>4</td><td>5895.05</td><td>50.51</td><td>68.30</td><td>-17.79</td><td>36.43</td><td>36.00</td><td>10.50</td><td>32.42</td><td>400</td><td>136</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5449.55	50.51	74.00	-23.49	37.27	35.20	10.29	32.25	400	136	Peak	2	5468.80	49.32	68.30	-18.98	36.08	35.20	10.30	32.26	400	136	Peak	3	5720.00	103.12	-----	-----	89.56	35.55	10.37	32.36	400	136	Peak	4	5895.05	50.51	68.30	-17.79	36.43	36.00	10.50	32.42	400	136	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5449.55	50.51	74.00	-23.49	37.27	35.20	10.29	32.25	400	136	Peak																																																																											
2	5468.80	49.32	68.30	-18.98	36.08	35.20	10.30	32.26	400	136	Peak																																																																											
3	5720.00	103.12	-----	-----	89.56	35.55	10.37	32.36	400	136	Peak																																																																											
4	5895.05	50.51	68.30	-17.79	36.43	36.00	10.50	32.42	400	136	Peak																																																																											
Avg	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5454.50</td><td>40.83</td><td>54.00</td><td>-13.17</td><td>27.59</td><td>35.20</td><td>10.30</td><td>32.26</td><td>400</td><td>136</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>94.00</td><td>-----</td><td>-----</td><td>80.44</td><td>35.55</td><td>10.37</td><td>32.36</td><td>400</td><td>136</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5454.50	40.83	54.00	-13.17	27.59	35.20	10.30	32.26	400	136	Average	2	5720.00	94.00	-----	-----	80.44	35.55	10.37	32.36	400	136	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5454.50	40.83	54.00	-13.17	27.59	35.20	10.30	32.26	400	136	Average																																																																											
2	5720.00	94.00	-----	-----	80.44	35.55	10.37	32.36	400	136	Average																																																																											





Mode	77																																																																																
	Band Edge																																																																																
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																																																
ANT	1																																																																																
Pol.	Vertical					Fundamental																																																																											
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5352.75</td><td>51.26</td><td>74.00</td><td>-22.74</td><td>38.01</td><td>35.20</td><td>10.22</td><td>32.17</td><td>115</td><td>2 Peak</td></tr><tr><td>2</td><td>5462.20</td><td>50.65</td><td>68.30</td><td>-17.65</td><td>37.41</td><td>35.20</td><td>10.30</td><td>32.26</td><td>115</td><td>2 Peak</td></tr><tr><td>3</td><td>5722.35</td><td>102.71</td><td>-----</td><td>-----</td><td>89.14</td><td>35.56</td><td>10.37</td><td>32.36</td><td>115</td><td>2 Peak</td></tr><tr><td>4</td><td>5870.30</td><td>51.28</td><td>68.30</td><td>-17.02</td><td>37.29</td><td>35.92</td><td>10.48</td><td>32.41</td><td>115</td><td>2 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5352.75	51.26	74.00	-22.74	38.01	35.20	10.22	32.17	115	2 Peak	2	5462.20	50.65	68.30	-17.65	37.41	35.20	10.30	32.26	115	2 Peak	3	5722.35	102.71	-----	-----	89.14	35.56	10.37	32.36	115	2 Peak	4	5870.30	51.28	68.30	-17.02	37.29	35.92	10.48	32.41	115	2 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1	5352.75	51.26	74.00	-22.74	38.01	35.20	10.22	32.17	115	2 Peak																																																																							
2	5462.20	50.65	68.30	-17.65	37.41	35.20	10.30	32.26	115	2 Peak																																																																							
3	5722.35	102.71	-----	-----	89.14	35.56	10.37	32.36	115	2 Peak																																																																							
4	5870.30	51.28	68.30	-17.02	37.29	35.92	10.48	32.41	115	2 Peak																																																																							
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5458.90</td><td>40.81</td><td>54.00</td><td>-13.19</td><td>27.57</td><td>35.20</td><td>10.30</td><td>32.26</td><td>115</td><td>2 Average</td></tr><tr><td>2</td><td>5720.00</td><td>93.66</td><td>-----</td><td>-----</td><td>80.10</td><td>35.55</td><td>10.37</td><td>32.36</td><td>115</td><td>2 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5458.90	40.81	54.00	-13.19	27.57	35.20	10.30	32.26	115	2 Average	2	5720.00	93.66	-----	-----	80.10	35.55	10.37	32.36	115	2 Average																						
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																									
1	5458.90	40.81	54.00	-13.19	27.57	35.20	10.30	32.26	115	2 Average																																																																							
2	5720.00	93.66	-----	-----	80.10	35.55	10.37	32.36	115	2 Average																																																																							





Mode	77																																																																																																																			
	Harmonic																																																																																																																			
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Full RU_5720MHz																																																																																																																			
ANT	1																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																													
Peak Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.40</td><td>74.00</td><td>-26.60</td><td>53.04</td><td>38.34</td><td>13.93</td><td>57.91</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17160.00</td><td>49.96</td><td>68.30</td><td>-18.34</td><td>48.55</td><td>42.50</td><td>16.81</td><td>57.90</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.40	74.00	-26.60	53.04	38.34	13.93	57.91	--	--	Peak	2	17160.00	49.96	68.30	-18.34	48.55	42.50	16.81	57.90	--	--	Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>11440.00</td><td>47.67</td><td>74.00</td><td>-26.33</td><td>53.31</td><td>38.34</td><td>13.93</td><td>57.91</td><td>--</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>17160.00</td><td>49.52</td><td>68.30</td><td>-18.78</td><td>48.11</td><td>42.50</td><td>16.81</td><td>57.90</td><td>--</td><td>--</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	11440.00	47.67	74.00	-26.33	53.31	38.34	13.93	57.91	--	--	Peak	2	17160.00	49.52	68.30	-18.78	48.11	42.50	16.81	57.90	--	--	Peak
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																												
	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11440.00	47.40	74.00	-26.60	53.04	38.34	13.93	57.91	--	--	Peak																																																																																																									
2	17160.00	49.96	68.30	-18.34	48.55	42.50	16.81	57.90	--	--	Peak																																																																																																									
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																																												
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	11440.00	47.67	74.00	-26.33	53.31	38.34	13.93	57.91	--	--	Peak																																																																																																									
2	17160.00	49.52	68.30	-18.78	48.11	42.50	16.81	57.90	--	--	Peak																																																																																																									





Mode	78																																																																								
	Band Edge																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Partial_RU26/8_5720MHz																																																																								
ANT	1																																																																								
Pol.	Horizontal					Fundamental																																																																			
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5454.50</td><td>49.64</td><td>74.00</td><td>-24.36</td><td>36.40</td><td>35.20</td><td>10.30</td><td>32.26</td><td>332 176 Peak</td></tr><tr><td>2 5463.85</td><td>49.37</td><td>68.30</td><td>-18.93</td><td>36.13</td><td>35.20</td><td>10.30</td><td>32.26</td><td>332 176 Peak</td></tr><tr><td>3 5720.00</td><td>108.21</td><td>-----</td><td>-----</td><td>94.65</td><td>35.55</td><td>10.37</td><td>32.36</td><td>332 176 Peak</td></tr><tr><td>4 5878.00</td><td>51.79</td><td>68.30</td><td>-16.51</td><td>37.77</td><td>35.95</td><td>10.48</td><td>32.41</td><td>332 176 Peak</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5454.50	49.64	74.00	-24.36	36.40	35.20	10.30	32.26	332 176 Peak	2 5463.85	49.37	68.30	-18.93	36.13	35.20	10.30	32.26	332 176 Peak	3 5720.00	108.21	-----	-----	94.65	35.55	10.37	32.36	332 176 Peak	4 5878.00	51.79	68.30	-16.51	37.77	35.95	10.48	32.41	332 176 Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5454.50	49.64	74.00	-24.36	36.40	35.20	10.30	32.26	332 176 Peak																																																																	
2 5463.85	49.37	68.30	-18.93	36.13	35.20	10.30	32.26	332 176 Peak																																																																	
3 5720.00	108.21	-----	-----	94.65	35.55	10.37	32.36	332 176 Peak																																																																	
4 5878.00	51.79	68.30	-16.51	37.77	35.95	10.48	32.41	332 176 Peak																																																																	
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5460.00</td><td>40.94</td><td>54.00</td><td>-13.06</td><td>27.70</td><td>35.20</td><td>10.30</td><td>32.26</td><td>332 176 Average</td></tr><tr><td>2 5720.00</td><td>101.90</td><td>-----</td><td>-----</td><td>88.34</td><td>35.55</td><td>10.37</td><td>32.36</td><td>332 176 Average</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5460.00	40.94	54.00	-13.06	27.70	35.20	10.30	32.26	332 176 Average	2 5720.00	101.90	-----	-----	88.34	35.55	10.37	32.36	332 176 Average																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5460.00	40.94	54.00	-13.06	27.70	35.20	10.30	32.26	332 176 Average																																																																	
2 5720.00	101.90	-----	-----	88.34	35.55	10.37	32.36	332 176 Average																																																																	





Mode	78																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Partial_RU26/8_5720MHz																																																																																					
ANT	1																																																																																					
Pol.	Vertical					Fundamental																																																																																
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5373.65</td><td>50.16</td><td>74.00</td><td>-23.84</td><td>36.88</td><td>35.20</td><td>10.25</td><td>32.17</td><td>101</td><td>135</td><td>Peak</td></tr><tr><td>2</td><td>5464.95</td><td>49.44</td><td>68.30</td><td>-18.86</td><td>36.20</td><td>35.20</td><td>10.30</td><td>32.26</td><td>101</td><td>135</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>104.48</td><td>-----</td><td>-----</td><td>90.92</td><td>35.55</td><td>10.37</td><td>32.36</td><td>101</td><td>135</td><td>Peak</td></tr><tr><td>4</td><td>5850.50</td><td>52.67</td><td>68.30</td><td>-15.63</td><td>38.74</td><td>35.87</td><td>10.46</td><td>32.40</td><td>101</td><td>135</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5373.65	50.16	74.00	-23.84	36.88	35.20	10.25	32.17	101	135	Peak	2	5464.95	49.44	68.30	-18.86	36.20	35.20	10.30	32.26	101	135	Peak	3	5720.00	104.48	-----	-----	90.92	35.55	10.37	32.36	101	135	Peak	4	5850.50	52.67	68.30	-15.63	38.74	35.87	10.46	32.40	101	135	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5373.65	50.16	74.00	-23.84	36.88	35.20	10.25	32.17	101	135	Peak																																																																											
2	5464.95	49.44	68.30	-18.86	36.20	35.20	10.30	32.26	101	135	Peak																																																																											
3	5720.00	104.48	-----	-----	90.92	35.55	10.37	32.36	101	135	Peak																																																																											
4	5850.50	52.67	68.30	-15.63	38.74	35.87	10.46	32.40	101	135	Peak																																																																											
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5460.00</td><td>40.89</td><td>54.00</td><td>-13.11</td><td>27.65</td><td>35.20</td><td>10.30</td><td>32.26</td><td>101</td><td>135</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>96.48</td><td>-----</td><td>-----</td><td>82.92</td><td>35.55</td><td>10.37</td><td>32.36</td><td>101</td><td>135</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5460.00	40.89	54.00	-13.11	27.65	35.20	10.30	32.26	101	135	Average	2	5720.00	96.48	-----	-----	82.92	35.55	10.37	32.36	101	135	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5460.00	40.89	54.00	-13.11	27.65	35.20	10.30	32.26	101	135	Average																																																																											
2	5720.00	96.48	-----	-----	82.92	35.55	10.37	32.36	101	135	Average																																																																											





Mode	79																																																																																					
	Band Edge																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Partial_RU52/40_5720MHz																																																																																					
ANT	1																																																																																					
Pol.	Horizontal					Fundamental																																																																																
Peak	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5445.70</td><td>50.27</td><td>74.00</td><td>-23.73</td><td>37.03</td><td>35.20</td><td>10.29</td><td>32.25</td><td>333</td><td>174</td><td>Peak</td></tr><tr><td>2</td><td>5464.40</td><td>48.70</td><td>68.30</td><td>-19.60</td><td>35.46</td><td>35.20</td><td>10.30</td><td>32.26</td><td>333</td><td>174</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>107.30</td><td>-----</td><td>-----</td><td>93.74</td><td>35.55</td><td>10.37</td><td>32.36</td><td>333</td><td>174</td><td>Peak</td></tr><tr><td>4</td><td>5895.05</td><td>50.86</td><td>68.30</td><td>-17.44</td><td>36.78</td><td>36.00</td><td>10.50</td><td>32.42</td><td>333</td><td>174</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5445.70	50.27	74.00	-23.73	37.03	35.20	10.29	32.25	333	174	Peak	2	5464.40	48.70	68.30	-19.60	35.46	35.20	10.30	32.26	333	174	Peak	3	5720.00	107.30	-----	-----	93.74	35.55	10.37	32.36	333	174	Peak	4	5895.05	50.86	68.30	-17.44	36.78	36.00	10.50	32.42	333	174	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5445.70	50.27	74.00	-23.73	37.03	35.20	10.29	32.25	333	174	Peak																																																																											
2	5464.40	48.70	68.30	-19.60	35.46	35.20	10.30	32.26	333	174	Peak																																																																											
3	5720.00	107.30	-----	-----	93.74	35.55	10.37	32.36	333	174	Peak																																																																											
4	5895.05	50.86	68.30	-17.44	36.78	36.00	10.50	32.42	333	174	Peak																																																																											
Avg	Blank					 <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5453.95</td><td>40.93</td><td>54.00</td><td>-13.07</td><td>27.69</td><td>35.20</td><td>10.30</td><td>32.26</td><td>333</td><td>174</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>100.30</td><td>-----</td><td>-----</td><td>86.74</td><td>35.55</td><td>10.37</td><td>32.36</td><td>333</td><td>174</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5453.95	40.93	54.00	-13.07	27.69	35.20	10.30	32.26	333	174	Average	2	5720.00	100.30	-----	-----	86.74	35.55	10.37	32.36	333	174	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																														
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																														
1	5453.95	40.93	54.00	-13.07	27.69	35.20	10.30	32.26	333	174	Average																																																																											
2	5720.00	100.30	-----	-----	86.74	35.55	10.37	32.36	333	174	Average																																																																											





Mode	79																																																																																						
	Band Edge																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Partial_RU52/40_5720MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical					Fundamental																																																																																	
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5455.05</td><td>50.25</td><td>74.00</td><td>-23.75</td><td>37.01</td><td>35.20</td><td>10.30</td><td>32.26</td><td>101</td><td>135</td><td>Peak</td></tr><tr><td>2</td><td>5464.40</td><td>50.68</td><td>68.30</td><td>-17.62</td><td>37.44</td><td>35.20</td><td>10.30</td><td>32.26</td><td>101</td><td>135</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>102.79</td><td>-----</td><td>-----</td><td>89.23</td><td>35.55</td><td>10.37</td><td>32.36</td><td>101</td><td>135</td><td>Peak</td></tr><tr><td>4</td><td>5855.45</td><td>50.89</td><td>68.30</td><td>-17.41</td><td>36.95</td><td>35.88</td><td>10.46</td><td>32.40</td><td>101</td><td>135</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5455.05	50.25	74.00	-23.75	37.01	35.20	10.30	32.26	101	135	Peak	2	5464.40	50.68	68.30	-17.62	37.44	35.20	10.30	32.26	101	135	Peak	3	5720.00	102.79	-----	-----	89.23	35.55	10.37	32.36	101	135	Peak	4	5855.45	50.89	68.30	-17.41	36.95	35.88	10.46	32.40	101	135	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5455.05	50.25	74.00	-23.75	37.01	35.20	10.30	32.26	101	135	Peak																																																																												
2	5464.40	50.68	68.30	-17.62	37.44	35.20	10.30	32.26	101	135	Peak																																																																												
3	5720.00	102.79	-----	-----	89.23	35.55	10.37	32.36	101	135	Peak																																																																												
4	5855.45	50.89	68.30	-17.41	36.95	35.88	10.46	32.40	101	135	Peak																																																																												
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5452.85</td><td>40.89</td><td>54.00</td><td>-13.11</td><td>27.66</td><td>35.20</td><td>10.29</td><td>32.26</td><td>101</td><td>135</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>94.62</td><td>-----</td><td>-----</td><td>81.06</td><td>35.55</td><td>10.37</td><td>32.36</td><td>101</td><td>135</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5452.85	40.89	54.00	-13.11	27.66	35.20	10.29	32.26	101	135	Average	2	5720.00	94.62	-----	-----	81.06	35.55	10.37	32.36	101	135	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5452.85	40.89	54.00	-13.11	27.66	35.20	10.29	32.26	101	135	Average																																																																												
2	5720.00	94.62	-----	-----	81.06	35.55	10.37	32.36	101	135	Average																																																																												







Mode	80																																																																								
	Band Edge																																																																								
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Partial_RU106/54_5720MHz																																																																								
ANT	1																																																																								
Pol.	Horizontal					Fundamental																																																																			
Peak	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5456.15</td><td>50.30</td><td>74.00</td><td>-23.70</td><td>37.06</td><td>35.20</td><td>10.30</td><td>32.26</td><td>333</td></tr><tr><td>2 5468.80</td><td>48.80</td><td>68.30</td><td>-19.50</td><td>35.56</td><td>35.20</td><td>10.30</td><td>32.26</td><td>333</td></tr><tr><td>3 5720.00</td><td>108.48</td><td>-----</td><td>-----</td><td>94.92</td><td>35.55</td><td>10.37</td><td>32.36</td><td>333</td></tr><tr><td>4 5865.35</td><td>52.26</td><td>68.30</td><td>-16.04</td><td>38.29</td><td>35.91</td><td>10.47</td><td>32.41</td><td>333</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5456.15	50.30	74.00	-23.70	37.06	35.20	10.30	32.26	333	2 5468.80	48.80	68.30	-19.50	35.56	35.20	10.30	32.26	333	3 5720.00	108.48	-----	-----	94.92	35.55	10.37	32.36	333	4 5865.35	52.26	68.30	-16.04	38.29	35.91	10.47	32.41	333
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5456.15	50.30	74.00	-23.70	37.06	35.20	10.30	32.26	333																																																																	
2 5468.80	48.80	68.30	-19.50	35.56	35.20	10.30	32.26	333																																																																	
3 5720.00	108.48	-----	-----	94.92	35.55	10.37	32.36	333																																																																	
4 5865.35	52.26	68.30	-16.04	38.29	35.91	10.47	32.41	333																																																																	
Avg	Blank					<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1 5457.80</td><td>40.95</td><td>54.00</td><td>-13.05</td><td>27.71</td><td>35.20</td><td>10.30</td><td>32.26</td><td>333</td></tr><tr><td>2 5720.00</td><td>99.61</td><td>-----</td><td>-----</td><td>86.05</td><td>35.55</td><td>10.37</td><td>32.36</td><td>333</td></tr></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1 5457.80	40.95	54.00	-13.05	27.71	35.20	10.30	32.26	333	2 5720.00	99.61	-----	-----	86.05	35.55	10.37	32.36	333																		
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																	
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																	
1 5457.80	40.95	54.00	-13.05	27.71	35.20	10.30	32.26	333																																																																	
2 5720.00	99.61	-----	-----	86.05	35.55	10.37	32.36	333																																																																	




Mode	80																																																																																						
	Band Edge																																																																																						
	U-NII-2C_5.47-5.725_802.11ax HE20_CH144_Partial_RU106/54_5720MHz																																																																																						
ANT	1																																																																																						
Pol.	Vertical						Fundamental																																																																																
Peak	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5373.65</td><td>51.05</td><td>74.00</td><td>-22.95</td><td>37.77</td><td>35.20</td><td>10.25</td><td>32.17</td><td>110</td><td>136</td><td>Peak</td></tr><tr><td>2</td><td>5469.35</td><td>49.27</td><td>68.30</td><td>-19.03</td><td>36.03</td><td>35.20</td><td>10.30</td><td>32.26</td><td>110</td><td>136</td><td>Peak</td></tr><tr><td>3</td><td>5720.00</td><td>102.69</td><td>-----</td><td>-----</td><td>89.13</td><td>35.55</td><td>10.37</td><td>32.36</td><td>110</td><td>136</td><td>Peak</td></tr><tr><td>4</td><td>5879.10</td><td>51.78</td><td>68.30</td><td>-16.52</td><td>37.75</td><td>35.95</td><td>10.49</td><td>32.41</td><td>110</td><td>136</td><td>Peak</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5373.65	51.05	74.00	-22.95	37.77	35.20	10.25	32.17	110	136	Peak	2	5469.35	49.27	68.30	-19.03	36.03	35.20	10.30	32.26	110	136	Peak	3	5720.00	102.69	-----	-----	89.13	35.55	10.37	32.36	110	136	Peak	4	5879.10	51.78	68.30	-16.52	37.75	35.95	10.49	32.41	110	136	Peak
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																															
1	5373.65	51.05	74.00	-22.95	37.77	35.20	10.25	32.17	110	136	Peak																																																																												
2	5469.35	49.27	68.30	-19.03	36.03	35.20	10.30	32.26	110	136	Peak																																																																												
3	5720.00	102.69	-----	-----	89.13	35.55	10.37	32.36	110	136	Peak																																																																												
4	5879.10	51.78	68.30	-16.52	37.75	35.95	10.49	32.41	110	136	Peak																																																																												
Avg	Blank						<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5451.75</td><td>40.88</td><td>54.00</td><td>-13.12</td><td>27.65</td><td>35.20</td><td>10.29</td><td>32.26</td><td>110</td><td>136</td><td>Average</td></tr><tr><td>2</td><td>5720.00</td><td>94.75</td><td>-----</td><td>-----</td><td>81.19</td><td>35.55</td><td>10.37</td><td>32.36</td><td>110</td><td>136</td><td>Average</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5451.75	40.88	54.00	-13.12	27.65	35.20	10.29	32.26	110	136	Average	2	5720.00	94.75	-----	-----	81.19	35.55	10.37	32.36	110	136	Average																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos	Remark																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																																															
1	5451.75	40.88	54.00	-13.12	27.65	35.20	10.29	32.26	110	136	Average																																																																												
2	5720.00	94.75	-----	-----	81.19	35.55	10.37	32.36	110	136	Average																																																																												







Mode	81																																																													
	Band Edge - L																																																													
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																													
ANT	1																																																													
Pol.	Horizontal																																																													
Peak	Fundamental																																																													
																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.44</td><td>59.76</td><td>74.00</td><td>-14.24</td><td>46.52</td><td>35.20</td><td>10.30</td><td>32.26</td><td>256</td><td>146</td><td>PEAK</td></tr><tr><td>2</td><td>5465.20</td><td>61.21</td><td>68.30</td><td>-7.09</td><td>47.97</td><td>35.20</td><td>10.30</td><td>32.26</td><td>256</td><td>146</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.44	59.76	74.00	-14.24	46.52	35.20	10.30	32.26	256	146	PEAK	2	5465.20	61.21	68.30	-7.09	47.97	35.20	10.30	32.26	256	146
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	5459.44	59.76	74.00	-14.24	46.52	35.20	10.30	32.26	256	146	PEAK																																																			
2	5465.20	61.21	68.30	-7.09	47.97	35.20	10.30	32.26	256	146	PEAK																																																			
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>48.58</td><td>54.00</td><td>-5.42</td><td>35.34</td><td>35.20</td><td>10.30</td><td>32.26</td><td>256</td><td>146</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.92	48.58	54.00	-5.42	35.34	35.20	10.30	32.26	256	146	AVERAGE											
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	5459.92	48.58	54.00	-5.42	35.34	35.20	10.30	32.26	256	146	AVERAGE																																																			
Peak																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>103.43</td><td>-----</td><td>-----</td><td>90.20</td><td>35.21</td><td>10.30</td><td>32.28</td><td>256</td><td>146</td><td>PEAK</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	103.43	-----	-----	90.20	35.21	10.30	32.28	256	146	PEAK											
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	5510.00	103.43	-----	-----	90.20	35.21	10.30	32.28	256	146	PEAK																																																			
Avg																																																														
	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>93.64</td><td>-----</td><td>-----</td><td>80.40</td><td>35.21</td><td>10.30</td><td>32.27</td><td>256</td><td>146</td><td>AVERAGE</td></tr></table>												Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	93.64	-----	-----	80.40	35.21	10.30	32.27	256	146	AVERAGE											
		Limit	Read	Ant	Cable	Preamp	APos	TPos																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																					
1	5510.00	93.64	-----	-----	80.40	35.21	10.30	32.27	256	146	AVERAGE																																																			




Mode	81																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5735.17</td><td>52.47</td><td>68.30</td><td>-15.83</td><td>38.87</td><td>35.58</td><td>10.38</td><td>32.36</td><td>256</td><td>146</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5735.17	52.47	68.30	-15.83	38.87	35.58	10.38	32.36	256	146	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5735.17	52.47	68.30	-15.83	38.87	35.58	10.38	32.36	256	146	PEAK																																								







Mode	81																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.52</td><td>57.66</td><td>74.00</td><td>-16.34</td><td>44.42</td><td>35.20</td><td>10.30</td><td>32.26</td><td>123</td><td>1 PEAK</td></tr><tr><td>2</td><td>5461.68</td><td>57.63</td><td>68.30</td><td>-10.67</td><td>44.39</td><td>35.20</td><td>10.30</td><td>32.26</td><td>123</td><td>1 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.52	57.66	74.00	-16.34	44.42	35.20	10.30	32.26	123	1 PEAK	2	5461.68	57.63	68.30	-10.67	44.39	35.20	10.30	32.26	123	1 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>99.02</td><td>-----</td><td>-----</td><td>85.78</td><td>35.21</td><td>10.30</td><td>32.27</td><td>123</td><td>1 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	99.02	-----	-----	85.78	35.21	10.30	32.27	123
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5457.52	57.66	74.00	-16.34	44.42	35.20	10.30	32.26	123	1 PEAK																																																																																								
2	5461.68	57.63	68.30	-10.67	44.39	35.20	10.30	32.26	123	1 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5510.00	99.02	-----	-----	85.78	35.21	10.30	32.27	123	1 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.60</td><td>45.36</td><td>54.00</td><td>-8.64</td><td>32.12</td><td>35.20</td><td>10.30</td><td>32.26</td><td>123</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.60	45.36	54.00	-8.64	32.12	35.20	10.30	32.26	123	1 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>89.93</td><td>-----</td><td>-----</td><td>76.70</td><td>35.20</td><td>10.30</td><td>32.27</td><td>123</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	89.93	-----	-----	76.70	35.20	10.30	32.27	123	1 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5459.60	45.36	54.00	-8.64	32.12	35.20	10.30	32.26	123	1 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5510.00	89.93	-----	-----	76.70	35.20	10.30	32.27	123	1 AVERAGE																																																																																								




Mode	81																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Full RU_5510MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5733.38</td><td>51.69</td><td>68.30</td><td>-16.61</td><td>38.09</td><td>35.58</td><td>10.38</td><td>32.36</td><td>123</td><td>1 PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5733.38	51.69	68.30	-16.61	38.09	35.58	10.38	32.36	123	1 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5733.38	51.69	68.30	-16.61	38.09	35.58	10.38	32.36	123	1 PEAK																															







Mode	82																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Partial_RU242/61_5510MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.96</td><td>52.78</td><td>74.00</td><td>-21.22</td><td>39.55</td><td>35.20</td><td>10.29</td><td>32.26</td><td>344</td><td>173 PEAK</td></tr><tr><td>2</td><td>5467.92</td><td>57.24</td><td>68.30</td><td>-11.06</td><td>44.00</td><td>35.20</td><td>10.30</td><td>32.26</td><td>344</td><td>173 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5450.96	52.78	74.00	-21.22	39.55	35.20	10.29	32.26	344	173 PEAK	2	5467.92	57.24	68.30	-11.06	44.00	35.20	10.30	32.26	344	173 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>105.90</td><td>-----</td><td>-----</td><td>92.67</td><td>35.20</td><td>10.30</td><td>32.27</td><td>344</td><td>173 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	105.90	-----	-----	92.67	35.20	10.30	32.27	344
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5450.96	52.78	74.00	-21.22	39.55	35.20	10.29	32.26	344	173 PEAK																																																																																								
2	5467.92	57.24	68.30	-11.06	44.00	35.20	10.30	32.26	344	173 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5510.00	105.90	-----	-----	92.67	35.20	10.30	32.27	344	173 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.92</td><td>43.34</td><td>54.00</td><td>-10.66</td><td>30.10</td><td>35.20</td><td>10.30</td><td>32.26</td><td>344</td><td>173 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.92	43.34	54.00	-10.66	30.10	35.20	10.30	32.26	344	173 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>97.32</td><td>-----</td><td>-----</td><td>84.09</td><td>35.20</td><td>10.30</td><td>32.27</td><td>344</td><td>173 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	97.32	-----	-----	84.09	35.20	10.30	32.27	344	173 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5459.92	43.34	54.00	-10.66	30.10	35.20	10.30	32.26	344	173 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5510.00	97.32	-----	-----	84.09	35.20	10.30	32.27	344	173 AVERAGE																																																																																								




Mode	82																																																		
	Band Edge - R																																																		
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Partial_RU242/61_5510MHz																																																		
ANT	1																																																		
Pol.	Horizontal						Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.85</td><td>53.25</td><td>68.30</td><td>-15.05</td><td>39.65</td><td>35.58</td><td>10.38</td><td>32.36</td><td>344</td><td>173</td><td>PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5731.85	53.25	68.30	-15.05	39.65	35.58	10.38	32.36	344	173	PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																										
1	5731.85	53.25	68.30	-15.05	39.65	35.58	10.38	32.36	344	173	PEAK																																								







Mode	82																																																																																																					
	Band Edge - L																																																																																																					
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Partial_RU242/61_5510MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Vertical						Fundamental																																																																																															
Peak																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.00</td><td>53.10</td><td>74.00</td><td>-20.90</td><td>39.86</td><td>35.20</td><td>10.30</td><td>32.26</td><td>113</td><td>133</td><td>PEAK</td></tr><tr><td>2</td><td>5468.40</td><td>54.51</td><td>68.30</td><td>-13.79</td><td>41.27</td><td>35.20</td><td>10.30</td><td>32.26</td><td>113</td><td>133</td><td>PEAK</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5458.00	53.10	74.00	-20.90	39.86	35.20	10.30	32.26	113	133	PEAK	2	5468.40	54.51	68.30	-13.79	41.27	35.20	10.30	32.26	113	133	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>100.00</td><td>-----</td><td>-----</td><td>86.77</td><td>35.20</td><td>10.30</td><td>32.27</td><td>113</td><td>133</td><td>PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	100.00	-----	-----	86.77	35.20	10.30	32.27	113	133
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5458.00	53.10	74.00	-20.90	39.86	35.20	10.30	32.26	113	133	PEAK																																																																																											
2	5468.40	54.51	68.30	-13.79	41.27	35.20	10.30	32.26	113	133	PEAK																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5510.00	100.00	-----	-----	86.77	35.20	10.30	32.27	113	133	PEAK																																																																																											
Avg																																																																																																						
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5459.76</td><td>42.67</td><td>54.00</td><td>-11.33</td><td>29.43</td><td>35.20</td><td>10.30</td><td>32.26</td><td>113</td><td>133</td><td>AVERAGE</td></tr></tbody></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5459.76	42.67	54.00	-11.33	29.43	35.20	10.30	32.26	113	133	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5510.00</td><td>91.96</td><td>-----</td><td>-----</td><td>78.73</td><td>35.20</td><td>10.30</td><td>32.27</td><td>113</td><td>133</td><td>AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5510.00	91.96	-----	-----	78.73	35.20	10.30	32.27	113	133	AVERAGE											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5459.76	42.67	54.00	-11.33	29.43	35.20	10.30	32.26	113	133	AVERAGE																																																																																											
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																															
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																													
1	5510.00	91.96	-----	-----	78.73	35.20	10.30	32.27	113	133	AVERAGE																																																																																											




Mode	82																																										
	Band Edge - R																																										
	U-NII-2C_5.47-5.725_802.11ax HE40_CH102_Partial_RU242/61_5510MHz																																										
ANT	1																																										
Pol.	Vertical	Fundamental																																									
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.29</td><td>51.82</td><td>68.30</td><td>-16.48</td><td>38.20</td><td>35.60</td><td>10.38</td><td>32.36</td><td>113</td><td>133</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5741.29	51.82	68.30	-16.48	38.20	35.60	10.38	32.36	113	133	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																				
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																	
1	5741.29	51.82	68.30	-16.48	38.20	35.60	10.38	32.36	113	133	PEAK																																







Mode	83																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Horizontal					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5443.80</td><td>51.94</td><td>74.00</td><td>-22.06</td><td>38.69</td><td>35.20</td><td>10.29</td><td>32.24</td><td>255</td><td>150 PEAK</td></tr><tr><td>2</td><td>5469.20</td><td>53.11</td><td>68.30</td><td>-15.19</td><td>39.87</td><td>35.20</td><td>10.30</td><td>32.26</td><td>255</td><td>150 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5443.80	51.94	74.00	-22.06	38.69	35.20	10.29	32.24	255	150 PEAK	2	5469.20	53.11	68.30	-15.19	39.87	35.20	10.30	32.26	255	150 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>103.40</td><td>-----</td><td>-----</td><td>90.14</td><td>35.25</td><td>10.31</td><td>32.30</td><td>255</td><td>150 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5550.00	103.40	-----	-----	90.14	35.25	10.31	32.30	255
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5443.80	51.94	74.00	-22.06	38.69	35.20	10.29	32.24	255	150 PEAK																																																																																								
2	5469.20	53.11	68.30	-15.19	39.87	35.20	10.30	32.26	255	150 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5550.00	103.40	-----	-----	90.14	35.25	10.31	32.30	255	150 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5457.60</td><td>42.51</td><td>54.00</td><td>-11.49</td><td>29.27</td><td>35.20</td><td>10.30</td><td>32.26</td><td>255</td><td>150 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5457.60	42.51	54.00	-11.49	29.27	35.20	10.30	32.26	255	150 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>94.12</td><td>-----</td><td>-----</td><td>80.87</td><td>35.24</td><td>10.30</td><td>32.29</td><td>255</td><td>150 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5550.00	94.12	-----	-----	80.87	35.24	10.30	32.29	255	150 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5457.60	42.51	54.00	-11.49	29.27	35.20	10.30	32.26	255	150 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5550.00	94.12	-----	-----	80.87	35.24	10.30	32.29	255	150 AVERAGE																																																																																								




Mode	83																																																	
	Band Edge - R																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																	
ANT	1																																																	
Pol.	Horizontal						Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.35</td><td>51.74</td><td>68.30</td><td>-16.56</td><td>38.12</td><td>35.60</td><td>10.38</td><td>32.36</td><td>255</td><td>150 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5741.35	51.74	68.30	-16.56	38.12	35.60	10.38	32.36	255	150 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5741.35	51.74	68.30	-16.56	38.12	35.60	10.38	32.36	255	150 PEAK																																								







Mode	83																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																																																																	
ANT	1																																																																																																	
Pol.	Vertical					Fundamental																																																																																												
Peak																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.00</td><td>51.14</td><td>74.00</td><td>-22.86</td><td>37.89</td><td>35.20</td><td>10.22</td><td>32.17</td><td>119</td><td>1 PEAK</td></tr><tr><td>2</td><td>5469.40</td><td>50.77</td><td>68.30</td><td>-17.53</td><td>37.53</td><td>35.20</td><td>10.30</td><td>32.26</td><td>119</td><td>1 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5353.00	51.14	74.00	-22.86	37.89	35.20	10.22	32.17	119	1 PEAK	2	5469.40	50.77	68.30	-17.53	37.53	35.20	10.30	32.26	119	1 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>100.22</td><td>-----</td><td>-----</td><td>86.98</td><td>35.23</td><td>10.30</td><td>32.29</td><td>119</td><td>1 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5550.00	100.22	-----	-----	86.98	35.23	10.30	32.29	119
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5353.00	51.14	74.00	-22.86	37.89	35.20	10.22	32.17	119	1 PEAK																																																																																								
2	5469.40	50.77	68.30	-17.53	37.53	35.20	10.30	32.26	119	1 PEAK																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5550.00	100.22	-----	-----	86.98	35.23	10.30	32.29	119	1 PEAK																																																																																								
Avg																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5439.20</td><td>41.99</td><td>54.00</td><td>-12.01</td><td>28.74</td><td>35.20</td><td>10.29</td><td>32.24</td><td>119</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5439.20	41.99	54.00	-12.01	28.74	35.20	10.29	32.24	119	1 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>89.86</td><td>-----</td><td>-----</td><td>76.60</td><td>35.25</td><td>10.31</td><td>32.30</td><td>119</td><td>1 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5550.00	89.86	-----	-----	76.60	35.25	10.31	32.30	119	1 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5439.20	41.99	54.00	-12.01	28.74	35.20	10.29	32.24	119	1 AVERAGE																																																																																								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																									
1	5550.00	89.86	-----	-----	76.60	35.25	10.31	32.30	119	1 AVERAGE																																																																																								




Mode	83																																																	
	Band Edge - R																																																	
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Full RU_5550MHz																																																	
ANT	1																																																	
Pol.	Vertical						Fundamental																																											
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5763.71</td><td>52.44</td><td>68.30</td><td>-15.86</td><td>38.76</td><td>35.64</td><td>10.39</td><td>32.35</td><td>119</td><td>1 PEAK</td></tr></table>							Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5763.71	52.44	68.30	-15.86	38.76	35.64	10.39	32.35	119	1 PEAK	Blank				
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																											
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																									
1	5763.71	52.44	68.30	-15.86	38.76	35.64	10.39	32.35	119	1 PEAK																																								








Mode	84																																																																									
	Band Edge - L																																																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Partial_RU242/61_5550MHz																																																																									
ANT	1																																																																									
Pol.	Horizontal	Fundamental																																																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5411.20</td><td>51.34</td><td>74.00</td><td>-22.66</td><td>38.04</td><td>35.20</td><td>10.29</td></tr><tr><td>2</td><td>5464.40</td><td>51.44</td><td>68.30</td><td>-16.86</td><td>38.20</td><td>35.20</td><td>10.30</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5411.20	51.34	74.00	-22.66	38.04	35.20	10.29	2	5464.40	51.44	68.30	-16.86	38.20	35.20	10.30	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5550.00</td><td>105.90</td><td>-----</td><td>-----</td><td>92.66</td><td>35.23</td><td>10.30</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5550.00	105.90	-----	-----	92.66	35.23	10.30
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5411.20	51.34	74.00	-22.66	38.04	35.20	10.29																																																																			
2	5464.40	51.44	68.30	-16.86	38.20	35.20	10.30																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5550.00	105.90	-----	-----	92.66	35.23	10.30																																																																			
Avg	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5452.00</td><td>42.44</td><td>54.00</td><td>-11.56</td><td>29.21</td><td>35.20</td><td>10.29</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5452.00	42.44	54.00	-11.56	29.21	35.20	10.29	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5550.00</td><td>96.94</td><td>-----</td><td>-----</td><td>83.70</td><td>35.23</td><td>10.30</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	1	5550.00	96.94	-----	-----	83.70	35.23	10.30								
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5452.00	42.44	54.00	-11.56	29.21	35.20	10.29																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor																																																																			
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB																																																																			
1	5550.00	96.94	-----	-----	83.70	35.23	10.30																																																																			



Mode	84																																									
	Band Edge - R																																									
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Partial_RU242/61_5550MHz																																									
ANT	1																																									
Pol.	Horizontal	Fundamental																																								
Peak	<table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.35</td><td>52.49</td><td>68.30</td><td>-15.81</td><td>38.87</td><td>35.60</td><td>10.38</td><td>32.36</td><td>355</td><td>173</td><td>PEAK</td></tr></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5741.35	52.49	68.30	-15.81	38.87	35.60	10.38	32.36	355	173	PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																			
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																	
1	5741.35	52.49	68.30	-15.81	38.87	35.60	10.38	32.36	355	173	PEAK																															



Mode	84																																																																																												
	Band Edge - L																																																																																												
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Partial_RU242/61_5550MHz																																																																																												
ANT	1																																																																																												
Pol.	Vertical						Fundamental																																																																																						
Peak																																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5415.40	51.86	74.00	-22.14	38.57	35.20	10.29	32.20	100	134 PEAK	2	5468.60	51.12	68.30	-17.18	37.88	35.20	10.30	32.26	100	134 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>99.38</td><td>-----</td><td>-----</td><td>86.14</td><td>35.22</td><td>10.30</td><td>32.28</td><td>100</td><td>134 PEAK</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5550.00	99.38	-----	-----	86.14	35.22	10.30	32.28	100
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5415.40	51.86	74.00	-22.14	38.57	35.20	10.29	32.20	100	134 PEAK																																																																																			
2	5468.60	51.12	68.30	-17.18	37.88	35.20	10.30	32.26	100	134 PEAK																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5550.00	99.38	-----	-----	86.14	35.22	10.30	32.28	100	134 PEAK																																																																																			
Avg																																																																																													
		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5451.00	42.06	54.00	-11.94	28.83	35.20	10.29	32.26	100	134 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5550.00</td><td>90.91</td><td>-----</td><td>-----</td><td>77.67</td><td>35.22</td><td>10.30</td><td>32.28</td><td>100</td><td>134 AVERAGE</td></tr></tbody></table>						Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5550.00	90.91	-----	-----	77.67	35.22	10.30	32.28	100	134 AVERAGE										
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5451.00	42.06	54.00	-11.94	28.83	35.20	10.29	32.26	100	134 AVERAGE																																																																																			
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Remark																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																																																																				
1	5550.00	90.91	-----	-----	77.67	35.22	10.30	32.28	100	134 AVERAGE																																																																																			

Mode	84																																								
	Band Edge - R																																								
	U-NII-2C_5.47-5.725_802.11ax HE40_CH110_Partial_RU242/61_5550MHz																																								
ANT	1																																								
Pol.	Vertical	Fundamental																																							
Peak	<table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line Margin</th><th>Level Factor</th><th>Loss Factor</th><th>Loss Factor</th><th></th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5733.83</td><td>52.51</td><td>68.30</td><td>-15.79</td><td>38.91</td><td>35.58</td><td>10.38</td><td>32.36</td><td>100</td><td>134 PEAK</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	APos	TPos		Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg	1	5733.83	52.51	68.30	-15.79	38.91	35.58	10.38	32.36	100	134 PEAK	Blank
	Limit	Read	Ant	Cable	Preamp	APos	TPos																																		
Freq	Level	Line Margin	Level Factor	Loss Factor	Loss Factor			Remark																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	cm	deg																																
1	5733.83	52.51	68.30	-15.79	38.91	35.58	10.38	32.36	100	134 PEAK																															