







Band2-9538-4-3000~20000MHz-PASS




Band2-9538-5-0.009~0.15MHz-PASS




Band2-9538-5-0.15~30MHz-PASS



Band2-9538-5-30~1000MHz-PASS



Band2-9538-5-1000~30000MHz-PASS



Band2-9538-5-3000~20000MHz-PASS

Appendix F: Frequency Stability

Test Result

Voltage							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	VN	NT	-0.19	-0.000103	±10	PASS
Band2	9262	VL	NT	0.79	0.000426	±10	PASS
Band2	9262	VH	NT	-0.24	-0.000130	±10	PASS
Band2	9400	VN	NT	1.93	0.001027	±10	PASS
Band2	9400	VL	NT	1.34	0.000713	±10	PASS
Band2	9400	VH	NT	0.53	0.000282	±10	PASS
Band2	9538	VN	NT	2.46	0.001290	±10	PASS
Band2	9538	VL	NT	2.81	0.001473	±10	PASS
Band2	9538	VH	NT	2.32	0.001216	±10	PASS

Temperature							
Band	Channel	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	NV	-30	0.96	0.000518	±10	PASS
Band2	9262	NV	-20	1.10	0.000594	±10	PASS
Band2	9262	NV	-10	0.84	0.000453	±10	PASS
Band2	9262	NV	0	-0.11	-0.000059	±10	PASS
Band2	9262	NV	10	1.05	0.000567	±10	PASS
Band2	9262	NV	20	1.32	0.000713	±10	PASS
Band2	9262	NV	30	1.06	0.000572	±10	PASS
Band2	9262	NV	40	1.24	0.000669	±10	PASS
Band2	9262	NV	50	1.44	0.000777	±10	PASS
Band2	9400	NV	-30	2.28	0.001213	±10	PASS
Band2	9400	NV	-20	2.07	0.001101	±10	PASS
Band2	9400	NV	-10	2.05	0.001090	±10	PASS
Band2	9400	NV	0	2.00	0.001064	±10	PASS
Band2	9400	NV	10	2.35	0.001250	±10	PASS
Band2	9400	NV	20	2.22	0.001181	±10	PASS
Band2	9400	NV	30	2.20	0.001170	±10	PASS
Band2	9400	NV	40	2.29	0.001218	±10	PASS
Band2	9400	NV	50	3.25	0.001729	±10	PASS
Band2	9538	NV	-30	1.99	0.001043	±10	PASS
Band2	9538	NV	-20	2.47	0.001295	±10	PASS
Band2	9538	NV	-10	2.75	0.001442	±10	PASS

Band2	9538	NV	0	2.61	0.001368	±10	PASS
Band2	9538	NV	10	2.90	0.001520	±10	PASS
Band2	9538	NV	20	3.08	0.001615	±10	PASS
Band2	9538	NV	30	2.27	0.001190	±10	PASS
Band2	9538	NV	40	3.06	0.001604	±10	PASS
Band2	9538	NV	50	2.78	0.001457	±10	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	1.38	0.000745	±2	PASS
Band2	9262	1	VL	NT	1.82	0.000983	±2	PASS
Band2	9262	1	VH	NT	1.97	0.001063	±2	PASS
Band2	9262	2	VN	NT	0.62	0.000335	±2	PASS
Band2	9262	2	VL	NT	1.62	0.000875	±2	PASS
Band2	9262	2	VH	NT	2.74	0.001479	±2	PASS
Band2	9262	3	VN	NT	3.69	0.001992	±2	PASS
Band2	9262	3	VL	NT	3.05	0.001647	±2	PASS
Band2	9262	3	VH	NT	5.16	0.002786	±2	PASS
Band2	9262	4	VN	NT	1.76	0.000950	±2	PASS
Band2	9262	4	VL	NT	-0.16	-0.000086	±2	PASS
Band2	9262	4	VH	NT	2.90	0.001566	±2	PASS
Band2	9400	1	VN	NT	5.52	0.002936	±2	PASS
Band2	9400	1	VL	NT	2.17	0.001154	±2	PASS
Band2	9400	1	VH	NT	1.40	0.000745	±2	PASS
Band2	9400	2	VN	NT	4.03	0.002144	±2	PASS
Band2	9400	2	VL	NT	2.40	0.001277	±2	PASS
Band2	9400	2	VH	NT	2.56	0.001362	±2	PASS
Band2	9400	3	VN	NT	2.85	0.001516	±2	PASS
Band2	9400	3	VL	NT	2.39	0.001271	±2	PASS
Band2	9400	3	VH	NT	4.70	0.002500	±2	PASS
Band2	9400	4	VN	NT	0.62	0.000330	±2	PASS
Band2	9400	4	VL	NT	4.67	0.002484	±2	PASS
Band2	9400	4	VH	NT	4.38	0.002330	±2	PASS
Band2	9538	1	VN	NT	2.14	0.001122	±2	PASS
Band2	9538	1	VL	NT	4.84	0.002537	±2	PASS
Band2	9538	1	VH	NT	3.19	0.001672	±2	PASS
Band2	9538	2	VN	NT	2.83	0.001484	±2	PASS
Band2	9538	2	VL	NT	5.39	0.002826	±2	PASS
Band2	9538	2	VH	NT	2.44	0.001279	±2	PASS
Band2	9538	3	VN	NT	2.43	0.001274	±2	PASS
Band2	9538	3	VL	NT	3.60	0.001887	±2	PASS
Band2	9538	3	VH	NT	1.96	0.001027	±2	PASS
Band2	9538	4	VN	NT	6.08	0.003187	±2	PASS
Band2	9538	4	VL	NT	0.99	0.000519	±2	PASS
Band2	9538	4	VH	NT	4.96	0.002600	±2	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	4.56	0.002462	±2	PASS
Band2	9262	1	NV	-20	0.11	0.000059	±2	PASS
Band2	9262	1	NV	-10	2.03	0.001096	±2	PASS
Band2	9262	1	NV	0	2.17	0.001171	±2	PASS
Band2	9262	1	NV	10	2.62	0.001414	±2	PASS
Band2	9262	1	NV	20	1.82	0.000983	±2	PASS
Band2	9262	1	NV	30	-0.06	-0.000032	±2	PASS
Band2	9262	1	NV	40	2.01	0.001085	±2	PASS
Band2	9262	1	NV	50	-0.17	-0.000092	±2	PASS
Band2	9262	2	NV	-30	2.93	0.001582	±2	PASS
Band2	9262	2	NV	-20	0.10	0.000054	±2	PASS
Band2	9262	2	NV	-10	3.14	0.001695	±2	PASS
Band2	9262	2	NV	0	1.92	0.001036	±2	PASS
Band2	9262	2	NV	10	2.57	0.001387	±2	PASS
Band2	9262	2	NV	20	-2.85	-0.001539	±2	PASS
Band2	9262	2	NV	30	2.01	0.001085	±2	PASS
Band2	9262	2	NV	40	3.13	0.001690	±2	PASS
Band2	9262	2	NV	50	3.20	0.001727	±2	PASS
Band2	9262	3	NV	-30	3.19	0.001722	±2	PASS
Band2	9262	3	NV	-20	2.18	0.001177	±2	PASS
Band2	9262	3	NV	-10	5.09	0.002748	±2	PASS
Band2	9262	3	NV	0	2.80	0.001512	±2	PASS
Band2	9262	3	NV	10	-0.33	-0.000178	±2	PASS
Band2	9262	3	NV	20	2.60	0.001404	±2	PASS
Band2	9262	3	NV	30	2.68	0.001447	±2	PASS
Band2	9262	3	NV	40	4.28	0.002311	±2	PASS
Band2	9262	3	NV	50	4.85	0.002618	±2	PASS
Band2	9262	4	NV	-30	3.20	0.001727	±2	PASS
Band2	9262	4	NV	-20	2.27	0.001225	±2	PASS
Band2	9262	4	NV	-10	2.08	0.001123	±2	PASS
Band2	9262	4	NV	0	0.39	0.000211	±2	PASS
Band2	9262	4	NV	10	3.38	0.001825	±2	PASS
Band2	9262	4	NV	20	0.36	0.000194	±2	PASS
Band2	9262	4	NV	30	5.77	0.003115	±2	PASS
Band2	9262	4	NV	40	2.02	0.001090	±2	PASS
Band2	9262	4	NV	50	2.52	0.001360	±2	PASS
Band2	9400	1	NV	-30	0.01	0.000005	±2	PASS

Band2	9400	1	NV	-20	5.36	0.002851	±2	PASS
Band2	9400	1	NV	-10	3.58	0.001904	±2	PASS
Band2	9400	1	NV	0	1.80	0.000957	±2	PASS
Band2	9400	1	NV	10	2.88	0.001532	±2	PASS
Band2	9400	1	NV	20	4.91	0.002612	±2	PASS
Band2	9400	1	NV	30	1.09	0.000580	±2	PASS
Band2	9400	1	NV	40	4.97	0.002644	±2	PASS
Band2	9400	1	NV	50	4.46	0.002372	±2	PASS
Band2	9400	2	NV	-30	4.54	0.002415	±2	PASS
Band2	9400	2	NV	-20	3.00	0.001596	±2	PASS
Band2	9400	2	NV	-10	3.82	0.002032	±2	PASS
Band2	9400	2	NV	0	4.24	0.002255	±2	PASS
Band2	9400	2	NV	10	4.99	0.002654	±2	PASS
Band2	9400	2	NV	20	4.54	0.002415	±2	PASS
Band2	9400	2	NV	30	5.66	0.003011	±2	PASS
Band2	9400	2	NV	40	1.72	0.000915	±2	PASS
Band2	9400	2	NV	50	0.16	0.000085	±2	PASS
Band2	9400	3	NV	-30	4.76	0.002532	±2	PASS
Band2	9400	3	NV	-20	0.61	0.000324	±2	PASS
Band2	9400	3	NV	-10	4.67	0.002484	±2	PASS
Band2	9400	3	NV	0	-0.42	-0.000223	±2	PASS
Band2	9400	3	NV	10	3.71	0.001973	±2	PASS
Band2	9400	3	NV	20	3.38	0.001798	±2	PASS
Band2	9400	3	NV	30	1.72	0.000915	±2	PASS
Band2	9400	3	NV	40	1.62	0.000862	±2	PASS
Band2	9400	3	NV	50	5.85	0.003112	±2	PASS
Band2	9400	4	NV	-30	2.47	0.001314	±2	PASS
Band2	9400	4	NV	-20	3.78	0.002011	±2	PASS
Band2	9400	4	NV	-10	2.09	0.001112	±2	PASS
Band2	9400	4	NV	0	3.35	0.001782	±2	PASS
Band2	9400	4	NV	10	1.71	0.000910	±2	PASS
Band2	9400	4	NV	20	2.85	0.001516	±2	PASS
Band2	9400	4	NV	30	2.08	0.001106	±2	PASS
Band2	9400	4	NV	40	2.08	0.001106	±2	PASS
Band2	9400	4	NV	50	2.39	0.001271	±2	PASS
Band2	9538	1	NV	-30	3.48	0.001824	±2	PASS
Band2	9538	1	NV	-20	4.47	0.002343	±2	PASS
Band2	9538	1	NV	-10	-1.02	-0.000535	±2	PASS
Band2	9538	1	NV	0	1.16	0.000608	±2	PASS
Band2	9538	1	NV	10	4.38	0.002296	±2	PASS
Band2	9538	1	NV	20	3.55	0.001861	±2	PASS

Band2	9538	1	NV	30	4.70	0.002464	±2	PASS
Band2	9538	1	NV	40	4.94	0.002590	±2	PASS
Band2	9538	1	NV	50	3.57	0.001871	±2	PASS
Band2	9538	2	NV	-30	3.94	0.002065	±2	PASS
Band2	9538	2	NV	-20	1.62	0.000849	±2	PASS
Band2	9538	2	NV	-10	6.70	0.003512	±2	PASS
Band2	9538	2	NV	0	2.15	0.001127	±2	PASS
Band2	9538	2	NV	10	4.55	0.002385	±2	PASS
Band2	9538	2	NV	20	1.52	0.000797	±2	PASS
Band2	9538	2	NV	30	0.92	0.000482	±2	PASS
Band2	9538	2	NV	40	3.72	0.001950	±2	PASS
Band2	9538	2	NV	50	3.55	0.001861	±2	PASS
Band2	9538	3	NV	-30	3.48	0.001824	±2	PASS
Band2	9538	3	NV	-20	2.01	0.001054	±2	PASS
Band2	9538	3	NV	-10	3.59	0.001882	±2	PASS
Band2	9538	3	NV	0	0.69	0.000362	±2	PASS
Band2	9538	3	NV	10	3.16	0.001657	±2	PASS
Band2	9538	3	NV	20	2.88	0.001510	±2	PASS
Band2	9538	3	NV	30	4.96	0.002600	±2	PASS
Band2	9538	3	NV	40	2.53	0.001326	±2	PASS
Band2	9538	3	NV	50	4.29	0.002249	±2	PASS
Band2	9538	4	NV	-30	5.28	0.002768	±2	PASS
Band2	9538	4	NV	-20	2.62	0.001373	±2	PASS
Band2	9538	4	NV	-10	5.03	0.002637	±2	PASS
Band2	9538	4	NV	0	4.07	0.002134	±2	PASS
Band2	9538	4	NV	10	3.13	0.001641	±2	PASS
Band2	9538	4	NV	20	1.99	0.001043	±2	PASS
Band2	9538	4	NV	30	2.47	0.001295	±2	PASS
Band2	9538	4	NV	40	1.66	0.000870	±2	PASS
Band2	9538	4	NV	50	3.63	0.001903	±2	PASS

Voltage								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	VN	NT	-0.87	-0.000470	±2	PASS
Band2	9262	1	VL	NT	-2.35	-0.001269	±2	PASS
Band2	9262	1	VH	NT	-1.75	-0.000945	±2	PASS
Band2	9262	2	VN	NT	3.16	0.001706	±2	PASS
Band2	9262	2	VL	NT	5.11	0.002759	±2	PASS
Band2	9262	2	VH	NT	4.45	0.002402	±2	PASS
Band2	9262	3	VN	NT	3.07	0.001657	±2	PASS
Band2	9262	3	VL	NT	2.45	0.001323	±2	PASS
Band2	9262	3	VH	NT	2.45	0.001323	±2	PASS
Band2	9262	4	VN	NT	-2.40	-0.001296	±2	PASS
Band2	9262	4	VL	NT	3.13	0.001690	±2	PASS
Band2	9262	4	VH	NT	5.28	0.002850	±2	PASS
Band2	9262	5	VN	NT	0.45	0.000243	±2	PASS
Band2	9262	5	VL	NT	3.41	0.001841	±2	PASS
Band2	9262	5	VH	NT	3.80	0.002051	±2	PASS
Band2	9400	1	VN	NT	2.82	0.001500	±2	PASS
Band2	9400	1	VL	NT	2.31	0.001229	±2	PASS
Band2	9400	1	VH	NT	3.62	0.001926	±2	PASS
Band2	9400	2	VN	NT	2.21	0.001176	±2	PASS
Band2	9400	2	VL	NT	2.57	0.001367	±2	PASS
Band2	9400	2	VH	NT	4.53	0.002410	±2	PASS
Band2	9400	3	VN	NT	1.32	0.000702	±2	PASS
Band2	9400	3	VL	NT	4.44	0.002362	±2	PASS
Band2	9400	3	VH	NT	2.59	0.001378	±2	PASS
Band2	9400	4	VN	NT	4.76	0.002532	±2	PASS
Band2	9400	4	VL	NT	4.08	0.002170	±2	PASS
Band2	9400	4	VH	NT	2.51	0.001335	±2	PASS
Band2	9400	5	VN	NT	2.06	0.001096	±2	PASS
Band2	9400	5	VL	NT	0.06	0.000032	±2	PASS
Band2	9400	5	VH	NT	3.71	0.001973	±2	PASS
Band2	9538	1	VN	NT	2.70	0.001415	±2	PASS
Band2	9538	1	VL	NT	5.28	0.002768	±2	PASS
Band2	9538	1	VH	NT	4.09	0.002144	±2	PASS
Band2	9538	2	VN	NT	2.88	0.001510	±2	PASS
Band2	9538	2	VL	NT	2.29	0.001200	±2	PASS
Band2	9538	2	VH	NT	-0.57	-0.000299	±2	PASS
Band2	9538	3	VN	NT	1.64	0.000860	±2	PASS

Band2	9538	3	VL	NT	4.06	0.002128	±2	PASS
Band2	9538	3	VH	NT	2.38	0.001248	±2	PASS
Band2	9538	4	VN	NT	2.96	0.001552	±2	PASS
Band2	9538	4	VL	NT	3.97	0.002081	±2	PASS
Band2	9538	4	VH	NT	4.98	0.002611	±2	PASS
Band2	9538	5	VN	NT	1.97	0.001033	±2	PASS
Band2	9538	5	VL	NT	1.92	0.001007	±2	PASS
Band2	9538	5	VH	NT	3.87	0.002029	±2	PASS

Temperature								
Band	Channel	Sub Test	Voltage (Vdc)	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
Band2	9262	1	NV	-30	5.57	0.003007	±2	PASS
Band2	9262	1	NV	-20	2.52	0.001360	±2	PASS
Band2	9262	1	NV	-10	2.36	0.001274	±2	PASS
Band2	9262	1	NV	0	1.72	0.000929	±2	PASS
Band2	9262	1	NV	10	3.19	0.001722	±2	PASS
Band2	9262	1	NV	20	5.09	0.002748	±2	PASS
Band2	9262	1	NV	30	2.69	0.001452	±2	PASS
Band2	9262	1	NV	40	8.98	0.004848	±2	PASS
Band2	9262	1	NV	50	1.02	0.000551	±2	PASS
Band2	9262	2	NV	-30	1.57	0.000848	±2	PASS
Band2	9262	2	NV	-20	1.85	0.000999	±2	PASS
Band2	9262	2	NV	-10	4.02	0.002170	±2	PASS
Band2	9262	2	NV	0	4.15	0.002240	±2	PASS
Band2	9262	2	NV	10	3.97	0.002143	±2	PASS
Band2	9262	2	NV	20	4.18	0.002257	±2	PASS
Band2	9262	2	NV	30	-0.77	-0.000416	±2	PASS
Band2	9262	2	NV	40	3.30	0.001781	±2	PASS
Band2	9262	2	NV	50	3.99	0.002154	±2	PASS
Band2	9262	3	NV	-30	1.60	0.000864	±2	PASS
Band2	9262	3	NV	-20	1.96	0.001058	±2	PASS
Band2	9262	3	NV	-10	2.07	0.001117	±2	PASS
Band2	9262	3	NV	0	3.43	0.001852	±2	PASS
Band2	9262	3	NV	10	3.01	0.001625	±2	PASS
Band2	9262	3	NV	20	4.28	0.002311	±2	PASS
Band2	9262	3	NV	30	2.67	0.001441	±2	PASS
Band2	9262	3	NV	40	2.25	0.001215	±2	PASS
Band2	9262	3	NV	50	2.26	0.001220	±2	PASS
Band2	9262	4	NV	-30	2.75	0.001485	±2	PASS

Band2	9262	4	NV	-20	3.86	0.002084	±2	PASS
Band2	9262	4	NV	-10	-0.15	-0.000081	±2	PASS
Band2	9262	4	NV	0	0.97	0.000524	±2	PASS
Band2	9262	4	NV	10	3.62	0.001954	±2	PASS
Band2	9262	4	NV	20	0.29	0.000157	±2	PASS
Band2	9262	4	NV	30	3.10	0.001674	±2	PASS
Band2	9262	4	NV	40	1.85	0.000999	±2	PASS
Band2	9262	4	NV	50	5.71	0.003082	±2	PASS
Band2	9262	5	NV	-30	2.93	0.001582	±2	PASS
Band2	9262	5	NV	-20	3.48	0.001879	±2	PASS
Band2	9262	5	NV	-10	-0.38	-0.000205	±2	PASS
Band2	9262	5	NV	0	3.35	0.001808	±2	PASS
Band2	9262	5	NV	10	2.74	0.001479	±2	PASS
Band2	9262	5	NV	20	3.20	0.001727	±2	PASS
Band2	9262	5	NV	30	2.25	0.001215	±2	PASS
Band2	9262	5	NV	40	3.48	0.001879	±2	PASS
Band2	9262	5	NV	50	2.25	0.001215	±2	PASS
Band2	9400	1	NV	-30	6.17	0.003282	±2	PASS
Band2	9400	1	NV	-20	0.74	0.000394	±2	PASS
Band2	9400	1	NV	-10	0.76	0.000404	±2	PASS
Band2	9400	1	NV	0	2.02	0.001074	±2	PASS
Band2	9400	1	NV	10	3.09	0.001644	±2	PASS
Band2	9400	1	NV	20	-0.86	-0.000457	±2	PASS
Band2	9400	1	NV	30	5.24	0.002787	±2	PASS
Band2	9400	1	NV	40	6.62	0.003521	±2	PASS
Band2	9400	1	NV	50	2.36	0.001255	±2	PASS
Band2	9400	2	NV	-30	3.26	0.001734	±2	PASS
Band2	9400	2	NV	-20	5.74	0.003053	±2	PASS
Band2	9400	2	NV	-10	4.86	0.002585	±2	PASS
Band2	9400	2	NV	0	1.81	0.000963	±2	PASS
Band2	9400	2	NV	10	4.61	0.002452	±2	PASS
Band2	9400	2	NV	20	5.84	0.003106	±2	PASS
Band2	9400	2	NV	30	2.42	0.001287	±2	PASS
Band2	9400	2	NV	40	4.82	0.002564	±2	PASS
Band2	9400	2	NV	50	5.31	0.002824	±2	PASS
Band2	9400	3	NV	-30	2.73	0.001452	±2	PASS
Band2	9400	3	NV	-20	4.23	0.002250	±2	PASS
Band2	9400	3	NV	-10	3.83	0.002037	±2	PASS
Band2	9400	3	NV	0	2.32	0.001234	±2	PASS
Band2	9400	3	NV	10	4.53	0.002410	±2	PASS
Band2	9400	3	NV	20	3.04	0.001617	±2	PASS

Band2	9400	3	NV	30	3.38	0.001798	±2	PASS
Band2	9400	3	NV	40	2.27	0.001207	±2	PASS
Band2	9400	3	NV	50	4.89	0.002601	±2	PASS
Band2	9400	4	NV	-30	1.68	0.000894	±2	PASS
Band2	9400	4	NV	-20	1.38	0.000734	±2	PASS
Band2	9400	4	NV	-10	2.10	0.001117	±2	PASS
Band2	9400	4	NV	0	6.60	0.003511	±2	PASS
Band2	9400	4	NV	10	4.84	0.002574	±2	PASS
Band2	9400	4	NV	20	5.32	0.002830	±2	PASS
Band2	9400	4	NV	30	5.76	0.003064	±2	PASS
Band2	9400	4	NV	40	4.31	0.002293	±2	PASS
Band2	9400	4	NV	50	-1.49	-0.000793	±2	PASS
Band2	9400	5	NV	-30	3.60	0.001915	±2	PASS
Band2	9400	5	NV	-20	2.30	0.001223	±2	PASS
Band2	9400	5	NV	-10	5.99	0.003186	±2	PASS
Band2	9400	5	NV	0	2.33	0.001239	±2	PASS
Band2	9400	5	NV	10	2.66	0.001415	±2	PASS
Band2	9400	5	NV	20	4.60	0.002447	±2	PASS
Band2	9400	5	NV	30	3.93	0.002090	±2	PASS
Band2	9400	5	NV	40	2.46	0.001309	±2	PASS
Band2	9400	5	NV	50	2.68	0.001426	±2	PASS
Band2	9538	1	NV	-30	6.22	0.003261	±2	PASS
Band2	9538	1	NV	-20	2.54	0.001332	±2	PASS
Band2	9538	1	NV	-10	-2.25	-0.001179	±2	PASS
Band2	9538	1	NV	0	-1.34	-0.000702	±2	PASS
Band2	9538	1	NV	10	2.20	0.001153	±2	PASS
Band2	9538	1	NV	20	4.58	0.002401	±2	PASS
Band2	9538	1	NV	30	3.36	0.001761	±2	PASS
Band2	9538	1	NV	40	4.18	0.002191	±2	PASS
Band2	9538	1	NV	50	5.87	0.003077	±2	PASS
Band2	9538	2	NV	-30	4.31	0.002259	±2	PASS
Band2	9538	2	NV	-20	3.67	0.001924	±2	PASS
Band2	9538	2	NV	-10	4.54	0.002380	±2	PASS
Band2	9538	2	NV	0	5.88	0.003082	±2	PASS
Band2	9538	2	NV	10	3.00	0.001573	±2	PASS
Band2	9538	2	NV	20	4.02	0.002107	±2	PASS
Band2	9538	2	NV	30	-0.34	-0.000178	±2	PASS
Band2	9538	2	NV	40	4.31	0.002259	±2	PASS
Band2	9538	2	NV	50	4.46	0.002338	±2	PASS
Band2	9538	3	NV	-30	2.60	0.001363	±2	PASS
Band2	9538	3	NV	-20	3.52	0.001845	±2	PASS

Band2	9538	3	NV	-10	5.37	0.002815	±2	PASS
Band2	9538	3	NV	0	4.46	0.002338	±2	PASS
Band2	9538	3	NV	10	4.63	0.002427	±2	PASS
Band2	9538	3	NV	20	2.55	0.001337	±2	PASS
Band2	9538	3	NV	30	3.52	0.001845	±2	PASS
Band2	9538	3	NV	40	3.30	0.001730	±2	PASS
Band2	9538	3	NV	50	3.65	0.001913	±2	PASS
Band2	9538	4	NV	-30	4.61	0.002417	±2	PASS
Band2	9538	4	NV	-20	3.02	0.001583	±2	PASS
Band2	9538	4	NV	-10	2.76	0.001447	±2	PASS
Band2	9538	4	NV	0	2.40	0.001258	±2	PASS
Band2	9538	4	NV	10	4.48	0.002349	±2	PASS
Band2	9538	4	NV	20	1.37	0.000718	±2	PASS
Band2	9538	4	NV	30	4.19	0.002196	±2	PASS
Band2	9538	4	NV	40	4.63	0.002427	±2	PASS
Band2	9538	4	NV	50	3.04	0.001594	±2	PASS
Band2	9538	5	NV	-30	2.84	0.001489	±2	PASS
Band2	9538	5	NV	-20	1.76	0.000923	±2	PASS
Band2	9538	5	NV	-10	2.60	0.001363	±2	PASS
Band2	9538	5	NV	0	4.84	0.002537	±2	PASS
Band2	9538	5	NV	10	1.39	0.000729	±2	PASS
Band2	9538	5	NV	20	3.10	0.001625	±2	PASS
Band2	9538	5	NV	30	2.43	0.001274	±2	PASS
Band2	9538	5	NV	40	3.28	0.001719	±2	PASS
Band2	9538	5	NV	50	3.57	0.001871	±2	PASS