













Maximum Conducted Output Power


Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Limit (dBm)	Verdict
NVNT	1-DH5	2402	-2.06	21	Pass
NVNT	1-DH5	2441	-3.76	21	Pass
NVNT	1-DH5	2480	-5.76	21	Pass
NVNT	2-DH5	2402	0.06	21	Pass
NVNT	2-DH5	2441	-1.52	21	Pass
NVNT	2-DH5	2480	-3.53	21	Pass
NVNT	3-DH5	2402	0.66	21	Pass
NVNT	3-DH5	2441	-1.28	21	Pass
NVNT	3-DH5	2480	-3.42	21	Pass

















-20dB Bandwidth


Condition	Mode	Frequency (MHz)	-20 dB Bandwidth (MHz)
NVNT	1-DH5	2402	0.932
NVNT	1-DH5	2441	0.936
NVNT	1-DH5	2480	0.936
NVNT	2-DH5	2402	1.312
NVNT	2-DH5	2441	1.319
NVNT	2-DH5	2480	1.315
NVNT	3-DH5	2402	1.302
NVNT	3-DH5	2441	1.295
NVNT	3-DH5	2480	1.315

















Carrier Frequencies Separation


Condition	Mode	Hopping Freq1 (MHz)	Hopping Freq2 (MHz)	HFS (MHz)	Limit (MHz)	Verdict
NVNT	1-DH5	2402	2403.004	1.004	0.621	Pass
NVNT	1-DH5	2441.004	2442.004	1	0.624	Pass
NVNT	1-DH5	2479.002	2480	0.998	0.624	Pass
NVNT	2-DH5	2402.008	2403.014	1.006	0.875	Pass
NVNT	2-DH5	2441.004	2442.008	1.004	0.879	Pass
NVNT	2-DH5	2479.014	2480.004	0.99	0.877	Pass
NVNT	3-DH5	2402.002	2403.002	1	0.868	Pass
NVNT	3-DH5	2441.01	2442.01	1	0.863	Pass
NVNT	3-DH5	2479.004	2480.008	1.004	0.877	Pass

















Band Edge


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	No-Hopping	-51.02	-20	Pass
NVNT	1-DH5	2480	No-Hopping	-52.26	-20	Pass
NVNT	2-DH5	2402	No-Hopping	-50.43	-20	Pass
NVNT	2-DH5	2480	No-Hopping	-52.43	-20	Pass
NVNT	3-DH5	2402	No-Hopping	-51.37	-20	Pass
NVNT	3-DH5	2480	No-Hopping	-52.25	-20	Pass



















Band Edge(Hopping)


Condition	Mode	Frequency (MHz)	Hopping Mode	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	Hopping	-52.13	-20	Pass
NVNT	1-DH5	2480	Hopping	-51.93	-20	Pass
NVNT	2-DH5	2402	Hopping	-53.09	-20	Pass
NVNT	2-DH5	2480	Hopping	-51.2	-20	Pass
NVNT	3-DH5	2402	Hopping	-54.96	-20	Pass
NVNT	3-DH5	2480	Hopping	-51.87	-20	Pass




















Conducted RF Spurious Emission


Condition	Mode	Frequency (MHz)	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	1-DH5	2402	-40.45	-20	Pass
NVNT	1-DH5	2441	-39.65	-20	Pass
NVNT	1-DH5	2480	-37.8	-20	Pass
NVNT	2-DH5	2402	-41.4	-20	Pass
NVNT	2-DH5	2441	-39.26	-20	Pass
NVNT	2-DH5	2480	-36.1	-20	Pass
NVNT	3-DH5	2402	-40.12	-20	Pass
NVNT	3-DH5	2441	-38.5	-20	Pass
NVNT	3-DH5	2480	-35.96	-20	Pass



























Number of Hopping Channel

Condition	Mode	Hopping Number	Limit	Verdict
NVNT	1-DH5	79	15	Pass
NVNT	2-DH5	79	15	Pass
NVNT	3-DH5	79	15	Pass







APPENDIX 2-PHOTOS OF TEST SETUP

Note: See test photos in setup photo document for the actual connections between Product and support equipment.

*****END OF THE REPORT*****