

Spurious Emission at Antenna Terminals


3.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73	-13	60	Pass	401
0.15	30	0.01	RMS	0.3	-69.84	-13	56.84	Pass	2986
30	1000	0.1	RMS	975.284	-62.79	-13	49.79	Pass	9701
1000	3000	1	RMS	2936	-49.88	-13	36.88	Pass	2001
3000	3440	1	RMS	3440	-50.09	-13	37.09	Pass	441
3440	3560	1	RMS	3450.8	17.62	60	42.38	Pass	401
3560	7000	1	RMS	6902	-54.64	-13	41.64	Pass	3441
7000	26500	1	RMS	25510	-49.81	-13	36.81	Pass	19503




3.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630334, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-69.9	-13	56.9	Pass	401
0.15	30	0.01	RMS	0.22	-71.27	-13	58.27	Pass	2986
30	1000	0.1	RMS	791.9	-62.92	-13	49.92	Pass	9701
1000	3000	1	RMS	2939	-49.71	-13	36.71	Pass	2001
3000	3440	1	RMS	3158	-50.34	-13	37.34	Pass	441
3440	3560	1	RMS	3459.2	17.72	60	42.28	Pass	401
3560	7000	1	RMS	6918	-54.51	-13	41.51	Pass	3441
7000	26500	1	RMS	25527	-50.09	-13	37.09	Pass	19503




3.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.19	-69.39	-13	56.39	Pass	2986
30	1000	0.1	RMS	839.5	-62.9	-13	49.9	Pass	9701
1000	3000	1	RMS	2946	-49.82	-13	36.82	Pass	2001
3000	3440	1	RMS	3427	-46.49	-13	33.49	Pass	441
3440	3560	1	RMS	3497.9	9.08	60	50.92	Pass	401
3560	7000	1	RMS	3573	-49.31	-13	36.31	Pass	3441
7000	26500	1	RMS	25448	-50.13	-13	37.13	Pass	19503




3.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.75	-71.21	-13	58.21	Pass	2986
30	1000	0.1	RMS	963.776	-62.14	-13	49.14	Pass	9701
1000	3000	1	RMS	2960	-49.67	-13	36.67	Pass	2001
3000	3440	1	RMS	3162	-50.24	-13	37.24	Pass	441
3440	3560	1	RMS	3495.8	17.87	60	42.13	Pass	401
3560	7000	1	RMS	6992	-55.97	-13	42.97	Pass	3441
7000	26500	1	RMS	25480	-49.93	-13	36.93	Pass	19503




3.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.2	-70.08	-13	57.08	Pass	2986
30	1000	0.1	RMS	821.6	-63.3	-13	50.3	Pass	9701
1000	3000	1	RMS	2939	-49.76	-13	36.76	Pass	2001
3000	3440	1	RMS	3160	-50.34	-13	37.34	Pass	441
3440	3560	1	RMS	3504.2	17.78	60	42.22	Pass	401
3560	7000	1	RMS	3811	-62.25	-13	49.25	Pass	3441
7000	26500	1	RMS	25478	-49.99	-13	36.99	Pass	19503




3.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.33	-13	56.33	Pass	401
0.15	30	0.01	RMS	0.21	-72.11	-13	59.11	Pass	2986
30	1000	0.1	RMS	741.7	-62.97	-13	49.97	Pass	9701
1000	3000	1	RMS	2936	-49.79	-13	36.79	Pass	2001
3000	3440	1	RMS	3160	-50.18	-13	37.18	Pass	441
3440	3560	1	RMS	3542.6	8.5	60	51.5	Pass	401
3560	7000	1	RMS	3618	-49.52	-13	36.52	Pass	3441
7000	26500	1	RMS	25504	-50.02	-13	37.02	Pass	19503




3.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-70.89	-13	57.89	Pass	401
0.15	30	0.01	RMS	0.56	-71.23	-13	58.23	Pass	2986
30	1000	0.1	RMS	908.039	-62.52	-13	49.52	Pass	9701
1000	3000	1	RMS	2951	-49.68	-13	36.68	Pass	2001
3000	3440	1	RMS	3158	-50.35	-13	37.35	Pass	441
3440	3560	1	RMS	3540.8	17.42	60	42.58	Pass	401
3560	7000	1	RMS	3560	-57.8	-13	44.8	Pass	3441
7000	26500	1	RMS	25863	-50.07	-13	37.07	Pass	19503




3.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-72.97	-13	59.97	Pass	401
0.15	30	0.01	RMS	0.37	-69.32	-13	56.32	Pass	2986
30	1000	0.1	RMS	952.068	-63.16	-13	50.16	Pass	9701
1000	3000	1	RMS	2937	-49.8	-13	36.8	Pass	2001
3000	3440	1	RMS	3161	-50.28	-13	37.28	Pass	441
3440	3560	1	RMS	3549.2	17.29	60	42.71	Pass	401
3560	7000	1	RMS	3561	-55.61	-13	42.61	Pass	3441
7000	26500	1	RMS	25904	-50.25	-13	37.25	Pass	19503




3.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.91	-13	58.91	Pass	401
0.15	30	0.01	RMS	0.15	-69.22	-13	56.22	Pass	2986
30	1000	0.1	RMS	823.7	-63.01	-13	50.01	Pass	9701
1000	3000	1	RMS	2936	-49.75	-13	36.75	Pass	2001
3000	3440	1	RMS	3440	-42.37	-13	29.37	Pass	441
3440	3560	1	RMS	3458.6	6.9	60	53.1	Pass	401
3560	7000	1	RMS	3605	-61.4	-13	48.4	Pass	3441
7000	26500	1	RMS	25900	-49.86	-13	36.86	Pass	19503




3.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.17	-69.86	-13	56.86	Pass	2986
30	1000	0.1	RMS	925.551	-62.77	-13	49.77	Pass	9701
1000	3000	1	RMS	2955	-49.84	-13	36.84	Pass	2001
3000	3440	1	RMS	3440	-49.95	-13	36.95	Pass	441
3440	3560	1	RMS	3450.8	17.6	60	42.4	Pass	401
3560	7000	1	RMS	6902	-54.52	-13	41.52	Pass	3441
7000	26500	1	RMS	25524	-50.06	-13	37.06	Pass	19503




3.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630500, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.09	-13	58.09	Pass	401
0.15	30	0.01	RMS	0.15	-69.45	-13	56.45	Pass	2986
30	1000	0.1	RMS	848.8	-62.79	-13	49.79	Pass	9701
1000	3000	1	RMS	2936	-49.75	-13	36.75	Pass	2001
3000	3440	1	RMS	3157	-50.21	-13	37.21	Pass	441
3440	3560	1	RMS	3464	17.58	60	42.42	Pass	401
3560	7000	1	RMS	6928	-54.79	-13	41.79	Pass	3441
7000	26500	1	RMS	25497	-50	-13	37	Pass	19503




3.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.95	-13	57.95	Pass	401
0.15	30	0.01	RMS	0.15	-70.32	-13	57.32	Pass	2986
30	1000	0.1	RMS	953.969	-62.89	-13	49.89	Pass	9701
1000	3000	1	RMS	2956	-49.76	-13	36.76	Pass	2001
3000	3440	1	RMS	3162	-50.31	-13	37.31	Pass	441
3440	3560	1	RMS	3494.9	7	60	53	Pass	401
3560	7000	1	RMS	3648	-61.41	-13	48.41	Pass	3441
7000	26500	1	RMS	25877	-49.75	-13	36.75	Pass	19503




3.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-70.57	-13	57.57	Pass	401
0.15	30	0.01	RMS	0.42	-69.13	-13	56.13	Pass	2986
30	1000	0.1	RMS	821.2	-62.63	-13	49.63	Pass	9701
1000	3000	1	RMS	2933	-49.74	-13	36.74	Pass	2001
3000	3440	1	RMS	3163	-50.36	-13	37.36	Pass	441
3440	3560	1	RMS	3493.4	17.73	60	42.27	Pass	401
3560	7000	1	RMS	6987	-55.77	-13	42.77	Pass	3441
7000	26500	1	RMS	25495	-50.11	-13	37.11	Pass	19503




3.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.34	-70.05	-13	57.05	Pass	2986
30	1000	0.1	RMS	926.351	-63.16	-13	50.16	Pass	9701
1000	3000	1	RMS	2935	-49.89	-13	36.89	Pass	2001
3000	3440	1	RMS	3158	-50.24	-13	37.24	Pass	441
3440	3560	1	RMS	3506.6	17.88	60	42.12	Pass	401
3560	7000	1	RMS	3814	-62.51	-13	49.51	Pass	3441
7000	26500	1	RMS	25498	-50.14	-13	37.14	Pass	19503




3.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.5	-13	57.5	Pass	401
0.15	30	0.01	RMS	0.24	-70.99	-13	57.99	Pass	2986
30	1000	0.1	RMS	914.844	-63.01	-13	50.01	Pass	9701
1000	3000	1	RMS	2936	-49.68	-13	36.68	Pass	2001
3000	3440	1	RMS	3161	-50.29	-13	37.29	Pass	441
3440	3560	1	RMS	3536.6	6.63	60	53.37	Pass	401
3560	7000	1	RMS	3560	-46.17	-13	33.17	Pass	3441
7000	26500	1	RMS	25525	-49.73	-13	36.73	Pass	19503




3.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.35	-13	58.35	Pass	401
0.15	30	0.01	RMS	0.64	-71.81	-13	58.81	Pass	2986
30	1000	0.1	RMS	862.109	-63	-13	50	Pass	9701
1000	3000	1	RMS	2937	-49.61	-13	36.61	Pass	2001
3000	3440	1	RMS	3161	-50.27	-13	37.27	Pass	441
3440	3560	1	RMS	3535.7	17.36	60	42.64	Pass	401
3560	7000	1	RMS	3561	-60.88	-13	47.88	Pass	3441
7000	26500	1	RMS	25504	-50.09	-13	37.09	Pass	19503




3.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636166, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.24	-13	58.24	Pass	401
0.15	30	0.01	RMS	0.24	-70.34	-13	57.34	Pass	2986
30	1000	0.1	RMS	980.287	-63.16	-13	50.16	Pass	9701
1000	3000	1	RMS	2934	-49.79	-13	36.79	Pass	2001
3000	3440	1	RMS	3162	-50.28	-13	37.28	Pass	441
3440	3560	1	RMS	3549.2	17.45	60	42.55	Pass	401




3.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.35	-13	58.35	Pass	401
0.15	30	0.01	RMS	0.15	-69.63	-13	56.63	Pass	2986
30	1000	0.1	RMS	975.784	-62.83	-13	49.83	Pass	9701
1000	3000	1	RMS	2936	-49.82	-13	36.82	Pass	2001
3000	3440	1	RMS	3440	-39.62	-13	26.62	Pass	441
3440	3560	1	RMS	3457.1	5.7	60	54.3	Pass	401
3560	7000	1	RMS	3605	-57.86	-13	44.86	Pass	3441
7000	26500	1	RMS	26497	-49.8	-13	36.8	Pass	19503




3.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.73	-13	57.73	Pass	401
0.15	30	0.01	RMS	0.34	-71.43	-13	58.43	Pass	2986
30	1000	0.1	RMS	922.749	-62.89	-13	49.89	Pass	9701
1000	3000	1	RMS	2956	-49.72	-13	36.72	Pass	2001
3000	3440	1	RMS	3440	-49.61	-13	36.61	Pass	441
3440	3560	1	RMS	3451.1	17.57	60	42.43	Pass	401
3560	7000	1	RMS	6902	-53.81	-13	40.81	Pass	3441
7000	26500	1	RMS	25818	-50.18	-13	37.18	Pass	19503




3.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:630668, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.84	-13	59.84	Pass	401
0.15	30	0.01	RMS	0.46	-70.62	-13	57.62	Pass	2986
30	1000	0.1	RMS	833.4	-62.89	-13	49.89	Pass	9701
1000	3000	1	RMS	2931	-49.9	-13	36.9	Pass	2001
3000	3440	1	RMS	3162	-50.12	-13	37.12	Pass	441
3440	3560	1	RMS	3469.1	17.73	60	42.27	Pass	401
3560	7000	1	RMS	6938	-54.19	-13	41.19	Pass	3441
7000	26500	1	RMS	25490	-50.06	-13	37.06	Pass	19503




3.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.19	-13	57.19	Pass	401
0.15	30	0.01	RMS	0.48	-70.25	-13	57.25	Pass	2986
30	1000	0.1	RMS	712.4	-63.19	-13	50.19	Pass	9701
1000	3000	1	RMS	2971	-49.85	-13	36.85	Pass	2001
3000	3440	1	RMS	3354	-49.75	-13	36.75	Pass	441
3440	3560	1	RMS	3496.4	5.79	60	54.21	Pass	401
3560	7000	1	RMS	3645	-57.9	-13	44.9	Pass	3441
7000	26500	1	RMS	25873	-49.86	-13	36.86	Pass	19503




3.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.13	-13	58.13	Pass	401
0.15	30	0.01	RMS	0.91	-70.33	-13	57.33	Pass	2986
30	1000	0.1	RMS	797.8	-62.88	-13	49.88	Pass	9701
1000	3000	1	RMS	2969	-49.87	-13	36.87	Pass	2001
3000	3440	1	RMS	3165	-50.41	-13	37.41	Pass	441
3440	3560	1	RMS	3491	17.7	60	42.3	Pass	401
3560	7000	1	RMS	6982	-54.72	-13	41.72	Pass	3441
7000	26500	1	RMS	25525	-50.13	-13	37.13	Pass	19503




3.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:633332, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.59	-13	58.59	Pass	401
0.15	30	0.01	RMS	0.15	-69.97	-13	56.97	Pass	2986
30	1000	0.1	RMS	954.07	-62.98	-13	49.98	Pass	9701
1000	3000	1	RMS	2944	-49.85	-13	36.85	Pass	2001
3000	3440	1	RMS	3160	-50.31	-13	37.31	Pass	441
3440	3560	1	RMS	3509	17.79	60	42.21	Pass	401
3560	7000	1	RMS	3816	-63.16	-13	50.16	Pass	3441
7000	26500	1	RMS	25433	-50.04	-13	37.04	Pass	19503




3.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-71.3	-13	58.3	Pass	401
0.15	30	0.01	RMS	0.29	-70.11	-13	57.11	Pass	2986
30	1000	0.1	RMS	844.6	-63.43	-13	50.43	Pass	9701
1000	3000	1	RMS	2932	-49.8	-13	36.8	Pass	2001
3000	3440	1	RMS	3395	-49.83	-13	36.83	Pass	441
3440	3560	1	RMS	3533.3	5.38	60	54.62	Pass	401
3560	7000	1	RMS	3560	-44.18	-13	31.18	Pass	3441
7000	26500	1	RMS	25513	-49.98	-13	36.98	Pass	19503




3.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	0.7	-71.14	-13	58.14	Pass	2986
30	1000	0.1	RMS	894.13	-62.95	-13	49.95	Pass	9701
1000	3000	1	RMS	2957	-49.98	-13	36.98	Pass	2001
3000	3440	1	RMS	3164	-50.4	-13	37.4	Pass	441
3440	3560	1	RMS	3530.9	17.4	60	42.6	Pass	401
3560	7000	1	RMS	3561	-63.09	-13	50.09	Pass	3441
7000	26500	1	RMS	25495	-50.11	-13	37.11	Pass	19503



3.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:636000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.17	-68.61	-13	55.61	Pass	2986
30	1000	0.1	RMS	869.514	-63.31	-13	50.31	Pass	9701
1000	3000	1	RMS	2935	-49.84	-13	36.84	Pass	2001
3000	3440	1	RMS	3164	-50.39	-13	37.39	Pass	441
3440	3560	1	RMS	3548.9	17.4	60	42.6	Pass	401
3560	7000	1	RMS	3561	-49.84	-13	36.84	Pass	3441
7000	26500	1	RMS	25506	-50.15	-13	37.15	Pass	19503



4. n77 30kHz(3700-3980)


4.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.81	-13	57.81	Pass	401
0.15	30	0.01	RMS	0.83	-70.23	-13	57.23	Pass	2986
30	1000	0.1	RMS	874.817	-62.61	-13	49.61	Pass	9701
1000	3000	1	RMS	2959	-49.76	-13	36.76	Pass	2001
3000	3690	1	RMS	3632	-45.73	-13	32.73	Pass	691
3690	3990	1	RMS	3702	9.65	60	50.35	Pass	401
3990	7000	1	RMS	6972	-66.32	-13	53.32	Pass	3011
7000	26500	1	RMS	25500	-50.01	-13	37.01	Pass	19503




4.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.32	-13	58.32	Pass	401
0.15	30	0.01	RMS	1.63	-70.95	-13	57.95	Pass	2986
30	1000	0.1	RMS	930.554	-63.19	-13	50.19	Pass	9701
1000	3000	1	RMS	2946	-49.79	-13	36.79	Pass	2001
3000	3690	1	RMS	3690	-49.8	-13	36.8	Pass	691
3690	3990	1	RMS	3700.5	16.95	60	43.05	Pass	401
3990	7000	1	RMS	4008	-61.96	-13	48.96	Pass	3011
7000	26500	1	RMS	25493	-49.82	-13	36.82	Pass	19503




4.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.48	-13	58.48	Pass	401
0.15	30	0.01	RMS	0.29	-69.92	-13	56.92	Pass	2986
30	1000	0.1	RMS	779	-62.94	-13	49.94	Pass	9701
1000	3000	1	RMS	2945	-49.81	-13	36.81	Pass	2001
3000	3690	1	RMS	3402	-50.24	-13	37.24	Pass	691
3690	3990	1	RMS	3709.5	16.73	60	43.27	Pass	401
3990	7000	1	RMS	4016	-62.61	-13	49.61	Pass	3011
7000	26500	1	RMS	25857	-49.95	-13	36.95	Pass	19503




4.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.66	-13	58.66	Pass	401
0.15	30	0.01	RMS	0.6	-70.98	-13	57.98	Pass	2986
30	1000	0.1	RMS	776.5	-63.01	-13	50.01	Pass	9701
1000	3000	1	RMS	2931	-49.82	-13	36.82	Pass	2001
3000	3690	1	RMS	3160	-50.32	-13	37.32	Pass	691
3690	3990	1	RMS	3837	8.23	60	51.77	Pass	401
3990	7000	1	RMS	3990	-65.98	-13	52.98	Pass	3011
7000	26500	1	RMS	25484	-50.01	-13	37.01	Pass	19503




4.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.64	-13	58.64	Pass	401
0.15	30	0.01	RMS	0.27	-70.44	-13	57.44	Pass	2986
30	1000	0.1	RMS	873.816	-62.47	-13	49.47	Pass	9701
1000	3000	1	RMS	2939	-49.82	-13	36.82	Pass	2001
3000	3690	1	RMS	3160	-50.2	-13	37.2	Pass	691
3690	3990	1	RMS	3835.5	15.52	60	44.48	Pass	401
3990	7000	1	RMS	4143	-62.76	-13	49.76	Pass	3011
7000	26500	1	RMS	25516	-49.9	-13	36.9	Pass	19503




4.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.51	-13	58.51	Pass	401
0.15	30	0.01	RMS	0.46	-70.3	-13	57.3	Pass	2986
30	1000	0.1	RMS	929.153	-63.35	-13	50.35	Pass	9701
1000	3000	1	RMS	2944	-49.86	-13	36.86	Pass	2001
3000	3690	1	RMS	3162	-50.3	-13	37.3	Pass	691
3690	3990	1	RMS	3844.5	15.44	60	44.56	Pass	401
3990	7000	1	RMS	4151	-63.18	-13	50.18	Pass	3011
7000	26500	1	RMS	25861	-50.12	-13	37.12	Pass	19503




4.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.21	-13	58.21	Pass	401
0.15	30	0.01	RMS	0.3	-69.72	-13	56.72	Pass	2986
30	1000	0.1	RMS	852.202	-62.33	-13	49.33	Pass	9701
1000	3000	1	RMS	2929	-49.88	-13	36.88	Pass	2001
3000	3690	1	RMS	3164	-50.17	-13	37.17	Pass	691
3690	3990	1	RMS	3977.25	7.71	60	52.29	Pass	401
3990	7000	1	RMS	4048	-50.55	-13	37.55	Pass	3011
7000	26500	1	RMS	25508	-50.11	-13	37.11	Pass	19503




4.8 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.53	-13	57.53	Pass	401
0.15	30	0.01	RMS	1.01	-71.52	-13	58.52	Pass	2986
30	1000	0.1	RMS	899.333	-62.65	-13	49.65	Pass	9701
1000	3000	1	RMS	2925	-49.87	-13	36.87	Pass	2001
3000	3690	1	RMS	3101	-50.23	-13	37.23	Pass	691
3690	3990	1	RMS	3970.5	15.15	60	44.85	Pass	401
3990	7000	1	RMS	3990	-59.03	-13	46.03	Pass	3011
7000	26500	1	RMS	25508	-49.7	-13	36.7	Pass	19503




4.9 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:665000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.02	-13	59.02	Pass	401
0.15	30	0.01	RMS	0.39	-70.85	-13	57.85	Pass	2986
30	1000	0.1	RMS	718.9	-62.73	-13	49.73	Pass	9701
1000	3000	1	RMS	2948	-49.78	-13	36.78	Pass	2001
3000	3690	1	RMS	3161	-50.32	-13	37.32	Pass	691
3690	3990	1	RMS	3979.5	14.95	60	45.05	Pass	401
3990	7000	1	RMS	3990	-56.54	-13	43.54	Pass	3011
7000	26500	1	RMS	25796	-49.74	-13	36.74	Pass	19503




4.10 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.45	-13	58.45	Pass	401
0.15	30	0.01	RMS	0.17	-70.44	-13	57.44	Pass	2986
30	1000	0.1	RMS	996.398	-62.48	-13	49.48	Pass	9701
1000	3000	1	RMS	2926	-49.74	-13	36.74	Pass	2001
3000	3690	1	RMS	3690	-48.47	-13	35.47	Pass	691
3690	3990	1	RMS	3702	5.58	60	54.42	Pass	401
3990	7000	1	RMS	4301	-65.5	-13	52.5	Pass	3011
7000	26500	1	RMS	25859	-50.01	-13	37.01	Pass	19503




4.11 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.44	-13	59.44	Pass	401
0.15	30	0.01	RMS	0.36	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	916.044	-62.76	-13	49.76	Pass	9701
1000	3000	1	RMS	2932	-49.73	-13	36.73	Pass	2001
3000	3690	1	RMS	3690	-50.01	-13	37.01	Pass	691
3690	3990	1	RMS	3700.5	15.14	60	44.86	Pass	401
3990	7000	1	RMS	4008	-64.4	-13	51.4	Pass	3011
7000	26500	1	RMS	25487	-50.13	-13	37.13	Pass	19503




4.12 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647168, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.43	-13	58.43	Pass	401
0.15	30	0.01	RMS	0.18	-69.89	-13	56.89	Pass	2986
30	1000	0.1	RMS	879.92	-62.53	-13	49.53	Pass	9701
1000	3000	1	RMS	2932	-49.88	-13	36.88	Pass	2001
3000	3690	1	RMS	3160	-50.33	-13	37.33	Pass	691
3690	3990	1	RMS	3714	16.01	60	43.99	Pass	401
3990	7000	1	RMS	4021	-65.05	-13	52.05	Pass	3011
7000	26500	1	RMS	25790	-50.06	-13	37.06	Pass	19503




4.13 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-69.61	-13	56.61	Pass	401
0.15	30	0.01	RMS	0.45	-70.3	-13	57.3	Pass	2986
30	1000	0.1	RMS	878.72	-63.03	-13	50.03	Pass	9701
1000	3000	1	RMS	2940	-49.58	-13	36.58	Pass	2001
3000	3690	1	RMS	3156	-50.36	-13	37.36	Pass	691
3690	3990	1	RMS	3834.75	5.13	60	54.87	Pass	401
3990	7000	1	RMS	4000	-64	-13	51	Pass	3011
7000	26500	1	RMS	25471	-50.01	-13	37.01	Pass	19503




4.14 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-69.88	-13	56.88	Pass	401
0.15	30	0.01	RMS	0.65	-69.84	-13	56.84	Pass	2986
30	1000	0.1	RMS	959.973	-62.92	-13	49.92	Pass	9701
1000	3000	1	RMS	2940	-49.67	-13	36.67	Pass	2001
3000	3690	1	RMS	3159	-50.27	-13	37.27	Pass	691
3690	3990	1	RMS	3833.25	15.38	60	44.62	Pass	401
3990	7000	1	RMS	4141	-65.14	-13	52.14	Pass	3011
7000	26500	1	RMS	25461	-49.76	-13	36.76	Pass	19503




4.15 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.02	-13	58.02	Pass	401
0.15	30	0.01	RMS	0.61	-70.57	-13	57.57	Pass	2986
30	1000	0.1	RMS	799.6	-62.74	-13	49.74	Pass	9701
1000	3000	1	RMS	2945	-49.83	-13	36.83	Pass	2001
3000	3690	1	RMS	3161	-50.25	-13	37.25	Pass	691
3690	3990	1	RMS	3846.75	15.54	60	44.46	Pass	401
3990	7000	1	RMS	4154	-63.89	-13	50.89	Pass	3011
7000	26500	1	RMS	25505	-49.92	-13	36.92	Pass	19503




4.16 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:664832, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:38, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.77	-13	58.77	Pass	401
0.15	30	0.01	RMS	0.4	-71.37	-13	58.37	Pass	2986
30	1000	0.1	RMS	823.6	-62.83	-13	49.83	Pass	9701
1000	3000	1	RMS	2940	-49.82	-13	36.82	Pass	2001
3000	3690	1	RMS	3160	-50.29	-13	37.29	Pass	691
3690	3990	1	RMS	3975.75	5.8	60	54.2	Pass	401
3990	7000	1	RMS	3990	-47.39	-13	34.39	Pass	3011
7000	26500	1	RMS	25516	-50.14	-13	37.14	Pass	19503




4.17 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:664832, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-69.32	-13	56.32	Pass	401
0.15	30	0.01	RMS	0.16	-71.24	-13	58.24	Pass	2986
30	1000	0.1	RMS	906.838	-62.46	-13	49.46	Pass	9701
1000	3000	1	RMS	2935	-49.79	-13	36.79	Pass	2001
3000	3690	1	RMS	3161	-50.24	-13	37.24	Pass	691
3690	3990	1	RMS	3966	15.8	60	44.2	Pass	401
3990	7000	1	RMS	3990	-61.82	-13	48.82	Pass	3011
7000	26500	1	RMS	25510	-50.08	-13	37.08	Pass	19503




4.18 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:664832, Bandwidth:15, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:37)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.99	-13	57.99	Pass	401
0.15	30	0.01	RMS	0.39	-70	-13	57	Pass	2986
30	1000	0.1	RMS	961.474	-63.33	-13	50.33	Pass	9701
1000	3000	1	RMS	2954	-49.68	-13	36.68	Pass	2001
3000	3690	1	RMS	3159	-50.28	-13	37.28	Pass	691
3690	3990	1	RMS	3979.5	14.92	60	45.08	Pass	401




4.19 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.65	-13	58.65	Pass	401
0.15	30	0.01	RMS	0.21	-70.7	-13	57.7	Pass	2986
30	1000	0.1	RMS	930.254	-62.97	-13	49.97	Pass	9701
1000	3000	1	RMS	2939	-49.66	-13	36.66	Pass	2001
3000	3690	1	RMS	3690	-47.12	-13	34.12	Pass	691
3690	3990	1	RMS	3702.75	4.8	60	55.2	Pass	401
3990	7000	1	RMS	4147	-63.53	-13	50.53	Pass	3011
7000	26500	1	RMS	25504	-50.09	-13	37.09	Pass	19503




4.20 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.07	-13	59.07	Pass	401
0.15	30	0.01	RMS	0.15	-70.39	-13	57.39	Pass	2986
30	1000	0.1	RMS	990.294	-63.4	-13	50.4	Pass	9701
1000	3000	1	RMS	2943	-49.81	-13	36.81	Pass	2001
3000	3690	1	RMS	3688	-49.65	-13	36.65	Pass	691
3690	3990	1	RMS	3701.25	15.96	60	44.04	Pass	401
3990	7000	1	RMS	4008	-63.3	-13	50.3	Pass	3011
7000	26500	1	RMS	25909	-49.98	-13	36.98	Pass	19503




4.21 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.53	-13	58.53	Pass	401
0.15	30	0.01	RMS	0.32	-71.31	-13	58.31	Pass	2986
30	1000	0.1	RMS	839.4	-62.92	-13	49.92	Pass	9701
1000	3000	1	RMS	2955	-49.77	-13	36.77	Pass	2001
3000	3690	1	RMS	3162	-50.18	-13	37.18	Pass	691
3690	3990	1	RMS	3719.25	15.95	60	44.05	Pass	401
3990	7000	1	RMS	4147	-63.38	-13	50.38	Pass	3011
7000	26500	1	RMS	25538	-49.79	-13	36.79	Pass	19503




4.22 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.16	-68.78	-13	55.78	Pass	2986
30	1000	0.1	RMS	944.964	-63.12	-13	50.12	Pass	9701
1000	3000	1	RMS	2959	-49.68	-13	36.68	Pass	2001
3000	3690	1	RMS	3159	-50.16	-13	37.16	Pass	691
3690	3990	1	RMS	3834	3.91	60	56.09	Pass	401
3990	7000	1	RMS	4002	-61.58	-13	48.58	Pass	3011
7000	26500	1	RMS	25858	-49.83	-13	36.83	Pass	19503




4.23 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.21	-13	57.21	Pass	401
0.15	30	0.01	RMS	0.38	-70.54	-13	57.54	Pass	2986
30	1000	0.1	RMS	970.981	-62.91	-13	49.91	Pass	9701
1000	3000	1	RMS	2930	-49.59	-13	36.59	Pass	2001
3000	3690	1	RMS	3160	-50.16	-13	37.16	Pass	691
3690	3990	1	RMS	3831	15.45	60	44.55	Pass	401
3990	7000	1	RMS	4138	-63.46	-13	50.46	Pass	3011
7000	26500	1	RMS	25876	-49.99	-13	36.99	Pass	19503




4.24 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:656000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-72.78	-13	59.78	Pass	401
0.15	30	0.01	RMS	0.28	-70.2	-13	57.2	Pass	2986
30	1000	0.1	RMS	865.311	-62.96	-13	49.96	Pass	9701
1000	3000	1	RMS	2971	-49.79	-13	36.79	Pass	2001
3000	3690	1	RMS	3160	-50.25	-13	37.25	Pass	691
3690	3990	1	RMS	3849	15.64	60	44.36	Pass	401
3990	7000	1	RMS	4156	-63.42	-13	50.42	Pass	3011
7000	26500	1	RMS	25533	-49.74	-13	36.74	Pass	19503




4.25 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.49	-13	58.49	Pass	401
0.15	30	0.01	RMS	0.19	-70.41	-13	57.41	Pass	2986
30	1000	0.1	RMS	812.8	-62.88	-13	49.88	Pass	9701
1000	3000	1	RMS	2926	-49.71	-13	36.71	Pass	2001
3000	3690	1	RMS	3160	-50.28	-13	37.28	Pass	691
3690	3990	1	RMS	3974.25	4.63	60	55.37	Pass	401
3990	7000	1	RMS	3990	-44.77	-13	31.77	Pass	3011
7000	26500	1	RMS	25490	-50.08	-13	37.08	Pass	19503




4.26 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.34	-13	58.34	Pass	401
0.15	30	0.01	RMS	0.24	-71.74	-13	58.74	Pass	2986
30	1000	0.1	RMS	828.1	-62.91	-13	49.91	Pass	9701
1000	3000	1	RMS	2937	-49.75	-13	36.75	Pass	2001
3000	3690	1	RMS	3160	-50.21	-13	37.21	Pass	691
3690	3990	1	RMS	3960.75	15.68	60	44.32	Pass	401
3990	7000	1	RMS	4268	-61.65	-13	48.65	Pass	3011
7000	26500	1	RMS	25833	-49.77	-13	36.77	Pass	19503



4.27 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:664666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.73	-13	57.73	Pass	401
0.15	30	0.01	RMS	0.54	-71.11	-13	58.11	Pass	2986
30	1000	0.1	RMS	825.1	-62.37	-13	49.37	Pass	9701
1000	3000	1	RMS	2934	-49.81	-13	36.81	Pass	2001
3000	3690	1	RMS	3162	-50.31	-13	37.31	Pass	691
3690	3990	1	RMS	3978.75	15.79	60	44.21	Pass	401
3990	7000	1	RMS	3990	-54.19	-13	41.19	Pass	3011
7000	26500	1	RMS	25913	-50.02	-13	37.02	Pass	19503



5. n78 30kHz(3700-3800)


5.1 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.96	-13	58.96	Pass	401
0.15	30	0.01	RMS	0.22	-70.7	-13	57.7	Pass	2986
30	1000	0.1	RMS	976.484	-62.56	-13	49.56	Pass	9701
1000	3000	1	RMS	2943	-49.76	-13	36.76	Pass	2001
3000	3690	1	RMS	3632	-46.84	-13	33.84	Pass	691
3690	3810	1	RMS	3702.3	7.99	60	52.01	Pass	401
3810	7000	1	RMS	6967	-66.18	-13	53.18	Pass	3191
7000	26500	1	RMS	25874	-49.78	-13	36.78	Pass	19503




5.2 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-70.54	-13	57.54	Pass	401
0.15	30	0.01	RMS	0.36	-69.22	-13	56.22	Pass	2986
30	1000	0.1	RMS	943.362	-62.8	-13	49.8	Pass	9701
1000	3000	1	RMS	2956	-49.81	-13	36.81	Pass	2001
3000	3690	1	RMS	3690	-50.09	-13	37.09	Pass	691
3690	3810	1	RMS	3700.8	16.69	60	43.31	Pass	401
3810	7000	1	RMS	4008	-63.66	-13	50.66	Pass	3191
7000	26500	1	RMS	25458	-49.83	-13	36.83	Pass	19503




5.3 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:647000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.46	-13	58.46	Pass	401
0.15	30	0.01	RMS	0.24	-68.89	-13	55.89	Pass	2986
30	1000	0.1	RMS	960.874	-63.01	-13	50.01	Pass	9701
1000	3000	1	RMS	2941	-49.79	-13	36.79	Pass	2001
3000	3690	1	RMS	3160	-50.23	-13	37.23	Pass	691
3690	3810	1	RMS	3709.2	16.66	60	43.34	Pass	401
3810	7000	1	RMS	4016	-64.08	-13	51.08	Pass	3191
7000	26500	1	RMS	25512	-50.16	-13	37.16	Pass	19503




5.4 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.2	-13	58.2	Pass	401
0.15	30	0.01	RMS	0.15	-69.9	-13	56.9	Pass	2986
30	1000	0.1	RMS	894.33	-62.76	-13	49.76	Pass	9701
1000	3000	1	RMS	2943	-49.68	-13	36.68	Pass	2001
3000	3690	1	RMS	3677	-47.12	-13	34.12	Pass	691
3690	3810	1	RMS	3747	7.61	60	52.39	Pass	401
3810	7000	1	RMS	3823	-50.63	-13	37.63	Pass	3191
7000	26500	1	RMS	25492	-49.98	-13	36.98	Pass	19503




5.5 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.84	-13	58.84	Pass	401
0.15	30	0.01	RMS	1.18	-70.43	-13	57.43	Pass	2986
30	1000	0.1	RMS	931.555	-62.38	-13	49.38	Pass	9701
1000	3000	1	RMS	2943	-49.71	-13	36.71	Pass	2001
3000	3690	1	RMS	3164	-50.26	-13	37.26	Pass	691
3690	3810	1	RMS	3745.8	16.39	60	43.61	Pass	401
3810	7000	1	RMS	4053	-64.23	-13	51.23	Pass	3191
7000	26500	1	RMS	25896	-50.11	-13	37.11	Pass	19503



5.6 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:650000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.026	-72.93	-13	59.93	Pass	401
0.15	30	0.01	RMS	0.39	-71.85	-13	58.85	Pass	2986
30	1000	0.1	RMS	830.9	-62.88	-13	49.88	Pass	9701
1000	3000	1	RMS	2943	-49.73	-13	36.73	Pass	2001
3000	3690	1	RMS	3161	-50.31	-13	37.31	Pass	691
3690	3810	1	RMS	3754.2	16.28	60	43.72	Pass	401
3810	7000	1	RMS	3831	-64.38	-13	51.38	Pass	3191
7000	26500	1	RMS	26492	-50.06	-13	37.06	Pass	19503



5.7 Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:653000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.28	-13	58.28	Pass	401
0.15	30	0.01	RMS	0.22	-70.38	-13	57.38	Pass	2986
30	1000	0.1	RMS	966.378	-62.7	-13	49.7	Pass	9701
1000	3000	1	RMS	2948	-49.63	-13	36.63	Pass	2001
3000	3690	1	RMS	3158	-50.27	-13	37.27	Pass	691
3690	3810	1	RMS	3797.4	7.52	60	52.48	Pass	401
3810	7000	1	RMS	3868	-50.67	-13	37.67	Pass	3191
7000	26500	1	RMS	25471	-49.66	-13	36.66	Pass	19503

