


Inverted FAntenna specification

summary

ITEM	ANT SPEC					
Model Name	2 .4 GANT					
	Horizontal			vertical		
Center Frequency	2400MHz	2450MHz	2500MHz	2400MHz	2450MHz	2500MHz
Antenna Gain (dBi)	-1.26	-0.76	-0.58	-5.25	-2.46	-1.86
MAX. Gain	-0 . 58dBi					
Polarization	Horizontal and vertical					
Azimuth Beam pattern	omni-directional					
Impedance	50 ohm					
Antenna Length	38 . 20mm					
Manufacture	ZHUHAI JIELI TECHNOLOGY CO.,LTD					
Manufacturer's Address	333 Kexing Road, Xiangzhou District, Zhuhai City, Guangdong Province					


Antenna photo & Length (mm)



Horizontal: 2400 MHz 2450 MHz 2500 MHz

power (dBi)


Max: 0 Min: -40 scale: 5/div



Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	- 1.26174	-30.0801	- 7.18716
2450	-0.765802	-36.5604	-7.48023
2500	-0.585582	-22.0315	-6.59127

vertical: 2400 MHz 2450 MHz 2500 MHz
power (dBi)

Max: 0 Min: -30 scale: 5/div



Frequency (MHz)	Gain(dBi)		
	Max	Min	Avg
2400	- 5.2537	-22.1424	- 12.4294
2450	-2.4652	-24.5837	- 10.4702
2500	- 1.86120	-29.5214	-9.20432

ANT Test Labs: Attestation of Global compliance Co. , Ltd.