





Plot on 6485 MHz




Date: 19.JUN.2025 00:16:30

Plot on 6525 MHz




Date: 19.JUN.2025 00:20:44

Plot on 6565 MHz




Date: 19.JUN.2025 00:23:29

Plot on 6685 MHz




Date: 19.JUN.2025 00:24:54

Plot on 6885 MHz



Date: 19.JUN.2025 00:27:18


Plot on 6925 MHz



Date: 19.JUN.2025 00:32:05




Plot on 7005 MHz



Date: 19.JUN.2025 00:37:36

Plot on 7085 MHz




Date: 19.JUN.2025 00:48:52



EUT Mode


802.11ax HE80 FullIRU

Plot on 5985 MHz




Date: 4.JUN.2025 01:27:57

Plot on 6225 MHz




Date: 4.JUN.2025 18:40:41

Plot on 6385 MHz



Date: 4.JUN.2025 18:42:29


Plot on 6465 MHz




Date: 4.JUN.2025 18:44:16




Plot on 6545 MHz




Plot on 6625 MHz




Plot on 6705 MHz




Plot on 6865 MHz



Plot on 6945 MHz



Plot on 7025 MHz






EUT Mode


802.11ax HE80 996RU67

Plot on 5985 MHz




Date: 19 JUN. 2025 00:59:25

Plot on 6225 MHz




Date: 19 JUN. 2025 01:03:57

Plot on 6385 MHz



Date: 19 JUN. 2025 01:14:42


Plot on 6465 MHz



Date: 19 JUN. 2025 01:16:34




Plot on 6545 MHz




Date: 19.JUN.2025 01:18:27

Plot on 6625 MHz




Date: 19.JUN.2025 01:21:20

Plot on 6705 MHz




Date: 19.JUN.2025 01:23:12

Plot on 6865 MHz




Date: 19.JUN.2025 01:25:00

Plot on 6945 MHz



Date: 19.JUN.2025 01:26:59

Plot on 7025 MHz




Date: 19.JUN.2025 01:28:43



EUT Mode


802.11ax HE160 FullRU

Plot on 6025 MHz




Date: 4.JUN.2025 20:43:17

Plot on 6185 MHz




Date: 4.JUN.2025 20:49:02

Plot on 6345 MHz



Date: 4.JUN.2025 20:51:36


Plot on 6505 MHz




Date: 5.JUN.2025 00:31:32




Plot on 6665 MHz



Plot on 6825 MHz



Plot on 6985 MHz






EUT Mode


802.11ax HE160 1992RU68

Plot on 6025 MHz




Date: 19.JUN.2025 01:32:50

Plot on 6185 MHz




Date: 19.JUN.2025 18:33:25

Plot on 6345 MHz



Date: 19.JUN.2025 18:36:18


Plot on 6505 MHz




Date: 19.JUN.2025 18:47:16




Plot on 6665 MHz



Plot on 6825 MHz



Plot on 6985 MHz





Appendix B. AC Conducted Emission Test Results


Test Engineer :	Louis Chung	Temperature :	23.7~25.8℃
		Relative Humidity :	47.2~52.3%

EUT Information

Report NO :
Test Mode :
Test Voltage :
Phase :

551226
Mode 1
120Vac/60Hz
Line

Full Spectrum



Final_Result


Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	PE	Corr. (dB)
0.156750	---	22.93	55.63	32.70	L1	FLO	20.0
0.156750	43.21	---	65.63	22.42	L1	FLO	20.0
0.174660	---	18.81	54.74	35.93	L1	FLO	20.0
0.174660	41.47	---	64.74	23.27	L1	FLO	20.0
0.202110	---	17.03	53.52	36.49	L1	FLO	20.0
0.202110	36.09	---	63.52	27.43	L1	FLO	20.0
0.236400	---	14.47	52.22	37.75	L1	FLO	20.0
0.236400	23.77	---	62.22	38.45	L1	FLO	20.0
0.307500	---	13.53	50.04	36.51	L1	FLO	20.0
0.307500	18.45	---	60.04	41.59	L1	FLO	20.0
0.341250	---	14.05	49.17	35.12	L1	FLO	20.0
0.341250	17.10	---	59.17	42.07	L1	FLO	20.0
0.451500	---	12.87	46.85	33.98	L1	FLO	20.0
0.451500	15.39	---	56.85	41.46	L1	FLO	20.0
12.851250	---	29.57	50.00	20.43	L1	FLO	20.5
12.851250	34.77	---	60.00	25.23	L1	FLO	20.5
12.952590	---	29.57	50.00	20.43	L1	FLO	20.5
12.952590	34.97	---	60.00	25.03	L1	FLO	20.5
21.322500	---	22.54	50.00	27.46	L1	FLO	20.8

21.322500	26.80	---	60.00	33.20	L1	FLO	20.8
-----------	-------	-----	-------	-------	----	-----	------

EUT Information

Report NO : 551226
Test Mode : Mode 1
Test Voltage : 120Vac/60Hz
Phase : Neutral

Full Spectrum



Final_Result

Frequency (MHz)	QuasiPeak (dBuV)	CAverage (dBuV)	Limit (dBuV)	Margin (dB)	Line	PE	Corr. (dB)
0.163500	---	31.84	55.28	23.44	N	FLO	20.0
0.163500	51.08	---	65.28	14.20	N	FLO	20.0
0.189510	---	30.16	54.06	23.90	N	FLO	20.0
0.189510	46.45	---	64.06	17.61	N	FLO	20.0
0.224250	---	27.39	52.66	25.27	N	FLO	20.0
0.224250	44.34	---	62.66	18.32	N	FLO	20.0
0.253770	---	25.35	51.63	26.28	N	FLO	20.0
0.253770	41.58	---	61.63	20.05	N	FLO	20.0
0.300390	---	23.62	50.23	26.61	N	FLO	20.0
0.300390	38.51	---	60.23	21.72	N	FLO	20.0
0.422250	---	21.85	47.40	25.55	N	FLO	20.0
0.422250	34.65	---	57.40	22.75	N	FLO	20.0
0.519810	---	30.49	46.00	15.51	N	FLO	20.0
0.519810	39.91	---	56.00	16.09	N	FLO	20.0
0.566520	---	22.16	46.00	23.84	N	FLO	20.0
0.566520	34.46	---	56.00	21.54	N	FLO	20.0
12.652260	---	28.01	50.00	21.99	N	FLO	20.5
12.652260	33.10	---	60.00	26.90	N	FLO	20.5



Appendix C. Radiated Spurious Emission Test Data

Test Engineer :	Jesse Wang, Stan Hsieh and KenWu	Temperature :	22.2~25.7℃
		Relative Humidity :	50.1~69.9%

Note symbol

-L	Low channel location
-R	High channel location

<Sample 1>
C1-1. Radiated Spurious Emission Test Modes

Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 1	U-NII-5	5.925-6.425	1	802.11a	1	5955	6Mbps	-	-
Mode 2	U-NII-5	5.925-6.425	1	802.11a	49	6195	6Mbps	-	-
Mode 3	U-NII-5	5.925-6.425	1	802.11a	93	6415	6Mbps	-	-
Mode 4	U-NII-5	5.925-6.425	1	802.11ax HE20	1	5955	MCS0	Full RU	-
Mode 5	U-NII-5	5.925-6.425	1	802.11ax HE20	1	5955	MCS0	Partial RU 26/0	-
Mode 6	U-NII-5	5.925-6.425	1	802.11ax HE20	1	5955	MCS0	Partial RU 52/37	-
Mode 7	U-NII-5	5.925-6.425	1	802.11ax HE20	1	5955	MCS0	Partial RU 106/53	-
Mode 8	U-NII-5	5.925-6.425	1	802.11ax HE20	49	6195	MCS0	Full RU	-
Mode 9	U-NII-5	5.925-6.425	1	802.11ax HE20	93	6415	MCS0	Full RU	-
Mode 10	U-NII-5	5.925-6.425	1	802.11ax HE40	3	5965	MCS0	Full RU	-
Mode 11	U-NII-5	5.925-6.425	1	802.11ax HE40	51	6205	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 12	U-NII-5	5.925-6.425	1	802.11ax HE40	91	6405	MCS0	Full RU	-
Mode 13	U-NII-5	5.925-6.425	1	802.11ax HE80	7	5985	MCS0	Full RU	-
Mode 14	U-NII-5	5.925-6.425	1	802.11ax HE80	55	6225	MCS0	Full RU	-
Mode 15	U-NII-5	5.925-6.425	1	802.11ax HE80	87	6385	MCS0	Full RU	-
Mode 16	U-NII-5	5.925-6.425	1	802.11ax HE160	15	6025	MCS0	Full RU	-
Mode 17	U-NII-5	5.925-6.425	1	802.11ax HE160	47	6185	MCS0	Full RU	-
Mode 18	U-NII-5	5.925-6.425	1	802.11ax HE160	79	6345	MCS0	Full RU	-
Mode 19	U-NII-6	6.425-6.525	1	802.11a	97	6435	6Mbps	-	-
Mode 20	U-NII-6	6.425-6.525	1	802.11a	105	6475	6Mbps	-	-
Mode 21	U-NII-6	6.425-6.525	1	802.11a	113	6515	6Mbps	-	-
Mode 22	U-NII-6	6.425-6.525	1	802.11ax HE20	97	6435	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 23	U-NII-6	6.425-6.525	1	802.11ax HE20	105	6475	MCS0	Full RU	-
Mode 24	U-NII-6	6.425-6.525	1	802.11ax HE20	113	6515	MCS0	Full RU	-
Mode 25	U-NII-6	6.425-6.525	1	802.11ax HE40	99	6445	MCS0	Full RU	-
Mode 26	U-NII-6	6.425-6.525	1	802.11ax HE40	107	6485	MCS0	Full RU	-
Mode 27	U-NII-6	6.425-6.525	1	802.11ax HE40	115	6525	MCS0	Full RU	-
Mode 28	U-NII-6	6.425-6.525	1	802.11ax HE80	103	6465	MCS0	Full RU	-
Mode 29	U-NII-6	6.425-6.525	1	802.11ax HE80	119	6545	MCS0	Full RU	-
Mode 30	U-NII-6	6.425-6.525	1	802.11ax HE160	111	6505	MCS0	Full RU	-
Mode 31	U-NII-7	6.525-6.875	1	802.11a	117	6535	6Mbps	-	-
Mode 32	U-NII-7	6.525-6.875	1	802.11a	149	6695	6Mbps	-	-
Mode 33	U-NII-7	6.525-6.875	1	802.11a	185	6875	6Mbps	-	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 34	U-NII-7	6.525-6.875	1	802.11ax HE20	117	6535	MCS0	Full RU	-
Mode 35	U-NII-7	6.525-6.875	1	802.11ax HE20	149	6695	MCS0	Full RU	-
Mode 36	U-NII-7	6.525-6.875	1	802.11ax HE20	185	6875	MCS0	Full RU	-
Mode 37	U-NII-7	6.525-6.875	1	802.11ax HE40	123	6565	MCS0	Full RU	-
Mode 38	U-NII-7	6.525-6.875	1	802.11ax HE40	147	6685	MCS0	Full RU	-
Mode 39	U-NII-7	6.525-6.875	1	802.11ax HE40	187	6885	MCS0	Full RU	-
Mode 40	U-NII-7	6.525-6.875	1	802.11ax HE80	135	6625	MCS0	Full RU	-
Mode 41	U-NII-7	6.525-6.875	1	802.11ax HE80	151	6705	MCS0	Full RU	-
Mode 42	U-NII-7	6.525-6.875	1	802.11ax HE80	183	6865	MCS0	Full RU	-
Mode 43	U-NII-7	6.525-6.875	1	802.11ax HE160	143	6665	MCS0	Full RU	-
Mode 44	U-NII-7	6.525-6.875	1	802.11ax HE160	175	6825	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 45	U-NII-8	6.875-7.125	1	802.11a	189	6895	6Mbps	-	-
Mode 46	U-NII-8	6.875-7.125	1	802.11a	209	6995	6Mbps	-	-
Mode 47	U-NII-8	6.875-7.125	1	802.11a	229	7095	6Mbps	-	-
Mode 48	U-NII-8	6.875-7.125	1	802.11ax HE20	189	6895	MCS0	Full RU	-
Mode 49	U-NII-8	6.875-7.125	1	802.11ax HE20	209	6995	MCS0	Full RU	-
Mode 50	U-NII-8	6.875-7.125	1	802.11ax HE20	229	7095	MCS0	Full RU	-
Mode 51	U-NII-8	6.875-7.125	1	802.11ax HE20	229	7095	MCS0	Partial RU 26/8	-
Mode 52	U-NII-8	6.875-7.125	1	802.11ax HE20	229	7095	MCS0	Partial RU 52/40	-
Mode 53	U-NII-8	6.875-7.125	1	802.11ax HE20	229	7095	MCS0	Partial RU 106/54	-
Mode 54	U-NII-8	6.875-7.125	1	802.11ax HE40	195	6925	MCS0	Full RU	-
Mode 55	U-NII-8	6.875-7.125	1	802.11ax HE40	211	7005	MCS0	Full RU	-



Mode	Band	Band (GHz)	Antenna	Modulation	Channel	Frequency	Data Rate	RU	Remark
Mode 56	U-NII-8	6.875-7.125	1	802.11ax HE40	227	7085	MCS0	Full RU	-
Mode 57	U-NII-8	6.875-7.125	1	802.11ax HE80	199	6945	MCS0	Full RU	-
Mode 58	U-NII-8	6.875-7.125	1	802.11ax HE80	215	7025	MCS0	Full RU	-
Mode 59	U-NII-8	6.875-7.125	1	802.11ax HE160	207	6985	MCS0	Full RU	-
Mode 60	U-NII-8	6.875-7.125	1	LF	-	-	-	-	Below 1GHz



C1-2. Summary of each worse mode

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
1	802.11a	1	5924.45	42.94	68.20	-25.26	V	Avg.	Pass	-	Band Edge
	802.11a	1	17865.00	52.66	74.00	-21.34	V	Peak	Pass	-	Harmonic
2	802.11a	49	12390.00	48.86	74.00	-25.14	H	Peak	Pass	-	Harmonic
3	802.11a	93	19245.00	35.73	74.00	-38.27	V	Peak	Pass	-	Harmonic
4	802.11ax HE20	1	5924.58	42.86	68.20	-25.34	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	1	17865.00	52.13	74.00	-21.87	V	Peak	Pass	Full RU	Harmonic
5	802.11ax HE20	1	5923.93	42.79	68.20	-25.41	H	Avg.	Pass	Partial RU 26/0	Band Edge
6	802.11ax HE20	1	5913.92	42.81	68.20	-25.39	H	Avg.	Pass	Partial RU 52/37	Band Edge
7	802.11ax HE20	1	5922.76	42.82	68.20	-25.38	V	Avg.	Pass	Partial RU 106/53	Band Edge
8	802.11ax HE20	49	12390.00	48.46	74.00	-25.54	V	Peak	Pass	Full RU	Harmonic
9	802.11ax HE20	93	19245.00	36.05	74.00	-37.95	V	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
10	802.11ax HE40	3	5921.74	43.02	68.20	-25.18	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	3	17895.00	52.16	74.00	-21.84	V	Peak	Pass	Full RU	Harmonic
11	802.11ax HE40	51	12410.00	48.34	74.00	-25.66	H	Peak	Pass	Full RU	Harmonic
12	802.11ax HE40	91	19215.00	36.53	74.00	-37.47	H	Peak	Pass	Full RU	Harmonic
13	802.11ax HE80	7	5902.44	43.47	68.20	-24.73	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	7	17955.00	53.53	74.00	-20.47	V	Peak	Pass	Full RU	Harmonic
14	802.11ax HE80	55	12450.00	49.07	74.00	-24.93	V	Peak	Pass	Full RU	Harmonic
15	802.11ax HE80	87	19155.00	36.56	74.00	-37.44	H	Peak	Pass	Full RU	Harmonic
16	802.11ax HE160	15	5878.80	48.48	68.20	-19.72	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	15	12050.00	49.53	74.00	-24.47	V	Peak	Pass	Full RU	Harmonic
17	802.11ax HE160	47	12370.00	48.88	74.00	-25.12	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
18	802.11ax HE160	79	12690.00	49.59	74.00	-24.41	H	Peak	Pass	Full RU	Harmonic
19	802.11a	97	19305.00	35.14	74.00	-38.86	H	Peak	Pass	-	Harmonic
20	802.11a	105	19425.00	35.95	74.00	-38.05	H	Peak	Pass	-	Harmonic
21	802.11a	113	19545.00	35.96	74.00	-38.04	V	Peak	Pass	-	Harmonic
22	802.11ax HE20	97	19305.00	36.75	74.00	-37.25	H	Peak	Pass	Full RU	Harmonic
23	802.11ax HE20	105	19425.00	36.75	74.00	-37.25	V	Peak	Pass	Full RU	Harmonic
24	802.11ax HE20	113	19545.00	36.24	74.00	-37.76	H	Peak	Pass	Full RU	Harmonic
25	802.11ax HE40	99	19335.00	36.14	74.00	-37.86	H	Peak	Pass	Full RU	Harmonic
26	802.11ax HE40	107	19455.00	36.16	74.00	-37.84	H	Peak	Pass	Full RU	Harmonic
27	802.11ax HE40	115	19575.00	37.11	74.00	-36.89	V	Peak	Pass	Full RU	Harmonic
28	802.11ax HE80	103	19395.00	37.39	74.00	-36.61	H	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
29	802.11ax HE80	119	19635.00	36.21	74.00	-37.79	H	Peak	Pass	Full RU	Harmonic
30	802.11ax HE160	111	19515.00	36.74	74.00	-37.26	V	Peak	Pass	Full RU	Harmonic
31	802.11a	117	19605.00	35.58	74.00	-38.42	H	Peak	Pass	-	Harmonic
32	802.11a	149	13390.00	47.32	74.00	-26.68	H	Peak	Pass	-	Harmonic
33	802.11a	185	20625.00	35.34	74.00	-38.66	H	Peak	Pass	-	Harmonic
34	802.11ax HE20	117	19605.00	36.25	74.00	-37.75	V	Peak	Pass	Full RU	Harmonic
35	802.11ax HE20	149	13390.00	47.47	74.00	-26.53	V	Peak	Pass	Full RU	Harmonic
36	802.11ax HE20	185	20625.00	35.68	74.00	-38.32	V	Peak	Pass	Full RU	Harmonic
37	802.11ax HE40	123	19695.00	37.07	74.00	-36.93	H	Peak	Pass	Full RU	Harmonic
38	802.11ax HE40	147	13370.00	48.46	74.00	-25.54	H	Peak	Pass	Full RU	Harmonic
39	802.11ax HE40	187	20655.00	36.45	74.00	-37.55	V	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
40	802.11ax HE80	135	13250.00	48.90	74.00	-25.10	V	Peak	Pass	Full RU	Harmonic
41	802.11ax HE80	151	20115.00	36.78	74.00	-37.22	V	Peak	Pass	Full RU	Harmonic
42	802.11ax HE80	183	20595.00	37.10	74.00	-36.90	H	Peak	Pass	Full RU	Harmonic
43	802.11ax HE160	143	13330.00	48.79	74.00	-25.21	H	Peak	Pass	Full RU	Harmonic
44	802.11ax HE160	175	20475.00	36.84	74.00	-37.16	V	Peak	Pass	Full RU	Harmonic
45	802.11a	189	20685.00	36.21	74.00	-37.79	V	Peak	Pass	-	Harmonic
46	802.11a	209	20985.00	36.64	74.00	-37.36	H	Peak	Pass	-	Harmonic
47	802.11a	229	7221.34	44.13	68.20	-24.07	H	Avg.	Pass	-	Band Edge
	802.11a	229	21285.00	37.56	74.00	-36.44	V	Peak	Pass	-	Harmonic
48	802.11ax HE20	189	20685.00	35.79	74.00	-38.21	V	Peak	Pass	Full RU	Harmonic
49	802.11ax HE20	209	20985.00	36.98	74.00	-37.02	H	Peak	Pass	Full RU	Harmonic

Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
50	802.11ax HE20	229	7227.64	44.14	68.20	-24.06	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE20	229	21285.00	38.06	74.00	-35.94	V	Peak	Pass	Full RU	Harmonic
51	802.11ax HE20	229	7222.95	44.14	68.20	-24.06	V	Avg.	Pass	Partial RU 26/8	Band Edge
52	802.11ax HE20	229	7231.20	44.11	68.20	-24.09	V	Avg.	Pass	Partial RU 52/40	Band Edge
53	802.11ax HE20	229	7238.25	44.14	68.20	-24.06	H	Avg.	Pass	Partial RU 106/54	Band Edge
54	802.11ax HE40	195	20775.00	37.64	74.00	-36.36	V	Peak	Pass	Full RU	Harmonic
55	802.11ax HE40	211	21015.00	37.80	74.00	-36.20	V	Peak	Pass	Full RU	Harmonic
56	802.11ax HE40	227	7229.00	44.14	68.20	-24.06	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE40	227	21255.00	37.39	74.00	-36.61	V	Peak	Pass	Full RU	Harmonic
57	802.11ax HE80	199	7225.20	44.24	68.20	-23.96	V	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	199	20835.00	37.03	74.00	-36.97	V	Peak	Pass	Full RU	Harmonic



Mode	Modulation	Ch.	Freq. (MHz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Pol.	Peak Avg.	Result	RU	Remark
58	802.11ax HE80	215	7125.54	50.12	68.20	-18.08	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE80	215	21075.00	38.59	74.00	-35.41	H	Peak	Pass	Full RU	Harmonic
59	802.11ax HE160	207	7181.56	53.27	68.20	-14.93	H	Avg.	Pass	Full RU	Band Edge
	802.11ax HE160	207	20955.00	38.15	74.00	-35.85	H	Peak	Pass	Full RU	Harmonic
60	LF		83.53	34.89	40.00	-5.11	V	QP	Pass	-	Below 1GHz



Mode	1																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																	
ANT	1																																																																																	
Pol.	Horizontal	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5918.73</td><td>52.67</td><td>88.20</td><td>-35.53</td><td>38.37</td><td>35.20</td><td>13.30</td><td>34.20</td><td>0.00</td><td>299 269 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5918.73	52.67	88.20	-35.53	38.37	35.20	13.30	34.20	0.00	299 269 Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5955.00</td><td>97.17</td><td>-----</td><td>-----</td><td>82.84</td><td>35.22</td><td>13.36</td><td>34.25</td><td>0.00</td><td>299 269 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5955.00	97.17	-----	-----	82.84	35.22	13.36	34.25	0.00	299 269 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1 5918.73	52.67	88.20	-35.53	38.37	35.20	13.30	34.20	0.00	299 269 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1 5955.00	97.17	-----	-----	82.84	35.22	13.36	34.25	0.00	299 269 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5924.50</td><td>42.89</td><td>68.20</td><td>-25.31</td><td>28.59</td><td>35.20</td><td>13.31</td><td>34.21</td><td>0.00</td><td>299 269 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5924.50	42.89	68.20	-25.31	28.59	35.20	13.31	34.21	0.00	299 269 Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th></tr></thead><tbody><tr><td>1 5955.00</td><td>89.80</td><td>-----</td><td>-----</td><td>75.47</td><td>35.22</td><td>13.36</td><td>34.25</td><td>0.00</td><td>299 269 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB		1 5955.00	89.80	-----	-----	75.47	35.22	13.36	34.25	0.00	299 269 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1 5924.50	42.89	68.20	-25.31	28.59	35.20	13.31	34.21	0.00	299 269 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																										
1 5955.00	89.80	-----	-----	75.47	35.22	13.36	34.25	0.00	299 269 Average																																																																									



Mode	1																																																																																	
	Band Edge																																																																																	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																	
ANT	1																																																																																	
Pol.	Vertical	Fundamental																																																																																
Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: PEAK_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5886.62</td><td>52.86</td><td>88.20</td><td>-35.34</td><td>38.62</td><td>35.15</td><td>13.25</td><td>34.16</td><td>0.00</td><td>112 8 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5886.62	52.86	88.20	-35.34	38.62	35.15	13.25	34.16	0.00	112 8 Peak	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:3000.000kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>95.69</td><td>-----</td><td>-----</td><td>81.37</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td><td>112 8 Peak</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	95.69	-----	-----	81.37	35.21	13.35	34.24	0.00	112 8 Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																								
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5886.62	52.86	88.20	-35.34	38.62	35.15	13.25	34.16	0.00	112 8 Peak																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5955.00	95.69	-----	-----	81.37	35.21	13.35	34.24	0.00	112 8 Peak																																																																									
Avg	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: AVG_BE(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5924.45</td><td>42.94</td><td>68.20</td><td>-25.26</td><td>28.64</td><td>35.20</td><td>13.31</td><td>34.21</td><td>0.00</td><td>112 8 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5924.45	42.94	68.20	-25.26	28.64	35.20	13.31	34.21	0.00	112 8 Average	Level (dBuV/m) Date: 2025-06-06 Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL : RBW:1000.000kHz VBW:0.010kHz SMT:Auto <table><thead><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr></thead><tbody><tr><td>1 5955.00</td><td>88.25</td><td>-----</td><td>-----</td><td>73.93</td><td>35.21</td><td>13.35</td><td>34.24</td><td>0.00</td><td>112 8 Average</td></tr></tbody></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1 5955.00	88.25	-----	-----	73.93	35.21	13.35	34.24	0.00	112 8 Average
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5924.45	42.94	68.20	-25.26	28.64	35.20	13.31	34.21	0.00	112 8 Average																																																																									
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																									
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																									
1 5955.00	88.25	-----	-----	73.93	35.21	13.35	34.24	0.00	112 8 Average																																																																									



Mode	1																																																																																																					
	Harmonic																																																																																																					
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz																																																																																																					
ANT	1																																																																																																					
Pol.	Horizontal	Vertical																																																																																																				
Peak Avg	Level (dBuV/m) Date: 2025-06-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>11910.00</td><td>48.11</td><td>74.00</td><td>-25.89</td><td>45.57</td><td>38.70</td><td>19.27</td><td>56.46</td><td>1.03 -- -- Peak</td></tr><tr><td>2</td><td>17865.00</td><td>52.64</td><td>74.00</td><td>-21.36</td><td>42.38</td><td>41.46</td><td>23.05</td><td>55.52</td><td>1.27 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	11910.00	48.11	74.00	-25.89	45.57	38.70	19.27	56.46	1.03 -- -- Peak	2	17865.00	52.64	74.00	-21.36	42.38	41.46	23.05	55.52	1.27 -- -- Peak	Level (dBuV/m) Date: 2025-06-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm deg</th></tr><tr><td>1</td><td>11910.00</td><td>47.41</td><td>74.00</td><td>-26.59</td><td>44.87</td><td>38.70</td><td>19.27</td><td>56.46</td><td>1.03 -- -- Peak</td></tr><tr><td>2</td><td>17865.00</td><td>52.66</td><td>74.00</td><td>-21.34</td><td>42.40</td><td>41.46</td><td>23.05</td><td>55.52</td><td>1.27 -- -- Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg	1	11910.00	47.41	74.00	-26.59	44.87	38.70	19.27	56.46	1.03 -- -- Peak	2	17865.00	52.66	74.00	-21.34	42.40	41.46	23.05	55.52	1.27 -- -- Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																												
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	11910.00	48.11	74.00	-25.89	45.57	38.70	19.27	56.46	1.03 -- -- Peak																																																																																													
2	17865.00	52.64	74.00	-21.36	42.38	41.46	23.05	55.52	1.27 -- -- Peak																																																																																													
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																													
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																														
	MHz	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm deg																																																																																													
1	11910.00	47.41	74.00	-26.59	44.87	38.70	19.27	56.46	1.03 -- -- Peak																																																																																													
2	17865.00	52.66	74.00	-21.34	42.40	41.46	23.05	55.52	1.27 -- -- Peak																																																																																													



Mode	1	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH1_5955MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL



Mode	2																																																																																																															
	Harmonic																																																																																																															
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz																																																																																																															
ANT	1																																																																																																															
Pol.	Horizontal	Vertical																																																																																																														
Peak Avg	Level (dBuV/m) Date: 2025-06-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>48.86</td><td>74.00</td><td>-25.14</td><td>45.54</td><td>39.16</td><td>19.52</td><td>56.49</td><td>1.13</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>34.92</td><td>74.00</td><td>-39.08</td><td>50.55</td><td>37.87</td><td>15.86</td><td>59.82</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	48.86	74.00	-25.14	45.54	39.16	19.52	56.49	1.13	--	Peak	2	18585.00	34.92	74.00	-39.08	50.55	37.87	15.86	59.82	-9.54	--	Peak	Level (dBuV/m) Date: 2025-06-08 Site : 03CH07-HY Condition: PEAK(UNII)_6E 3m HF_ANT_00075962 VERTICAL <table><tr><th></th><th>Limit</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Margin</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>12390.00</td><td>48.17</td><td>74.00</td><td>-25.83</td><td>44.85</td><td>39.16</td><td>19.52</td><td>56.49</td><td>1.13</td><td>--</td><td>Peak</td></tr><tr><td>2</td><td>18585.00</td><td>34.99</td><td>74.00</td><td>-39.01</td><td>50.62</td><td>37.87</td><td>15.86</td><td>59.82</td><td>-9.54</td><td>--</td><td>Peak</td></tr></table>		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	12390.00	48.17	74.00	-25.83	44.85	39.16	19.52	56.49	1.13	--	Peak	2	18585.00	34.99	74.00	-39.01	50.62	37.87	15.86	59.82	-9.54	--	Peak
		Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																						
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12390.00	48.86	74.00	-25.14	45.54	39.16	19.52	56.49	1.13	--	Peak																																																																																																					
2	18585.00	34.92	74.00	-39.08	50.55	37.87	15.86	59.82	-9.54	--	Peak																																																																																																					
	Limit	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Margin	Level	Factor	Loss	Factor	Factor																																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																						
1	12390.00	48.17	74.00	-25.83	44.85	39.16	19.52	56.49	1.13	--	Peak																																																																																																					
2	18585.00	34.99	74.00	-39.01	50.62	37.87	15.86	59.82	-9.54	--	Peak																																																																																																					



Mode	2	
	Harmonic	
	U-NII-5_5.925-6.425_802.11a_CH49_6195MHz	
ANT	1	
Pol.	Horizontal	Vertical
14.47G ~14.5G Avg	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL
	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 HORIZONTAL	Site : 03CH07-HY Condition: AVG(UNII)_6E 3m HF_ANT_00075962 VERTICAL