

承認書

SPECIFICATION FOR APPROVAL

客 戶:
CUSTOMER: _____

客 戶 料 號:
CUST P/N: _____

淘 软 料 號:
BESOFTP/N: _____

產 品 型 號:
DESC: **Φ19*19x47-12Ts-0.08x105-70mm**

日 期:
DATE: **2022/04/21**

版 本:
Version: **A.0**

擬制 PREPARED BY	審核 CHECKED BY	批准 APPROVED BY	客戶承認 CUSTOMER APPROVE
冯伯群	苏燕平	钱立谋	

ShenZhen Ruantao Electronic Co., Ltd.

Add:Room 701, Building 10, Block B,
Wuliandui, Shangcun Community,
Gongming Street, Guangming
District, Shenzhen ,China


TEL: 13824883512



Version Change History

[illegible]

SPECIFICATION

产 品 型 號: DESC		Φ19*19x47-12Ts-0.08x105-70mm		版本 Rev: A 0		客 戶 CUST:						
						淘软料号 Fine P/N:						
						客户料号 CUST P/N:						
一、尺寸 DIMENSION:(mm)  二、原理图 SCHEMATIC DIAGRAM:  三、绕线参数 Winding Specification: —							A	19±0.5				
							B	19±0.5				
							C	47±1				
							D	48±1				
							E1	71±2				
							E2	70±2				
							F	3±1				
							G	8 ref				
							H	1.2 Max				
							I	3.0 ref				
							注:		1. Magnet Size on Coil			
									50±0.5mm, Bore5.3mm, Thickness1.0±0.05mm			
		2. Wrapping Width at Coil Lead Position8mm										
		±0.5										
		3. Peel Tab Diameter on the Backside of the Magnet48mm(ref), Bore6.0mm (ref)										

序号 NO		端子 TERMINAL		线径 WIRE		圈数 Turns		绕线方向 Winding Direction	
1		S	F	Copper Wire 0.08*105		12Ts		CCW	

四、电气特性 ELECTRICAL CHARACTERISTICS:

温度 TEMPERATURE:25 ±10℃, 湿度 RELATIVE HUMIDITY:65 ±20%

序号 NO.	项目 ITEM	端子 TERMINAL	标准 SPECIFICATION	测试条件 TEST FREQUENCY	测试仪器 TEST EQUIPMENTS
1	IND.	S-F	6.8uH ±20%Discrete Coil	100KHz/1.0V	LCZ METER 1062B
2	IND.	S-F	10uH ±10%	100KHz/1.0V	LCZ METER 1062B
3	DCR	S-F	≤60m Ω		LCZ METER 502B


拟制/日期 PREPARED BY/DATE				审核/日期 CHECKED BY/DATE			
冯伯群 2022/04/21				苏燕平2022/04/21			

SPECIFICATION

產品型號: DESC	Φ19*19x47-12Ts-0.08x105-70mm	版本 Rev: A 0	客戶 CUST:	
			淘軟料號 Fine P/N:	
			客戶料號 CUST P/N:	

五、包裝 PACKONG:

5.1 包裝圖片Packing pictures:



5.2 包裝數量及規格Packing Quantity:

項目 Item	數量 Quantity	材料規格 Material	
盒 Box	350 Pcs	370*265*55mm	
箱 Big Carton	1400 Pcs	380*270*245mm	

5.3 包裝以現有包裝盤為參照標準，以實際出貨包裝為準,如有特需要求可以定制。

The packaging shall be based on the existing packing plate and the actual delivery package shall prevail. If there is any requirement, we can customize it.

六、材料清單 Material list:

序號 number	材料名稱 Material name	品名描述 Description	製造商 Manufacturer
1	Copper Wire	Copper Wire 0.08*105pcs	
2	Lead-Free Solder	Lead-Free Solder	
3	Magnetic Piece	Φ50*5.3*10mm Magnetic Piece	
4	Glue	201 Glue	
5	High-Temperature Tape	8mm High-Temperature Tape	
6	Double-Sided Tape	Diameter 48 mm(ref)	

擬制/日期 PREPARED BY/DATE	審核/日期 CHECKED BY/DATE
馮伯群 2022/04/21	蘇燕平 2022/04/21