


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band2


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2986
30	1000	0.1	RMS	952.1	-58.05	-13	Pass	9701
1000	1830	1	RMS	1829	-46.09	-13	Pass	831
1830	1920	1	RMS	1850.25	23.72	60	Pass	401
1920	3000	1	RMS	2664	-41.6	-13	Pass	1081
3000	12000	1	RMS	11999	-47.28	-13	Pass	9001
12000	20000	1	RMS	19732	-36.81	-13	Pass	8001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.24	-13	Pass	2986
30	1000	0.1	RMS	887.8	-57.87	-13	Pass	9701
1000	1830	1	RMS	1829	-46.1	-13	Pass	831
1830	1920	1	RMS	1851.15	23.74	60	Pass	401
1920	3000	1	RMS	2665	-41.61	-13	Pass	1081
3000	12000	1	RMS	11996	-47.2	-13	Pass	9001
12000	20000	1	RMS	19700	-36.68	-13	Pass	8001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.22	-13	Pass	2986
30	1000	0.1	RMS	974.5	-57.92	-13	Pass	9701
1000	1830	1	RMS	1830	-46.18	-13	Pass	831
1830	1920	1	RMS	1850.25	22.88	60	Pass	401
1920	3000	1	RMS	2662	-41.57	-13	Pass	1081
3000	12000	1	RMS	11987	-47.09	-13	Pass	9001
12000	20000	1	RMS	19703	-36.81	-13	Pass	8001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:18607, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.4	-13	Pass	2986
30	1000	0.1	RMS	874.5	-57.98	-13	Pass	9701
1000	1830	1	RMS	1829	-46.13	-13	Pass	831
1830	1920	1	RMS	1851.15	22.88	60	Pass	401
1920	3000	1	RMS	2663	-41.63	-13	Pass	1081
3000	12000	1	RMS	11997	-47.26	-13	Pass	9001
12000	20000	1	RMS	19717	-36.72	-13	Pass	8001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.3	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.42	-13	Pass	2986
30	1000	0.1	RMS	944.6	-57.99	-13	Pass	9701
1000	1830	1	RMS	1830	-46.15	-13	Pass	831
1830	1920	1	RMS	1879.5	23.78	60	Pass	401
1920	3000	1	RMS	2661	-41.55	-13	Pass	1081
3000	12000	1	RMS	11991	-47.23	-13	Pass	9001
12000	20000	1	RMS	19699	-36.8	-13	Pass	8001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.55	-13	Pass	2986
30	1000	0.1	RMS	921.5	-57.72	-13	Pass	9701
1000	1830	1	RMS	1830	-46.14	-13	Pass	831
1830	1920	1	RMS	1880.4	23.81	60	Pass	401
1920	3000	1	RMS	2667	-41.63	-13	Pass	1081
3000	12000	1	RMS	12000	-47.33	-13	Pass	9001
12000	20000	1	RMS	19703	-36.86	-13	Pass	8001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.42	-13	Pass	2986
30	1000	0.1	RMS	924.8	-57.73	-13	Pass	9701
1000	1830	1	RMS	1829	-46.12	-13	Pass	831
1830	1920	1	RMS	1879.5	22.89	60	Pass	401
1920	3000	1	RMS	2671	-41.61	-13	Pass	1081
3000	12000	1	RMS	11991	-47.16	-13	Pass	9001
12000	20000	1	RMS	19738	-36.91	-13	Pass	8001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:18900, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.78	-13	Pass	2986
30	1000	0.1	RMS	997.8	-58.01	-13	Pass	9701
1000	1830	1	RMS	1830	-46.14	-13	Pass	831
1830	1920	1	RMS	1880.4	22.95	60	Pass	401
1920	3000	1	RMS	2663	-41.59	-13	Pass	1081
3000	12000	1	RMS	11995	-47.32	-13	Pass	9001
12000	20000	1	RMS	19701	-36.86	-13	Pass	8001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.26	-13	Pass	401
0.15	30	0.01	RMS	0.17	-55.8	-13	Pass	2986
30	1000	0.1	RMS	852.3	-57.85	-13	Pass	9701
1000	1830	1	RMS	1829	-46.18	-13	Pass	831
1830	1920	1	RMS	1908.75	23.38	60	Pass	401
1920	3000	1	RMS	2664	-41.6	-13	Pass	1081
3000	12000	1	RMS	11999	-47.15	-13	Pass	9001
12000	20000	1	RMS	19742	-36.77	-13	Pass	8001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.52	-13	Pass	2986
30	1000	0.1	RMS	900.4	-58.04	-13	Pass	9701
1000	1830	1	RMS	1826	-46.18	-13	Pass	831
1830	1920	1	RMS	1909.65	23.53	60	Pass	401
1920	3000	1	RMS	2670	-41.59	-13	Pass	1081
3000	12000	1	RMS	11998	-47.14	-13	Pass	9001
12000	20000	1	RMS	19709	-36.71	-13	Pass	8001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.61	-13	Pass	2986
30	1000	0.1	RMS	899.3	-57.9	-13	Pass	9701
1000	1830	1	RMS	1826	-46.17	-13	Pass	831
1830	1920	1	RMS	1908.75	22.52	60	Pass	401
1920	3000	1	RMS	2661	-41.6	-13	Pass	1081
3000	12000	1	RMS	11999	-47.14	-13	Pass	9001
12000	20000	1	RMS	19723	-36.8	-13	Pass	8001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:19193, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.23	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.98	-13	Pass	2986
30	1000	0.1	RMS	971.2	-57.87	-13	Pass	9701
1000	1830	1	RMS	1827	-46.2	-13	Pass	831
1830	1920	1	RMS	1909.65	22.67	60	Pass	401
1920	3000	1	RMS	2669	-41.55	-13	Pass	1081
3000	12000	1	RMS	11999	-47.31	-13	Pass	9001
12000	20000	1	RMS	19703	-36.73	-13	Pass	8001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.03	-13	Pass	2986
30	1000	0.1	RMS	984.8	-57.88	-13	Pass	9701
1000	1830	1	RMS	1830	-46.12	-13	Pass	831
1830	1920	1	RMS	1850.25	23.59	60	Pass	401
1920	3000	1	RMS	2667	-41.6	-13	Pass	1081
3000	12000	1	RMS	11992	-47.19	-13	Pass	9001
12000	20000	1	RMS	19702	-36.85	-13	Pass	8001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	1000	0.1	RMS	879.7	-57.83	-13	Pass	9701
1000	1830	1	RMS	1829	-46.15	-13	Pass	831
1830	1920	1	RMS	1852.725	23.61	60	Pass	401
1920	3000	1	RMS	2670	-41.64	-13	Pass	1081
3000	12000	1	RMS	11994	-47.28	-13	Pass	9001
12000	20000	1	RMS	19718	-36.84	-13	Pass	8001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-13	Pass	2986
30	1000	0.1	RMS	971.3	-57.76	-13	Pass	9701
1000	1830	1	RMS	1829	-46.22	-13	Pass	831
1830	1920	1	RMS	1850.25	22.83	60	Pass	401
1920	3000	1	RMS	2671	-41.63	-13	Pass	1081
3000	12000	1	RMS	11997	-47.14	-13	Pass	9001
12000	20000	1	RMS	19716	-36.91	-13	Pass	8001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:18615, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.13	-13	Pass	2986
30	1000	0.1	RMS	996.7	-58.09	-13	Pass	9701
1000	1830	1	RMS	1827	-46.15	-13	Pass	831
1830	1920	1	RMS	1852.725	22.87	60	Pass	401
1920	3000	1	RMS	2662	-41.54	-13	Pass	1081
3000	12000	1	RMS	11997	-47.15	-13	Pass	9001
12000	20000	1	RMS	19703	-36.73	-13	Pass	8001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.73	-13	Pass	2986
30	1000	0.1	RMS	967.2	-57.34	-13	Pass	9701
1000	1830	1	RMS	1828	-46.19	-13	Pass	831
1830	1920	1	RMS	1878.825	23.55	60	Pass	401
1920	3000	1	RMS	2660	-41.64	-13	Pass	1081
3000	12000	1	RMS	11999	-47.3	-13	Pass	9001
12000	20000	1	RMS	19751	-36.69	-13	Pass	8001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.27	-13	Pass	2986
30	1000	0.1	RMS	919.2	-57.9	-13	Pass	9701
1000	1830	1	RMS	1830	-46.13	-13	Pass	831
1830	1920	1	RMS	1881.3	23.71	60	Pass	401
1920	3000	1	RMS	2669	-41.61	-13	Pass	1081
3000	12000	1	RMS	12000	-47.34	-13	Pass	9001
12000	20000	1	RMS	19703	-36.74	-13	Pass	8001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.8	-13	Pass	2986
30	1000	0.1	RMS	990.1	-57.93	-13	Pass	9701
1000	1830	1	RMS	1830	-46.2	-13	Pass	831
1830	1920	1	RMS	1878.825	22.66	60	Pass	401
1920	3000	1	RMS	2667	-41.58	-13	Pass	1081
3000	12000	1	RMS	11988	-47.22	-13	Pass	9001
12000	20000	1	RMS	19711	-36.81	-13	Pass	8001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:18900, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.18	-13	Pass	2986
30	1000	0.1	RMS	868.9	-57.73	-13	Pass	9701
1000	1830	1	RMS	1830	-46.07	-13	Pass	831
1830	1920	1	RMS	1881.3	22.86	60	Pass	401
1920	3000	1	RMS	2670	-41.56	-13	Pass	1081
3000	12000	1	RMS	12000	-47.3	-13	Pass	9001
12000	20000	1	RMS	19717	-36.8	-13	Pass	8001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.02	-13	Pass	2986
30	1000	0.1	RMS	903	-57.54	-13	Pass	9701
1000	1830	1	RMS	1827	-46.16	-13	Pass	831
1830	1920	1	RMS	1907.175	23.22	60	Pass	401
1920	3000	1	RMS	2670	-41.63	-13	Pass	1081
3000	12000	1	RMS	12000	-47.23	-13	Pass	9001
12000	20000	1	RMS	19716	-36.84	-13	Pass	8001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:19185, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.26	-13	Pass	2986
30	1000	0.1	RMS	992.6	-57.93	-13	Pass	9701
1000	1830	1	RMS	1829	-46.14	-13	Pass	831
1830	1920	1	RMS	1909.65	23.31	60	Pass	401
1920	3000	1	RMS	2670	-41.6	-13	Pass	1081
3000	12000	1	RMS	11996	-47.27	-13	Pass	9001
12000	20000	1	RMS	19704	-36.83	-13	Pass	8001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.89	-13	Pass	2986
30	1000	0.1	RMS	886.3	-57.89	-13	Pass	9701
1000	1830	1	RMS	1824	-46.2	-13	Pass	831
1830	1920	1	RMS	1907.175	22.26	60	Pass	401
1920	3000	1	RMS	2668	-41.59	-13	Pass	1081
3000	12000	1	RMS	11998	-47.22	-13	Pass	9001
12000	20000	1	RMS	19699	-36.86	-13	Pass	8001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:19185, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.52	-13	Pass	401
0.15	30	0.01	RMS	0.17	-55.93	-13	Pass	2986
30	1000	0.1	RMS	870.8	-57.94	-13	Pass	9701
1000	1830	1	RMS	1830	-46.14	-13	Pass	831
1830	1920	1	RMS	1909.875	22.5	60	Pass	401
1920	3000	1	RMS	2659	-41.61	-13	Pass	1081
3000	12000	1	RMS	11997	-47.28	-13	Pass	9001
12000	20000	1	RMS	19711	-36.78	-13	Pass	8001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.98	-13	Pass	2986
30	1000	0.1	RMS	889.9	-57.54	-13	Pass	9701
1000	1830	1	RMS	1830	-46.14	-13	Pass	831
1830	1920	1	RMS	1850.25	23.48	60	Pass	401
1920	3000	1	RMS	2670	-41.64	-13	Pass	1081
3000	12000	1	RMS	11995	-47.24	-13	Pass	9001
12000	20000	1	RMS	19716	-36.74	-13	Pass	8001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:18625, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.01	-13	Pass	2986
30	1000	0.1	RMS	847	-57.75	-13	Pass	9701
1000	1830	1	RMS	1827	-46.12	-13	Pass	831
1830	1920	1	RMS	1854.75	23.53	60	Pass	401
1920	3000	1	RMS	2664	-41.56	-13	Pass	1081
3000	12000	1	RMS	12000	-47.13	-13	Pass	9001
12000	20000	1	RMS	19700	-36.77	-13	Pass	8001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.56	-13	Pass	2986
30	1000	0.1	RMS	993.2	-57.9	-13	Pass	9701
1000	1830	1	RMS	1830	-46.13	-13	Pass	831
1830	1920	1	RMS	1850.25	22.55	60	Pass	401
1920	3000	1	RMS	2664	-41.61	-13	Pass	1081
3000	12000	1	RMS	11997	-47.3	-13	Pass	9001
12000	20000	1	RMS	19734	-36.88	-13	Pass	8001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:18625, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.11	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.06	-13	Pass	2986
30	1000	0.1	RMS	952.2	-57.91	-13	Pass	9701
1000	1830	1	RMS	1829	-46.06	-13	Pass	831
1830	1920	1	RMS	1854.75	22.73	60	Pass	401
1920	3000	1	RMS	2670	-41.6	-13	Pass	1081
3000	12000	1	RMS	11995	-47.26	-13	Pass	9001
12000	20000	1	RMS	19705	-36.85	-13	Pass	8001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.45	-13	Pass	2986
30	1000	0.1	RMS	905.8	-57.4	-13	Pass	9701
1000	1830	1	RMS	1828	-46.18	-13	Pass	831
1830	1920	1	RMS	1877.925	23.51	60	Pass	401
1920	3000	1	RMS	2667	-41.6	-13	Pass	1081
3000	12000	1	RMS	12000	-47.21	-13	Pass	9001
12000	20000	1	RMS	19720	-36.93	-13	Pass	8001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:18900, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2986
30	1000	0.1	RMS	850.6	-58	-13	Pass	9701
1000	1830	1	RMS	1828	-46.17	-13	Pass	831
1830	1920	1	RMS	1882.2	23.73	60	Pass	401
1920	3000	1	RMS	2668	-41.58	-13	Pass	1081
3000	12000	1	RMS	11989	-47.14	-13	Pass	9001
12000	20000	1	RMS	19712	-36.86	-13	Pass	8001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.55	-13	Pass	2986
30	1000	0.1	RMS	853.5	-57.72	-13	Pass	9701
1000	1830	1	RMS	1828	-46.24	-13	Pass	831
1830	1920	1	RMS	1877.925	22.81	60	Pass	401
1920	3000	1	RMS	2665	-41.53	-13	Pass	1081
3000	12000	1	RMS	11997	-47.2	-13	Pass	9001
12000	20000	1	RMS	19706	-36.82	-13	Pass	8001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:18900, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.49	-13	Pass	2986
30	1000	0.1	RMS	880.3	-58.01	-13	Pass	9701
1000	1830	1	RMS	1828	-46.13	-13	Pass	831
1830	1920	1	RMS	1882.2	22.93	60	Pass	401
1920	3000	1	RMS	2659	-41.65	-13	Pass	1081
3000	12000	1	RMS	11996	-47.14	-13	Pass	9001
12000	20000	1	RMS	19707	-36.78	-13	Pass	8001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.03	-13	Pass	401
0.15	30	0.01	RMS	0.17	-55.89	-13	Pass	2986
30	1000	0.1	RMS	951	-57.79	-13	Pass	9701
1000	1830	1	RMS	1830	-46.16	-13	Pass	831
1830	1920	1	RMS	1905.375	23.18	60	Pass	401
1920	3000	1	RMS	2668	-41.58	-13	Pass	1081
3000	12000	1	RMS	11999	-47.14	-13	Pass	9001
12000	20000	1	RMS	19701	-36.85	-13	Pass	8001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	899.5	-57.93	-13	Pass	9701
1000	1830	1	RMS	1826	-46.21	-13	Pass	831
1830	1920	1	RMS	1909.65	23.43	60	Pass	401
1920	3000	1	RMS	2664	-41.59	-13	Pass	1081
3000	12000	1	RMS	11993	-47.15	-13	Pass	9001
12000	20000	1	RMS	19730	-36.73	-13	Pass	8001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.94	-13	Pass	2986
30	1000	0.1	RMS	871	-58.05	-13	Pass	9701
1000	1830	1	RMS	1829	-46.19	-13	Pass	831
1830	1920	1	RMS	1905.375	22.36	60	Pass	401
1920	3000	1	RMS	2664	-41.53	-13	Pass	1081
3000	12000	1	RMS	12000	-47.2	-13	Pass	9001
12000	20000	1	RMS	19738	-36.72	-13	Pass	8001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:19175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2986
30	1000	0.1	RMS	856.8	-57.99	-13	Pass	9701
1000	1830	1	RMS	1829	-46.18	-13	Pass	831
1830	1920	1	RMS	1909.65	22.7	60	Pass	401
1920	3000	1	RMS	2663	-41.59	-13	Pass	1081
3000	12000	1	RMS	11993	-47.23	-13	Pass	9001
12000	20000	1	RMS	19713	-36.78	-13	Pass	8001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.32	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.25	-13	Pass	2986
30	1000	0.1	RMS	959.2	-57.68	-13	Pass	9701
1000	1830	1	RMS	1830	-46.12	-13	Pass	831
1830	1920	1	RMS	1850.475	23.27	60	Pass	401
1920	3000	1	RMS	2662	-41.56	-13	Pass	1081
3000	12000	1	RMS	11992	-47.22	-13	Pass	9001
12000	20000	1	RMS	19716	-36.93	-13	Pass	8001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:18650, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.92	-13	Pass	2986
30	1000	0.1	RMS	968.4	-57.91	-13	Pass	9701
1000	1830	1	RMS	1828	-46.14	-13	Pass	831
1830	1920	1	RMS	1859.475	23.72	60	Pass	401
1920	3000	1	RMS	2663	-41.56	-13	Pass	1081
3000	12000	1	RMS	11998	-47.01	-13	Pass	9001
12000	20000	1	RMS	19745	-36.77	-13	Pass	8001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.34	-13	Pass	2986
30	1000	0.1	RMS	950.7	-57.78	-13	Pass	9701
1000	1830	1	RMS	1829	-46.12	-13	Pass	831
1830	1920	1	RMS	1850.475	22.48	60	Pass	401
1920	3000	1	RMS	2667	-41.58	-13	Pass	1081
3000	12000	1	RMS	11994	-47.21	-13	Pass	9001
12000	20000	1	RMS	19730	-36.82	-13	Pass	8001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.08	-13	Pass	2986
30	1000	0.1	RMS	900.6	-57.56	-13	Pass	9701
1000	1830	1	RMS	1830	-46.15	-13	Pass	831
1830	1920	1	RMS	1859.475	22.93	60	Pass	401
1920	3000	1	RMS	2668	-41.64	-13	Pass	1081
3000	12000	1	RMS	11997	-47.37	-13	Pass	9001
12000	20000	1	RMS	19711	-36.77	-13	Pass	8001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2986
30	1000	0.1	RMS	906.5	-57.93	-13	Pass	9701
1000	1830	1	RMS	1828	-46.19	-13	Pass	831
1830	1920	1	RMS	1875.675	23.39	60	Pass	401
1920	3000	1	RMS	2661	-41.59	-13	Pass	1081
3000	12000	1	RMS	11999	-47.04	-13	Pass	9001
12000	20000	1	RMS	19725	-36.73	-13	Pass	8001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-13	Pass	2986
30	1000	0.1	RMS	982.7	-57.59	-13	Pass	9701
1000	1830	1	RMS	1830	-46.15	-13	Pass	831
1830	1920	1	RMS	1884.45	23.67	60	Pass	401
1920	3000	1	RMS	2668	-41.58	-13	Pass	1081
3000	12000	1	RMS	11996	-47.08	-13	Pass	9001
12000	20000	1	RMS	19702	-36.66	-13	Pass	8001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.82	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.77	-13	Pass	2986
30	1000	0.1	RMS	981.9	-57.91	-13	Pass	9701
1000	1830	1	RMS	1827	-46.18	-13	Pass	831
1830	1920	1	RMS	1875.675	22.54	60	Pass	401
1920	3000	1	RMS	2660	-41.61	-13	Pass	1081
3000	12000	1	RMS	12000	-47.18	-13	Pass	9001
12000	20000	1	RMS	19704	-36.68	-13	Pass	8001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.61	-13	Pass	2986
30	1000	0.1	RMS	895.5	-57.72	-13	Pass	9701
1000	1830	1	RMS	1830	-46.2	-13	Pass	831
1830	1920	1	RMS	1884.45	22.8	60	Pass	401
1920	3000	1	RMS	2671	-41.59	-13	Pass	1081
3000	12000	1	RMS	11998	-47.2	-13	Pass	9001
12000	20000	1	RMS	19710	-36.75	-13	Pass	8001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.75	-13	Pass	2986
30	1000	0.1	RMS	906.9	-57.83	-13	Pass	9701
1000	1830	1	RMS	1828	-46.13	-13	Pass	831
1830	1920	1	RMS	1900.65	23.6	60	Pass	401
1920	3000	1	RMS	2665	-41.58	-13	Pass	1081
3000	12000	1	RMS	11996	-47.24	-13	Pass	9001
12000	20000	1	RMS	19706	-36.75	-13	Pass	8001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-13	Pass	2986
30	1000	0.1	RMS	986	-57.73	-13	Pass	9701
1000	1830	1	RMS	1829	-46.04	-13	Pass	831
1830	1920	1	RMS	1909.425	23.25	60	Pass	401
1920	3000	1	RMS	2665	-41.61	-13	Pass	1081
3000	12000	1	RMS	11995	-47.08	-13	Pass	9001
12000	20000	1	RMS	19700	-36.76	-13	Pass	8001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.36	-13	Pass	401
0.15	30	0.01	RMS	0.17	-55.1	-13	Pass	2986
30	1000	0.1	RMS	938.4	-57.85	-13	Pass	9701
1000	1830	1	RMS	1828	-46.13	-13	Pass	831
1830	1920	1	RMS	1900.65	22.59	60	Pass	401
1920	3000	1	RMS	2664	-41.6	-13	Pass	1081
3000	12000	1	RMS	11984	-47.27	-13	Pass	9001
12000	20000	1	RMS	19708	-36.59	-13	Pass	8001




1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.28	-13	Pass	2986
30	1000	0.1	RMS	872.9	-58	-13	Pass	9701
1000	1830	1	RMS	1830	-46.19	-13	Pass	831
1830	1920	1	RMS	1909.425	22.41	60	Pass	401
1920	3000	1	RMS	2670	-41.54	-13	Pass	1081
3000	12000	1	RMS	11996	-47.08	-13	Pass	9001
12000	20000	1	RMS	19706	-36.75	-13	Pass	8001




1.49. LTE Transmitter Spurious Emissions(Subtest:49, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.78	-13	Pass	2986
30	1000	0.1	RMS	963.6	-57.78	-13	Pass	9701
1000	1830	1	RMS	1824	-45.55	-13	Pass	831
1830	1920	1	RMS	1850.925	23.34	60	Pass	401
1920	3000	1	RMS	2665	-41.61	-13	Pass	1081
3000	12000	1	RMS	11993	-47.25	-13	Pass	9001
12000	20000	1	RMS	19723	-36.78	-13	Pass	8001




1.50. LTE Transmitter Spurious Emissions(Subtest:50, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.62	-13	Pass	401
0.15	30	0.01	RMS	0.17	-55.96	-13	Pass	2986
30	1000	0.1	RMS	872.7	-57.8	-13	Pass	9701
1000	1830	1	RMS	1830	-46.17	-13	Pass	831
1830	1920	1	RMS	1864.2	23.96	60	Pass	401
1920	3000	1	RMS	2668	-41.58	-13	Pass	1081
3000	12000	1	RMS	11995	-47.31	-13	Pass	9001
12000	20000	1	RMS	19703	-36.77	-13	Pass	8001




1.51. LTE Transmitter Spurious Emissions(Subtest:51, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.77	-13	Pass	2986
30	1000	0.1	RMS	995.7	-57.88	-13	Pass	9701
1000	1830	1	RMS	1824	-45.57	-13	Pass	831
1830	1920	1	RMS	1850.925	22.62	60	Pass	401
1920	3000	1	RMS	2665	-41.57	-13	Pass	1081
3000	12000	1	RMS	11999	-47.3	-13	Pass	9001
12000	20000	1	RMS	19719	-36.82	-13	Pass	8001




1.52. LTE Transmitter Spurious Emissions(Subtest:52, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.06	-13	Pass	2986
30	1000	0.1	RMS	949.2	-58	-13	Pass	9701
1000	1830	1	RMS	1826	-46.15	-13	Pass	831
1830	1920	1	RMS	1864.2	23.24	60	Pass	401
1920	3000	1	RMS	2669	-41.6	-13	Pass	1081
3000	12000	1	RMS	11998	-47.21	-13	Pass	9001
12000	20000	1	RMS	19738	-36.84	-13	Pass	8001




1.53. LTE Transmitter Spurious Emissions(Subtest:53, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.89	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55	-13	Pass	2986
30	1000	0.1	RMS	977.8	-57.78	-13	Pass	9701
1000	1830	1	RMS	1829	-46.14	-13	Pass	831
1830	1920	1	RMS	1873.425	23.61	60	Pass	401
1920	3000	1	RMS	2663	-41.6	-13	Pass	1081
3000	12000	1	RMS	11989	-47.07	-13	Pass	9001
12000	20000	1	RMS	19699	-36.85	-13	Pass	8001




1.54. LTE Transmitter Spurious Emissions(Subtest:54, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.82	-13	Pass	2986
30	1000	0.1	RMS	948.6	-57.9	-13	Pass	9701
1000	1830	1	RMS	1830	-46.13	-13	Pass	831
1830	1920	1	RMS	1886.7	23.92	60	Pass	401
1920	3000	1	RMS	2666	-41.59	-13	Pass	1081
3000	12000	1	RMS	11995	-47.26	-13	Pass	9001
12000	20000	1	RMS	19715	-36.76	-13	Pass	8001




1.55. LTE Transmitter Spurious Emissions(Subtest:55, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.91	-13	Pass	2986
30	1000	0.1	RMS	865	-57.74	-13	Pass	9701
1000	1830	1	RMS	1829	-46.17	-13	Pass	831
1830	1920	1	RMS	1873.425	22.68	60	Pass	401
1920	3000	1	RMS	2671	-41.64	-13	Pass	1081
3000	12000	1	RMS	12000	-47.07	-13	Pass	9001
12000	20000	1	RMS	19709	-36.93	-13	Pass	8001




1.56. LTE Transmitter Spurious Emissions(Subtest:56, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.93	-13	Pass	2986
30	1000	0.1	RMS	858.2	-57.84	-13	Pass	9701
1000	1830	1	RMS	1830	-46.17	-13	Pass	831
1830	1920	1	RMS	1886.7	22.98	60	Pass	401
1920	3000	1	RMS	2661	-41.59	-13	Pass	1081
3000	12000	1	RMS	11990	-47.24	-13	Pass	9001
12000	20000	1	RMS	19731	-36.86	-13	Pass	8001




1.57. LTE Transmitter Spurious Emissions(Subtest:57, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.67	-13	Pass	2986
30	1000	0.1	RMS	963.1	-57.92	-13	Pass	9701
1000	1830	1	RMS	1829	-46.2	-13	Pass	831
1830	1920	1	RMS	1895.925	23.8	60	Pass	401
1920	3000	1	RMS	2666	-41.61	-13	Pass	1081
3000	12000	1	RMS	11998	-47	-13	Pass	9001
12000	20000	1	RMS	19716	-36.64	-13	Pass	8001




1.58. LTE Transmitter Spurious Emissions(Subtest:58, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.17	-54.82	-13	Pass	2986
30	1000	0.1	RMS	987.1	-58	-13	Pass	9701
1000	1830	1	RMS	1830	-46.14	-13	Pass	831
1830	1920	1	RMS	1909.2	23.25	60	Pass	401
1920	3000	1	RMS	2669	-41.59	-13	Pass	1081
3000	12000	1	RMS	11992	-47.26	-13	Pass	9001
12000	20000	1	RMS	19705	-36.73	-13	Pass	8001




1.59. LTE Transmitter Spurious Emissions(Subtest:59, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.44	-13	Pass	2986
30	1000	0.1	RMS	904.8	-57.96	-13	Pass	9701
1000	1830	1	RMS	1830	-46.08	-13	Pass	831
1830	1920	1	RMS	1895.925	23.01	60	Pass	401
1920	3000	1	RMS	2671	-41.59	-13	Pass	1081
3000	12000	1	RMS	11993	-47.33	-13	Pass	9001
12000	20000	1	RMS	19711	-36.68	-13	Pass	8001




1.60. LTE Transmitter Spurious Emissions(Subtest:60, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.71	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.48	-13	Pass	2986
30	1000	0.1	RMS	972.5	-57.86	-13	Pass	9701
1000	1830	1	RMS	1830	-46.15	-13	Pass	831
1830	1920	1	RMS	1909.2	22.46	60	Pass	401
1920	3000	1	RMS	2665	-41.56	-13	Pass	1081
3000	12000	1	RMS	12000	-47.22	-13	Pass	9001
12000	20000	1	RMS	19722	-36.7	-13	Pass	8001




1.61. LTE Transmitter Spurious Emissions(Subtest:61, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.06	-13	Pass	2986
30	1000	0.1	RMS	903.4	-57.54	-13	Pass	9701
1000	1830	1	RMS	1830	-46.17	-13	Pass	831
1830	1920	1	RMS	1851.15	23.48	60	Pass	401
1920	3000	1	RMS	2660	-41.59	-13	Pass	1081
3000	12000	1	RMS	11998	-47.2	-13	Pass	9001
12000	20000	1	RMS	19737	-36.68	-13	Pass	8001




1.62. LTE Transmitter Spurious Emissions(Subtest:62, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-13	Pass	2986
30	1000	0.1	RMS	865.2	-57.79	-13	Pass	9701
1000	1830	1	RMS	1830	-46.12	-13	Pass	831
1830	1920	1	RMS	1868.925	23.95	60	Pass	401
1920	3000	1	RMS	2664	-41.58	-13	Pass	1081
3000	12000	1	RMS	12000	-47.29	-13	Pass	9001
12000	20000	1	RMS	19720	-36.72	-13	Pass	8001




1.63. LTE Transmitter Spurious Emissions(Subtest:63, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.34	-13	Pass	2986
30	1000	0.1	RMS	984.2	-57.94	-13	Pass	9701
1000	1830	1	RMS	1830	-46.2	-13	Pass	831
1830	1920	1	RMS	1851.15	22.64	60	Pass	401
1920	3000	1	RMS	2659	-41.59	-13	Pass	1081
3000	12000	1	RMS	11999	-47.15	-13	Pass	9001
12000	20000	1	RMS	19720	-36.9	-13	Pass	8001




1.64. LTE Transmitter Spurious Emissions(Subtest:64, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.67	-13	Pass	2986
30	1000	0.1	RMS	886.8	-57.85	-13	Pass	9701
1000	1830	1	RMS	1826	-46.17	-13	Pass	831
1830	1920	1	RMS	1868.925	23.15	60	Pass	401
1920	3000	1	RMS	2668	-41.59	-13	Pass	1081
3000	12000	1	RMS	11991	-47.27	-13	Pass	9001
12000	20000	1	RMS	19708	-36.57	-13	Pass	8001




1.65. LTE Transmitter Spurious Emissions(Subtest:65, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.82	-13	Pass	2986
30	1000	0.1	RMS	887.2	-57.83	-13	Pass	9701
1000	1830	1	RMS	1828	-46.1	-13	Pass	831
1830	1920	1	RMS	1871.175	23.74	60	Pass	401
1920	3000	1	RMS	2670	-41.59	-13	Pass	1081
3000	12000	1	RMS	11995	-47.09	-13	Pass	9001
12000	20000	1	RMS	19702	-36.78	-13	Pass	8001




1.66. LTE Transmitter Spurious Emissions(Subtest:66, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.03	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.8	-13	Pass	2986
30	1000	0.1	RMS	843.9	-57.76	-13	Pass	9701
1000	1830	1	RMS	1830	-46.15	-13	Pass	831
1830	1920	1	RMS	1888.95	23.73	60	Pass	401
1920	3000	1	RMS	2669	-41.57	-13	Pass	1081
3000	12000	1	RMS	11999	-47.24	-13	Pass	9001
12000	20000	1	RMS	19722	-36.85	-13	Pass	8001




1.67. LTE Transmitter Spurious Emissions(Subtest:67, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.6	-13	Pass	401
0.15	30	0.01	RMS	0.16	-54.97	-13	Pass	2986
30	1000	0.1	RMS	896.4	-57.48	-13	Pass	9701
1000	1830	1	RMS	1828	-46.15	-13	Pass	831
1830	1920	1	RMS	1871.175	22.83	60	Pass	401
1920	3000	1	RMS	2659	-41.59	-13	Pass	1081
3000	12000	1	RMS	11998	-47.25	-13	Pass	9001
12000	20000	1	RMS	19703	-36.64	-13	Pass	8001




1.68. LTE Transmitter Spurious Emissions(Subtest:68, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.48	-13	Pass	2986
30	1000	0.1	RMS	895.1	-57.95	-13	Pass	9701
1000	1830	1	RMS	1830	-46.11	-13	Pass	831
1830	1920	1	RMS	1888.95	22.87	60	Pass	401
1920	3000	1	RMS	2660	-41.59	-13	Pass	1081
3000	12000	1	RMS	11996	-47.3	-13	Pass	9001
12000	20000	1	RMS	19699	-36.79	-13	Pass	8001




1.69. LTE Transmitter Spurious Emissions(Subtest:69, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.13	-13	Pass	2986
30	1000	0.1	RMS	978.1	-57.98	-13	Pass	9701
1000	1830	1	RMS	1830	-46.13	-13	Pass	831
1830	1920	1	RMS	1890.975	23.68	60	Pass	401
1920	3000	1	RMS	2660	-41.55	-13	Pass	1081
3000	12000	1	RMS	11992	-47.19	-13	Pass	9001
12000	20000	1	RMS	19734	-36.69	-13	Pass	8001




1.70. LTE Transmitter Spurious Emissions(Subtest:70, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.82	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	1000	0.1	RMS	871.1	-58.03	-13	Pass	9701
1000	1830	1	RMS	1829	-46.15	-13	Pass	831
1830	1920	1	RMS	1908.975	23.15	60	Pass	401
1920	3000	1	RMS	2665	-41.57	-13	Pass	1081
3000	12000	1	RMS	12000	-47.03	-13	Pass	9001
12000	20000	1	RMS	19709	-36.87	-13	Pass	8001




1.71. LTE Transmitter Spurious Emissions(Subtest:71, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.16	-13	Pass	2986
30	1000	0.1	RMS	866	-57.98	-13	Pass	9701
1000	1830	1	RMS	1830	-46.17	-13	Pass	831
1830	1920	1	RMS	1891.2	22.85	60	Pass	401
1920	3000	1	RMS	2668	-41.6	-13	Pass	1081
3000	12000	1	RMS	11997	-47.19	-13	Pass	9001
12000	20000	1	RMS	19721	-36.62	-13	Pass	8001



1.72. LTE Transmitter Spurious Emissions(Subtest:72, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.36	-13	Pass	2986
30	1000	0.1	RMS	893.9	-57.94	-13	Pass	9701
1000	1830	1	RMS	1827	-46.19	-13	Pass	831
1830	1920	1	RMS	1908.975	22.18	60	Pass	401
1920	3000	1	RMS	2658	-41.62	-13	Pass	1081
3000	12000	1	RMS	11997	-47.16	-13	Pass	9001
12000	20000	1	RMS	19708	-36.73	-13	Pass	8001



END