


Annex C. LTE Transmitter Spurious Emissions

1. LTE_Band25


1.1. LTE Transmitter Spurious Emissions(Subtest:1, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.17	-51	-13	Pass	2986
30	1000	0.1	RMS	911.9	-58.71	-13	Pass	9701
1000	1830	1	RMS	1828	-46.15	-13	Pass	831
1830	1925	1	RMS	1850.188	21.51	60	Pass	401
1925	3000	1	RMS	2668	-41.63	-13	Pass	1076
3000	12000	1	RMS	11998	-47.34	-13	Pass	9001
12000	20000	1	RMS	19701	-36.92	-13	Pass	8001




1.2. LTE Transmitter Spurious Emissions(Subtest:2, Channel:26047, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-13	Pass	401
0.15	30	0.01	RMS	0.17	-51.97	-13	Pass	2986
30	1000	0.1	RMS	974	-58.78	-13	Pass	9701
1000	1830	1	RMS	1829	-46.24	-13	Pass	831
1830	1925	1	RMS	1851.138	21.33	60	Pass	401
1925	3000	1	RMS	2665	-41.65	-13	Pass	1076
3000	12000	1	RMS	11999	-47.33	-13	Pass	9001
12000	20000	1	RMS	19708	-36.88	-13	Pass	8001




1.3. LTE Transmitter Spurious Emissions(Subtest:3, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.6	-13	Pass	2986
30	1000	0.1	RMS	868.5	-58.73	-13	Pass	9701
1000	1830	1	RMS	1828	-46.19	-13	Pass	831
1830	1925	1	RMS	1850.188	20.66	60	Pass	401
1925	3000	1	RMS	2661	-41.67	-13	Pass	1076
3000	12000	1	RMS	11997	-47.32	-13	Pass	9001
12000	20000	1	RMS	19710	-36.97	-13	Pass	8001




1.4. LTE Transmitter Spurious Emissions(Subtest:4, Channel:26047, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.31	-13	Pass	2986
30	1000	0.1	RMS	993.1	-58.74	-13	Pass	9701
1000	1830	1	RMS	1829	-46.25	-13	Pass	831
1830	1925	1	RMS	1851.138	20.52	60	Pass	401
1925	3000	1	RMS	2663	-41.63	-13	Pass	1076
3000	12000	1	RMS	12000	-47.32	-13	Pass	9001
12000	20000	1	RMS	19702	-36.97	-13	Pass	8001




1.5. LTE Transmitter Spurious Emissions(Subtest:5, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.96	-13	Pass	2986
30	1000	0.1	RMS	868.1	-58.68	-13	Pass	9701
1000	1830	1	RMS	1830	-46.21	-13	Pass	831
1830	1925	1	RMS	1882.013	22.19	60	Pass	401
1925	3000	1	RMS	2669	-41.65	-13	Pass	1076
3000	12000	1	RMS	11999	-47.32	-13	Pass	9001
12000	20000	1	RMS	19711	-36.96	-13	Pass	8001




1.6. LTE Transmitter Spurious Emissions(Subtest:6, Channel:26365, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	401
0.15	30	0.01	RMS	0.17	-52.34	-13	Pass	2986
30	1000	0.1	RMS	974.1	-58.79	-13	Pass	9701
1000	1830	1	RMS	1830	-46.17	-13	Pass	831
1830	1925	1	RMS	1882.963	22.01	60	Pass	401
1925	3000	1	RMS	2667	-41.65	-13	Pass	1076
3000	12000	1	RMS	12000	-47.31	-13	Pass	9001
12000	20000	1	RMS	19712	-36.92	-13	Pass	8001




1.7. LTE Transmitter Spurious Emissions(Subtest:7, Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.57	-13	Pass	2986
30	1000	0.1	RMS	898.5	-58.75	-13	Pass	9701
1000	1830	1	RMS	1829	-46.15	-13	Pass	831
1830	1925	1	RMS	1882.013	21.34	60	Pass	401
1925	3000	1	RMS	2664	-41.66	-13	Pass	1076
3000	12000	1	RMS	11998	-47.21	-13	Pass	9001
12000	20000	1	RMS	19708	-36.91	-13	Pass	8001




1.8. LTE Transmitter Spurious Emissions(Subtest:8, Channel:26365, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.34	-13	Pass	2986
30	1000	0.1	RMS	984.5	-58.67	-13	Pass	9701
1000	1830	1	RMS	1829	-46.22	-13	Pass	831
1830	1925	1	RMS	1882.963	21.14	60	Pass	401
1925	3000	1	RMS	2670	-41.69	-13	Pass	1076
3000	12000	1	RMS	12000	-47.33	-13	Pass	9001
12000	20000	1	RMS	19714	-36.94	-13	Pass	8001




1.9. LTE Transmitter Spurious Emissions(Subtest:9, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.26	-13	Pass	2986
30	1000	0.1	RMS	872.3	-58.79	-13	Pass	9701
1000	1830	1	RMS	1829	-46.19	-13	Pass	831
1830	1925	1	RMS	1913.838	21.7	60	Pass	401
1925	3000	1	RMS	2668	-41.65	-13	Pass	1076
3000	12000	1	RMS	12000	-47.33	-13	Pass	9001
12000	20000	1	RMS	19719	-36.95	-13	Pass	8001




1.10. LTE Transmitter Spurious Emissions(Subtest:10, Channel:26683, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-48.94	-13	Pass	2986
30	1000	0.1	RMS	973.2	-58.63	-13	Pass	9701
1000	1830	1	RMS	1829	-46.23	-13	Pass	831
1830	1925	1	RMS	1914.788	22.02	60	Pass	401
1925	3000	1	RMS	2660	-41.67	-13	Pass	1076
3000	12000	1	RMS	11998	-47.34	-13	Pass	9001
12000	20000	1	RMS	19701	-36.85	-13	Pass	8001




1.11. LTE Transmitter Spurious Emissions(Subtest:11, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.1	-13	Pass	2986
30	1000	0.1	RMS	975.4	-58.67	-13	Pass	9701
1000	1830	1	RMS	1826	-46.24	-13	Pass	831
1830	1925	1	RMS	1913.838	20.81	60	Pass	401
1925	3000	1	RMS	2667	-41.65	-13	Pass	1076
3000	12000	1	RMS	12000	-47.32	-13	Pass	9001
12000	20000	1	RMS	19701	-36.93	-13	Pass	8001




1.12. LTE Transmitter Spurious Emissions(Subtest:12, Channel:26683, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:5)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.79	-13	Pass	2986
30	1000	0.1	RMS	977.2	-58.76	-13	Pass	9701
1000	1830	1	RMS	1830	-46.21	-13	Pass	831
1830	1925	1	RMS	1914.788	21.16	60	Pass	401
1925	3000	1	RMS	2668	-41.67	-13	Pass	1076
3000	12000	1	RMS	11997	-47.3	-13	Pass	9001
12000	20000	1	RMS	19727	-36.89	-13	Pass	8001




1.13. LTE Transmitter Spurious Emissions(Subtest:13, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.88	-13	Pass	2986
30	1000	0.1	RMS	945.5	-58.72	-13	Pass	9701
1000	1830	1	RMS	1830	-46.18	-13	Pass	831
1830	1925	1	RMS	1850.188	21.38	60	Pass	401
1925	3000	1	RMS	2665	-41.67	-13	Pass	1076
3000	12000	1	RMS	11995	-47.3	-13	Pass	9001
12000	20000	1	RMS	19700	-36.95	-13	Pass	8001




1.14. LTE Transmitter Spurious Emissions(Subtest:14, Channel:26055, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.17	-52.07	-13	Pass	2986
30	1000	0.1	RMS	945.7	-58.78	-13	Pass	9701
1000	1830	1	RMS	1830	-46.23	-13	Pass	831
1830	1925	1	RMS	1852.8	20.98	60	Pass	401
1925	3000	1	RMS	2667	-41.65	-13	Pass	1076
3000	12000	1	RMS	11998	-47.31	-13	Pass	9001
12000	20000	1	RMS	19725	-36.95	-13	Pass	8001




1.15. LTE Transmitter Spurious Emissions(Subtest:15, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.37	-13	Pass	401
0.15	30	0.01	RMS	0.16	-53.18	-13	Pass	2986
30	1000	0.1	RMS	969.5	-58.43	-13	Pass	9701
1000	1830	1	RMS	1829	-46.23	-13	Pass	831
1830	1925	1	RMS	1850.188	20.64	60	Pass	401
1925	3000	1	RMS	2666	-41.69	-13	Pass	1076
3000	12000	1	RMS	12000	-47.35	-13	Pass	9001
12000	20000	1	RMS	19702	-36.93	-13	Pass	8001




1.16. LTE Transmitter Spurious Emissions(Subtest:16, Channel:26055, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.59	-13	Pass	2986
30	1000	0.1	RMS	975.6	-58.71	-13	Pass	9701
1000	1830	1	RMS	1827	-46.2	-13	Pass	831
1830	1925	1	RMS	1852.8	20.26	60	Pass	401
1925	3000	1	RMS	2668	-41.68	-13	Pass	1076
3000	12000	1	RMS	12000	-47.33	-13	Pass	9001
12000	20000	1	RMS	19703	-36.93	-13	Pass	8001




1.17. LTE Transmitter Spurious Emissions(Subtest:17, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.16	-13	Pass	401
0.15	30	0.01	RMS	0.18	-51.95	-13	Pass	2986
30	1000	0.1	RMS	961.5	-58.72	-13	Pass	9701
1000	1830	1	RMS	1828	-46.17	-13	Pass	831
1830	1925	1	RMS	1881.3	22.26	60	Pass	401
1925	3000	1	RMS	2670	-41.65	-13	Pass	1076
3000	12000	1	RMS	12000	-47.31	-13	Pass	9001
12000	20000	1	RMS	19702	-36.93	-13	Pass	8001




1.18. LTE Transmitter Spurious Emissions(Subtest:18, Channel:26365, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.14	-13	Pass	2986
30	1000	0.1	RMS	984	-58.71	-13	Pass	9701
1000	1830	1	RMS	1830	-46.16	-13	Pass	831
1830	1925	1	RMS	1883.675	21.8	60	Pass	401
1925	3000	1	RMS	2669	-41.64	-13	Pass	1076
3000	12000	1	RMS	11998	-47.38	-13	Pass	9001
12000	20000	1	RMS	19700	-36.93	-13	Pass	8001




1.19. LTE Transmitter Spurious Emissions(Subtest:19, Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.72	-13	Pass	2986
30	1000	0.1	RMS	902.1	-58.68	-13	Pass	9701
1000	1830	1	RMS	1830	-46.18	-13	Pass	831
1830	1925	1	RMS	1881.3	21.36	60	Pass	401
1925	3000	1	RMS	2665	-41.64	-13	Pass	1076
3000	12000	1	RMS	12000	-47.3	-13	Pass	9001
12000	20000	1	RMS	19704	-36.87	-13	Pass	8001




1.20. LTE Transmitter Spurious Emissions(Subtest:20, Channel:26365, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.63	-13	Pass	401
0.15	30	0.01	RMS	0.17	-54.2	-13	Pass	2986
30	1000	0.1	RMS	919.5	-58.74	-13	Pass	9701
1000	1830	1	RMS	1829	-46.18	-13	Pass	831
1830	1925	1	RMS	1883.675	20.94	60	Pass	401
1925	3000	1	RMS	2669	-41.67	-13	Pass	1076
3000	12000	1	RMS	11999	-47.33	-13	Pass	9001
12000	20000	1	RMS	19700	-36.93	-13	Pass	8001




1.21. LTE Transmitter Spurious Emissions(Subtest:21, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.33	-13	Pass	2986
30	1000	0.1	RMS	901.6	-58.77	-13	Pass	9701
1000	1830	1	RMS	1829	-46.19	-13	Pass	831
1830	1925	1	RMS	1912.175	21.05	60	Pass	401
1925	3000	1	RMS	2662	-41.64	-13	Pass	1076
3000	12000	1	RMS	11997	-47.33	-13	Pass	9001
12000	20000	1	RMS	19711	-36.95	-13	Pass	8001




1.22. LTE Transmitter Spurious Emissions(Subtest:22, Channel:26675, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.51	-13	Pass	2986
30	1000	0.1	RMS	999.4	-58.77	-13	Pass	9701
1000	1830	1	RMS	1828	-46.21	-13	Pass	831
1830	1925	1	RMS	1914.788	21.88	60	Pass	401
1925	3000	1	RMS	2663	-41.63	-13	Pass	1076
3000	12000	1	RMS	12000	-47.35	-13	Pass	9001
12000	20000	1	RMS	19702	-36.95	-13	Pass	8001




1.23. LTE Transmitter Spurious Emissions(Subtest:23, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.17	-13	Pass	2986
30	1000	0.1	RMS	870	-58.81	-13	Pass	9701
1000	1830	1	RMS	1830	-46.23	-13	Pass	831
1830	1925	1	RMS	1912.175	20.08	60	Pass	401
1925	3000	1	RMS	2665	-41.68	-13	Pass	1076
3000	12000	1	RMS	12000	-47.3	-13	Pass	9001
12000	20000	1	RMS	19707	-36.91	-13	Pass	8001




1.24. LTE Transmitter Spurious Emissions(Subtest:24, Channel:26675, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:14)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.7	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.17	-13	Pass	2986
30	1000	0.1	RMS	888.2	-58.64	-13	Pass	9701
1000	1830	1	RMS	1829	-46.18	-13	Pass	831
1830	1925	1	RMS	1914.788	21.07	60	Pass	401
1925	3000	1	RMS	2664	-41.7	-13	Pass	1076
3000	12000	1	RMS	12000	-47.31	-13	Pass	9001
12000	20000	1	RMS	19720	-36.94	-13	Pass	8001




1.25. LTE Transmitter Spurious Emissions(Subtest:25, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.51	-13	Pass	2986
30	1000	0.1	RMS	875.3	-58.7	-13	Pass	9701
1000	1830	1	RMS	1826	-46.23	-13	Pass	831
1830	1925	1	RMS	1850.425	21.3	60	Pass	401
1925	3000	1	RMS	2666	-41.67	-13	Pass	1076
3000	12000	1	RMS	12000	-47.26	-13	Pass	9001
12000	20000	1	RMS	19704	-36.91	-13	Pass	8001




1.26. LTE Transmitter Spurious Emissions(Subtest:26, Channel:26065, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.17	-51.62	-13	Pass	2986
30	1000	0.1	RMS	973.1	-58.72	-13	Pass	9701
1000	1830	1	RMS	1830	-46.19	-13	Pass	831
1830	1925	1	RMS	1854.7	20.83	60	Pass	401
1925	3000	1	RMS	2668	-41.66	-13	Pass	1076
3000	12000	1	RMS	11996	-47.23	-13	Pass	9001
12000	20000	1	RMS	19710	-36.87	-13	Pass	8001




1.27. LTE Transmitter Spurious Emissions(Subtest:27, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.16	-13	Pass	2986
30	1000	0.1	RMS	900.1	-58.68	-13	Pass	9701
1000	1830	1	RMS	1830	-46.18	-13	Pass	831
1830	1925	1	RMS	1850.425	20.51	60	Pass	401
1925	3000	1	RMS	2664	-41.65	-13	Pass	1076
3000	12000	1	RMS	11997	-47.32	-13	Pass	9001
12000	20000	1	RMS	19711	-36.92	-13	Pass	8001




1.28. LTE Transmitter Spurious Emissions(Subtest:28, Channel:26065, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.08	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.42	-13	Pass	2986
30	1000	0.1	RMS	862.3	-58.69	-13	Pass	9701
1000	1830	1	RMS	1830	-46.21	-13	Pass	831
1830	1925	1	RMS	1854.7	20.1	60	Pass	401
1925	3000	1	RMS	2666	-41.67	-13	Pass	1076
3000	12000	1	RMS	12000	-47.29	-13	Pass	9001
12000	20000	1	RMS	19705	-36.94	-13	Pass	8001




1.29. LTE Transmitter Spurious Emissions(Subtest:29, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.44	-13	Pass	2986
30	1000	0.1	RMS	990	-58.73	-13	Pass	9701
1000	1830	1	RMS	1830	-46.24	-13	Pass	831
1830	1925	1	RMS	1880.35	22.46	60	Pass	401
1925	3000	1	RMS	2670	-41.65	-13	Pass	1076
3000	12000	1	RMS	11999	-47.28	-13	Pass	9001
12000	20000	1	RMS	19705	-36.94	-13	Pass	8001




1.30. LTE Transmitter Spurious Emissions(Subtest:30, Channel:26365, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.94	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.39	-13	Pass	2986
30	1000	0.1	RMS	979.2	-58.74	-13	Pass	9701
1000	1830	1	RMS	1829	-46.22	-13	Pass	831
1830	1925	1	RMS	1884.625	21.76	60	Pass	401
1925	3000	1	RMS	2668	-41.64	-13	Pass	1076
3000	12000	1	RMS	11998	-47.35	-13	Pass	9001
12000	20000	1	RMS	19705	-36.93	-13	Pass	8001




1.31. LTE Transmitter Spurious Emissions(Subtest:31, Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.17	-53.79	-13	Pass	2986
30	1000	0.1	RMS	902.6	-58.73	-13	Pass	9701
1000	1830	1	RMS	1829	-46.17	-13	Pass	831
1830	1925	1	RMS	1880.35	21.67	60	Pass	401
1925	3000	1	RMS	2660	-41.63	-13	Pass	1076
3000	12000	1	RMS	12000	-47.3	-13	Pass	9001
12000	20000	1	RMS	19705	-36.93	-13	Pass	8001




1.32. LTE Transmitter Spurious Emissions(Subtest:32, Channel:26365, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.71	-13	Pass	2986
30	1000	0.1	RMS	899.7	-58.7	-13	Pass	9701
1000	1830	1	RMS	1830	-46.13	-13	Pass	831
1830	1925	1	RMS	1884.625	21.01	60	Pass	401
1925	3000	1	RMS	2669	-41.67	-13	Pass	1076
3000	12000	1	RMS	11999	-47.27	-13	Pass	9001
12000	20000	1	RMS	19709	-36.93	-13	Pass	8001




1.33. LTE Transmitter Spurious Emissions(Subtest:33, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.81	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.74	-13	Pass	2986
30	1000	0.1	RMS	989.7	-58.68	-13	Pass	9701
1000	1830	1	RMS	1830	-46.2	-13	Pass	831
1830	1925	1	RMS	1910.275	20.98	60	Pass	401
1925	3000	1	RMS	2663	-41.63	-13	Pass	1076
3000	12000	1	RMS	12000	-47.28	-13	Pass	9001
12000	20000	1	RMS	19713	-36.88	-13	Pass	8001




1.34. LTE Transmitter Spurious Emissions(Subtest:34, Channel:26665, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.59	-13	Pass	2986
30	1000	0.1	RMS	947.7	-58.74	-13	Pass	9701
1000	1830	1	RMS	1830	-46.17	-13	Pass	831
1830	1925	1	RMS	1914.55	21.73	60	Pass	401
1925	3000	1	RMS	2664	-41.68	-13	Pass	1076
3000	12000	1	RMS	11993	-47.3	-13	Pass	9001
12000	20000	1	RMS	19708	-36.96	-13	Pass	8001




1.35. LTE Transmitter Spurious Emissions(Subtest:35, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	401
0.15	30	0.01	RMS	0.16	-51.54	-13	Pass	2986
30	1000	0.1	RMS	887.9	-58.71	-13	Pass	9701
1000	1830	1	RMS	1830	-46.21	-13	Pass	831
1830	1925	1	RMS	1910.275	20.17	60	Pass	401
1925	3000	1	RMS	2669	-41.59	-13	Pass	1076
3000	12000	1	RMS	11998	-47.31	-13	Pass	9001
12000	20000	1	RMS	19723	-36.91	-13	Pass	8001




1.36. LTE Transmitter Spurious Emissions(Subtest:36, Channel:26665, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.84	-13	Pass	2986
30	1000	0.1	RMS	916.6	-58.75	-13	Pass	9701
1000	1830	1	RMS	1830	-46.2	-13	Pass	831
1830	1925	1	RMS	1914.55	20.99	60	Pass	401
1925	3000	1	RMS	2670	-41.67	-13	Pass	1076
3000	12000	1	RMS	11999	-47.29	-13	Pass	9001
12000	20000	1	RMS	19705	-36.93	-13	Pass	8001




1.37. LTE Transmitter Spurious Emissions(Subtest:37, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.16	-52.27	-13	Pass	2986
30	1000	0.1	RMS	975.5	-58.61	-13	Pass	9701
1000	1830	1	RMS	1829	-46.22	-13	Pass	831
1830	1925	1	RMS	1850.663	21.17	60	Pass	401
1925	3000	1	RMS	2666	-41.65	-13	Pass	1076
3000	12000	1	RMS	11998	-47.35	-13	Pass	9001
12000	20000	1	RMS	19700	-36.94	-13	Pass	8001




1.38. LTE Transmitter Spurious Emissions(Subtest:38, Channel:26090, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.17	-51.19	-13	Pass	2986
30	1000	0.1	RMS	974.8	-58.8	-13	Pass	9701
1000	1830	1	RMS	1830	-46.18	-13	Pass	831
1830	1925	1	RMS	1859.45	21.25	60	Pass	401
1925	3000	1	RMS	2666	-41.65	-13	Pass	1076
3000	12000	1	RMS	12000	-47.39	-13	Pass	9001
12000	20000	1	RMS	19701	-36.9	-13	Pass	8001




1.39. LTE Transmitter Spurious Emissions(Subtest:39, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.67	-13	Pass	2986
30	1000	0.1	RMS	890.9	-58.75	-13	Pass	9701
1000	1830	1	RMS	1830	-46.18	-13	Pass	831
1830	1925	1	RMS	1850.663	20.45	60	Pass	401
1925	3000	1	RMS	2664	-41.66	-13	Pass	1076
3000	12000	1	RMS	11998	-47.35	-13	Pass	9001
12000	20000	1	RMS	19710	-36.92	-13	Pass	8001




1.40. LTE Transmitter Spurious Emissions(Subtest:40, Channel:26090, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.33	-13	Pass	2986
30	1000	0.1	RMS	866.7	-58.71	-13	Pass	9701
1000	1830	1	RMS	1830	-46.2	-13	Pass	831
1830	1925	1	RMS	1859.45	20.45	60	Pass	401
1925	3000	1	RMS	2664	-41.64	-13	Pass	1076
3000	12000	1	RMS	12000	-47.34	-13	Pass	9001
12000	20000	1	RMS	19705	-36.87	-13	Pass	8001




1.41. LTE Transmitter Spurious Emissions(Subtest:41, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.43	-13	Pass	2986
30	1000	0.1	RMS	971.1	-58.7	-13	Pass	9701
1000	1830	1	RMS	1829	-46.15	-13	Pass	831
1830	1925	1	RMS	1877.975	22.66	60	Pass	401
1925	3000	1	RMS	2660	-41.66	-13	Pass	1076
3000	12000	1	RMS	11997	-47.33	-13	Pass	9001
12000	20000	1	RMS	19708	-36.95	-13	Pass	8001




1.42. LTE Transmitter Spurious Emissions(Subtest:42, Channel:26365, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.01	-13	Pass	401
0.15	30	0.01	RMS	0.18	-52.16	-13	Pass	2986
30	1000	0.1	RMS	901.6	-58.61	-13	Pass	9701
1000	1830	1	RMS	1830	-46.14	-13	Pass	831
1830	1925	1	RMS	1887	21.35	60	Pass	401
1925	3000	1	RMS	2661	-41.66	-13	Pass	1076
3000	12000	1	RMS	11993	-47.37	-13	Pass	9001
12000	20000	1	RMS	19718	-36.93	-13	Pass	8001




1.43. LTE Transmitter Spurious Emissions(Subtest:43, Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.29	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.87	-13	Pass	2986
30	1000	0.1	RMS	901.3	-58.69	-13	Pass	9701
1000	1830	1	RMS	1829	-46.22	-13	Pass	831
1830	1925	1	RMS	1877.975	21.78	60	Pass	401
1925	3000	1	RMS	2664	-41.62	-13	Pass	1076
3000	12000	1	RMS	11996	-47.32	-13	Pass	9001
12000	20000	1	RMS	19704	-36.86	-13	Pass	8001




1.44. LTE Transmitter Spurious Emissions(Subtest:44, Channel:26365, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.34	-13	Pass	2986
30	1000	0.1	RMS	858.8	-58.78	-13	Pass	9701
1000	1830	1	RMS	1829	-46.21	-13	Pass	831
1830	1925	1	RMS	1887	20.47	60	Pass	401
1925	3000	1	RMS	2668	-41.63	-13	Pass	1076
3000	12000	1	RMS	11996	-47.33	-13	Pass	9001
12000	20000	1	RMS	19732	-36.91	-13	Pass	8001




1.45. LTE Transmitter Spurious Emissions(Subtest:45, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.18	-13	Pass	2986
30	1000	0.1	RMS	994.7	-58.7	-13	Pass	9701
1000	1830	1	RMS	1829	-46.2	-13	Pass	831
1830	1925	1	RMS	1905.525	22.48	60	Pass	401
1925	3000	1	RMS	2670	-41.65	-13	Pass	1076
3000	12000	1	RMS	12000	-47.37	-13	Pass	9001
12000	20000	1	RMS	19726	-36.97	-13	Pass	8001




1.46. LTE Transmitter Spurious Emissions(Subtest:46, Channel:26640, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.33	-13	Pass	2986
30	1000	0.1	RMS	966.7	-58.6	-13	Pass	9701
1000	1830	1	RMS	1830	-46.21	-13	Pass	831
1830	1925	1	RMS	1914.313	21.56	60	Pass	401
1925	3000	1	RMS	2668	-41.63	-13	Pass	1076
3000	12000	1	RMS	11998	-47.29	-13	Pass	9001
12000	20000	1	RMS	19717	-36.89	-13	Pass	8001




1.47. LTE Transmitter Spurious Emissions(Subtest:47, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.95	-13	Pass	2986
30	1000	0.1	RMS	973.3	-58.8	-13	Pass	9701
1000	1830	1	RMS	1830	-46.18	-13	Pass	831
1830	1925	1	RMS	1905.525	21.55	60	Pass	401
1925	3000	1	RMS	2660	-41.67	-13	Pass	1076
3000	12000	1	RMS	11998	-47.34	-13	Pass	9001
12000	20000	1	RMS	19711	-36.92	-13	Pass	8001




1.48. LTE Transmitter Spurious Emissions(Subtest:48, Channel:26640, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:49)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.47	-13	Pass	2986
30	1000	0.1	RMS	901.1	-58.71	-13	Pass	9701
1000	1830	1	RMS	1829	-46.19	-13	Pass	831
1830	1925	1	RMS	1914.313	20.68	60	Pass	401
1925	3000	1	RMS	2666	-41.67	-13	Pass	1076
3000	12000	1	RMS	11998	-47.31	-13	Pass	9001
12000	20000	1	RMS	19700	-36.92	-13	Pass	8001




1.49. LTE Transmitter Spurious Emissions(Subtest:49, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.17	-51.74	-13	Pass	2986
30	1000	0.1	RMS	878.1	-58.71	-13	Pass	9701
1000	1830	1	RMS	1824	-45.97	-13	Pass	831
1830	1925	1	RMS	1850.9	21.35	60	Pass	401
1925	3000	1	RMS	2669	-41.64	-13	Pass	1076
3000	12000	1	RMS	12000	-47.36	-13	Pass	9001
12000	20000	1	RMS	19703	-36.79	-13	Pass	8001




1.50. LTE Transmitter Spurious Emissions(Subtest:50, Channel:26115, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.57	-13	Pass	2986
30	1000	0.1	RMS	853.1	-58.75	-13	Pass	9701
1000	1830	1	RMS	1828	-46.22	-13	Pass	831
1830	1925	1	RMS	1864.2	22.34	60	Pass	401
1925	3000	1	RMS	2661	-41.66	-13	Pass	1076
3000	12000	1	RMS	12000	-47.27	-13	Pass	9001
12000	20000	1	RMS	19712	-36.92	-13	Pass	8001




1.51. LTE Transmitter Spurious Emissions(Subtest:51, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.55	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.15	-13	Pass	2986
30	1000	0.1	RMS	994	-58.79	-13	Pass	9701
1000	1830	1	RMS	1824	-46.04	-13	Pass	831
1830	1925	1	RMS	1850.9	20.59	60	Pass	401
1925	3000	1	RMS	2668	-41.63	-13	Pass	1076
3000	12000	1	RMS	11995	-47.38	-13	Pass	9001
12000	20000	1	RMS	19724	-36.92	-13	Pass	8001




1.52. LTE Transmitter Spurious Emissions(Subtest:52, Channel:26115, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.68	-13	Pass	2986
30	1000	0.1	RMS	987.1	-58.55	-13	Pass	9701
1000	1830	1	RMS	1830	-46.18	-13	Pass	831
1830	1925	1	RMS	1864.2	21.57	60	Pass	401
1925	3000	1	RMS	2668	-41.61	-13	Pass	1076
3000	12000	1	RMS	12000	-47.34	-13	Pass	9001
12000	20000	1	RMS	19707	-36.88	-13	Pass	8001




1.53. LTE Transmitter Spurious Emissions(Subtest:53, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.03	-13	Pass	2986
30	1000	0.1	RMS	982.1	-58.68	-13	Pass	9701
1000	1830	1	RMS	1829	-46.21	-13	Pass	831
1830	1925	1	RMS	1875.838	23.22	60	Pass	401
1925	3000	1	RMS	2662	-41.66	-13	Pass	1076
3000	12000	1	RMS	11997	-47.33	-13	Pass	9001
12000	20000	1	RMS	19713	-36.89	-13	Pass	8001




1.54. LTE Transmitter Spurious Emissions(Subtest:54, Channel:26365, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.3	-13	Pass	2986
30	1000	0.1	RMS	996.4	-58.79	-13	Pass	9701
1000	1830	1	RMS	1828	-46.23	-13	Pass	831
1830	1925	1	RMS	1889.138	21.63	60	Pass	401
1925	3000	1	RMS	2669	-41.65	-13	Pass	1076
3000	12000	1	RMS	12000	-47.28	-13	Pass	9001
12000	20000	1	RMS	19702	-36.91	-13	Pass	8001




1.55. LTE Transmitter Spurious Emissions(Subtest:55, Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.09	-13	Pass	2986
30	1000	0.1	RMS	969.3	-58.65	-13	Pass	9701
1000	1830	1	RMS	1829	-46.18	-13	Pass	831
1830	1925	1	RMS	1875.838	22.29	60	Pass	401
1925	3000	1	RMS	2666	-41.62	-13	Pass	1076
3000	12000	1	RMS	11998	-47.31	-13	Pass	9001
12000	20000	1	RMS	19703	-36.92	-13	Pass	8001




1.56. LTE Transmitter Spurious Emissions(Subtest:56, Channel:26365, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.54	-13	Pass	2986
30	1000	0.1	RMS	893.4	-58.65	-13	Pass	9701
1000	1830	1	RMS	1830	-46.24	-13	Pass	831
1830	1925	1	RMS	1889.138	20.66	60	Pass	401
1925	3000	1	RMS	2661	-41.66	-13	Pass	1076
3000	12000	1	RMS	12000	-47.29	-13	Pass	9001
12000	20000	1	RMS	19707	-36.92	-13	Pass	8001




1.57. LTE Transmitter Spurious Emissions(Subtest:57, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.37	-13	Pass	2986
30	1000	0.1	RMS	856	-58.71	-13	Pass	9701
1000	1830	1	RMS	1829	-46.15	-13	Pass	831
1830	1925	1	RMS	1900.775	23.53	60	Pass	401
1925	3000	1	RMS	2660	-41.67	-13	Pass	1076
3000	12000	1	RMS	11997	-47.35	-13	Pass	9001
12000	20000	1	RMS	19722	-36.97	-13	Pass	8001




1.58. LTE Transmitter Spurious Emissions(Subtest:58, Channel:26615, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.83	-13	Pass	401
0.15	30	0.01	RMS	0.16	-49.98	-13	Pass	2986
30	1000	0.1	RMS	868.6	-58.79	-13	Pass	9701
1000	1830	1	RMS	1830	-46.22	-13	Pass	831
1830	1925	1	RMS	1914.075	21.55	60	Pass	401
1925	3000	1	RMS	2670	-41.64	-13	Pass	1076
3000	12000	1	RMS	12000	-47.33	-13	Pass	9001
12000	20000	1	RMS	19707	-36.97	-13	Pass	8001




1.59. LTE Transmitter Spurious Emissions(Subtest:59, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.34	-13	Pass	2986
30	1000	0.1	RMS	972.3	-58.65	-13	Pass	9701
1000	1830	1	RMS	1829	-46.21	-13	Pass	831
1830	1925	1	RMS	1900.775	22.71	60	Pass	401
1925	3000	1	RMS	2667	-41.62	-13	Pass	1076
3000	12000	1	RMS	11998	-47.26	-13	Pass	9001
12000	20000	1	RMS	19722	-36.93	-13	Pass	8001




1.60. LTE Transmitter Spurious Emissions(Subtest:60, Channel:26615, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:74)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.08	-13	Pass	2986
30	1000	0.1	RMS	976.5	-58.65	-13	Pass	9701
1000	1830	1	RMS	1830	-46.19	-13	Pass	831
1830	1925	1	RMS	1914.075	20.8	60	Pass	401
1925	3000	1	RMS	2669	-41.65	-13	Pass	1076
3000	12000	1	RMS	12000	-47.32	-13	Pass	9001
12000	20000	1	RMS	19703	-36.9	-13	Pass	8001




1.61. LTE Transmitter Spurious Emissions(Subtest:61, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.22	-13	Pass	2986
30	1000	0.1	RMS	938.9	-58.67	-13	Pass	9701
1000	1830	1	RMS	1829	-46.2	-13	Pass	831
1830	1925	1	RMS	1851.138	21.19	60	Pass	401
1925	3000	1	RMS	2664	-41.66	-13	Pass	1076
3000	12000	1	RMS	11999	-47.35	-13	Pass	9001
12000	20000	1	RMS	19709	-36.88	-13	Pass	8001




1.62. LTE Transmitter Spurious Emissions(Subtest:62, Channel:26140, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.36	-13	Pass	401
0.15	30	0.01	RMS	0.16	-50.8	-13	Pass	2986
30	1000	0.1	RMS	855.5	-58.74	-13	Pass	9701
1000	1830	1	RMS	1830	-46.14	-13	Pass	831
1830	1925	1	RMS	1868.95	23.02	60	Pass	401
1925	3000	1	RMS	2669	-41.63	-13	Pass	1076
3000	12000	1	RMS	11999	-47.3	-13	Pass	9001
12000	20000	1	RMS	19714	-36.96	-13	Pass	8001




1.63. LTE Transmitter Spurious Emissions(Subtest:63, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.33	-13	Pass	2986
30	1000	0.1	RMS	1000	-58.59	-13	Pass	9701
1000	1830	1	RMS	1830	-46.21	-13	Pass	831
1830	1925	1	RMS	1851.138	20.37	60	Pass	401
1925	3000	1	RMS	2666	-41.66	-13	Pass	1076
3000	12000	1	RMS	11995	-47.29	-13	Pass	9001
12000	20000	1	RMS	19702	-36.88	-13	Pass	8001




1.64. LTE Transmitter Spurious Emissions(Subtest:64, Channel:26140, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.56	-13	Pass	2986
30	1000	0.1	RMS	894.3	-58.77	-13	Pass	9701
1000	1830	1	RMS	1829	-46.18	-13	Pass	831
1830	1925	1	RMS	1868.95	22.39	60	Pass	401
1925	3000	1	RMS	2670	-41.64	-13	Pass	1076
3000	12000	1	RMS	11999	-47.34	-13	Pass	9001
12000	20000	1	RMS	19700	-36.92	-13	Pass	8001




1.65. LTE Transmitter Spurious Emissions(Subtest:65, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-51.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-51.23	-13	Pass	2986
30	1000	0.1	RMS	981.9	-58.74	-13	Pass	9701
1000	1830	1	RMS	1830	-46.19	-13	Pass	831
1830	1925	1	RMS	1873.7	23.2	60	Pass	401
1925	3000	1	RMS	2664	-41.67	-13	Pass	1076
3000	12000	1	RMS	11997	-47.33	-13	Pass	9001
12000	20000	1	RMS	19701	-36.9	-13	Pass	8001




1.66. LTE Transmitter Spurious Emissions(Subtest:66, Channel:26365, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.17	-51.63	-13	Pass	2986
30	1000	0.1	RMS	999.1	-58.72	-13	Pass	9701
1000	1830	1	RMS	1830	-46.22	-13	Pass	831
1830	1925	1	RMS	1891.513	21.68	60	Pass	401
1925	3000	1	RMS	2663	-41.64	-13	Pass	1076
3000	12000	1	RMS	11998	-47.28	-13	Pass	9001
12000	20000	1	RMS	19716	-36.84	-13	Pass	8001




1.67. LTE Transmitter Spurious Emissions(Subtest:67, Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.18	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.67	-13	Pass	2986
30	1000	0.1	RMS	896.6	-58.75	-13	Pass	9701
1000	1830	1	RMS	1830	-46.24	-13	Pass	831
1830	1925	1	RMS	1873.7	22.3	60	Pass	401
1925	3000	1	RMS	2666	-41.67	-13	Pass	1076
3000	12000	1	RMS	11995	-47.34	-13	Pass	9001
12000	20000	1	RMS	19717	-36.92	-13	Pass	8001




1.68. LTE Transmitter Spurious Emissions(Subtest:68, Channel:26365, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-52.15	-13	Pass	2986
30	1000	0.1	RMS	895.6	-58.72	-13	Pass	9701
1000	1830	1	RMS	1830	-46.19	-13	Pass	831
1830	1925	1	RMS	1891.513	20.75	60	Pass	401
1925	3000	1	RMS	2661	-41.66	-13	Pass	1076
3000	12000	1	RMS	12000	-47.35	-13	Pass	9001
12000	20000	1	RMS	19706	-36.9	-13	Pass	8001




1.69. LTE Transmitter Spurious Emissions(Subtest:69, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.81	-13	Pass	401
0.15	30	0.01	RMS	0.17	-50.77	-13	Pass	2986
30	1000	0.1	RMS	996.9	-58.79	-13	Pass	9701
1000	1830	1	RMS	1829	-46.18	-13	Pass	831
1830	1925	1	RMS	1896.025	22.72	60	Pass	401
1925	3000	1	RMS	2666	-41.68	-13	Pass	1076
3000	12000	1	RMS	11999	-47.37	-13	Pass	9001
12000	20000	1	RMS	19711	-36.97	-13	Pass	8001




1.70. LTE Transmitter Spurious Emissions(Subtest:70, Channel:26590, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-49.88	-13	Pass	2986
30	1000	0.1	RMS	883.7	-58.74	-13	Pass	9701
1000	1830	1	RMS	1827	-46.21	-13	Pass	831
1830	1925	1	RMS	1913.838	21.4	60	Pass	401
1925	3000	1	RMS	2670	-41.67	-13	Pass	1076
3000	12000	1	RMS	11999	-47.35	-13	Pass	9001
12000	20000	1	RMS	19703	-36.93	-13	Pass	8001




1.71. LTE Transmitter Spurious Emissions(Subtest:71, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-51.59	-13	Pass	2986
30	1000	0.1	RMS	902.1	-58.64	-13	Pass	9701
1000	1830	1	RMS	1829	-46.23	-13	Pass	831
1830	1925	1	RMS	1896.025	21.8	60	Pass	401
1925	3000	1	RMS	2668	-41.64	-13	Pass	1076
3000	12000	1	RMS	12000	-47.34	-13	Pass	9001
12000	20000	1	RMS	19715	-36.93	-13	Pass	8001



1.72. LTE Transmitter Spurious Emissions(Subtest:72, Channel:26590, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:99)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-50.72	-13	Pass	2986
30	1000	0.1	RMS	878.7	-58.71	-13	Pass	9701
1000	1830	1	RMS	1830	-46.21	-13	Pass	831
1830	1925	1	RMS	1913.838	20.49	60	Pass	401
1925	3000	1	RMS	2668	-41.65	-13	Pass	1076
3000	12000	1	RMS	11998	-47.39	-13	Pass	9001
12000	20000	1	RMS	19702	-36.96	-13	Pass	8001



END