


























Guangzhou LCS Compliance Testing Laboratory Ltd.

Add: No.44-1, Qianfeng North Road, Shiqi, Panyu District, Guangzhou, Guangdong, China

Tel: +(86) 020-39166689 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com





A.8 Duty Cycle

Test Result

TestMode	Antenna	Freq (MHz)	ON Time [ms]	Period [ms]	DC [%]	xFactor	Limit	Verdict
DH5	Ant1	2402	2.92	3.76	77.66	1.10	---	---
		2441	2.91	3.75	77.60	1.10	---	---
		2480	2.91	3.75	77.60	1.10	---	---
2DH5	Ant1	2402	2.89	3.74	77.27	1.12	---	---
		2441	2.90	3.75	77.33	1.12	---	---
		2480	2.89	3.74	77.27	1.12	---	---
3DH5	Ant1	2402	2.90	3.75	77.33	1.12	---	---
		2441	2.89	3.75	77.07	1.13	---	---
		2480	2.89	3.75	77.07	1.13	---	---

Test Graphs







Guangzhou LCS Compliance Testing Laboratory Ltd.

Add: No.44-1, Qianfeng North Road, Shiqi, Panyu District, Guangzhou, Guangdong, China

Tel: +(86) 020-39166689 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com





A.9 Emissions in Restricted Bands

Test Result


TestMode	Antenna	ChName	Freq (MHz)	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Gain [dBi]	DC Factor [dB]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-60.81	≤-44.30	2.92	1.10	38.41	≤54	PASS
				AV	2356.280	-59.86	≤-44.30	2.92	1.10	39.36	≤54	PASS
				AV	2390.000	-60.48	≤-44.30	2.92	1.10	38.74	≤54	PASS
				Peak	2310.000	-53.76	≤-23.20	2.92	0.00	44.36	≤74	PASS
				Peak	2355.755	-50.13	≤-23.20	2.92	0.00	47.99	≤74	PASS
				Peak	2390.000	-52.83	≤-23.20	2.92	0.00	45.29	≤74	PASS
		High	2480	AV	2483.500	-59.04	≤-44.30	2.92	1.10	40.18	≤54	PASS
				AV	2483.520	-59.04	≤-44.30	2.92	1.10	40.18	≤54	PASS
				AV	2500.000	-60.16	≤-44.30	2.92	1.10	39.06	≤54	PASS
				Peak	2483.500	-49.94	≤-23.20	2.92	0.00	48.18	≤74	PASS
				Peak	2484.320	-46.52	≤-23.20	2.92	0.00	51.6	≤74	PASS
				Peak	2500.000	-52.97	≤-23.20	2.92	0.00	45.15	≤74	PASS
		Low	Hop_2402	Peak	2310.000	-53.99	≤-23.20	2.92	0.00	44.13	≤74	PASS
				Peak	2312.075	-50.26	≤-23.20	2.92	0.00	47.86	≤74	PASS
				Peak	2390.000	-52.65	≤-23.20	2.92	0.00	45.47	≤74	PASS
		High	Hop_2480	Peak	2483.500	-50.8	≤-23.20	2.92	0.00	47.32	≤74	PASS
				Peak	2494.800	-50.18	≤-23.20	2.92	0.00	47.94	≤74	PASS
				Peak	2500.000	-53	≤-23.20	2.92	0.00	45.12	≤74	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-61.07	≤-44.32	2.92	1.12	38.17	≤54	PASS
				AV	2343.785	-59.78	≤-44.32	2.92	1.12	39.46	≤54	PASS
				AV	2390.000	-60.75	≤-44.32	2.92	1.12	38.49	≤54	PASS
				Peak	2310.000	-53.17	≤-23.20	2.92	0.00	44.95	≤74	PASS
				Peak	2328.980	-49.09	≤-23.20	2.92	0.00	49.03	≤74	PASS
				Peak	2390.000	-51.09	≤-23.20	2.92	0.00	47.03	≤74	PASS
		High	2480	AV	2483.500	-56.04	≤-44.32	2.92	1.12	43.2	≤54	PASS
				AV	2483.520	-56.04	≤-44.32	2.92	1.12	43.2	≤54	PASS
				AV	2500.000	-60.46	≤-44.32	2.92	1.12	38.78	≤54	PASS
				Peak	2483.500	-43.94	≤-23.20	2.92	0.00	54.18	≤74	PASS
				Peak	2483.520	-43.94	≤-23.20	2.92	0.00	54.18	≤74	PASS
				Peak	2500.000	-51.41	≤-23.20	2.92	0.00	46.71	≤74	PASS
		Low	Hop_2402	Peak	2310.000	-52.59	≤-23.20	2.92	0.00	45.53	≤74	PASS
				Peak	2329.505	-50.18	≤-23.20	2.92	0.00	47.94	≤74	PASS
				Peak	2390.000	-52.04	≤-23.20	2.92	0.00	46.08	≤74	PASS
		High	Hop_2480	Peak	2483.500	-53.12	≤-23.20	2.92	0.00	45	≤74	PASS
				Peak	2491.040	-49.97	≤-23.20	2.92	0.00	48.15	≤74	PASS
				Peak	2500.000	-52.57	≤-23.20	2.92	0.00	45.55	≤74	PASS


3DH5	Ant1	Low	2402	AV	2310.000	-60.55	≤-44.32	2.92	1.12	38.69	≤54	PASS
				AV	2368.040	-60.09	≤-44.32	2.92	1.12	39.15	≤54	PASS
				AV	2390.000	-61.32	≤-44.32	2.92	1.12	37.92	≤54	PASS
				Peak	2310.000	-54.45	≤-23.20	2.92	0.00	43.67	≤74	PASS
				Peak	2360.690	-50.22	≤-23.20	2.92	0.00	47.9	≤74	PASS
				Peak	2390.000	-51.8	≤-23.20	2.92	0.00	46.32	≤74	PASS
		High	2480	AV	2483.500	-56.46	≤-44.33	2.92	1.13	42.79	≤54	PASS
				AV	2483.520	-56.46	≤-44.33	2.92	1.13	42.79	≤54	PASS
				AV	2500.000	-60.17	≤-44.33	2.92	1.13	39.08	≤54	PASS
				Peak	2483.500	-42.67	≤-23.20	2.92	0.00	55.45	≤74	PASS
				Peak	2483.520	-42.67	≤-23.20	2.92	0.00	55.45	≤74	PASS
				Peak	2500.000	-52.65	≤-23.20	2.92	0.00	45.47	≤74	PASS
		Low	Hop_2402	Peak	2310.000	-53.38	≤-23.20	2.92	0.00	44.74	≤74	PASS
				Peak	2324.255	-50.13	≤-23.20	2.92	0.00	47.99	≤74	PASS
				Peak	2390.000	-52.82	≤-23.20	2.92	0.00	45.3	≤74	PASS
		High	Hop_2480	Peak	2483.500	-52.01	≤-23.20	2.92	0.00	46.11	≤74	PASS
				Peak	2483.680	-48.1	≤-23.20	2.92	0.00	50.02	≤74	PASS
				Peak	2500.000	-52.06	≤-23.20	2.92	0.00	46.06	≤74	PASS

Note:

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







Guangzhou LCS Compliance Testing Laboratory Ltd.

Add: No.44-1, Qianfeng North Road, Shiqi, Panyu District, Guangzhou, Guangdong, China

Tel: +(86) 020-39166689 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com







Guangzhou LCS Compliance Testing Laboratory Ltd.

Add: No.44-1, Qianfeng North Road, Shiqi, Panyu District, Guangzhou, Guangdong, China

Tel: +(86) 020-39166689 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com





Guangzhou LCS Compliance Testing Laboratory Ltd.

Add: No.44-1, Qianfeng North Road, Shiqi, Panyu District, Guangzhou, Guangdong, China

Tel: +(86) 020-39166689 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

