


A.5 Spurious Emission at Antenna Terminals

1. LTE_Band2


1.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:18607, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.19	-13	Pass	2986
30	1000	0.1	RMS	987.7	-60.79	-13	Pass	9701
1000	1840	1	RMS	1840	-48.19	-13	Pass	841
1840	1920	1	RMS	1850.2	21.14	60	Pass	401
1920	3000	1	RMS	2686	-46.78	-13	Pass	1081
3000	12000	1	RMS	11971	-38.19	-13	Pass	9001
12000	20000	1	RMS	19959	-26.66	-13	Pass	8001




1.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:18607, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.63	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.25	-13	Pass	2986
30	1000	0.1	RMS	906.9	-60.88	-13	Pass	9701
1000	1840	1	RMS	1840	-48.68	-13	Pass	841
1840	1920	1	RMS	1850.2	19.99	60	Pass	401
1920	3000	1	RMS	2683	-46.85	-13	Pass	1081
3000	12000	1	RMS	11958	-38.26	-13	Pass	9001
12000	20000	1	RMS	19960	-26.74	-13	Pass	8001




1.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:18900, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.24	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.41	-13	Pass	2986
30	1000	0.1	RMS	881.8	-60.9	-13	Pass	9701
1000	1840	1	RMS	1837	-50.53	-13	Pass	841
1840	1920	1	RMS	1879.6	21	60	Pass	401
1920	3000	1	RMS	2675	-46.81	-13	Pass	1081
3000	12000	1	RMS	11966	-38.23	-13	Pass	9001
12000	20000	1	RMS	19968	-26.72	-13	Pass	8001




1.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:18900, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.2	-13	Pass	2986
30	1000	0.1	RMS	885.8	-60.78	-13	Pass	9701
1000	1840	1	RMS	1836	-50.52	-13	Pass	841
1840	1920	1	RMS	1879.6	20.19	60	Pass	401
1920	3000	1	RMS	2695	-46.83	-13	Pass	1081
3000	12000	1	RMS	11946	-38.15	-13	Pass	9001
12000	20000	1	RMS	19962	-26.7	-13	Pass	8001




1.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:19193, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.33	-13	Pass	2986
30	1000	0.1	RMS	884.9	-60.86	-13	Pass	9701
1000	1840	1	RMS	1837	-50.56	-13	Pass	841
1840	1920	1	RMS	1908.8	21.04	60	Pass	401
1920	3000	1	RMS	2682	-46.82	-13	Pass	1081
3000	12000	1	RMS	11958	-38.2	-13	Pass	9001
12000	20000	1	RMS	19961	-26.77	-13	Pass	8001




1.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:19193, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.94	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.02	-13	Pass	2986
30	1000	0.1	RMS	935.8	-60.91	-13	Pass	9701
1000	1840	1	RMS	1840	-50.53	-13	Pass	841
1840	1920	1	RMS	1908.8	20.08	60	Pass	401
1920	3000	1	RMS	2688	-46.82	-13	Pass	1081
3000	12000	1	RMS	11950	-38.1	-13	Pass	9001
12000	20000	1	RMS	19954	-26.68	-13	Pass	8001




1.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:18615, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.04	-13	Pass	2986
30	1000	0.1	RMS	900.9	-60.97	-13	Pass	9701
1000	1840	1	RMS	1840	-48.18	-13	Pass	841
1840	1920	1	RMS	1850.2	20.85	60	Pass	401
1920	3000	1	RMS	2689	-46.8	-13	Pass	1081
3000	12000	1	RMS	11949	-38.16	-13	Pass	9001
12000	20000	1	RMS	19962	-26.77	-13	Pass	8001




1.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:18615, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.55	-13	Pass	2986
30	1000	0.1	RMS	999.3	-60.96	-13	Pass	9701
1000	1840	1	RMS	1840	-48.22	-13	Pass	841
1840	1920	1	RMS	1850.2	20.03	60	Pass	401
1920	3000	1	RMS	2689	-46.81	-13	Pass	1081
3000	12000	1	RMS	11951	-38.1	-13	Pass	9001
12000	20000	1	RMS	19958	-26.74	-13	Pass	8001



1.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:18900, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.22	-13	Pass	2986
30	1000	0.1	RMS	893.4	-60.94	-13	Pass	9701
1000	1840	1	RMS	1838	-50.5	-13	Pass	841
1840	1920	1	RMS	1878.8	21.08	60	Pass	401
1920	3000	1	RMS	2692	-46.8	-13	Pass	1081
3000	12000	1	RMS	11957	-38.14	-13	Pass	9001
12000	20000	1	RMS	19969	-26.73	-13	Pass	8001



1.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:18900, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2986
30	1000	0.1	RMS	889.3	-60.93	-13	Pass	9701
1000	1840	1	RMS	1837	-50.47	-13	Pass	841
1840	1920	1	RMS	1878.8	20.21	60	Pass	401
1920	3000	1	RMS	2681	-46.83	-13	Pass	1081
3000	12000	1	RMS	11947	-38.2	-13	Pass	9001
12000	20000	1	RMS	19949	-26.76	-13	Pass	8001



1.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:19185, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.14	-13	Pass	2986
30	1000	0.1	RMS	868.9	-60.98	-13	Pass	9701
1000	1840	1	RMS	1838	-50.52	-13	Pass	841
1840	1920	1	RMS	1907.2	21.12	60	Pass	401
1920	3000	1	RMS	2685	-46.79	-13	Pass	1081
3000	12000	1	RMS	11959	-38.25	-13	Pass	9001
12000	20000	1	RMS	19983	-26.78	-13	Pass	8001



1.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:19185, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.51	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.95	-13	Pass	2986
30	1000	0.1	RMS	974.9	-60.89	-13	Pass	9701
1000	1840	1	RMS	1840	-50.51	-13	Pass	841
1840	1920	1	RMS	1907.2	20.12	60	Pass	401
1920	3000	1	RMS	2688	-46.79	-13	Pass	1081
3000	12000	1	RMS	11971	-38.22	-13	Pass	9001
12000	20000	1	RMS	19962	-26.75	-13	Pass	8001



1.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:18625, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.95	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.54	-13	Pass	2986
30	1000	0.1	RMS	898.3	-60.78	-13	Pass	9701
1000	1840	1	RMS	1840	-48.21	-13	Pass	841
1840	1920	1	RMS	1850.4	21.07	60	Pass	401
1920	3000	1	RMS	2689	-46.84	-13	Pass	1081
3000	12000	1	RMS	11958	-38.25	-13	Pass	9001
12000	20000	1	RMS	19962	-26.7	-13	Pass	8001



1.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:18625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.9	-13	Pass	2986
30	1000	0.1	RMS	870.9	-60.96	-13	Pass	9701
1000	1840	1	RMS	1840	-48.52	-13	Pass	841
1840	1920	1	RMS	1850.4	20.18	60	Pass	401
1920	3000	1	RMS	2686	-46.77	-13	Pass	1081
3000	12000	1	RMS	11940	-38.18	-13	Pass	9001
12000	20000	1	RMS	19956	-26.75	-13	Pass	8001



1.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:18900, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.24	-13	Pass	2986
30	1000	0.1	RMS	895.5	-60.97	-13	Pass	9701
1000	1840	1	RMS	1840	-50.47	-13	Pass	841
1840	1920	1	RMS	1877.8	21.45	60	Pass	401
1920	3000	1	RMS	2679	-46.84	-13	Pass	1081
3000	12000	1	RMS	11947	-38.28	-13	Pass	9001
12000	20000	1	RMS	19960	-26.77	-13	Pass	8001



1.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:18900, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.46	-13	Pass	2986
30	1000	0.1	RMS	903.9	-60.88	-13	Pass	9701
1000	1840	1	RMS	1840	-50.49	-13	Pass	841
1840	1920	1	RMS	1877.8	20.73	60	Pass	401
1920	3000	1	RMS	2691	-46.84	-13	Pass	1081
3000	12000	1	RMS	11962	-38.21	-13	Pass	9001
12000	20000	1	RMS	19966	-26.72	-13	Pass	8001



1.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:19175, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.43	-13	Pass	2986
30	1000	0.1	RMS	907.9	-60.9	-13	Pass	9701
1000	1840	1	RMS	1840	-50.55	-13	Pass	841
1840	1920	1	RMS	1905.4	21.4	60	Pass	401
1920	3000	1	RMS	2678	-46.81	-13	Pass	1081
3000	12000	1	RMS	11952	-38.19	-13	Pass	9001
12000	20000	1	RMS	19954	-26.72	-13	Pass	8001



1.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:19175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.7	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.08	-13	Pass	2986
30	1000	0.1	RMS	946.8	-60.94	-13	Pass	9701
1000	1840	1	RMS	1838	-50.48	-13	Pass	841
1840	1920	1	RMS	1905.4	20.54	60	Pass	401
1920	3000	1	RMS	2684	-46.82	-13	Pass	1081
3000	12000	1	RMS	11942	-38.24	-13	Pass	9001
12000	20000	1	RMS	19957	-26.7	-13	Pass	8001



1.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:18650, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	1000	0.1	RMS	995.9	-60.97	-13	Pass	9701
1000	1840	1	RMS	1840	-48.93	-13	Pass	841
1840	1920	1	RMS	1850.6	21.39	60	Pass	401
1920	3000	1	RMS	2697	-46.82	-13	Pass	1081
3000	12000	1	RMS	11953	-38.21	-13	Pass	9001
12000	20000	1	RMS	19970	-26.71	-13	Pass	8001



1.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56	-13	Pass	2986
30	1000	0.1	RMS	879.2	-60.84	-13	Pass	9701
1000	1840	1	RMS	1840	-49.2	-13	Pass	841
1840	1920	1	RMS	1850.6	20.53	60	Pass	401
1920	3000	1	RMS	2681	-46.83	-13	Pass	1081
3000	12000	1	RMS	11951	-38.18	-13	Pass	9001
12000	20000	1	RMS	19954	-26.75	-13	Pass	8001



1.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.13	-13	Pass	2986
30	1000	0.1	RMS	881.6	-60.93	-13	Pass	9701
1000	1840	1	RMS	1840	-50.46	-13	Pass	841
1840	1920	1	RMS	1875.6	21.79	60	Pass	401
1920	3000	1	RMS	2687	-46.75	-13	Pass	1081
3000	12000	1	RMS	11979	-38.25	-13	Pass	9001
12000	20000	1	RMS	19958	-26.63	-13	Pass	8001



1.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.67	-13	Pass	2986
30	1000	0.1	RMS	896.9	-60.98	-13	Pass	9701
1000	1840	1	RMS	1836	-50.52	-13	Pass	841
1840	1920	1	RMS	1875.6	20.85	60	Pass	401
1920	3000	1	RMS	2691	-46.83	-13	Pass	1081
3000	12000	1	RMS	11953	-38.14	-13	Pass	9001
12000	20000	1	RMS	19954	-26.71	-13	Pass	8001



1.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.35	-13	Pass	2986
30	1000	0.1	RMS	922.8	-60.91	-13	Pass	9701
1000	1840	1	RMS	1822	-50.49	-13	Pass	841
1840	1920	1	RMS	1900.6	21.96	60	Pass	401
1920	3000	1	RMS	2685	-46.81	-13	Pass	1081
3000	12000	1	RMS	11950	-38.18	-13	Pass	9001
12000	20000	1	RMS	19966	-26.76	-13	Pass	8001



1.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.07	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.81	-13	Pass	2986
30	1000	0.1	RMS	970.5	-60.93	-13	Pass	9701
1000	1840	1	RMS	1840	-50.52	-13	Pass	841
1840	1920	1	RMS	1900.6	21.09	60	Pass	401
1920	3000	1	RMS	2682	-46.81	-13	Pass	1081
3000	12000	1	RMS	11946	-38.2	-13	Pass	9001
12000	20000	1	RMS	19956	-26.66	-13	Pass	8001



1.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-54.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.8	-13	Pass	2986
30	1000	0.1	RMS	976.7	-60.95	-13	Pass	9701
1000	1840	1	RMS	1838	-48.32	-13	Pass	841
1840	1920	1	RMS	1850.8	20.94	60	Pass	401
1920	3000	1	RMS	2694	-46.76	-13	Pass	1081
3000	12000	1	RMS	11950	-38.18	-13	Pass	9001
12000	20000	1	RMS	19961	-26.75	-13	Pass	8001



1.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.34	-13	Pass	2986
30	1000	0.1	RMS	895.7	-60.92	-13	Pass	9701
1000	1840	1	RMS	1838	-48.78	-13	Pass	841
1840	1920	1	RMS	1850.8	20.06	60	Pass	401
1920	3000	1	RMS	2688	-46.81	-13	Pass	1081
3000	12000	1	RMS	11950	-38.14	-13	Pass	9001
12000	20000	1	RMS	19955	-26.7	-13	Pass	8001



1.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	1000	0.1	RMS	911	-60.84	-13	Pass	9701
1000	1840	1	RMS	1834	-50.53	-13	Pass	841
1840	1920	1	RMS	1873.4	21.3	60	Pass	401
1920	3000	1	RMS	2690	-46.83	-13	Pass	1081
3000	12000	1	RMS	11957	-38.17	-13	Pass	9001
12000	20000	1	RMS	19964	-26.76	-13	Pass	8001



1.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.53	-13	Pass	2986
30	1000	0.1	RMS	998.9	-60.97	-13	Pass	9701
1000	1840	1	RMS	1839	-50.48	-13	Pass	841
1840	1920	1	RMS	1873.4	20.45	60	Pass	401
1920	3000	1	RMS	2688	-46.79	-13	Pass	1081
3000	12000	1	RMS	11949	-38.22	-13	Pass	9001
12000	20000	1	RMS	19965	-26.73	-13	Pass	8001



1.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	1000	0.1	RMS	855.8	-60.72	-13	Pass	9701
1000	1840	1	RMS	1837	-50.54	-13	Pass	841
1840	1920	1	RMS	1895.8	21.49	60	Pass	401
1920	3000	1	RMS	2689	-46.76	-13	Pass	1081
3000	12000	1	RMS	11952	-38.16	-13	Pass	9001
12000	20000	1	RMS	19957	-26.76	-13	Pass	8001



1.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	1000	0.1	RMS	908.2	-60.93	-13	Pass	9701
1000	1840	1	RMS	1839	-50.46	-13	Pass	841
1840	1920	1	RMS	1895.8	20.6	60	Pass	401
1920	3000	1	RMS	2682	-46.82	-13	Pass	1081
3000	12000	1	RMS	11971	-38.14	-13	Pass	9001
12000	20000	1	RMS	19966	-26.75	-13	Pass	8001



1.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-13	Pass	2986
30	1000	0.1	RMS	981.7	-60.71	-13	Pass	9701
1000	1840	1	RMS	1833	-49.56	-13	Pass	841
1840	1920	1	RMS	1851	20.84	60	Pass	401
1920	3000	1	RMS	2687	-46.81	-13	Pass	1081
3000	12000	1	RMS	11957	-38.1	-13	Pass	9001
12000	20000	1	RMS	19976	-26.72	-13	Pass	8001



1.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.05	-13	Pass	2986
30	1000	0.1	RMS	898.7	-60.91	-13	Pass	9701
1000	1840	1	RMS	1833	-49.88	-13	Pass	841
1840	1920	1	RMS	1851	19.75	60	Pass	401
1920	3000	1	RMS	2680	-46.82	-13	Pass	1081
3000	12000	1	RMS	11967	-38.22	-13	Pass	9001
12000	20000	1	RMS	19964	-26.74	-13	Pass	8001



1.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.4	-13	Pass	2986
30	1000	0.1	RMS	909.1	-60.89	-13	Pass	9701
1000	1840	1	RMS	1835	-48.56	-13	Pass	841
1840	1920	1	RMS	1871	21.3	60	Pass	401
1920	3000	1	RMS	2686	-46.8	-13	Pass	1081
3000	12000	1	RMS	11954	-38.17	-13	Pass	9001
12000	20000	1	RMS	19970	-26.75	-13	Pass	8001



1.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.71	-13	Pass	2986
30	1000	0.1	RMS	873.1	-60.87	-13	Pass	9701
1000	1840	1	RMS	1835	-49.24	-13	Pass	841
1840	1920	1	RMS	1871	20.47	60	Pass	401
1920	3000	1	RMS	2680	-46.81	-13	Pass	1081
3000	12000	1	RMS	11957	-38.22	-13	Pass	9001
12000	20000	1	RMS	19959	-26.74	-13	Pass	8001



1.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.01	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	1000	0.1	RMS	885.4	-60.78	-13	Pass	9701
1000	1840	1	RMS	1839	-50.49	-13	Pass	841
1840	1920	1	RMS	1891	21.13	60	Pass	401
1920	3000	1	RMS	2690	-46.79	-13	Pass	1081
3000	12000	1	RMS	11958	-38.14	-13	Pass	9001
12000	20000	1	RMS	19959	-26.76	-13	Pass	8001



1.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.09	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.28	-13	Pass	2986
30	1000	0.1	RMS	891.3	-60.96	-13	Pass	9701
1000	1840	1	RMS	1836	-50.46	-13	Pass	841
1840	1920	1	RMS	1891	20.09	60	Pass	401
1920	3000	1	RMS	2684	-46.78	-13	Pass	1081
3000	12000	1	RMS	11936	-38.21	-13	Pass	9001
12000	20000	1	RMS	19958	-26.74	-13	Pass	8001



2. LTE_Band4


2.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.87	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.54	-13	Pass	2986
30	1000	0.1	RMS	998.5	-60.72	-13	Pass	9701
1000	1700	1	RMS	1700	-49.17	-13	Pass	701
1700	1765	1	RMS	1710.238	21.42	60	Pass	401
1765	3000	1	RMS	2682	-46.8	-13	Pass	1236
3000	12000	1	RMS	11931	-38.23	-13	Pass	9001
12000	20000	1	RMS	19952	-26.74	-13	Pass	8001




2.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	998.6	-60.8	-13	Pass	9701
1000	1700	1	RMS	1700	-49.03	-13	Pass	701
1700	1765	1	RMS	1710.238	20.66	60	Pass	401
1765	3000	1	RMS	2673	-46.79	-13	Pass	1236
3000	12000	1	RMS	11951	-38.17	-13	Pass	9001
12000	20000	1	RMS	19957	-26.66	-13	Pass	8001




2.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2986
30	1000	0.1	RMS	993.7	-60.76	-13	Pass	9701
1000	1700	1	RMS	1696	-50.92	-13	Pass	701
1700	1765	1	RMS	1732.013	20.71	60	Pass	401
1765	3000	1	RMS	2680	-46.82	-13	Pass	1236
3000	12000	1	RMS	11980	-38.19	-13	Pass	9001
12000	20000	1	RMS	19965	-26.72	-13	Pass	8001




2.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2986
30	1000	0.1	RMS	895.3	-60.93	-13	Pass	9701
1000	1700	1	RMS	1699	-50.9	-13	Pass	701
1700	1765	1	RMS	1732.013	19.99	60	Pass	401
1765	3000	1	RMS	2685	-46.81	-13	Pass	1236
3000	12000	1	RMS	11939	-38.2	-13	Pass	9001
12000	20000	1	RMS	19947	-26.7	-13	Pass	8001




2.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.8	-13	Pass	2986
30	1000	0.1	RMS	915.8	-60.9	-13	Pass	9701
1000	1700	1	RMS	1699	-50.9	-13	Pass	701
1700	1765	1	RMS	1753.788	20.92	60	Pass	401
1765	3000	1	RMS	2685	-46.78	-13	Pass	1236
3000	12000	1	RMS	11942	-38.19	-13	Pass	9001
12000	20000	1	RMS	19963	-26.76	-13	Pass	8001




2.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.15	-13	Pass	2986
30	1000	0.1	RMS	896.7	-60.86	-13	Pass	9701
1000	1700	1	RMS	1698	-50.93	-13	Pass	701
1700	1765	1	RMS	1753.788	20.13	60	Pass	401
1765	3000	1	RMS	2697	-46.82	-13	Pass	1236
3000	12000	1	RMS	11959	-38.22	-13	Pass	9001
12000	20000	1	RMS	19962	-26.67	-13	Pass	8001




2.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.05	-13	Pass	2986
30	1000	0.1	RMS	985.7	-60.93	-13	Pass	9701
1000	1700	1	RMS	1700	-48.74	-13	Pass	701
1700	1765	1	RMS	1710.238	21.4	60	Pass	401
1765	3000	1	RMS	2680	-46.82	-13	Pass	1236
3000	12000	1	RMS	11962	-38.19	-13	Pass	9001
12000	20000	1	RMS	19951	-26.71	-13	Pass	8001




2.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.45	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-13	Pass	2986
30	1000	0.1	RMS	885.3	-60.94	-13	Pass	9701
1000	1700	1	RMS	1700	-49.19	-13	Pass	701
1700	1765	1	RMS	1710.238	20.76	60	Pass	401
1765	3000	1	RMS	2678	-46.8	-13	Pass	1236
3000	12000	1	RMS	11934	-38.2	-13	Pass	9001
12000	20000	1	RMS	19947	-26.73	-13	Pass	8001



2.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.9	-13	Pass	2986
30	1000	0.1	RMS	890.2	-60.87	-13	Pass	9701
1000	1700	1	RMS	1697	-50.89	-13	Pass	701
1700	1765	1	RMS	1731.2	20.6	60	Pass	401
1765	3000	1	RMS	2690	-46.78	-13	Pass	1236
3000	12000	1	RMS	11971	-38.17	-13	Pass	9001
12000	20000	1	RMS	19977	-26.74	-13	Pass	8001



2.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.78	-13	Pass	2986
30	1000	0.1	RMS	980	-60.92	-13	Pass	9701
1000	1700	1	RMS	1662	-50.94	-13	Pass	701
1700	1765	1	RMS	1731.2	19.83	60	Pass	401
1765	3000	1	RMS	2677	-46.82	-13	Pass	1236
3000	12000	1	RMS	11958	-38.24	-13	Pass	9001
12000	20000	1	RMS	19960	-26.69	-13	Pass	8001



2.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.12	-13	Pass	2986
30	1000	0.1	RMS	920.5	-60.94	-13	Pass	9701
1000	1700	1	RMS	1698	-50.91	-13	Pass	701
1700	1765	1	RMS	1752.163	21.07	60	Pass	401
1765	3000	1	RMS	2684	-46.85	-13	Pass	1236
3000	12000	1	RMS	11950	-38.18	-13	Pass	9001
12000	20000	1	RMS	19954	-26.76	-13	Pass	8001



2.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.35	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.76	-13	Pass	2986
30	1000	0.1	RMS	997.6	-60.85	-13	Pass	9701
1000	1700	1	RMS	1679	-50.89	-13	Pass	701
1700	1765	1	RMS	1752.163	20.29	60	Pass	401
1765	3000	1	RMS	2696	-46.79	-13	Pass	1236
3000	12000	1	RMS	11946	-38.2	-13	Pass	9001
12000	20000	1	RMS	19985	-26.66	-13	Pass	8001



2.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.06	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.48	-13	Pass	2986
30	1000	0.1	RMS	910	-60.88	-13	Pass	9701
1000	1700	1	RMS	1700	-48.95	-13	Pass	701
1700	1765	1	RMS	1710.4	21.67	60	Pass	401
1765	3000	1	RMS	2681	-46.82	-13	Pass	1236
3000	12000	1	RMS	11963	-38.2	-13	Pass	9001
12000	20000	1	RMS	19958	-26.68	-13	Pass	8001



2.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.07	-13	Pass	2986
30	1000	0.1	RMS	909.8	-60.94	-13	Pass	9701
1000	1700	1	RMS	1700	-49.43	-13	Pass	701
1700	1765	1	RMS	1710.4	20.82	60	Pass	401
1765	3000	1	RMS	2684	-46.83	-13	Pass	1236
3000	12000	1	RMS	11961	-38.22	-13	Pass	9001
12000	20000	1	RMS	19964	-26.68	-13	Pass	8001



2.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.39	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2986
30	1000	0.1	RMS	997.7	-60.85	-13	Pass	9701
1000	1700	1	RMS	1700	-50.85	-13	Pass	701
1700	1765	1	RMS	1730.388	20.71	60	Pass	401
1765	3000	1	RMS	2688	-46.81	-13	Pass	1236
3000	12000	1	RMS	11942	-38.19	-13	Pass	9001
12000	20000	1	RMS	19957	-26.76	-13	Pass	8001



2.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.37	-13	Pass	2986
30	1000	0.1	RMS	912.8	-60.85	-13	Pass	9701
1000	1700	1	RMS	1698	-50.9	-13	Pass	701
1700	1765	1	RMS	1730.388	20.11	60	Pass	401
1765	3000	1	RMS	2687	-46.82	-13	Pass	1236
3000	12000	1	RMS	11974	-38.25	-13	Pass	9001
12000	20000	1	RMS	19962	-26.78	-13	Pass	8001



2.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.15	-13	Pass	2986
30	1000	0.1	RMS	897.8	-60.83	-13	Pass	9701
1000	1700	1	RMS	1662	-50.93	-13	Pass	701
1700	1765	1	RMS	1750.375	21.4	60	Pass	401
1765	3000	1	RMS	2688	-46.84	-13	Pass	1236
3000	12000	1	RMS	11967	-38.19	-13	Pass	9001
12000	20000	1	RMS	19999	-26.73	-13	Pass	8001



2.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.61	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2986
30	1000	0.1	RMS	890.8	-60.85	-13	Pass	9701
1000	1700	1	RMS	1665	-50.91	-13	Pass	701
1700	1765	1	RMS	1750.375	20.83	60	Pass	401
1765	3000	1	RMS	2685	-46.79	-13	Pass	1236
3000	12000	1	RMS	11957	-38.18	-13	Pass	9001
12000	20000	1	RMS	19981	-26.71	-13	Pass	8001



2.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.57	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.95	-13	Pass	2986
30	1000	0.1	RMS	968.6	-60.95	-13	Pass	9701
1000	1700	1	RMS	1700	-49.37	-13	Pass	701
1700	1765	1	RMS	1710.563	21.88	60	Pass	401
1765	3000	1	RMS	2687	-46.81	-13	Pass	1236
3000	12000	1	RMS	11939	-38.14	-13	Pass	9001
12000	20000	1	RMS	19955	-26.73	-13	Pass	8001



2.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-13	Pass	2986
30	1000	0.1	RMS	905.7	-60.93	-13	Pass	9701
1000	1700	1	RMS	1700	-49.7	-13	Pass	701
1700	1765	1	RMS	1710.563	21.16	60	Pass	401
1765	3000	1	RMS	2687	-46.79	-13	Pass	1236
3000	12000	1	RMS	11949	-38.18	-13	Pass	9001
12000	20000	1	RMS	19950	-26.75	-13	Pass	8001



2.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2986
30	1000	0.1	RMS	971.6	-60.78	-13	Pass	9701
1000	1700	1	RMS	1698	-50.85	-13	Pass	701
1700	1765	1	RMS	1728.113	20.94	60	Pass	401
1765	3000	1	RMS	2695	-46.79	-13	Pass	1236
3000	12000	1	RMS	11959	-38.18	-13	Pass	9001
12000	20000	1	RMS	19945	-26.71	-13	Pass	8001



2.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.97	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.69	-13	Pass	2986
30	1000	0.1	RMS	894.3	-60.85	-13	Pass	9701
1000	1700	1	RMS	1666	-50.91	-13	Pass	701
1700	1765	1	RMS	1728.113	20.18	60	Pass	401
1765	3000	1	RMS	2680	-46.79	-13	Pass	1236
3000	12000	1	RMS	11951	-38.21	-13	Pass	9001
12000	20000	1	RMS	19961	-26.76	-13	Pass	8001



2.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.5	-13	Pass	2986
30	1000	0.1	RMS	845.8	-60.85	-13	Pass	9701
1000	1700	1	RMS	1671	-50.89	-13	Pass	701
1700	1765	1	RMS	1745.5	21.74	60	Pass	401
1765	3000	1	RMS	2677	-46.81	-13	Pass	1236
3000	12000	1	RMS	11961	-38.15	-13	Pass	9001
12000	20000	1	RMS	19955	-26.7	-13	Pass	8001



2.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.55	-13	Pass	2986
30	1000	0.1	RMS	981.5	-60.78	-13	Pass	9701
1000	1700	1	RMS	1682	-50.89	-13	Pass	701
1700	1765	1	RMS	1745.663	21.06	60	Pass	401
1765	3000	1	RMS	2687	-46.76	-13	Pass	1236
3000	12000	1	RMS	11943	-38.16	-13	Pass	9001
12000	20000	1	RMS	19963	-26.68	-13	Pass	8001



2.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	1000	0.1	RMS	894	-60.95	-13	Pass	9701
1000	1700	1	RMS	1697	-47.52	-13	Pass	701
1700	1765	1	RMS	1710.888	21.42	60	Pass	401
1765	3000	1	RMS	2689	-46.77	-13	Pass	1236
3000	12000	1	RMS	11950	-38.15	-13	Pass	9001
12000	20000	1	RMS	19955	-26.69	-13	Pass	8001



2.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.51	-13	Pass	2986
30	1000	0.1	RMS	894.5	-60.86	-13	Pass	9701
1000	1700	1	RMS	1698	-47.23	-13	Pass	701
1700	1765	1	RMS	1710.888	20.78	60	Pass	401
1765	3000	1	RMS	2683	-46.83	-13	Pass	1236
3000	12000	1	RMS	11955	-38.19	-13	Pass	9001
12000	20000	1	RMS	19958	-26.67	-13	Pass	8001



2.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	1000	0.1	RMS	904.1	-60.92	-13	Pass	9701
1000	1700	1	RMS	1699	-49.66	-13	Pass	701
1700	1765	1	RMS	1725.838	20.43	60	Pass	401
1765	3000	1	RMS	2687	-46.82	-13	Pass	1236
3000	12000	1	RMS	11942	-38.22	-13	Pass	9001
12000	20000	1	RMS	19955	-26.72	-13	Pass	8001



2.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.86	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	1000	0.1	RMS	967.5	-60.93	-13	Pass	9701
1000	1700	1	RMS	1699	-49.57	-13	Pass	701
1700	1765	1	RMS	1725.838	19.79	60	Pass	401
1765	3000	1	RMS	2685	-46.88	-13	Pass	1236
3000	12000	1	RMS	11960	-38.19	-13	Pass	9001
12000	20000	1	RMS	19959	-26.68	-13	Pass	8001



2.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.83	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2986
30	1000	0.1	RMS	873.6	-60.83	-13	Pass	9701
1000	1700	1	RMS	1698	-50.89	-13	Pass	701
1700	1765	1	RMS	1740.788	21.34	60	Pass	401
1765	3000	1	RMS	1767	-34.96	-13	Pass	1236
3000	12000	1	RMS	11955	-38.19	-13	Pass	9001
12000	20000	1	RMS	19952	-26.72	-13	Pass	8001



2.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.3	-13	Pass	2986
30	1000	0.1	RMS	902.1	-60.92	-13	Pass	9701
1000	1700	1	RMS	1696	-50.91	-13	Pass	701
1700	1765	1	RMS	1740.788	20.51	60	Pass	401
1765	3000	1	RMS	1767	-34.66	-13	Pass	1236
3000	12000	1	RMS	11952	-38.19	-13	Pass	9001
12000	20000	1	RMS	19974	-26.78	-13	Pass	8001



2.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.39	-13	Pass	2986
30	1000	0.1	RMS	986.4	-60.94	-13	Pass	9701
1000	1700	1	RMS	1693	-48.68	-13	Pass	701
1700	1765	1	RMS	1711.05	21.29	60	Pass	401
1765	3000	1	RMS	2676	-46.8	-13	Pass	1236
3000	12000	1	RMS	11937	-38.2	-13	Pass	9001
12000	20000	1	RMS	19957	-26.71	-13	Pass	8001



2.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.2	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.33	-13	Pass	2986
30	1000	0.1	RMS	969.7	-60.91	-13	Pass	9701
1000	1700	1	RMS	1693	-48.71	-13	Pass	701
1700	1765	1	RMS	1711.05	20.63	60	Pass	401
1765	3000	1	RMS	2678	-46.82	-13	Pass	1236
3000	12000	1	RMS	11970	-38.19	-13	Pass	9001
12000	20000	1	RMS	19994	-26.74	-13	Pass	8001



2.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.38	-13	Pass	2986
30	1000	0.1	RMS	906.6	-60.93	-13	Pass	9701
1000	1700	1	RMS	1667	-50.84	-13	Pass	701
1700	1765	1	RMS	1723.563	20.16	60	Pass	401
1765	3000	1	RMS	2675	-46.79	-13	Pass	1236
3000	12000	1	RMS	11951	-38.19	-13	Pass	9001
12000	20000	1	RMS	19952	-26.73	-13	Pass	8001



2.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.43	-13	Pass	2986
30	1000	0.1	RMS	873.5	-60.96	-13	Pass	9701
1000	1700	1	RMS	1696	-50.93	-13	Pass	701
1700	1765	1	RMS	1723.563	19.44	60	Pass	401
1765	3000	1	RMS	2684	-46.82	-13	Pass	1236
3000	12000	1	RMS	11959	-38.18	-13	Pass	9001
12000	20000	1	RMS	19950	-26.75	-13	Pass	8001



2.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.12	-13	Pass	2986
30	1000	0.1	RMS	978.1	-60.81	-13	Pass	9701
1000	1700	1	RMS	1700	-47.82	-13	Pass	701
1700	1765	1	RMS	1736.075	20.89	60	Pass	401
1765	3000	1	RMS	1772	-32.34	-13	Pass	1236
3000	12000	1	RMS	11946	-38.21	-13	Pass	9001
12000	20000	1	RMS	19966	-26.65	-13	Pass	8001



2.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.72	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	Pass	2986
30	1000	0.1	RMS	895	-60.93	-13	Pass	9701
1000	1700	1	RMS	1700	-48.02	-13	Pass	701
1700	1765	1	RMS	1736.075	20.06	60	Pass	401
1765	3000	1	RMS	1772	-31.88	-13	Pass	1236
3000	12000	1	RMS	11949	-38.26	-13	Pass	9001
12000	20000	1	RMS	19959	-26.75	-13	Pass	8001



3. LTE_Band5


3.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20407, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.64	-13	Pass	2986
30	814	0.1	RMS	814	-60.08	-13	Pass	7841
814	860	0.1	RMS	824.2	18.05	60	Pass	461
860	1000	0.1	RMS	998.2	-62.28	-13	Pass	1401
1000	3000	1	RMS	2685	-46.36	-13	Pass	2001
3000	10000	1	RMS	9986	-39.93	-13	Pass	7001




3.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20407, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.94	-13	Pass	2986
30	814	0.1	RMS	814	-60.51	-13	Pass	7841
814	860	0.1	RMS	824.3	17.14	60	Pass	461
860	1000	0.1	RMS	999.7	-62.14	-13	Pass	1401
1000	3000	1	RMS	2692	-46.35	-13	Pass	2001
3000	10000	1	RMS	9985	-39.93	-13	Pass	7001




3.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20525, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.07	-13	Pass	2986
30	814	0.1	RMS	813.9	-61.42	-13	Pass	7841
814	860	0.1	RMS	836.1	17.54	60	Pass	461
860	1000	0.1	RMS	988.1	-62.29	-13	Pass	1401
1000	3000	1	RMS	2681	-46.33	-13	Pass	2001
3000	10000	1	RMS	9952	-39.94	-13	Pass	7001




3.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20525, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2986
30	814	0.1	RMS	813.4	-61.39	-13	Pass	7841
814	860	0.1	RMS	836.1	16.66	60	Pass	461
860	1000	0.1	RMS	920.1	-62.28	-13	Pass	1401
1000	3000	1	RMS	2685	-46.36	-13	Pass	2001
3000	10000	1	RMS	9993	-39.98	-13	Pass	7001




3.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20643, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2986
30	814	0.1	RMS	776.7	-61.44	-13	Pass	7841
814	860	0.1	RMS	847.8	17.63	60	Pass	461
860	1000	0.1	RMS	998.7	-62.14	-13	Pass	1401
1000	3000	1	RMS	2684	-46.35	-13	Pass	2001
3000	10000	1	RMS	9973	-39.97	-13	Pass	7001




3.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20643, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.2	-13	Pass	2986
30	814	0.1	RMS	790.6	-61.41	-13	Pass	7841
814	860	0.1	RMS	847.9	16.81	60	Pass	461
860	1000	0.1	RMS	892	-62.22	-13	Pass	1401
1000	3000	1	RMS	2694	-46.32	-13	Pass	2001
3000	10000	1	RMS	9974	-39.99	-13	Pass	7001




3.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20415, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.43	-13	Pass	2986
30	814	0.1	RMS	814	-60.45	-13	Pass	7841
814	860	0.1	RMS	824.2	18.27	60	Pass	461
860	1000	0.1	RMS	982	-62.13	-13	Pass	1401
1000	3000	1	RMS	2680	-46.36	-13	Pass	2001
3000	10000	1	RMS	9954	-39.97	-13	Pass	7001




3.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20415, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.38	-13	Pass	2986
30	814	0.1	RMS	813.8	-60.37	-13	Pass	7841
814	860	0.1	RMS	824.2	17.52	60	Pass	461
860	1000	0.1	RMS	872.5	-62.14	-13	Pass	1401
1000	3000	1	RMS	2678	-46.33	-13	Pass	2001
3000	10000	1	RMS	9987	-39.94	-13	Pass	7001



3.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20525, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.11	-13	Pass	2986
30	814	0.1	RMS	814	-61.31	-13	Pass	7841
814	860	0.1	RMS	835.2	17.68	60	Pass	461
860	1000	0.1	RMS	997.4	-62.1	-13	Pass	1401
1000	3000	1	RMS	2691	-46.35	-13	Pass	2001
3000	10000	1	RMS	9969	-39.96	-13	Pass	7001



3.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20525, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.23	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.92	-13	Pass	2986
30	814	0.1	RMS	776.6	-61.37	-13	Pass	7841
814	860	0.1	RMS	835.2	16.94	60	Pass	461
860	1000	0.1	RMS	897.8	-62.12	-13	Pass	1401
1000	3000	1	RMS	2686	-46.34	-13	Pass	2001
3000	10000	1	RMS	9987	-39.99	-13	Pass	7001



3.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20635, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2986
30	814	0.1	RMS	785.2	-61.51	-13	Pass	7841
814	860	0.1	RMS	846.2	17.94	60	Pass	461
860	1000	0.1	RMS	875.2	-62.15	-13	Pass	1401
1000	3000	1	RMS	2687	-46.34	-13	Pass	2001
3000	10000	1	RMS	9951	-39.91	-13	Pass	7001



3.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20635, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.47	-13	Pass	2986
30	814	0.1	RMS	812.8	-61.38	-13	Pass	7841
814	860	0.1	RMS	846.2	17.06	60	Pass	461
860	1000	0.1	RMS	862.2	-62.22	-13	Pass	1401
1000	3000	1	RMS	2682	-46.34	-13	Pass	2001
3000	10000	1	RMS	9978	-39.92	-13	Pass	7001



3.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20425, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.18	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.85	-13	Pass	2986
30	814	0.1	RMS	813.9	-60	-13	Pass	7841
814	860	0.1	RMS	824.3	18.44	60	Pass	461
860	1000	0.1	RMS	992.2	-62.26	-13	Pass	1401
1000	3000	1	RMS	2677	-46.34	-13	Pass	2001
3000	10000	1	RMS	9993	-39.93	-13	Pass	7001



3.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20425, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	814	0.1	RMS	813.7	-60.43	-13	Pass	7841
814	860	0.1	RMS	824.3	17.7	60	Pass	461
860	1000	0.1	RMS	996.8	-62.05	-13	Pass	1401
1000	3000	1	RMS	2691	-46.34	-13	Pass	2001
3000	10000	1	RMS	9955	-39.93	-13	Pass	7001



3.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20525, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.68	-13	Pass	2986
30	814	0.1	RMS	813.8	-61.37	-13	Pass	7841
814	860	0.1	RMS	834.3	17.8	60	Pass	461
860	1000	0.1	RMS	881.9	-62.23	-13	Pass	1401
1000	3000	1	RMS	2683	-46.35	-13	Pass	2001
3000	10000	1	RMS	9964	-39.9	-13	Pass	7001



3.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20525, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.01	-13	Pass	2986
30	814	0.1	RMS	766.8	-61.46	-13	Pass	7841
814	860	0.1	RMS	834.3	16.97	60	Pass	461
860	1000	0.1	RMS	992.5	-62.22	-13	Pass	1401
1000	3000	1	RMS	2687	-46.33	-13	Pass	2001
3000	10000	1	RMS	9978	-39.87	-13	Pass	7001



3.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20625, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.96	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	814	0.1	RMS	781.7	-61.44	-13	Pass	7841
814	860	0.1	RMS	844.3	18.31	60	Pass	461
860	1000	0.1	RMS	986.3	-62.21	-13	Pass	1401
1000	3000	1	RMS	2680	-46.36	-13	Pass	2001
3000	10000	1	RMS	9942	-39.95	-13	Pass	7001



3.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20625, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.18	-13	Pass	2986
30	814	0.1	RMS	803.6	-61.35	-13	Pass	7841
814	860	0.1	RMS	844.3	17.67	60	Pass	461
860	1000	0.1	RMS	893.3	-62.23	-13	Pass	1401
1000	3000	1	RMS	2688	-46.34	-13	Pass	2001
3000	10000	1	RMS	9981	-39.91	-13	Pass	7001



3.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20450, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.6	-13	Pass	2986
30	814	0.1	RMS	814	-60.63	-13	Pass	7841
814	860	0.1	RMS	824.6	19.24	60	Pass	461
860	1000	0.1	RMS	999.1	-62.21	-13	Pass	1401
1000	3000	1	RMS	2679	-46.3	-13	Pass	2001
3000	10000	1	RMS	9965	-40	-13	Pass	7001



3.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20450, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.03	-13	Pass	2986
30	814	0.1	RMS	813.7	-60.91	-13	Pass	7841
814	860	0.1	RMS	824.6	18.24	60	Pass	461
860	1000	0.1	RMS	981.9	-62.31	-13	Pass	1401
1000	3000	1	RMS	2693	-46.32	-13	Pass	2001
3000	10000	1	RMS	9951	-40.01	-13	Pass	7001



3.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20525, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.53	-13	Pass	2986
30	814	0.1	RMS	814	-59.81	-13	Pass	7841
814	860	0.1	RMS	832.1	18.57	60	Pass	461
860	1000	0.1	RMS	926.8	-62.31	-13	Pass	1401
1000	3000	1	RMS	2678	-46.3	-13	Pass	2001
3000	10000	1	RMS	9964	-40.01	-13	Pass	7001



3.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20525, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.73	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.41	-13	Pass	2986
30	814	0.1	RMS	814	-59.86	-13	Pass	7841
814	860	0.1	RMS	832.1	17.75	60	Pass	461
860	1000	0.1	RMS	992.5	-62.18	-13	Pass	1401
1000	3000	1	RMS	2684	-46.32	-13	Pass	2001
3000	10000	1	RMS	9947	-39.98	-13	Pass	7001



3.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20600, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-13	Pass	2986
30	814	0.1	RMS	751.7	-61.4	-13	Pass	7841
814	860	0.1	RMS	839.6	18.95	60	Pass	461
860	1000	0.1	RMS	889.7	-62.25	-13	Pass	1401
1000	3000	1	RMS	2682	-46.33	-13	Pass	2001
3000	10000	1	RMS	9956	-40.01	-13	Pass	7001



3.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20600, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.05	-13	Pass	2986
30	814	0.1	RMS	806.6	-61.45	-13	Pass	7841
814	860	0.1	RMS	839.6	18.04	60	Pass	461
860	1000	0.1	RMS	888.8	-62.38	-13	Pass	1401
1000	3000	1	RMS	2689	-46.31	-13	Pass	2001
3000	10000	1	RMS	10000	-40.03	-13	Pass	7001



4. LTE_Band12


4.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23017, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.1	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.65	-13	Pass	2986
30	689	0.1	RMS	685.1	-62.32	-13	Pass	6591
689	726	0.1	RMS	699.268	17.94	60	Pass	401
726	1000	0.1	RMS	887.6	-62.06	-13	Pass	2741
1000	3000	1	RMS	2687	-46.32	-13	Pass	2001
3000	10000	1	RMS	9950	-40.02	-13	Pass	7001




4.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23017, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.42	-13	Pass	2986
30	689	0.1	RMS	684.6	-62.35	-13	Pass	6591
689	726	0.1	RMS	699.268	17.03	60	Pass	401
726	1000	0.1	RMS	882.3	-62.04	-13	Pass	2741
1000	3000	1	RMS	2690	-46.31	-13	Pass	2001
3000	10000	1	RMS	9946	-39.97	-13	Pass	7001




4.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23095, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.09	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.56	-13	Pass	2986
30	689	0.1	RMS	673.5	-62.22	-13	Pass	6591
689	726	0.1	RMS	707.038	18.55	60	Pass	401
726	1000	0.1	RMS	893.1	-62.05	-13	Pass	2741
1000	3000	1	RMS	2689	-46.32	-13	Pass	2001
3000	10000	1	RMS	9978	-40.01	-13	Pass	7001




4.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23095, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.79	-13	Pass	2986
30	689	0.1	RMS	671.9	-62.16	-13	Pass	6591
689	726	0.1	RMS	707.038	17.62	60	Pass	401
726	1000	0.1	RMS	923.4	-61.98	-13	Pass	2741
1000	3000	1	RMS	2690	-46.28	-13	Pass	2001
3000	10000	1	RMS	9953	-40.01	-13	Pass	7001




4.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23173, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.6	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2986
30	689	0.1	RMS	687.8	-62.36	-13	Pass	6591
689	726	0.1	RMS	714.808	17.78	60	Pass	401
726	1000	0.1	RMS	902.7	-62.13	-13	Pass	2741
1000	3000	1	RMS	2681	-46.32	-13	Pass	2001
3000	10000	1	RMS	9952	-40.04	-13	Pass	7001




4.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23173, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.77	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.24	-13	Pass	2986
30	689	0.1	RMS	677.1	-62.35	-13	Pass	6591
689	726	0.1	RMS	714.808	16.91	60	Pass	401
726	1000	0.1	RMS	902.7	-62.09	-13	Pass	2741
1000	3000	1	RMS	2685	-46.34	-13	Pass	2001
3000	10000	1	RMS	9950	-40.04	-13	Pass	7001




4.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23025, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.74	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.24	-13	Pass	2986
30	689	0.1	RMS	683.4	-62.31	-13	Pass	6591
689	726	0.1	RMS	699.268	17.8	60	Pass	401
726	1000	0.1	RMS	883.3	-62.06	-13	Pass	2741
1000	3000	1	RMS	2682	-46.3	-13	Pass	2001
3000	10000	1	RMS	9958	-40	-13	Pass	7001




4.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23025, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.88	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.11	-13	Pass	2986
30	689	0.1	RMS	679.4	-62.2	-13	Pass	6591
689	726	0.1	RMS	699.268	17.02	60	Pass	401
726	1000	0.1	RMS	917.8	-62.11	-13	Pass	2741
1000	3000	1	RMS	2688	-46.31	-13	Pass	2001
3000	10000	1	RMS	9970	-39.98	-13	Pass	7001



4.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23095, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	689	0.1	RMS	665.3	-62.27	-13	Pass	6591
689	726	0.1	RMS	706.205	18.46	60	Pass	401
726	1000	0.1	RMS	901.4	-62.12	-13	Pass	2741
1000	3000	1	RMS	2692	-46.31	-13	Pass	2001
3000	10000	1	RMS	9996	-39.97	-13	Pass	7001



4.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23095, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.92	-13	Pass	2986
30	689	0.1	RMS	675.3	-62.26	-13	Pass	6591
689	726	0.1	RMS	706.205	17.75	60	Pass	401
726	1000	0.1	RMS	892.6	-61.86	-13	Pass	2741
1000	3000	1	RMS	2679	-46.32	-13	Pass	2001
3000	10000	1	RMS	9956	-39.99	-13	Pass	7001



4.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23165, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.11	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.67	-13	Pass	2986
30	689	0.1	RMS	663	-62.32	-13	Pass	6591
689	726	0.1	RMS	713.235	18.25	60	Pass	401
726	1000	0.1	RMS	858.9	-62.12	-13	Pass	2741
1000	3000	1	RMS	2691	-46.27	-13	Pass	2001
3000	10000	1	RMS	9993	-40.01	-13	Pass	7001



4.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23165, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.92	-13	Pass	2986
30	689	0.1	RMS	659.8	-62.33	-13	Pass	6591
689	726	0.1	RMS	713.235	17.4	60	Pass	401
726	1000	0.1	RMS	913.7	-61.98	-13	Pass	2741
1000	3000	1	RMS	2678	-46.34	-13	Pass	2001
3000	10000	1	RMS	9954	-39.92	-13	Pass	7001



4.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:23035, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2986
30	689	0.1	RMS	643.9	-62.34	-13	Pass	6591
689	726	0.1	RMS	699.36	17.9	60	Pass	401
726	1000	0.1	RMS	894.2	-62.13	-13	Pass	2741
1000	3000	1	RMS	2694	-46.27	-13	Pass	2001
3000	10000	1	RMS	9951	-39.88	-13	Pass	7001



4.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:23035, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.48	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	689	0.1	RMS	679.4	-62.24	-13	Pass	6591
689	726	0.1	RMS	699.36	17.4	60	Pass	401
726	1000	0.1	RMS	885	-61.84	-13	Pass	2741
1000	3000	1	RMS	2676	-46.31	-13	Pass	2001
3000	10000	1	RMS	9967	-40.04	-13	Pass	7001



4.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:23095, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	689	0.1	RMS	686.6	-62.2	-13	Pass	6591
689	726	0.1	RMS	705.373	18.59	60	Pass	401
726	1000	0.1	RMS	879.8	-61.97	-13	Pass	2741
1000	3000	1	RMS	2682	-46.32	-13	Pass	2001
3000	10000	1	RMS	9968	-39.99	-13	Pass	7001



4.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:23095, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2986
30	689	0.1	RMS	683.4	-62.3	-13	Pass	6591
689	726	0.1	RMS	705.373	18	60	Pass	401
726	1000	0.1	RMS	898	-61.92	-13	Pass	2741
1000	3000	1	RMS	2691	-46.3	-13	Pass	2001
3000	10000	1	RMS	9967	-40.03	-13	Pass	7001



4.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:23155, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.95	-13	Pass	2986
30	689	0.1	RMS	675	-62.33	-13	Pass	6591
689	726	0.1	RMS	711.385	17.36	60	Pass	401
726	1000	0.1	RMS	905.7	-62.13	-13	Pass	2741
1000	3000	1	RMS	2683	-46.32	-13	Pass	2001
3000	10000	1	RMS	9951	-40.03	-13	Pass	7001



4.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:23155, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.56	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.91	-13	Pass	2986
30	689	0.1	RMS	688.2	-62.22	-13	Pass	6591
689	726	0.1	RMS	711.293	16.67	60	Pass	401
726	1000	0.1	RMS	903.9	-61.97	-13	Pass	2741
1000	3000	1	RMS	2682	-46.27	-13	Pass	2001
3000	10000	1	RMS	9947	-39.91	-13	Pass	7001



4.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:23060, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.03	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	689	0.1	RMS	687	-62.29	-13	Pass	6591
689	726	0.1	RMS	699.545	17.77	60	Pass	401
726	1000	0.1	RMS	884.5	-62.07	-13	Pass	2741
1000	3000	1	RMS	2684	-46.32	-13	Pass	2001
3000	10000	1	RMS	9950	-40.03	-13	Pass	7001



4.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:23060, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.24	-13	Pass	2986
30	689	0.1	RMS	686.5	-62.3	-13	Pass	6591
689	726	0.1	RMS	699.545	16.87	60	Pass	401
726	1000	0.1	RMS	908.9	-62.14	-13	Pass	2741
1000	3000	1	RMS	2691	-46.34	-13	Pass	2001
3000	10000	1	RMS	9955	-40.03	-13	Pass	7001



4.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:23095, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.79	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.05	-13	Pass	2986
30	689	0.1	RMS	685.4	-62.31	-13	Pass	6591
689	726	0.1	RMS	703.06	18.59	60	Pass	401
726	1000	0.1	RMS	881	-62.02	-13	Pass	2741
1000	3000	1	RMS	2689	-46.3	-13	Pass	2001
3000	10000	1	RMS	9998	-39.98	-13	Pass	7001



4.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:23095, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.17	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.03	-13	Pass	2986
30	689	0.1	RMS	663.7	-62.21	-13	Pass	6591
689	726	0.1	RMS	703.06	17.93	60	Pass	401
726	1000	0.1	RMS	882.7	-62.09	-13	Pass	2741
1000	3000	1	RMS	2687	-46.34	-13	Pass	2001
3000	10000	1	RMS	9976	-39.97	-13	Pass	7001



4.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:23130, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.04	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	689	0.1	RMS	685.3	-62.36	-13	Pass	6591
689	726	0.1	RMS	706.575	19.06	60	Pass	401
726	1000	0.1	RMS	898.3	-61.61	-13	Pass	2741
1000	3000	1	RMS	2681	-46.31	-13	Pass	2001
3000	10000	1	RMS	9977	-40.01	-13	Pass	7001



4.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:23130, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.92	-13	Pass	2986
30	689	0.1	RMS	675.4	-62.19	-13	Pass	6591
689	726	0.1	RMS	706.575	18.29	60	Pass	401
726	1000	0.1	RMS	892.2	-62.14	-13	Pass	2741
1000	3000	1	RMS	2685	-46.3	-13	Pass	2001
3000	10000	1	RMS	9958	-39.95	-13	Pass	7001



5. LTE_Band13


5.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23205, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.51	-13	Pass	2986
30	767	0.1	RMS	763.9	-61.53	-13	Pass	7371
767	797	0.1	RMS	777.35	18.15	60	Pass	401
797	1000	0.1	RMS	908.7	-62.21	-13	Pass	2031
1000	3000	1	RMS	2680	-46.3	-13	Pass	2001
3000	10000	1	RMS	9959	-39.94	-13	Pass	7001




5.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23205, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2986
30	767	0.1	RMS	742.5	-61.62	-13	Pass	7371
767	797	0.1	RMS	777.35	17.59	60	Pass	401
797	1000	0.1	RMS	886.4	-62.13	-13	Pass	2031
1000	3000	1	RMS	2681	-46.33	-13	Pass	2001
3000	10000	1	RMS	9956	-39.98	-13	Pass	7001




5.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23230, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.02	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.68	-13	Pass	2986
30	767	0.1	RMS	759.9	-61.64	-13	Pass	7371
767	797	0.1	RMS	779.825	18.19	60	Pass	401
797	1000	0.1	RMS	797	-60.75	-13	Pass	2031
1000	3000	1	RMS	2681	-46.33	-13	Pass	2001
3000	10000	1	RMS	9962	-39.97	-13	Pass	7001




5.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23230, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.5	-13	Pass	2986
30	767	0.1	RMS	763	-61.58	-13	Pass	7371
767	797	0.1	RMS	779.825	17.38	60	Pass	401
797	1000	0.1	RMS	797	-60.98	-13	Pass	2031
1000	3000	1	RMS	2689	-46.34	-13	Pass	2001
3000	10000	1	RMS	9965	-39.99	-13	Pass	7001




5.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23255, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.88	-13	Pass	2986
30	767	0.1	RMS	763.1	-61.46	-13	Pass	7371
767	797	0.1	RMS	782.375	18.41	60	Pass	401
797	1000	0.1	RMS	797.7	-61.86	-13	Pass	2031
1000	3000	1	RMS	2694	-46.28	-13	Pass	2001
3000	10000	1	RMS	9975	-40.04	-13	Pass	7001




5.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23255, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.78	-13	Pass	2986
30	767	0.1	RMS	761.5	-61.57	-13	Pass	7371
767	797	0.1	RMS	782.375	17.64	60	Pass	401
797	1000	0.1	RMS	799.5	-61.92	-13	Pass	2031
1000	3000	1	RMS	2684	-46.31	-13	Pass	2001
3000	10000	1	RMS	9950	-39.99	-13	Pass	7001




5.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23230, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.13	-13	Pass	2986
30	767	0.1	RMS	756.4	-61.49	-13	Pass	7371
767	797	0.1	RMS	777.575	18.43	60	Pass	401
797	1000	0.1	RMS	993.8	-61.93	-13	Pass	2031
1000	3000	1	RMS	2683	-46.35	-13	Pass	2001
3000	10000	1	RMS	9977	-40.01	-13	Pass	7001



5.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23230, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.35	-13	Pass	2986
30	767	0.1	RMS	752.2	-61.52	-13	Pass	7371
767	797	0.1	RMS	777.575	17.57	60	Pass	401
797	1000	0.1	RMS	963.3	-62	-13	Pass	2031
1000	3000	1	RMS	2680	-46.26	-13	Pass	2001
3000	10000	1	RMS	9945	-40.01	-13	Pass	7001



6. LTE_Band17


6.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:23755, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.19	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.32	-13	Pass	2986
30	694	0.1	RMS	693.9	-61.58	-13	Pass	6641
694	726	0.1	RMS	704.32	18.45	60	Pass	401
726	1000	0.1	RMS	902.8	-62.07	-13	Pass	2741
1000	3000	1	RMS	2691	-46.31	-13	Pass	2001
3000	10000	1	RMS	9988	-40.02	-13	Pass	7001




6.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:23755, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.17	-13	Pass	2986
30	694	0.1	RMS	693.6	-61.81	-13	Pass	6641
694	726	0.1	RMS	704.32	17.63	60	Pass	401
726	1000	0.1	RMS	877	-62.14	-13	Pass	2741
1000	3000	1	RMS	2683	-46.31	-13	Pass	2001
3000	10000	1	RMS	9987	-39.98	-13	Pass	7001




6.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:23790, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.66	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.75	-13	Pass	2986
30	694	0.1	RMS	694	-62.09	-13	Pass	6641
694	726	0.1	RMS	707.84	18.48	60	Pass	401
726	1000	0.1	RMS	842.2	-62.18	-13	Pass	2741
1000	3000	1	RMS	2677	-46.31	-13	Pass	2001
3000	10000	1	RMS	9951	-39.94	-13	Pass	7001




6.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:23790, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2986
30	694	0.1	RMS	693.7	-62.18	-13	Pass	6641
694	726	0.1	RMS	707.84	17.82	60	Pass	401
726	1000	0.1	RMS	843.7	-62.13	-13	Pass	2741
1000	3000	1	RMS	2684	-46.27	-13	Pass	2001
3000	10000	1	RMS	9946	-40.05	-13	Pass	7001




6.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:23825, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.36	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.2	-13	Pass	2986
30	694	0.1	RMS	693.7	-62.16	-13	Pass	6641
694	726	0.1	RMS	711.36	17.82	60	Pass	401
726	1000	0.1	RMS	878.5	-62.13	-13	Pass	2741
1000	3000	1	RMS	2679	-46.32	-13	Pass	2001
3000	10000	1	RMS	9965	-39.98	-13	Pass	7001




6.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:23825, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.13	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.98	-13	Pass	2986
30	694	0.1	RMS	694	-62.15	-13	Pass	6641
694	726	0.1	RMS	711.36	17.41	60	Pass	401
726	1000	0.1	RMS	887.6	-62.14	-13	Pass	2741
1000	3000	1	RMS	2678	-46.28	-13	Pass	2001
3000	10000	1	RMS	9963	-39.98	-13	Pass	7001




6.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:23780, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2986
30	694	0.1	RMS	693.7	-61.88	-13	Pass	6641
694	726	0.1	RMS	704.56	18.82	60	Pass	401
726	1000	0.1	RMS	906.2	-62	-13	Pass	2741
1000	3000	1	RMS	2684	-46.3	-13	Pass	2001
3000	10000	1	RMS	9982	-39.96	-13	Pass	7001




6.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:23780, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.32	-13	Pass	2986
30	694	0.1	RMS	693.8	-62.1	-13	Pass	6641
694	726	0.1	RMS	704.56	17.88	60	Pass	401
726	1000	0.1	RMS	879.6	-62.16	-13	Pass	2741
1000	3000	1	RMS	2681	-46.3	-13	Pass	2001
3000	10000	1	RMS	9960	-40.03	-13	Pass	7001



6.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:23790, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.77	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.83	-13	Pass	2986
30	694	0.1	RMS	693.6	-61.99	-13	Pass	6641
694	726	0.1	RMS	705.6	19.2	60	Pass	401
726	1000	0.1	RMS	896.2	-62.04	-13	Pass	2741
1000	3000	1	RMS	2690	-46.29	-13	Pass	2001
3000	10000	1	RMS	9995	-39.96	-13	Pass	7001



6.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:23790, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.78	-13	Pass	2986
30	694	0.1	RMS	693.8	-61.9	-13	Pass	6641
694	726	0.1	RMS	705.6	18.4	60	Pass	401
726	1000	0.1	RMS	893.5	-62.06	-13	Pass	2741
1000	3000	1	RMS	2681	-46.31	-13	Pass	2001
3000	10000	1	RMS	9963	-40.02	-13	Pass	7001



6.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:23800, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.5	-13	Pass	2986
30	694	0.1	RMS	693.8	-61.99	-13	Pass	6641
694	726	0.1	RMS	706.56	18.91	60	Pass	401
726	1000	0.1	RMS	895.1	-62.08	-13	Pass	2741
1000	3000	1	RMS	2686	-46.26	-13	Pass	2001
3000	10000	1	RMS	9969	-40.04	-13	Pass	7001



6.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:23800, Bandwidth:10,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.84	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.88	-13	Pass	2986
30	694	0.1	RMS	693.4	-62.01	-13	Pass	6641
694	726	0.1	RMS	706.56	17.94	60	Pass	401
726	1000	0.1	RMS	886.2	-62.05	-13	Pass	2741
1000	3000	1	RMS	2687	-46.31	-13	Pass	2001
3000	10000	1	RMS	9945	-40	-13	Pass	7001



7. LTE_Band66


7.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.14	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.84	-13	Pass	2986
30	1000	0.1	RMS	900.9	-60.87	-13	Pass	9701
1000	1700	1	RMS	1700	-48.85	-13	Pass	701
1700	1790	1	RMS	1710.125	21.02	60	Pass	401
1790	3000	1	RMS	2695	-46.76	-13	Pass	1211
3000	12000	1	RMS	11941	-38.27	-13	Pass	9001
12000	20000	1	RMS	19964	-26.77	-13	Pass	8001




7.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2986
30	1000	0.1	RMS	881.5	-61.05	-13	Pass	9701
1000	1700	1	RMS	1700	-49.29	-13	Pass	701
1700	1790	1	RMS	1710.125	20.13	60	Pass	401
1790	3000	1	RMS	2677	-46.77	-13	Pass	1211
3000	12000	1	RMS	11938	-38.19	-13	Pass	9001
12000	20000	1	RMS	19964	-26.8	-13	Pass	8001




7.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-57.03	-13	Pass	2986
30	1000	0.1	RMS	883.2	-60.97	-13	Pass	9701
1000	1700	1	RMS	1677	-50.9	-13	Pass	701
1700	1790	1	RMS	1744.55	21.18	60	Pass	401
1790	3000	1	RMS	2679	-46.78	-13	Pass	1211
3000	12000	1	RMS	11963	-38.25	-13	Pass	9001
12000	20000	1	RMS	19954	-26.74	-13	Pass	8001




7.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.91	-13	Pass	2986
30	1000	0.1	RMS	906.4	-61.06	-13	Pass	9701
1000	1700	1	RMS	1681	-50.89	-13	Pass	701
1700	1790	1	RMS	1744.55	20.41	60	Pass	401
1790	3000	1	RMS	2681	-46.8	-13	Pass	1211
3000	12000	1	RMS	11951	-38.2	-13	Pass	9001
12000	20000	1	RMS	19960	-26.78	-13	Pass	8001




7.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.76	-13	Pass	2986
30	1000	0.1	RMS	880.7	-61	-13	Pass	9701
1000	1700	1	RMS	1621	-50.89	-13	Pass	701
1700	1790	1	RMS	1778.75	20.36	60	Pass	401
1790	3000	1	RMS	2695	-46.77	-13	Pass	1211
3000	12000	1	RMS	11969	-38.23	-13	Pass	9001
12000	20000	1	RMS	19962	-26.78	-13	Pass	8001




7.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.92	-13	Pass	2986
30	1000	0.1	RMS	955.6	-60.92	-13	Pass	9701
1000	1700	1	RMS	1683	-50.91	-13	Pass	701
1700	1790	1	RMS	1778.75	19.57	60	Pass	401
1790	3000	1	RMS	2682	-46.76	-13	Pass	1211
3000	12000	1	RMS	11944	-38.28	-13	Pass	9001
12000	20000	1	RMS	19958	-26.72	-13	Pass	8001




7.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.06	-13	Pass	401
0.15	30	0.01	RMS	0.17	-56.56	-13	Pass	2986
30	1000	0.1	RMS	918.3	-60.99	-13	Pass	9701
1000	1700	1	RMS	1700	-48.23	-13	Pass	701
1700	1790	1	RMS	1710.125	21.03	60	Pass	401
1790	3000	1	RMS	2678	-46.82	-13	Pass	1211
3000	12000	1	RMS	11954	-38.25	-13	Pass	9001
12000	20000	1	RMS	19958	-26.77	-13	Pass	8001




7.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.5	-13	Pass	401
0.15	30	0.01	RMS	0.15	-53.81	-13	Pass	2986
30	1000	0.1	RMS	887.8	-60.91	-13	Pass	9701
1000	1700	1	RMS	1700	-48.04	-13	Pass	701
1700	1790	1	RMS	1710.125	20.27	60	Pass	401
1790	3000	1	RMS	2684	-46.79	-13	Pass	1211
3000	12000	1	RMS	11958	-38.22	-13	Pass	9001
12000	20000	1	RMS	19965	-26.74	-13	Pass	8001



7.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.43	-13	Pass	2986
30	1000	0.1	RMS	873.5	-60.94	-13	Pass	9701
1000	1700	1	RMS	1664	-50.89	-13	Pass	701
1700	1790	1	RMS	1743.65	21.1	60	Pass	401
1790	3000	1	RMS	2694	-46.75	-13	Pass	1211
3000	12000	1	RMS	11955	-38.25	-13	Pass	9001
12000	20000	1	RMS	19958	-26.74	-13	Pass	8001



7.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.53	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.36	-13	Pass	2986
30	1000	0.1	RMS	999.1	-60.95	-13	Pass	9701
1000	1700	1	RMS	1692	-50.9	-13	Pass	701
1700	1790	1	RMS	1743.65	20.28	60	Pass	401
1790	3000	1	RMS	2691	-46.81	-13	Pass	1211
3000	12000	1	RMS	11965	-38.17	-13	Pass	9001
12000	20000	1	RMS	19960	-26.78	-13	Pass	8001



7.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:132657, Bandwidth:3,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.9	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.3	-13	Pass	2986
30	1000	0.1	RMS	866.2	-60.96	-13	Pass	9701
1000	1700	1	RMS	1644	-50.91	-13	Pass	701
1700	1790	1	RMS	1777.175	20.68	60	Pass	401
1790	3000	1	RMS	2685	-46.79	-13	Pass	1211
3000	12000	1	RMS	11957	-38.24	-13	Pass	9001
12000	20000	1	RMS	19968	-26.78	-13	Pass	8001



7.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:132657, Bandwidth:3,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.62	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.25	-13	Pass	2986
30	1000	0.1	RMS	900	-60.93	-13	Pass	9701
1000	1700	1	RMS	1653	-50.89	-13	Pass	701
1700	1790	1	RMS	1777.175	19.94	60	Pass	401
1790	3000	1	RMS	2693	-46.8	-13	Pass	1211
3000	12000	1	RMS	11961	-38.27	-13	Pass	9001
12000	20000	1	RMS	19955	-26.75	-13	Pass	8001



7.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:131997, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	1000	0.1	RMS	907.8	-61.03	-13	Pass	9701
1000	1700	1	RMS	1700	-48.84	-13	Pass	701
1700	1790	1	RMS	1710.35	21.48	60	Pass	401
1790	3000	1	RMS	2694	-46.73	-13	Pass	1211
3000	12000	1	RMS	11947	-38.25	-13	Pass	9001
12000	20000	1	RMS	19965	-26.79	-13	Pass	8001



7.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:131997, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.7	-13	Pass	2986
30	1000	0.1	RMS	992.8	-60.99	-13	Pass	9701
1000	1700	1	RMS	1700	-49.22	-13	Pass	701
1700	1790	1	RMS	1710.35	20.73	60	Pass	401
1790	3000	1	RMS	2695	-46.75	-13	Pass	1211
3000	12000	1	RMS	11958	-38.23	-13	Pass	9001
12000	20000	1	RMS	19968	-26.77	-13	Pass	8001



7.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:132322, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.77	-13	Pass	2986
30	1000	0.1	RMS	899.3	-60.89	-13	Pass	9701
1000	1700	1	RMS	1689	-50.85	-13	Pass	701
1700	1790	1	RMS	1742.75	21.24	60	Pass	401
1790	3000	1	RMS	2689	-46.79	-13	Pass	1211
3000	12000	1	RMS	11956	-38.3	-13	Pass	9001
12000	20000	1	RMS	19953	-26.76	-13	Pass	8001



7.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:132322, Bandwidth:5,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.86	-13	Pass	2986
30	1000	0.1	RMS	989.9	-61.02	-13	Pass	9701
1000	1700	1	RMS	1662	-50.88	-13	Pass	701
1700	1790	1	RMS	1742.75	20.45	60	Pass	401
1790	3000	1	RMS	2680	-46.78	-13	Pass	1211
3000	12000	1	RMS	11962	-38.11	-13	Pass	9001
12000	20000	1	RMS	19956	-26.78	-13	Pass	8001



7.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:132647, Bandwidth:5,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.33	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.05	-13	Pass	2986
30	1000	0.1	RMS	896.8	-60.96	-13	Pass	9701
1000	1700	1	RMS	1695	-50.89	-13	Pass	701
1700	1790	1	RMS	1775.375	21.27	60	Pass	401
1790	3000	1	RMS	1793	-46.65	-13	Pass	1211
3000	12000	1	RMS	11967	-38.23	-13	Pass	9001
12000	20000	1	RMS	19958	-26.77	-13	Pass	8001



7.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.4	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2986
30	1000	0.1	RMS	881.2	-60.99	-13	Pass	9701
1000	1700	1	RMS	1697	-50.91	-13	Pass	701
1700	1790	1	RMS	1775.375	20.49	60	Pass	401
1790	3000	1	RMS	1793	-45.93	-13	Pass	1211
3000	12000	1	RMS	11950	-38.24	-13	Pass	9001
12000	20000	1	RMS	19971	-26.83	-13	Pass	8001



7.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.32	-13	Pass	2986
30	1000	0.1	RMS	897.6	-60.93	-13	Pass	9701
1000	1700	1	RMS	1693	-44.35	-13	Pass	701
1700	1790	1	RMS	1710.575	21.72	60	Pass	401
1790	3000	1	RMS	2683	-46.75	-13	Pass	1211
3000	12000	1	RMS	11950	-38.25	-13	Pass	9001
12000	20000	1	RMS	19979	-26.8	-13	Pass	8001



7.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.67	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.67	-13	Pass	2986
30	1000	0.1	RMS	899.7	-60.92	-13	Pass	9701
1000	1700	1	RMS	1693	-44.53	-13	Pass	701
1700	1790	1	RMS	1710.575	20.81	60	Pass	401
1790	3000	1	RMS	2685	-46.74	-13	Pass	1211
3000	12000	1	RMS	11966	-38.22	-13	Pass	9001
12000	20000	1	RMS	19965	-26.76	-13	Pass	8001



7.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.85	-13	Pass	2986
30	1000	0.1	RMS	985.8	-60.93	-13	Pass	9701
1000	1700	1	RMS	1700	-50.85	-13	Pass	701
1700	1790	1	RMS	1740.5	21.34	60	Pass	401
1790	3000	1	RMS	2679	-46.78	-13	Pass	1211
3000	12000	1	RMS	11937	-38.26	-13	Pass	9001
12000	20000	1	RMS	19964	-26.79	-13	Pass	8001



7.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.91	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.95	-13	Pass	2986
30	1000	0.1	RMS	981.3	-60.85	-13	Pass	9701
1000	1700	1	RMS	1699	-50.9	-13	Pass	701
1700	1790	1	RMS	1740.5	20.56	60	Pass	401
1790	3000	1	RMS	2693	-46.77	-13	Pass	1211
3000	12000	1	RMS	11952	-38.2	-13	Pass	9001
12000	20000	1	RMS	19959	-26.77	-13	Pass	8001



7.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.28	-13	Pass	2986
30	1000	0.1	RMS	896.3	-60.94	-13	Pass	9701
1000	1700	1	RMS	1665	-50.88	-13	Pass	701
1700	1790	1	RMS	1770.65	21.59	60	Pass	401
1790	3000	1	RMS	2684	-46.76	-13	Pass	1211
3000	12000	1	RMS	11952	-38.17	-13	Pass	9001
12000	20000	1	RMS	19960	-26.78	-13	Pass	8001



7.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.68	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-13	Pass	2986
30	1000	0.1	RMS	986.7	-61	-13	Pass	9701
1000	1700	1	RMS	1682	-50.9	-13	Pass	701
1700	1790	1	RMS	1770.65	20.71	60	Pass	401
1790	3000	1	RMS	2683	-46.79	-13	Pass	1211
3000	12000	1	RMS	11964	-38.26	-13	Pass	9001
12000	20000	1	RMS	19959	-26.74	-13	Pass	8001



7.25. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:132047, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.05	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.7	-13	Pass	2986
30	1000	0.1	RMS	903.1	-60.98	-13	Pass	9701
1000	1700	1	RMS	1697	-43.97	-13	Pass	701
1700	1790	1	RMS	1710.8	21.18	60	Pass	401
1790	3000	1	RMS	2682	-46.73	-13	Pass	1211
3000	12000	1	RMS	11945	-38.26	-13	Pass	9001
12000	20000	1	RMS	19955	-26.71	-13	Pass	8001



7.26. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.75	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	1000	0.1	RMS	891.5	-61.05	-13	Pass	9701
1000	1700	1	RMS	1697	-44.33	-13	Pass	701
1700	1790	1	RMS	1710.8	20.47	60	Pass	401
1790	3000	1	RMS	2692	-46.76	-13	Pass	1211
3000	12000	1	RMS	11950	-38.29	-13	Pass	9001
12000	20000	1	RMS	19957	-26.85	-13	Pass	8001



7.27. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:132322, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-51.58	-13	Pass	401
0.15	30	0.01	RMS	0.16	-55.17	-13	Pass	2986
30	1000	0.1	RMS	995.6	-60.94	-13	Pass	9701
1000	1700	1	RMS	1670	-50.85	-13	Pass	701
1700	1790	1	RMS	1738.25	20.76	60	Pass	401
1790	3000	1	RMS	2685	-46.74	-13	Pass	1211
3000	12000	1	RMS	11948	-38.25	-13	Pass	9001
12000	20000	1	RMS	19957	-26.77	-13	Pass	8001



7.28. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:132322, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.65	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.21	-13	Pass	2986
30	1000	0.1	RMS	986.3	-61.02	-13	Pass	9701
1000	1700	1	RMS	1675	-50.91	-13	Pass	701
1700	1790	1	RMS	1738.25	19.79	60	Pass	401
1790	3000	1	RMS	1792	-46.11	-13	Pass	1211
3000	12000	1	RMS	11968	-38.23	-13	Pass	9001
12000	20000	1	RMS	19968	-26.81	-13	Pass	8001



7.29. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:132597, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.8	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	Pass	2986
30	1000	0.1	RMS	913.7	-61.03	-13	Pass	9701
1000	1700	1	RMS	1656	-50.89	-13	Pass	701
1700	1790	1	RMS	1765.925	20.68	60	Pass	401
1790	3000	1	RMS	1792	-32.74	-13	Pass	1211
3000	12000	1	RMS	11959	-38.28	-13	Pass	9001
12000	20000	1	RMS	19962	-26.82	-13	Pass	8001



7.30. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.21	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.65	-13	Pass	2986
30	1000	0.1	RMS	895.8	-60.91	-13	Pass	9701
1000	1700	1	RMS	1665	-50.9	-13	Pass	701
1700	1790	1	RMS	1765.925	19.96	60	Pass	401
1790	3000	1	RMS	1792	-31.07	-13	Pass	1211
3000	12000	1	RMS	11963	-38.26	-13	Pass	9001
12000	20000	1	RMS	19966	-26.76	-13	Pass	8001



7.31. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.08	-13	Pass	2986
30	1000	0.1	RMS	904.9	-60.8	-13	Pass	9701
1000	1700	1	RMS	1693	-46.33	-13	Pass	701
1700	1790	1	RMS	1711.025	21.08	60	Pass	401
1790	3000	1	RMS	2686	-46.73	-13	Pass	1211
3000	12000	1	RMS	11951	-38.21	-13	Pass	9001
12000	20000	1	RMS	19977	-26.8	-13	Pass	8001



7.32. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.92	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.09	-13	Pass	2986
30	1000	0.1	RMS	996.2	-60.88	-13	Pass	9701
1000	1700	1	RMS	1693	-46.91	-13	Pass	701
1700	1790	1	RMS	1711.025	20.3	60	Pass	401
1790	3000	1	RMS	2685	-46.77	-13	Pass	1211
3000	12000	1	RMS	11945	-38.25	-13	Pass	9001
12000	20000	1	RMS	19956	-26.72	-13	Pass	8001



7.33. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.52	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.57	-13	Pass	2986
30	1000	0.1	RMS	872.1	-60.92	-13	Pass	9701
1000	1700	1	RMS	1700	-41.38	-13	Pass	701
1700	1790	1	RMS	1736	20.55	60	Pass	401
1790	3000	1	RMS	2686	-46.77	-13	Pass	1211
3000	12000	1	RMS	11948	-38.18	-13	Pass	9001
12000	20000	1	RMS	19964	-26.77	-13	Pass	8001



7.34. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-50.93	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.33	-13	Pass	2986
30	1000	0.1	RMS	904.6	-60.79	-13	Pass	9701
1000	1700	1	RMS	1700	-41.58	-13	Pass	701
1700	1790	1	RMS	1736	19.59	60	Pass	401
1790	3000	1	RMS	2673	-46.77	-13	Pass	1211
3000	12000	1	RMS	11967	-38.22	-13	Pass	9001
12000	20000	1	RMS	19961	-26.77	-13	Pass	8001



7.35. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.16	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.41	-13	Pass	2986
30	1000	0.1	RMS	871.4	-61	-13	Pass	9701
1000	1700	1	RMS	1664	-50.91	-13	Pass	701
1700	1790	1	RMS	1760.975	20.21	60	Pass	401
1790	3000	1	RMS	1797	-32.66	-13	Pass	1211
3000	12000	1	RMS	11949	-38.24	-13	Pass	9001
12000	20000	1	RMS	19963	-26.77	-13	Pass	8001



7.36. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.31	-13	Pass	2986
30	1000	0.1	RMS	995.6	-60.97	-13	Pass	9701
1000	1700	1	RMS	1676	-50.88	-13	Pass	701
1700	1790	1	RMS	1760.975	19.39	60	Pass	401
1790	3000	1	RMS	1797	-31.43	-13	Pass	1211
3000	12000	1	RMS	11958	-38.23	-13	Pass	9001
12000	20000	1	RMS	19961	-26.79	-13	Pass	8001



8. LTE_Band71


8.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:133147, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-53.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.91	-13	Pass	2986
30	653	0.1	RMS	491.8	-62.47	-13	Pass	6231
653	709	0.1	RMS	663.3	16.62	60	Pass	561
709	1000	0.1	RMS	904.5	-61.61	-13	Pass	2911
1000	3000	1	RMS	1327	-40.41	-13	Pass	2001
3000	10000	1	RMS	9995	-39.93	-13	Pass	7001




8.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:133147, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.12	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.01	-13	Pass	2986
30	653	0.1	RMS	649.4	-62.45	-13	Pass	6231
653	709	0.1	RMS	663.3	16.07	60	Pass	561
709	1000	0.1	RMS	900	-61.67	-13	Pass	2911
1000	3000	1	RMS	1327	-41.06	-13	Pass	2001
3000	10000	1	RMS	9989	-39.99	-13	Pass	7001




8.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:133297, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.54	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.31	-13	Pass	2986
30	653	0.1	RMS	621.2	-62.38	-13	Pass	6231
653	709	0.1	RMS	678.3	17.96	60	Pass	561
709	1000	0.1	RMS	841.6	-61.5	-13	Pass	2911
1000	3000	1	RMS	1357	-41.31	-13	Pass	2001
3000	10000	1	RMS	9978	-40.02	-13	Pass	7001




8.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:133297, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.43	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	653	0.1	RMS	634.3	-62.44	-13	Pass	6231
653	709	0.1	RMS	678.3	17.23	60	Pass	561
709	1000	0.1	RMS	873.7	-61.39	-13	Pass	2911
1000	3000	1	RMS	1357	-42.35	-13	Pass	2001
3000	10000	1	RMS	9973	-39.98	-13	Pass	7001




8.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:133447, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.27	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.65	-13	Pass	2986
30	653	0.1	RMS	642.3	-62.38	-13	Pass	6231
653	709	0.1	RMS	693.3	18.71	60	Pass	561
709	1000	0.1	RMS	710.6	-60.38	-13	Pass	2911
1000	3000	1	RMS	1387	-44.91	-13	Pass	2001
3000	10000	1	RMS	9972	-40.03	-13	Pass	7001




8.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:133447, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-13	Pass	401
0.15	30	0.01	RMS	0.16	-56.32	-13	Pass	2986
30	653	0.1	RMS	645.9	-62.26	-13	Pass	6231
653	709	0.1	RMS	693.3	17.85	60	Pass	561
709	1000	0.1	RMS	710.4	-60.67	-13	Pass	2911
1000	3000	1	RMS	1387	-45.76	-13	Pass	2001
3000	10000	1	RMS	9950	-40	-13	Pass	7001




8.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:133172, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-53.46	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.05	-13	Pass	2986
30	653	0.1	RMS	649.1	-62.43	-13	Pass	6231
653	709	0.1	RMS	663.6	17.8	60	Pass	561
709	1000	0.1	RMS	895.2	-61.72	-13	Pass	2911
1000	3000	1	RMS	1327	-39.18	-13	Pass	2001
3000	10000	1	RMS	9948	-39.97	-13	Pass	7001




8.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:133172, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.98	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.73	-13	Pass	2986
30	653	0.1	RMS	638.4	-62.5	-13	Pass	6231
653	709	0.1	RMS	663.6	16.82	60	Pass	561
709	1000	0.1	RMS	865.1	-61.71	-13	Pass	2911
1000	3000	1	RMS	1327	-39.98	-13	Pass	2001
3000	10000	1	RMS	9946	-39.96	-13	Pass	7001



8.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:133297, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.3	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.23	-13	Pass	2986
30	653	0.1	RMS	649.5	-62.43	-13	Pass	6231
653	709	0.1	RMS	676.1	18.72	60	Pass	561
709	1000	0.1	RMS	859	-61.68	-13	Pass	2911
1000	3000	1	RMS	1352	-40.75	-13	Pass	2001
3000	10000	1	RMS	9950	-39.98	-13	Pass	7001



8.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:133297, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.25	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.52	-13	Pass	2986
30	653	0.1	RMS	642.2	-62.42	-13	Pass	6231
653	709	0.1	RMS	676.1	17.94	60	Pass	561
709	1000	0.1	RMS	884.8	-61.64	-13	Pass	2911
1000	3000	1	RMS	1352	-41.58	-13	Pass	2001
3000	10000	1	RMS	9979	-40.01	-13	Pass	7001



8.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:133422, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.47	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.46	-13	Pass	2986
30	653	0.1	RMS	483.7	-62.34	-13	Pass	6231
653	709	0.1	RMS	688.6	18.46	60	Pass	561
709	1000	0.1	RMS	709.1	-61.22	-13	Pass	2911
1000	3000	1	RMS	1377	-43.8	-13	Pass	2001
3000	10000	1	RMS	9956	-39.99	-13	Pass	7001



8.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:133422, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.78	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.63	-13	Pass	2986
30	653	0.1	RMS	639.5	-62.36	-13	Pass	6231
653	709	0.1	RMS	688.6	17.42	60	Pass	561
709	1000	0.1	RMS	709.1	-61.61	-13	Pass	2911
1000	3000	1	RMS	1377	-44.6	-13	Pass	2001
3000	10000	1	RMS	9949	-40	-13	Pass	7001



8.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:133197, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-53.99	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.59	-13	Pass	2986
30	653	0.1	RMS	650.5	-62.13	-13	Pass	6231
653	709	0.1	RMS	663.8	16.96	60	Pass	561
709	1000	0.1	RMS	959.5	-61.75	-13	Pass	2911
1000	3000	1	RMS	1328	-40.18	-13	Pass	2001
3000	10000	1	RMS	9956	-39.96	-13	Pass	7001



8.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:133197, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-53.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.27	-13	Pass	2986
30	653	0.1	RMS	653	-62.35	-13	Pass	6231
653	709	0.1	RMS	663.8	16	60	Pass	561
709	1000	0.1	RMS	972.9	-61.63	-13	Pass	2911
1000	3000	1	RMS	1328	-40.93	-13	Pass	2001
3000	10000	1	RMS	9954	-39.92	-13	Pass	7001



8.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:133297, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.59	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.29	-13	Pass	2986
30	653	0.1	RMS	632.3	-62.36	-13	Pass	6231
653	709	0.1	RMS	673.8	17.78	60	Pass	561
709	1000	0.1	RMS	895.7	-61.53	-13	Pass	2911
1000	3000	1	RMS	1348	-43.48	-13	Pass	2001
3000	10000	1	RMS	9971	-39.95	-13	Pass	7001



8.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:133297, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.31	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.64	-13	Pass	2986
30	653	0.1	RMS	639.2	-62.5	-13	Pass	6231
653	709	0.1	RMS	673.8	16.82	60	Pass	561
709	1000	0.1	RMS	864.3	-61.61	-13	Pass	2911
1000	3000	1	RMS	1348	-44.6	-13	Pass	2001
3000	10000	1	RMS	9971	-39.96	-13	Pass	7001



8.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:133397, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-51.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.16	-13	Pass	2986
30	653	0.1	RMS	649.6	-62.39	-13	Pass	6231
653	709	0.1	RMS	683.8	17.41	60	Pass	561
709	1000	0.1	RMS	710.4	-37.77	-13	Pass	2911
1000	3000	1	RMS	1368	-42.07	-13	Pass	2001
3000	10000	1	RMS	9965	-39.92	-13	Pass	7001



8.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:133397, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.69	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.59	-13	Pass	2986
30	653	0.1	RMS	497.8	-62.35	-13	Pass	6231
653	709	0.1	RMS	683.8	16.84	60	Pass	561
709	1000	0.1	RMS	710.5	-37.94	-13	Pass	2911
1000	3000	1	RMS	1368	-42.19	-13	Pass	2001
3000	10000	1	RMS	9949	-39.94	-13	Pass	7001



8.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:133222, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-52.64	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.02	-13	Pass	2986
30	653	0.1	RMS	652.1	-62.35	-13	Pass	6231
653	709	0.1	RMS	664.1	17.56	60	Pass	561
709	1000	0.1	RMS	867.6	-61.58	-13	Pass	2911
1000	3000	1	RMS	1328	-39.5	-13	Pass	2001
3000	10000	1	RMS	9972	-39.92	-13	Pass	7001



8.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:133222, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.28	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.57	-13	Pass	2986
30	653	0.1	RMS	651.2	-62.51	-13	Pass	6231
653	709	0.1	RMS	664.1	16.61	60	Pass	561
709	1000	0.1	RMS	880.6	-61.67	-13	Pass	2911
1000	3000	1	RMS	1328	-40.29	-13	Pass	2001
3000	10000	1	RMS	9963	-39.94	-13	Pass	7001



8.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:133322, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.37	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.66	-13	Pass	2986
30	653	0.1	RMS	633	-62.45	-13	Pass	6231
653	709	0.1	RMS	674.1	18.25	60	Pass	561
709	1000	0.1	RMS	709.7	-33.13	-13	Pass	2911
1000	3000	1	RMS	1348	-42.26	-13	Pass	2001
3000	10000	1	RMS	9983	-39.92	-13	Pass	7001



8.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:133322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-53.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-54.49	-13	Pass	2986
30	653	0.1	RMS	650.2	-62.51	-13	Pass	6231
653	709	0.1	RMS	674.1	17.37	60	Pass	561
709	1000	0.1	RMS	709.7	-33.88	-13	Pass	2911
1000	3000	1	RMS	1348	-43.21	-13	Pass	2001
3000	10000	1	RMS	9958	-39.95	-13	Pass	7001



8.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:133372, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-52.58	-13	Pass	401
0.15	30	0.01	RMS	0.15	-55.23	-13	Pass	2986
30	653	0.1	RMS	499	-62.49	-13	Pass	6231
653	709	0.1	RMS	679.1	17.97	60	Pass	561
709	1000	0.1	RMS	714.7	-52.85	-13	Pass	2911
1000	3000	1	RMS	1358	-40.76	-13	Pass	2001
3000	10000	1	RMS	9948	-39.98	-13	Pass	7001



8.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:133372, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-52.85	-13	Pass	401
0.15	30	0.01	RMS	0.15	-56.55	-13	Pass	2986
30	653	0.1	RMS	486.9	-62.39	-13	Pass	6231
653	709	0.1	RMS	679.1	17.14	60	Pass	561
709	1000	0.1	RMS	714.7	-53.93	-13	Pass	2911
1000	3000	1	RMS	1358	-41.51	-13	Pass	2001
3000	10000	1	RMS	9965	-39.85	-13	Pass	7001



9. LTE_Band38


9.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:37775, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.01	-25	Pass	2986
30	1000	0.1	RMS	990.9	-57.03	-25	Pass	9701
1000	2560	1	RMS	2560	-40.05	-25	Pass	1561
2560	2630	1	RMS	2570.325	21.44	60	Pass	401
2630	3000	1	RMS	2681.8	-43.14	-25	Pass	401
3000	12000	1	RMS	5141	-55.79	-25	Pass	9001
12000	26500	1	RMS	25582	-37.86	-25	Pass	14501




9.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:37775, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.84	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.41	-25	Pass	2986
30	1000	0.1	RMS	988.9	-56.97	-25	Pass	9701
1000	2560	1	RMS	2560	-40.16	-25	Pass	1561
2560	2630	1	RMS	2570.5	21.26	60	Pass	401
2630	3000	1	RMS	2687.35	-43.18	-25	Pass	401
3000	12000	1	RMS	5140	-57.33	-25	Pass	9001
12000	26500	1	RMS	25597	-37.81	-25	Pass	14501




9.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:38000, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.27	-25	Pass	2986
30	1000	0.1	RMS	870.7	-57.04	-25	Pass	9701
1000	2560	1	RMS	2560	-43.14	-25	Pass	1561
2560	2630	1	RMS	2592.725	22	60	Pass	401
2630	3000	1	RMS	2682.725	-43.2	-25	Pass	401
3000	12000	1	RMS	5186	-51.49	-25	Pass	9001
12000	26500	1	RMS	25571	-37.91	-25	Pass	14501




9.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:38000, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.24	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.11	-25	Pass	2986
30	1000	0.1	RMS	927.2	-57.04	-25	Pass	9701
1000	2560	1	RMS	2560	-43.08	-25	Pass	1561
2560	2630	1	RMS	2592.9	21.18	60	Pass	401
2630	3000	1	RMS	2689.2	-43.14	-25	Pass	401
3000	12000	1	RMS	5186	-49.74	-25	Pass	9001
12000	26500	1	RMS	25594	-37.77	-25	Pass	14501




9.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.24	-25	Pass	2986
30	1000	0.1	RMS	858.2	-57.01	-25	Pass	9701
1000	2560	1	RMS	2558	-43.11	-25	Pass	1561
2560	2630	1	RMS	2615.3	22.82	60	Pass	401
2630	3000	1	RMS	2641.1	-42.27	-25	Pass	401
3000	12000	1	RMS	5230	-54.23	-25	Pass	9001
12000	26500	1	RMS	25588	-37.88	-25	Pass	14501




9.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.58	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.14	-25	Pass	2986
30	1000	0.1	RMS	953.4	-57.05	-25	Pass	9701
1000	2560	1	RMS	2543	-43.11	-25	Pass	1561
2560	2630	1	RMS	2615.3	21.26	60	Pass	401
2630	3000	1	RMS	2641.1	-42.43	-25	Pass	401
3000	12000	1	RMS	5231	-54.68	-25	Pass	9001
12000	26500	1	RMS	25604	-37.85	-25	Pass	14501




9.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.99	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.37	-25	Pass	2986
30	1000	0.1	RMS	894	-57.03	-25	Pass	9701
1000	2560	1	RMS	2553	-40.21	-25	Pass	1561
2560	2630	1	RMS	2570.5	22.3	60	Pass	401
2630	3000	1	RMS	2694.75	-43.18	-25	Pass	401
3000	12000	1	RMS	5142	-57.51	-25	Pass	9001
12000	26500	1	RMS	25622	-37.84	-25	Pass	14501




9.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.15	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.54	-25	Pass	2986
30	1000	0.1	RMS	865.1	-57.05	-25	Pass	9701
1000	2560	1	RMS	2553	-41.01	-25	Pass	1561
2560	2630	1	RMS	2570.5	21.87	60	Pass	401
2630	3000	1	RMS	2682.725	-43.21	-25	Pass	401
3000	12000	1	RMS	5142	-54.32	-25	Pass	9001
12000	26500	1	RMS	25611	-37.83	-25	Pass	14501



9.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.8	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.52	-25	Pass	2986
30	1000	0.1	RMS	986.1	-57	-25	Pass	9701
1000	2560	1	RMS	2559	-43.09	-25	Pass	1561
2560	2630	1	RMS	2590.45	22.6	60	Pass	401
2630	3000	1	RMS	2694.75	-43.19	-25	Pass	401
3000	12000	1	RMS	5181	-48.9	-25	Pass	9001
12000	26500	1	RMS	25606	-37.84	-25	Pass	14501



9.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.22	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.22	-25	Pass	2986
30	1000	0.1	RMS	884.7	-56.98	-25	Pass	9701
1000	2560	1	RMS	2560	-43.08	-25	Pass	1561
2560	2630	1	RMS	2590.45	21.13	60	Pass	401
2630	3000	1	RMS	2685.5	-43.18	-25	Pass	401
3000	12000	1	RMS	5182	-56.88	-25	Pass	9001
12000	26500	1	RMS	25606	-37.81	-25	Pass	14501



9.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:38200, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.24	-25	Pass	2986
30	1000	0.1	RMS	910.9	-56.83	-25	Pass	9701
1000	2560	1	RMS	2559	-43.09	-25	Pass	1561
2560	2630	1	RMS	2610.575	22.53	60	Pass	401
2630	3000	1	RMS	2636.475	-41.92	-25	Pass	401
3000	12000	1	RMS	5222	-54.61	-25	Pass	9001
12000	26500	1	RMS	25603	-37.84	-25	Pass	14501



9.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.13	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.31	-25	Pass	2986
30	1000	0.1	RMS	920.5	-56.98	-25	Pass	9701
1000	2560	1	RMS	2556	-43.02	-25	Pass	1561
2560	2630	1	RMS	2610.4	21.88	60	Pass	401
2630	3000	1	RMS	2636.475	-42.22	-25	Pass	401
3000	12000	1	RMS	11845	-57.79	-25	Pass	9001
12000	26500	1	RMS	25594	-37.86	-25	Pass	14501



9.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:37825, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.28	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.05	-25	Pass	2986
30	1000	0.1	RMS	985.5	-57.02	-25	Pass	9701
1000	2560	1	RMS	2558	-39.52	-25	Pass	1561
2560	2630	1	RMS	2570.675	21.82	60	Pass	401
2630	3000	1	RMS	2689.2	-43.14	-25	Pass	401
3000	12000	1	RMS	5141	-56.94	-25	Pass	9001
12000	26500	1	RMS	25597	-37.91	-25	Pass	14501



9.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:37825, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.08	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.35	-25	Pass	2986
30	1000	0.1	RMS	885.3	-57.04	-25	Pass	9701
1000	2560	1	RMS	2558	-39.93	-25	Pass	1561
2560	2630	1	RMS	2570.675	21.23	60	Pass	401
2630	3000	1	RMS	2679.95	-43.19	-25	Pass	401
3000	12000	1	RMS	5142	-52.73	-25	Pass	9001
12000	26500	1	RMS	25591	-37.87	-25	Pass	14501



9.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:38000, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.75	-25	Pass	2986
30	1000	0.1	RMS	875.3	-57.02	-25	Pass	9701
1000	2560	1	RMS	2546	-43.1	-25	Pass	1561
2560	2630	1	RMS	2588.35	21.86	60	Pass	401
2630	3000	1	RMS	2684.575	-43.2	-25	Pass	401
3000	12000	1	RMS	11858	-57.79	-25	Pass	9001
12000	26500	1	RMS	25585	-37.84	-25	Pass	14501



9.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:38000, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.59	-25	Pass	2986
30	1000	0.1	RMS	886.2	-57.03	-25	Pass	9701
1000	2560	1	RMS	2553	-43.11	-25	Pass	1561
2560	2630	1	RMS	2588.35	21.05	60	Pass	401
2630	3000	1	RMS	2694.75	-43.17	-25	Pass	401
3000	12000	1	RMS	5177	-52.15	-25	Pass	9001
12000	26500	1	RMS	25583	-37.82	-25	Pass	14501



9.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:38175, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.02	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.21	-25	Pass	2986
30	1000	0.1	RMS	878	-56.9	-25	Pass	9701
1000	2560	1	RMS	2545	-43.11	-25	Pass	1561
2560	2630	1	RMS	2605.675	22.21	60	Pass	401
2630	3000	1	RMS	2632.775	-35.62	-25	Pass	401
3000	12000	1	RMS	5212	-51.01	-25	Pass	9001
12000	26500	1	RMS	25603	-37.84	-25	Pass	14501



9.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:38175, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.19	-25	Pass	2986
30	1000	0.1	RMS	935.7	-56.92	-25	Pass	9701
1000	2560	1	RMS	2552	-43.09	-25	Pass	1561
2560	2630	1	RMS	2605.675	21.1	60	Pass	401
2630	3000	1	RMS	2632.775	-33.7	-25	Pass	401
3000	12000	1	RMS	5211	-53.32	-25	Pass	9001
12000	26500	1	RMS	25608	-37.9	-25	Pass	14501



9.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:37850, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.18	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.73	-25	Pass	2986
30	1000	0.1	RMS	923.1	-56.99	-25	Pass	9701
1000	2560	1	RMS	2553	-40.69	-25	Pass	1561
2560	2630	1	RMS	2571.025	21.33	60	Pass	401
2630	3000	1	RMS	2691.975	-43.17	-25	Pass	401
3000	12000	1	RMS	5142	-49.66	-25	Pass	9001
12000	26500	1	RMS	25594	-37.83	-25	Pass	14501



9.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:37850, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.11	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.91	-25	Pass	2986
30	1000	0.1	RMS	880.2	-57	-25	Pass	9701
1000	2560	1	RMS	2554	-41.07	-25	Pass	1561
2560	2630	1	RMS	2571.2	20.75	60	Pass	401
2630	3000	1	RMS	2682.725	-43.19	-25	Pass	401
3000	12000	1	RMS	5142	-54.59	-25	Pass	9001
12000	26500	1	RMS	25596	-37.88	-25	Pass	14501



9.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:38000, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.51	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.45	-25	Pass	2986
30	1000	0.1	RMS	929.2	-56.92	-25	Pass	9701
1000	2560	1	RMS	2560	-42.02	-25	Pass	1561
2560	2630	1	RMS	2586.075	21.78	60	Pass	401
2630	3000	1	RMS	2686.425	-43.16	-25	Pass	401
3000	12000	1	RMS	5172	-51.09	-25	Pass	9001
12000	26500	1	RMS	25605	-37.78	-25	Pass	14501



9.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.41	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.78	-25	Pass	2986
30	1000	0.1	RMS	946.3	-57.01	-25	Pass	9701
1000	2560	1	RMS	2560	-41.71	-25	Pass	1561
2560	2630	1	RMS	2586.075	21.31	60	Pass	401
2630	3000	1	RMS	2690.125	-43.17	-25	Pass	401
3000	12000	1	RMS	5172	-51.73	-25	Pass	9001
12000	26500	1	RMS	25610	-37.85	-25	Pass	14501



9.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:38150, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.35	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.32	-25	Pass	2986
30	1000	0.1	RMS	998	-56.87	-25	Pass	9701
1000	2560	1	RMS	2539	-43.13	-25	Pass	1561
2560	2630	1	RMS	2600.95	21.85	60	Pass	401
2630	3000	1	RMS	2636.475	-32.97	-25	Pass	401
3000	12000	1	RMS	5203	-53.16	-25	Pass	9001
12000	26500	1	RMS	25594	-37.84	-25	Pass	14501



9.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.97	-25	Pass	2986
30	1000	0.1	RMS	972.6	-57.07	-25	Pass	9701
1000	2560	1	RMS	2557	-43.1	-25	Pass	1561
2560	2630	1	RMS	2600.95	21.16	60	Pass	401
2630	3000	1	RMS	2636.475	-33.14	-25	Pass	401
3000	12000	1	RMS	5203	-57.05	-25	Pass	9001
12000	26500	1	RMS	25616	-37.84	-25	Pass	14501



10. LTE_Band41 full


10.1. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:39675, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.12	-25	Pass	2986
30	1000	0.1	RMS	914.9	-56.95	-25	Pass	9701
1000	2486	1	RMS	2486	-40.09	-25	Pass	1487
2486	2700	1	RMS	2496.165	22.23	60	Pass	401
2700	3000	1	RMS	2700	-43.29	-25	Pass	401
3000	12000	1	RMS	4992	-50.67	-25	Pass	9001
12000	27000	1	RMS	25588	-38.37	-25	Pass	15001




10.2. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:39675, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.34	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.17	-25	Pass	2986
30	1000	0.1	RMS	977	-57.03	-25	Pass	9701
1000	2486	1	RMS	2485	-41.98	-25	Pass	1487
2486	2700	1	RMS	2496.165	20.83	60	Pass	401
2700	3000	1	RMS	2700.75	-43.27	-25	Pass	401
3000	12000	1	RMS	11862	-57.79	-25	Pass	9001
12000	27000	1	RMS	25607	-38.28	-25	Pass	15001




10.3. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:40620, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.75	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.17	-25	Pass	2986
30	1000	0.1	RMS	974.3	-57	-25	Pass	9701
1000	2486	1	RMS	2486	-43.76	-25	Pass	1487
2486	2700	1	RMS	2590.86	21.02	60	Pass	401
2700	3000	1	RMS	2700.75	-43.28	-25	Pass	401
3000	12000	1	RMS	5182	-56.02	-25	Pass	9001
12000	27000	1	RMS	25603	-38.28	-25	Pass	15001




10.4. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:40620, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.36	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.09	-25	Pass	2986
30	1000	0.1	RMS	900.4	-57	-25	Pass	9701
1000	2486	1	RMS	2476	-43.79	-25	Pass	1487
2486	2700	1	RMS	2590.86	20.22	60	Pass	401
2700	3000	1	RMS	2700.75	-43.28	-25	Pass	401
3000	12000	1	RMS	5182	-50.47	-25	Pass	9001
12000	27000	1	RMS	25593	-38.37	-25	Pass	15001




10.5. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:41565, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-49.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.45	-25	Pass	2986
30	1000	0.1	RMS	907.7	-56.97	-25	Pass	9701
1000	2486	1	RMS	2483	-43.8	-25	Pass	1487
2486	2700	1	RMS	2685.555	21.9	60	Pass	401
2700	3000	1	RMS	2711.25	-41.46	-25	Pass	401
3000	12000	1	RMS	5371	-49.64	-25	Pass	9001
12000	27000	1	RMS	25603	-38.39	-25	Pass	15001




10.6. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:41565, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.49	-25	Pass	2986
30	1000	0.1	RMS	894.7	-56.94	-25	Pass	9701
1000	2486	1	RMS	2485	-43.84	-25	Pass	1487
2486	2700	1	RMS	2685.02	20.58	60	Pass	401
2700	3000	1	RMS	2711.25	-42.04	-25	Pass	401
3000	12000	1	RMS	5370	-49.32	-25	Pass	9001
12000	27000	1	RMS	25604	-38.3	-25	Pass	15001




10.7. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:39700, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.52	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.51	-25	Pass	2986
30	1000	0.1	RMS	987.8	-57.04	-25	Pass	9701
1000	2486	1	RMS	2485	-41.18	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.07	60	Pass	401
2700	3000	1	RMS	2700.75	-43.29	-25	Pass	401
3000	12000	1	RMS	4992	-57.45	-25	Pass	9001
12000	27000	1	RMS	25589	-38.36	-25	Pass	15001




10.8. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:39700, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.04	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.25	-25	Pass	2986
30	1000	0.1	RMS	866.8	-56.94	-25	Pass	9701
1000	2486	1	RMS	2486	-40.7	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.82	60	Pass	401
2700	3000	1	RMS	2700	-43.28	-25	Pass	401
3000	12000	1	RMS	4993	-48.42	-25	Pass	9001
12000	27000	1	RMS	25593	-38.34	-25	Pass	15001



10.9. LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:40620, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52	-25	Pass	2986
30	1000	0.1	RMS	992.1	-56.96	-25	Pass	9701
1000	2486	1	RMS	2485	-43.79	-25	Pass	1487
2486	2700	1	RMS	2588.72	21.08	60	Pass	401
2700	3000	1	RMS	2700.75	-43.31	-25	Pass	401
3000	12000	1	RMS	5177	-53.13	-25	Pass	9001
12000	27000	1	RMS	25591	-38.32	-25	Pass	15001



10.10. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:40620, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-48.66	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.23	-25	Pass	2986
30	1000	0.1	RMS	995.4	-56.95	-25	Pass	9701
1000	2486	1	RMS	2486	-43.78	-25	Pass	1487
2486	2700	1	RMS	2588.72	20.89	60	Pass	401
2700	3000	1	RMS	2700.75	-43.31	-25	Pass	401
3000	12000	1	RMS	5177	-52.39	-25	Pass	9001
12000	27000	1	RMS	25594	-38.31	-25	Pass	15001



10.11. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:41540, Bandwidth:10,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.29	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.67	-25	Pass	2986
30	1000	0.1	RMS	915.5	-56.98	-25	Pass	9701
1000	2486	1	RMS	2478	-43.79	-25	Pass	1487
2486	2700	1	RMS	2680.74	22.61	60	Pass	401
2700	3000	1	RMS	2706.75	-41.43	-25	Pass	401
3000	12000	1	RMS	5361	-45.08	-25	Pass	9001
12000	27000	1	RMS	25575	-38.25	-25	Pass	15001



10.12. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:41540, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.94	-25	Pass	2986
30	1000	0.1	RMS	887.7	-56.93	-25	Pass	9701
1000	2486	1	RMS	2430	-43.78	-25	Pass	1487
2486	2700	1	RMS	2680.74	21.26	60	Pass	401
2700	3000	1	RMS	2706.75	-42.09	-25	Pass	401
3000	12000	1	RMS	5362	-50.51	-25	Pass	9001
12000	27000	1	RMS	25590	-38.3	-25	Pass	15001



10.13. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:39725, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.72	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.05	-25	Pass	2986
30	1000	0.1	RMS	994.9	-56.98	-25	Pass	9701
1000	2486	1	RMS	2484	-40.72	-25	Pass	1487
2486	2700	1	RMS	2496.7	22.08	60	Pass	401
2700	3000	1	RMS	2700.75	-43.26	-25	Pass	401
3000	12000	1	RMS	11855	-57.78	-25	Pass	9001
12000	27000	1	RMS	25595	-38.36	-25	Pass	15001



10.14. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:39725, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.24	-25	Pass	401
0.15	30	0.01	RMS	0.16	-52.57	-25	Pass	2986
30	1000	0.1	RMS	996.6	-56.87	-25	Pass	9701
1000	2486	1	RMS	2484	-40.93	-25	Pass	1487
2486	2700	1	RMS	2496.7	20.72	60	Pass	401
2700	3000	1	RMS	2704.5	-43.33	-25	Pass	401
3000	12000	1	RMS	4994	-49.86	-25	Pass	9001
12000	27000	1	RMS	25598	-38.33	-25	Pass	15001



10.15. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:40620, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.6	-25	Pass	401
0.15	30	0.01	RMS	0.15	-50.56	-25	Pass	2986
30	1000	0.1	RMS	907.9	-57.01	-25	Pass	9701
1000	2486	1	RMS	2432	-43.83	-25	Pass	1487
2486	2700	1	RMS	2586.045	20.7	60	Pass	401
2700	3000	1	RMS	2700	-43.27	-25	Pass	401
3000	12000	1	RMS	5172	-53.89	-25	Pass	9001
12000	27000	1	RMS	25585	-38.36	-25	Pass	15001



10.16. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:40620, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-47.49	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.73	-25	Pass	2986
30	1000	0.1	RMS	998.1	-56.94	-25	Pass	9701
1000	2486	1	RMS	2485	-43.82	-25	Pass	1487
2486	2700	1	RMS	2586.58	20.24	60	Pass	401
2700	3000	1	RMS	2700	-43.26	-25	Pass	401
3000	12000	1	RMS	5173	-51.26	-25	Pass	9001
12000	27000	1	RMS	25610	-38.27	-25	Pass	15001



10.17. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:41515, Bandwidth:15,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-49.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.45	-25	Pass	2986
30	1000	0.1	RMS	895.7	-56.92	-25	Pass	9701
1000	2486	1	RMS	2483	-43.78	-25	Pass	1487
2486	2700	1	RMS	2675.925	21.37	60	Pass	401
2700	3000	1	RMS	2702.25	-38.32	-25	Pass	401
3000	12000	1	RMS	5352	-47.56	-25	Pass	9001
12000	27000	1	RMS	25598	-38.29	-25	Pass	15001



10.18. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:41515, Bandwidth:15,
Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.63	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.11	-25	Pass	2986
30	1000	0.1	RMS	986.6	-56.99	-25	Pass	9701
1000	2486	1	RMS	2484	-43.77	-25	Pass	1487
2486	2700	1	RMS	2675.925	20.23	60	Pass	401
2700	3000	1	RMS	2702.25	-38.37	-25	Pass	401
3000	12000	1	RMS	5351	-55.31	-25	Pass	9001
12000	27000	1	RMS	25602	-38.32	-25	Pass	15001



10.19. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:39750, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-49.9	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.49	-25	Pass	2986
30	1000	0.1	RMS	999.8	-56.96	-25	Pass	9701
1000	2486	1	RMS	2479	-40.92	-25	Pass	1487
2486	2700	1	RMS	2497.235	21.17	60	Pass	401
2700	3000	1	RMS	2703	-43.3	-25	Pass	401
3000	12000	1	RMS	4994	-51.78	-25	Pass	9001
12000	27000	1	RMS	25587	-38.33	-25	Pass	15001



10.20. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:39750, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.53	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.27	-25	Pass	2986
30	1000	0.1	RMS	993.7	-57.04	-25	Pass	9701
1000	2486	1	RMS	2486	-41.5	-25	Pass	1487
2486	2700	1	RMS	2497.235	21	60	Pass	401
2700	3000	1	RMS	2700.75	-43.29	-25	Pass	401
3000	12000	1	RMS	4995	-52.86	-25	Pass	9001
12000	27000	1	RMS	25612	-38.33	-25	Pass	15001



10.21. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:40620, Bandwidth:20,
Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-50.32	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.63	-25	Pass	2986
30	1000	0.1	RMS	883	-57.01	-25	Pass	9701
1000	2486	1	RMS	2485	-43.65	-25	Pass	1487
2486	2700	1	RMS	2583.905	21.34	60	Pass	401
2700	3000	1	RMS	2700	-43.3	-25	Pass	401
3000	12000	1	RMS	5168	-55.15	-25	Pass	9001
12000	27000	1	RMS	25593	-38.25	-25	Pass	15001



10.22. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:40620, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-48.74	-25	Pass	401
0.15	30	0.01	RMS	0.16	-51.97	-25	Pass	2986
30	1000	0.1	RMS	884.2	-56.82	-25	Pass	9701
1000	2486	1	RMS	2478	-43.82	-25	Pass	1487
2486	2700	1	RMS	2583.905	20.1	60	Pass	401
2700	3000	1	RMS	2700	-43.32	-25	Pass	401
3000	12000	1	RMS	5169	-57.33	-25	Pass	9001
12000	27000	1	RMS	25590	-38.3	-25	Pass	15001



10.23. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:41490, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-48.59	-25	Pass	401
0.15	30	0.01	RMS	0.15	-51.93	-25	Pass	2986
30	1000	0.1	RMS	892.9	-57.04	-25	Pass	9701
1000	2486	1	RMS	2484	-43.84	-25	Pass	1487
2486	2700	1	RMS	2671.11	22.54	60	Pass	401
2700	3000	1	RMS	2706.75	-36.62	-25	Pass	401
3000	12000	1	RMS	5342	-45.58	-25	Pass	9001
12000	27000	1	RMS	25619	-38.35	-25	Pass	15001



10.24. LTE Spurious Emission at Antenna

Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:41490, Bandwidth:20,
Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-49.38	-25	Pass	401
0.15	30	0.01	RMS	0.15	-52.46	-25	Pass	2986
30	1000	0.1	RMS	905.3	-56.95	-25	Pass	9701
1000	2486	1	RMS	2481	-43.82	-25	Pass	1487
2486	2700	1	RMS	2671.11	20.22	60	Pass	401
2700	3000	1	RMS	2706.75	-35.95	-25	Pass	401
3000	12000	1	RMS	5342	-48.8	-25	Pass	9001
12000	27000	1	RMS	25607	-38.38	-25	Pass	15001



--BLANK BELOW--