



n78f 30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3575	1	/	1	3072.300	-40.57	-30	Pass
3575	3580	1	/	2	3579.750	-42.01	-25	Pass
3580	3605	1	/	3	3602.700	-40.54	-13	Pass
3605	3645	1	/	/	/	/	/	/
3645	3670	1	/	4	3660.500	-40.08	-13	Pass
3670	3675	1	/	5	3672.400	-40.36	-25	Pass
3675	26500	1	/	6	26199.950	-34.71	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3789.99MHz_Edge_1RB_Left Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3749.600	-40.33	-30	Pass
3755	3760	1	CHP	2	3757.100	-40.26	-25	Pass
3760	3775	1	CHP	3	3772.050	-39.94	-13	Pass
3775	3779	1	CHP	4	3778.500	-39.22	-10	Pass
3779	3780	0.2	CHP	5	3779.950	-34.41	-13	Pass
3780	3800	0.2	CHP	/	/	/	/	/
3800	3801	0.2	CHP	6	3800.100	-47.86	-13	Pass
3801	3805	1	CHP	7	3801.500	-40.12	-10	Pass
3805	3820	1	CHP	8	3813.150	-40.03	-13	Pass
3820	3825	1	CHP	9	3820.400	-40.27	-25	Pass
3825	3835	1	CHP	10	3828.150	-40.13	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_3789.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3752.400	-40.44	-30	Pass
3755	3760	1	CHP	2	3758.750	-40.34	-25	Pass
3760	3775	1	CHP	3	3770.900	-40.14	-13	Pass
3775	3779	1	CHP	4	3777.450	-40.22	-10	Pass
3779	3780	0.2	CHP	5	3779.300	-47.85	-13	Pass
3780	3800	0.2	CHP	/	/	/	/	/
3800	3801	0.2	CHP	6	3800.050	-30.41	-13	Pass
3801	3805	1	CHP	7	3801.500	-38.96	-10	Pass
3805	3820	1	CHP	8	3805.100	-40.10	-13	Pass
3820	3825	1	CHP	9	3821.100	-40.29	-25	Pass
3825	3835	1	CHP	10	3833.900	-40.27	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_3789.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	896.750	-45.00	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_3789.99MHz_Edge_1RB_Right_Ant1




n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_3789.99MHz_Outer_Full_Ant1



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f 30kHz SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3789.99MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3751.900	-40.29	-30	Pass
3755	3760	1	CHP	2	3760.000	-40.33	-25	Pass
3760	3775	1	CHP	3	3760.600	-40.19	-13	Pass
3775	3779	1	CHP	4	3778.450	-38.90	-10	Pass
3779	3780	0.2	CHP	5	3779.950	-30.07	-13	Pass
3780	3800	0.2	CHP	/	/	/	/	/
3800	3801	0.2	CHP	6	3800.200	-47.28	-13	Pass
3801	3805	1	CHP	7	3801.500	-40.21	-10	Pass
3805	3820	1	CHP	8	3810.100	-40.17	-13	Pass
3820	3825	1	CHP	9	3824.900	-40.07	-25	Pass
3825	3835	1	CHP	10	3825.050	-40.20	-30	Pass

n78f 30kHz SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_3789.99MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3747.150	-40.26	-30	Pass
3755	3760	1	CHP	2	3757.850	-40.21	-25	Pass
3760	3775	1	CHP	3	3772.800	-40.14	-13	Pass
3775	3779	1	CHP	4	3775.100	-40.35	-10	Pass
3779	3780	0.2	CHP	5	3779.700	-47.65	-13	Pass
3780	3800	0.2	CHP	/	/	/	/	/
3800	3801	0.2	CHP	6	3800.050	-30.52	-13	Pass
3801	3805	1	CHP	7	3801.500	-38.87	-10	Pass
3805	3820	1	CHP	8	3806.950	-39.96	-13	Pass
3820	3825	1	CHP	9	3824.550	-40.27	-25	Pass
3825	3835	1	CHP	10	3833.400	-40.31	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3460.02MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3416.550	-44.09	-30	Pass
3425	3430	1	CHP	2	3425.950	-44.28	-25	Pass
3430	3445	1	CHP	3	3443.050	-42.09	-13	Pass
3445	3449	1	CHP	4	3448.500	-41.61	-10	Pass
3449	3450	0.2	CHP	5	3449.900	-28.21	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.750	-51.77	-13	Pass
3471	3475	1	CHP	7	3472.050	-44.62	-10	Pass
3475	3490	1	CHP	8	3478.650	-44.30	-13	Pass
3490	3495	1	CHP	9	3490.100	-44.87	-25	Pass
3495	3505	1	CHP	10	3498.350	-44.31	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3460.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	890.650	-45.00	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3460.02MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3425	1	/	1	3257.600	-40.78	-30	Pass
3425	3430	1	/	2	3425.900	-42.45	-25	Pass
3430	3445	1	/	3	3443.750	-41.45	-13	Pass
3445	3475	1	/	/	/	/	/	/
3475	3490	1	/	4	3476.050	-42.37	-13	Pass
3490	3495	1	/	5	3490.500	-42.37	-25	Pass
3495	26500	1	/	6	26274.750	-34.47	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3460.02MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3416.700	-44.36	-30	Pass
3425	3430	1	CHP	2	3425.850	-44.40	-25	Pass
3430	3445	1	CHP	3	3431.850	-44.38	-13	Pass
3445	3449	1	CHP	4	3446.050	-44.53	-10	Pass
3449	3450	0.2	CHP	5	3449.450	-51.80	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.050	-25.50	-13	Pass
3471	3475	1	CHP	7	3471.500	-39.90	-10	Pass
3475	3490	1	CHP	8	3476.750	-42.92	-13	Pass
3490	3495	1	CHP	9	3491.700	-44.53	-25	Pass
3495	3505	1	CHP	10	3502.150	-44.34	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3460.02MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3417.550	-40.64	-30	Pass
3425	3430	1	CHP	2	3425.050	-41.89	-25	Pass
3430	3445	1	CHP	3	3445.000	-41.54	-13	Pass
3445	3449	1	CHP	4	3448.500	-39.95	-10	Pass
3449	3450	0.2	CHP	5	3449.950	-33.29	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.200	-42.38	-13	Pass
3471	3475	1	CHP	7	3471.600	-40.63	-10	Pass
3475	3490	1	CHP	8	3476.700	-42.44	-13	Pass
3490	3495	1	CHP	9	3491.700	-43.54	-25	Pass
3495	3505	1	CHP	10	3504.400	-42.17	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3460.02MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3422.100	-44.06	-30	Pass
3425	3430	1	CHP	2	3425.050	-44.23	-25	Pass
3430	3445	1	CHP	3	3443.350	-41.50	-13	Pass
3445	3449	1	CHP	4	3448.500	-39.23	-10	Pass
3449	3450	0.2	CHP	5	3449.950	-25.96	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.050	-51.73	-13	Pass
3471	3475	1	CHP	7	3473.400	-44.53	-10	Pass
3475	3490	1	CHP	8	3486.450	-44.37	-13	Pass
3490	3495	1	CHP	9	3493.750	-44.40	-25	Pass
3495	3505	1	CHP	10	3495.700	-44.43	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3460.02MHz Inner 1RB Right Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3420.400	-44.03	-30	Pass
3425	3430	1	CHP	2	3425.100	-44.26	-25	Pass
3430	3445	1	CHP	3	3442.600	-44.37	-13	Pass
3445	3449	1	CHP	4	3448.300	-43.99	-10	Pass
3449	3450	0.2	CHP	5	3449.700	-51.97	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.050	-30.43	-13	Pass
3471	3475	1	CHP	7	3471.500	-39.05	-10	Pass
3475	3490	1	CHP	8	3476.700	-42.23	-13	Pass
3490	3495	1	CHP	9	3491.950	-44.42	-25	Pass
3495	3505	1	CHP	10	3504.100	-44.35	-30	Pass

n78f 30kHz SISO NTN 20MHz DFT-s-OFDM QPSK 3624.99MHz Edge 1RB Left Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	843.150	-45.03	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3575	1	/	1	3219.350	-40.84	-30	Pass
3575	3580	1	/	2	3577.200	-41.67	-25	Pass
3580	3605	1	/	3	3600.150	-40.74	-13	Pass
3605	3645	1	/	/	/	/	/	/
3645	3670	1	/	4	3661.350	-39.82	-13	Pass
3670	3675	1	/	5	3673.250	-40.42	-25	Pass
3675	26500	1	/	6	26214.400	-34.56	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3789.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3746.200	-40.17	-30	Pass
3755	3760	1	CHP	2	3756.000	-40.23	-25	Pass
3760	3775	1	CHP	3	3761.550	-40.14	-13	Pass
3775	3779	1	CHP	4	3778.500	-39.33	-10	Pass
3779	3780	0.2	CHP	5	3779.900	-30.54	-13	Pass
3780	3800	0.2	CHP	/	/	/	/	/
3800	3801	0.2	CHP	6	3800.350	-46.61	-13	Pass
3801	3805	1	CHP	7	3804.800	-40.09	-10	Pass
3805	3820	1	CHP	8	3805.300	-40.14	-13	Pass
3820	3825	1	CHP	9	3821.150	-40.09	-25	Pass
3825	3835	1	CHP	10	3832.750	-40.25	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3789.99MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3750.000	-40.49	-30	Pass
3755	3760	1	CHP	2	3757.350	-40.24	-25	Pass
3760	3775	1	CHP	3	3769.650	-40.22	-13	Pass
3775	3779	1	CHP	4	3776.800	-40.43	-10	Pass
3779	3780	0.2	CHP	5	3779.200	-47.51	-13	Pass
3780	3800	0.2	CHP	/	/	/	/	/
3800	3801	0.2	CHP	6	3800.050	-30.49	-13	Pass
3801	3805	1	CHP	7	3801.500	-39.29	-10	Pass
3805	3820	1	CHP	8	3806.300	-40.01	-13	Pass
3820	3825	1	CHP	9	3821.450	-40.25	-25	Pass
3825	3835	1	CHP	10	3825.550	-40.01	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3789.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	891.600	-44.84	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3789.99MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3755	1	/	1	3728.500	-39.20	-30	Pass
3755	3760	1	/	2	3757.400	-39.37	-25	Pass
3760	3775	1	/	3	3771.000	-39.15	-13	Pass
3775	3805	1	/	/	/	/	/	/
3805	3820	1	/	4	3816.900	-39.24	-13	Pass
3820	3825	1	/	5	3822.850	-39.50	-25	Pass
3825	26500	1	/	6	26250.950	-35.07	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3789.99MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3748.900	-39.56	-30	Pass
3755	3760	1	CHP	2	3759.900	-39.91	-25	Pass
3760	3775	1	CHP	3	3774.950	-39.36	-13	Pass
3775	3779	1	CHP	4	3776.750	-38.79	-10	Pass
3779	3780	0.2	CHP	5	3779.950	-38.68	-13	Pass
3780	3800	0.2	CHP	/	/	/	/	/
3800	3801	0.2	CHP	6	3800.050	-43.35	-13	Pass
3801	3805	1	CHP	7	3804.300	-39.55	-10	Pass
3805	3820	1	CHP	8	3810.450	-39.25	-13	Pass
3820	3825	1	CHP	9	3822.300	-40.26	-25	Pass
3825	3835	1	CHP	10	3829.650	-39.90	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3789.99MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3754.600	-40.22	-30	Pass
3755	3760	1	CHP	2	3756.600	-40.22	-25	Pass
3760	3775	1	CHP	3	3765.400	-40.00	-13	Pass
3775	3779	1	CHP	4	3778.500	-38.90	-10	Pass
3779	3780	0.2	CHP	5	3779.850	-30.70	-13	Pass
3780	3800	0.2	CHP	/	/	/	/	/
3800	3801	0.2	CHP	6	3800.450	-47.38	-13	Pass
3801	3805	1	CHP	7	3802.700	-40.34	-10	Pass
3805	3820	1	CHP	8	3816.750	-40.16	-13	Pass
3820	3825	1	CHP	9	3822.900	-40.29	-25	Pass
3825	3835	1	CHP	10	3829.450	-40.04	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3789.99MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3749.750	-40.41	-30	Pass
3755	3760	1	CHP	2	3758.150	-40.33	-25	Pass
3760	3775	1	CHP	3	3766.350	-40.23	-13	Pass
3775	3779	1	CHP	4	3776.050	-40.22	-10	Pass
3779	3780	0.2	CHP	5	3779.750	-47.53	-13	Pass
3780	3800	0.2	CHP	/	/	/	/	/
3800	3801	0.2	CHP	6	3800.050	-33.36	-13	Pass
3801	3805	1	CHP	7	3801.500	-39.59	-10	Pass
3805	3820	1	CHP	8	3817.650	-40.00	-13	Pass
3820	3825	1	CHP	9	3823.050	-40.26	-25	Pass
3825	3835	1	CHP	10	3828.950	-40.12	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3417.200	-44.41	-30	Pass
3425	3430	1	CHP	2	3427.600	-44.32	-25	Pass
3430	3445	1	CHP	3	3432.800	-43.13	-13	Pass
3445	3449	1	CHP	4	3448.500	-41.07	-10	Pass
3449	3450	0.2	CHP	5	3449.950	-24.78	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.550	-51.29	-13	Pass
3471	3475	1	CHP	7	3471.650	-44.80	-10	Pass
3475	3490	1	CHP	8	3483.850	-44.50	-13	Pass
3490	3495	1	CHP	9	3495.000	-44.53	-25	Pass
3495	3505	1	CHP	10	3495.300	-44.47	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	885.650	-45.18	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3425	1	/	1	3225.300	-40.57	-30	Pass
3425	3430	1	/	2	3428.450	-42.01	-25	Pass
3430	3445	1	/	3	3444.600	-40.18	-13	Pass
3445	3475	1	/	/	/	/	/	/
3475	3490	1	/	4	3479.450	-42.22	-13	Pass
3490	3495	1	/	5	3493.900	-42.65	-25	Pass
3495	26500	1	/	6	26268.800	-34.69	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3418.800	-44.03	-30	Pass
3425	3430	1	CHP	2	3427.500	-44.23	-25	Pass
3430	3445	1	CHP	3	3443.700	-44.26	-13	Pass
3445	3449	1	CHP	4	3446.000	-44.30	-10	Pass
3449	3450	0.2	CHP	5	3449.500	-51.42	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.050	-25.40	-13	Pass
3471	3475	1	CHP	7	3471.500	-38.12	-10	Pass
3475	3490	1	CHP	8	3477.000	-43.22	-13	Pass
3490	3495	1	CHP	9	3491.900	-44.60	-25	Pass
3495	3505	1	CHP	10	3499.950	-44.44	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3419.000	-40.69	-30	Pass
3425	3430	1	CHP	2	3426.100	-40.79	-25	Pass
3430	3445	1	CHP	3	3445.000	-40.51	-13	Pass
3445	3449	1	CHP	4	3448.500	-34.69	-10	Pass
3449	3450	0.2	CHP	5	3449.950	-33.13	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.050	-37.24	-13	Pass
3471	3475	1	CHP	7	3471.500	-34.50	-10	Pass
3475	3490	1	CHP	8	3475.700	-41.47	-13	Pass
3490	3495	1	CHP	9	3495.000	-42.49	-25	Pass
3495	3505	1	CHP	10	3500.800	-41.50	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3418.550	-44.12	-30	Pass
3425	3430	1	CHP	2	3425.400	-44.37	-25	Pass
3430	3445	1	CHP	3	3443.400	-42.56	-13	Pass
3445	3449	1	CHP	4	3448.500	-39.52	-10	Pass
3449	3450	0.2	CHP	5	3449.950	-27.94	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.650	-51.29	-13	Pass
3471	3475	1	CHP	7	3472.250	-44.40	-10	Pass
3475	3490	1	CHP	8	3479.550	-44.25	-13	Pass
3490	3495	1	CHP	9	3491.050	-44.57	-25	Pass
3495	3505	1	CHP	10	3502.950	-44.16	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f 30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3415	3425	1	CHP	1	3421.250	-44.24	-30	Pass
3425	3430	1	CHP	2	3428.550	-44.40	-25	Pass
3430	3445	1	CHP	3	3435.250	-44.32	-13	Pass
3445	3449	1	CHP	4	3446.700	-44.33	-10	Pass
3449	3450	0.2	CHP	5	3449.450	-51.14	-13	Pass
3450	3470	0.2	CHP	/	/	/	/	/
3470	3471	0.2	CHP	6	3470.050	-26.60	-13	Pass
3471	3475	1	CHP	7	3471.550	-39.13	-10	Pass
3475	3490	1	CHP	8	3477.000	-43.40	-13	Pass
3490	3495	1	CHP	9	3493.350	-44.29	-25	Pass
3495	3505	1	CHP	10	3496.300	-44.38	-30	Pass

n78f 30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	883.500	-44.91	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3624.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3575	1	/	1	3227.000	-39.98	-30	Pass
3575	3580	1	/	2	3577.200	-41.82	-25	Pass
3580	3605	1	/	3	3601.850	-40.96	-13	Pass
3605	3645	1	/	/	/	/	/	/
3645	3670	1	/	4	3668.150	-39.41	-13	Pass
3670	3675	1	/	5	3672.400	-39.97	-25	Pass
3675	26500	1	/	6	26230.550	-34.68	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3753.950	-40.26	-30	Pass
3755	3760	1	CHP	2	3757.050	-40.61	-25	Pass
3760	3775	1	CHP	3	3774.650	-40.05	-13	Pass
3775	3779	1	CHP	4	3778.500	-38.08	-10	Pass
3779	3780	0.2	CHP	5	3779.950	-28.33	-13	Pass
3780	3800	0.2	CHP	/	/	/	/	/
3800	3801	0.2	CHP	6	3800.400	-47.47	-13	Pass
3801	3805	1	CHP	7	3803.900	-40.15	-10	Pass
3805	3820	1	CHP	8	3815.850	-40.24	-13	Pass
3820	3825	1	CHP	9	3823.200	-40.21	-25	Pass
3825	3835	1	CHP	10	3830.650	-40.33	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f 30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3751.800	-40.57	-30	Pass
3755	3760	1	CHP	2	3759.050	-40.25	-25	Pass
3760	3775	1	CHP	3	3761.250	-40.44	-13	Pass
3775	3779	1	CHP	4	3777.350	-40.25	-10	Pass
3779	3780	0.2	CHP	5	3779.500	-47.45	-13	Pass
3780	3800	0.2	CHP	/	/	/	/	/
3800	3801	0.2	CHP	6	3800.050	-27.75	-13	Pass
3801	3805	1	CHP	7	3801.500	-39.25	-10	Pass
3805	3820	1	CHP	8	3808.400	-39.99	-13	Pass
3820	3825	1	CHP	9	3820.850	-40.28	-25	Pass
3825	3835	1	CHP	10	3832.400	-40.29	-30	Pass

n78f 30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	899.250	-45.09	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3755	1	/	1	3731.050	-39.35	-30	Pass
3755	3760	1	/	2	3758.250	-39.53	-25	Pass
3760	3775	1	/	3	3762.500	-39.20	-13	Pass
3775	3805	1	/	/	/	/	/	/
3805	3820	1	/	4	3806.700	-38.85	-13	Pass
3820	3825	1	/	5	3822.000	-39.59	-25	Pass
3825	26500	1	/	6	26275.600	-34.74	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3752.050	-39.55	-30	Pass
3755	3760	1	CHP	2	3756.700	-39.39	-25	Pass
3760	3775	1	CHP	3	3775.000	-38.57	-13	Pass
3775	3779	1	CHP	4	3778.300	-35.22	-10	Pass
3779	3780	0.2	CHP	5	3779.950	-36.36	-13	Pass
3780	3800	0.2	CHP	/	/	/	/	/
3800	3801	0.2	CHP	6	3800.050	-39.69	-13	Pass
3801	3805	1	CHP	7	3801.500	-36.23	-10	Pass
3805	3820	1	CHP	8	3806.700	-39.00	-13	Pass
3820	3825	1	CHP	9	3822.200	-39.74	-25	Pass
3825	3835	1	CHP	10	3826.550	-39.96	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3753.650	-40.52	-30	Pass
3755	3760	1	CHP	2	3755.200	-40.43	-25	Pass
3760	3775	1	CHP	3	3772.200	-40.05	-13	Pass
3775	3779	1	CHP	4	3778.500	-38.27	-10	Pass
3779	3780	0.2	CHP	5	3779.900	-33.28	-13	Pass
3780	3800	0.2	CHP	/	/	/	/	/
3800	3801	0.2	CHP	6	3800.200	-47.59	-13	Pass
3801	3805	1	CHP	7	3805.000	-40.36	-10	Pass
3805	3820	1	CHP	8	3809.100	-40.22	-13	Pass
3820	3825	1	CHP	9	3824.150	-40.18	-25	Pass
3825	3835	1	CHP	10	3830.800	-40.21	-30	Pass

n78f_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3789.99MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3745	3755	1	CHP	1	3746.050	-40.45	-30	Pass
3755	3760	1	CHP	2	3759.550	-40.30	-25	Pass
3760	3775	1	CHP	3	3767.100	-40.25	-13	Pass
3775	3779	1	CHP	4	3778.450	-40.34	-10	Pass
3779	3780	0.2	CHP	5	3779.400	-47.09	-13	Pass
3780	3800	0.2	CHP	/	/	/	/	/
3800	3801	0.2	CHP	6	3800.050	-31.48	-13	Pass
3801	3805	1	CHP	7	3801.500	-39.67	-10	Pass
3805	3820	1	CHP	8	3807.450	-40.03	-13	Pass
3820	3825	1	CHP	9	3822.500	-40.23	-25	Pass
3825	3835	1	CHP	10	3832.800	-40.14	-30	Pass


5.2.3 30_S_30M_NTNV



Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f 30kHz SISO NTN 30MHz DFT-s-OFDM PI/2 BPSK 3465MHz Edge 1RB Left Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3415	1	/	1	3298.400	-40.41	-30	Pass
3415	3420	1	/	2	3419.100	-42.38	-25	Pass
3420	3445	1	/	3	3442.900	-41.05	-13	Pass
3445	3485	1	/	/	/	/	/	/
3485	3510	1	/	4	3500.700	-42.48	-13	Pass
3510	3515	1	/	5	3514.300	-42.51	-25	Pass
3515	26500	1	/	6	26233.100	-34.90	-30	Pass

n78f 30kHz SISO NTN 30MHz DFT-s-OFDM PI/2 BPSK 3465MHz Edge 1RB Right Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3405	3415	1	CHP	1	3412.920	-43.94	-30	Pass
3415	3420	1	CHP	2	3419.760	-44.46	-25	Pass
3420	3445	1	CHP	3	3441.120	-44.11	-13	Pass
3445	3449	1	CHP	4	3448.320	-44.36	-10	Pass
3449	3450	0.3	/	5	3449.520	-48.57	-13	Pass
3450	3480	0.3	/	/	/	/	/	/
3480	3481	0.3	/	6	3480.120	-35.85	-13	Pass
3481	3485	1	CHP	7	3481.560	-42.77	-10	Pass
3485	3510	1	CHP	8	3486.840	-43.01	-13	Pass
3510	3515	1	CHP	9	3512.040	-44.32	-25	Pass
3515	3525	1	CHP	10	3519.720	-44.33	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3465MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3405	3415	1	CHP	1	3413.040	-43.68	-30	Pass
3415	3420	1	CHP	2	3417.480	-43.58	-25	Pass
3420	3445	1	CHP	3	3427.560	-42.44	-13	Pass
3445	3449	1	CHP	4	3448.440	-43.47	-10	Pass
3449	3450	0.3	/	5	3449.400	-46.11	-13	Pass
3450	3480	0.3	/	/	/	/	/	/
3480	3481	0.3	/	6	3480.600	-44.66	-13	Pass
3481	3485	1	CHP	7	3481.560	-41.84	-10	Pass
3485	3510	1	CHP	8	3496.440	-42.13	-13	Pass
3510	3515	1	CHP	9	3510.960	-43.98	-25	Pass
3515	3525	1	CHP	10	3517.800	-43.42	-30	Pass

n78f_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3465MHz_Inner_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3405	3415	1	CHP	1	3409.320	-44.17	-30	Pass
3415	3420	1	CHP	2	3418.200	-44.33	-25	Pass
3420	3445	1	CHP	3	3443.400	-41.70	-13	Pass
3445	3449	1	CHP	4	3448.440	-40.31	-10	Pass
3449	3450	0.3	/	5	3449.640	-27.24	-13	Pass
3450	3480	0.3	/	/	/	/	/	/
3480	3481	0.3	/	6	3480.960	-48.56	-13	Pass
3481	3485	1	CHP	7	3483.120	-44.42	-10	Pass
3485	3510	1	CHP	8	3494.280	-44.22	-13	Pass
3510	3515	1	CHP	9	3512.040	-43.86	-25	Pass
3515	3525	1	CHP	10	3518.280	-44.39	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3465MHz_Inner_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3405	3415	1	CHP	1	3412.560	-44.05	-30	Pass
3415	3420	1	CHP	2	3417.000	-44.19	-25	Pass
3420	3445	1	CHP	3	3427.680	-44.02	-13	Pass
3445	3449	1	CHP	4	3448.200	-44.48	-10	Pass
3449	3450	0.3	/	5	3449.640	-48.56	-13	Pass
3450	3480	0.3	/	/	/	/	/	/
3480	3481	0.3	/	6	3480.120	-30.01	-13	Pass
3481	3485	1	CHP	7	3481.320	-36.01	-10	Pass
3485	3510	1	CHP	8	3486.120	-43.84	-13	Pass
3510	3515	1	CHP	9	3510.120	-44.18	-25	Pass
3515	3525	1	CHP	10	3519.000	-44.34	-30	Pass

n78f_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3624.99MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	900.900	-44.92	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n78f 30kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK_3624.99MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3575	1	/	1	3150.500	-40.27	-30	Pass
3575	3580	1	/	2	3578.900	-41.54	-25	Pass
3580	3605	1	/	3	3602.700	-40.65	-13	Pass
3605	3645	1	/	/	/	/	/	/
3645	3670	1	/	4	3654.550	-39.64	-13	Pass
3670	3675	1	/	5	3673.250	-39.96	-25	Pass
3675	26500	1	/	6	26237.350	-34.49	-30	Pass

n78f_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK_3784.98MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3725	3735	1	CHP	1	3732.920	-39.94	-30	Pass
3735	3740	1	CHP	2	3736.160	-40.50	-25	Pass
3740	3765	1	CHP	3	3756.080	-39.79	-13	Pass
3765	3769	1	CHP	4	3768.440	-38.27	-10	Pass
3769	3770	0.3	/	5	3769.760	-33.66	-13	Pass
3770	3800	0.3	/	/	/	/	/	/
3800	3801	0.3	/	6	3800.840	-44.08	-13	Pass
3801	3805	1	CHP	7	3804.680	-39.95	-10	Pass
3805	3830	1	CHP	8	3809.000	-39.73	-13	Pass
3830	3835	1	CHP	9	3830.600	-40.46	-25	Pass
3835	3845	1	CHP	10	3835.880	-39.80	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3784.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3725	3735	1	CHP	1	3728.000	-40.30	-30	Pass
3735	3740	1	CHP	2	3737.360	-40.36	-25	Pass
3740	3765	1	CHP	3	3741.080	-39.86	-13	Pass
3765	3769	1	CHP	4	3768.200	-39.98	-10	Pass
3769	3770	0.3	/	5	3769.400	-44.36	-13	Pass
3770	3800	0.3	/	/	/	/	/	/
3800	3801	0.3	/	6	3800.240	-29.98	-13	Pass
3801	3805	1	CHP	7	3801.560	-38.19	-10	Pass
3805	3830	1	CHP	8	3806.720	-39.21	-13	Pass
3830	3835	1	CHP	9	3833.720	-39.54	-25	Pass
3835	3845	1	CHP	10	3841.160	-39.81	-30	Pass

n78f_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3784.98MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	860.250	-44.92	-30	Pass

n78f_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3784.98MHz_Edge_1RB_Right_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3735	1	/	1	3720.850	-39.27	-30	Pass
3735	3740	1	/	2	3735.300	-39.20	-25	Pass
3740	3765	1	/	3	3760.800	-38.82	-13	Pass
3765	3805	1	/	/	/	/	/	/
3805	3830	1	/	4	3817.750	-39.04	-13	Pass
3830	3835	1	/	5	3831.350	-39.30	-25	Pass
3835	26500	1	/	6	26233.100	-34.83	-30	Pass

n78f_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_PI/2_BPSK_3784.98MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3725	3735	1	CHP	1	3733.280	-39.72	-30	Pass
3735	3740	1	CHP	2	3737.000	-39.90	-25	Pass
3740	3765	1	CHP	3	3759.680	-37.67	-13	Pass
3765	3769	1	CHP	4	3768.320	-34.74	-10	Pass
3769	3770	0.3	/	5	3769.280	-36.05	-13	Pass
3770	3800	0.3	/	/	/	/	/	/
3800	3801	0.3	/	6	3800.840	-39.11	-13	Pass
3801	3805	1	CHP	7	3801.560	-35.64	-10	Pass
3805	3830	1	CHP	8	3810.080	-37.14	-13	Pass
3830	3835	1	CHP	9	3830.120	-39.86	-25	Pass
3835	3845	1	CHP	10	3842.120	-40.11	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f 30kHz SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK_3784.98MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3725	3735	1	CHP	1	3733.400	-40.35	-30	Pass
3735	3740	1	CHP	2	3736.520	-40.40	-25	Pass
3740	3765	1	CHP	3	3760.640	-39.87	-13	Pass
3765	3769	1	CHP	4	3768.440	-38.52	-10	Pass
3769	3770	0.3	/	5	3769.760	-38.36	-13	Pass
3770	3800	0.3	/	/	/	/	/	/
3800	3801	0.3	/	6	3800.960	-43.79	-13	Pass
3801	3805	1	CHP	7	3801.920	-39.91	-10	Pass
3805	3830	1	CHP	8	3820.400	-39.98	-13	Pass
3830	3835	1	CHP	9	3833.360	-40.01	-25	Pass
3835	3845	1	CHP	10	3843.560	-40.00	-30	Pass

n78f 30kHz SISO_NTNV_30MHz_DFT-s-OFDM PI/2 BPSK_3784.98MHz_Inner_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3725	3735	1	CHP	1	3731.840	-40.22	-30	Pass
3735	3740	1	CHP	2	3739.280	-40.25	-25	Pass
3740	3765	1	CHP	3	3758.600	-39.84	-13	Pass
3765	3769	1	CHP	4	3767.360	-40.00	-10	Pass
3769	3770	0.3	/	5	3769.640	-44.36	-13	Pass
3770	3800	0.3	/	/	/	/	/	/
3800	3801	0.3	/	6	3800.120	-36.40	-13	Pass
3801	3805	1	CHP	7	3801.680	-38.87	-10	Pass
3805	3830	1	CHP	8	3815.600	-39.45	-13	Pass
3830	3835	1	CHP	9	3833.480	-40.25	-25	Pass
3835	3845	1	CHP	10	3836.000	-40.02	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_3465MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3405	3415	1	CHP	1	3414.360	-44.25	-30	Pass
3415	3420	1	CHP	2	3418.320	-44.06	-25	Pass
3420	3445	1	CHP	3	3443.040	-43.62	-13	Pass
3445	3449	1	CHP	4	3448.440	-43.77	-10	Pass
3449	3450	0.3	/	5	3449.760	-38.76	-13	Pass
3450	3480	0.3	/	/	/	/	/	/
3480	3481	0.3	/	6	3480.120	-48.55	-13	Pass
3481	3485	1	CHP	7	3483.840	-44.46	-10	Pass
3485	3510	1	CHP	8	3485.400	-44.29	-13	Pass
3510	3515	1	CHP	9	3511.320	-44.67	-25	Pass
3515	3525	1	CHP	10	3523.200	-44.34	-30	Pass

n78f_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_3465MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	906.200	-44.99	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694




n78f_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_3465MHz_Edge_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	3415	1	/	1	3221.900	-40.77	-30	Pass
3415	3420	1	/	2	3417.400	-41.90	-25	Pass
3420	3445	1	/	3	3422.500	-41.60	-13	Pass
3445	3485	1	/	/	/	/	/	/
3485	3510	1	/	4	3488.800	-42.27	-13	Pass
3510	3515	1	/	5	3512.600	-42.21	-25	Pass
3515	26500	1	/	6	26326.600	-34.49	-30	Pass

n78f_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_3465MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3405	3415	1	CHP	1	3409.680	-44.04	-30	Pass
3415	3420	1	CHP	2	3415.320	-44.38	-25	Pass
3420	3445	1	CHP	3	3429.960	-44.00	-13	Pass
3445	3449	1	CHP	4	3445.680	-44.39	-10	Pass
3449	3450	0.3	/	5	3449.760	-48.37	-13	Pass
3450	3480	0.3	/	/	/	/	/	/
3480	3481	0.3	/	6	3480.120	-20.21	-13	Pass
3481	3485	1	CHP	7	3481.560	-42.57	-10	Pass
3485	3510	1	CHP	8	3486.720	-42.57	-13	Pass
3510	3515	1	CHP	9	3513.960	-44.68	-25	Pass
3515	3525	1	CHP	10	3523.320	-44.27	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

n78f_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_3465MHz_Outer_Full_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3405	3415	1	CHP	1	3414.960	-41.99	-30	Pass
3415	3420	1	CHP	2	3415.200	-42.11	-25	Pass
3420	3445	1	CHP	3	3428.760	-41.04	-13	Pass
3445	3449	1	CHP	4	3448.440	-41.42	-10	Pass
3449	3450	0.3	/	5	3449.160	-44.64	-13	Pass
3450	3480	0.3	/	/	/	/	/	/
3480	3481	0.3	/	6	3480.960	-44.86	-13	Pass
3481	3485	1	CHP	7	3482.520	-40.55	-10	Pass
3485	3510	1	CHP	8	3495.840	-41.13	-13	Pass
3510	3515	1	CHP	9	3514.920	-44.06	-25	Pass
3515	3525	1	CHP	10	3524.280	-43.74	-30	Pass

n78f_30kHz_SISO_NTNV_30MHz_DFT-s-OFDM_QPSK_3465MHz_Inner_1RB_Left_Ant1



Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
3405	3415	1	CHP	1	3410.880	-44.00	-30	Pass
3415	3420	1	CHP	2	3415.440	-44.18	-25	Pass
3420	3445	1	CHP	3	3443.760	-43.43	-13	Pass
3445	3449	1	CHP	4	3448.440	-40.96	-10	Pass
3449	3450	0.3	/	5	3449.760	-29.37	-13	Pass
3450	3480	0.3	/	/	/	/	/	/
3480	3481	0.3	/	6	3480.120	-49.04	-13	Pass
3481	3485	1	CHP	7	3484.800	-44.50	-10	Pass
3485	3510	1	CHP	8	3503.280	-44.38	-13	Pass
3510	3515	1	CHP	9	3510.240	-44.40	-25	Pass
3515	3525	1	CHP	10	3519.480	-44.20	-30	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694