



n78a\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM\_16\_QAM\_3740.01MHz\_Outer\_Full\_Ant1




n78a\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM\_16\_QAM\_3750MHz\_Outer\_Full\_Ant1


**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n78a\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM\_16 QAM\_3759.99MHz\_Outer\_Full\_Ant1




n78a\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM\_64 QAM\_3740.01MHz\_Outer\_Full\_Ant1



n78a\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM\_64\_QAM\_3750MHz\_Outer\_Full\_Ant1



n78a\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM\_64\_QAM\_3759.99MHz\_Outer\_Full\_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n78a\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM\_256\_QAM\_3740.01MHz\_Outer\_Full\_Ant1



n78a\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM\_256\_QAM\_3750MHz\_Outer\_Full\_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n78a\_30kHz\_SISO\_NTNV\_80MHz\_CP-OFDM\_256\_QAM\_3759.99MHz\_Outer\_Full\_Ant1




### 3.2.9 30\_S\_90M\_NTNV




**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

n78a 30kHz SISO NTN 90MHz DFT-s-OFDM PI/2 BPSK 3754.98MHz Outer\_Full\_Ant1



n78a 30kHz SISO NTN 90MHz DFT-s-OFDM QPSK 3745.02MHz Outer\_Full\_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n78a\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM\_QPSK\_3750MHz\_Outer\_Full\_Ant1




n78a\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM\_QPSK\_3754.98MHz\_Outer\_Full\_Ant1



n78a\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM\_16\_QAM\_3745.02MHz\_Outer\_Full\_Ant1




n78a\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM\_16\_QAM\_3750MHz\_Outer\_Full\_Ant1



**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

n78a\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM\_16\_QAM\_3754.98MHz\_Outer\_Full\_Ant1



n78a\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM\_64\_QAM\_3745.02MHz\_Outer\_Full\_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n78a\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM\_64\_QAM\_3750MHz\_Outer\_Full\_Ant1




n78a\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM\_64\_QAM\_3754.98MHz\_Outer\_Full\_Ant1



n78a\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM\_256\_QAM\_3745.02MHz\_Outer\_Full\_Ant1



n78a\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM\_256\_QAM\_3750MHz\_Outer\_Full\_Ant1




**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n78a\_30kHz\_SISO\_NTNV\_90MHz\_DFT-s-OFDM\_256\_QAM\_3754.98MHz\_Outer\_Full\_Ant1




n78a\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM\_QPSK\_3745.02MHz\_Outer\_Full\_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694


n78a\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM\_QPSK\_3750MHz\_Outer\_Full\_Ant1




n78a\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM\_QPSK\_3754.98MHz\_Outer\_Full\_Ant1



n78a\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM\_16\_QAM\_3745.02MHz\_Outer\_Full\_Ant1




n78a\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM\_16\_QAM\_3750MHz\_Outer\_Full\_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

n78a\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM\_16 QAM\_3754.98MHz\_Outer\_Full\_Ant1




n78a\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM\_64 QAM\_3745.02MHz\_Outer\_Full\_Ant1


**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n78a\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM\_64\_QAM\_3750MHz\_Outer\_Full\_Ant1




n78a\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM\_64\_QAM\_3754.98MHz\_Outer\_Full\_Ant1




n78a\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM\_256\_QAM\_3745.02MHz\_Outer\_Full\_Ant1



n78a\_30kHz\_SISO\_NTNV\_90MHz\_CP-OFDM\_256\_QAM\_3750MHz\_Outer\_Full\_Ant1


**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694




**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694


### 3.2.10 30\_S\_100M\_NTNV



n78a\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM\_16\_QAM\_3750MHz\_Outer\_Full\_Ant1




n78a\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM\_64\_QAM\_3750MHz\_Outer\_Full\_Ant1



**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

n78a\_30kHz\_SISO\_NTNV\_100MHz\_DFT-s-OFDM\_256\_QAM\_3750MHz\_Outer\_Full\_Ant1




n78a\_30kHz\_SISO\_NTNV\_100MHz\_CP-OFDM\_QPSK\_3750MHz\_Outer\_Full\_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

n78a\_30kHz\_SISO\_NTNV\_100MHz\_CP-OFDM\_16\_QAM\_3750MHz\_Outer\_Full\_Ant1



n78a\_30kHz\_SISO\_NTNV\_100MHz\_CP-OFDM\_64\_QAM\_3750MHz\_Outer\_Full\_Ant1





**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

## 4. Peak-Average Ratio

### 4.1 Test Result

#### 4.1.1 30\_S\_10M\_NTNV

| 5G NR n78a SCS=30kHz SISO 10MHz NTN |                 |               |                         |      |     |       |         |
|-------------------------------------|-----------------|---------------|-------------------------|------|-----|-------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation | Peak-Average Ratio (dB) |      |     |       | Verdict |
|                                     |                 |               | Ant1                    | Ant2 | Sum | Limit |         |
| DFT-s-OFDM PI/2 BPSK                | 3705            | Outer_Full    | 3.78                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 3.96                    | /    | /   | <=13  | Pass    |
|                                     | 3795            | Outer_Full    | 3.92                    | /    | /   | <=13  | Pass    |
| DFT-s-OFDM QPSK                     | 3705            | Outer_Full    | 4.39                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 4.40                    | /    | /   | <=13  | Pass    |
|                                     | 3795            | Outer_Full    | 4.42                    | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 16 QAM                   | 3705            | Outer_Full    | 5.50                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 5.52                    | /    | /   | <=13  | Pass    |
|                                     | 3795            | Outer_Full    | 5.49                    | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 64 QAM                   | 3705            | Outer_Full    | 5.89                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 5.92                    | /    | /   | <=13  | Pass    |
|                                     | 3795            | Outer_Full    | 5.91                    | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 256 QAM                  | 3705            | Outer_Full    | 6.63                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 6.64                    | /    | /   | <=13  | Pass    |
|                                     | 3795            | Outer_Full    | 6.64                    | /    | /   | <=13  | Pass    |
| CP-OFDM QPSK                        | 3705            | Outer_Full    | 6.55                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 6.59                    | /    | /   | <=13  | Pass    |
|                                     | 3795            | Outer_Full    | 6.61                    | /    | /   | <=13  | Pass    |
| CP-OFDM 16 QAM                      | 3705            | Outer_Full    | 6.61                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 6.61                    | /    | /   | <=13  | Pass    |
|                                     | 3795            | Outer_Full    | 6.65                    | /    | /   | <=13  | Pass    |
| CP-OFDM 64 QAM                      | 3705            | Outer_Full    | 7.05                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 7.03                    | /    | /   | <=13  | Pass    |
|                                     | 3795            | Outer_Full    | 7.06                    | /    | /   | <=13  | Pass    |
| CP-OFDM 256 QAM                     | 3705            | Outer_Full    | 8.92                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 8.89                    | /    | /   | <=13  | Pass    |
|                                     | 3795            | Outer_Full    | 8.79                    | /    | /   | <=13  | Pass    |

#### 4.1.2 30\_S\_20M\_NTNV

| 5G NR n78a SCS=30kHz SISO 20MHz NTN |                 |               |                         |      |     |       |         |
|-------------------------------------|-----------------|---------------|-------------------------|------|-----|-------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation | Peak-Average Ratio (dB) |      |     |       | Verdict |
|                                     |                 |               | Ant1                    | Ant2 | Sum | Limit |         |
| DFT-s-OFDM PI/2 BPSK                | 3710.01         | Outer_Full    | 3.89                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 3.81                    | /    | /   | <=13  | Pass    |
|                                     | 3789.99         | Outer_Full    | 3.86                    | /    | /   | <=13  | Pass    |
| DFT-s-OFDM QPSK                     | 3710.01         | Outer_Full    | 4.53                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 4.45                    | /    | /   | <=13  | Pass    |
|                                     | 3789.99         | Outer_Full    | 4.46                    | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 16 QAM                   | 3710.01         | Outer_Full    | 5.48                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 5.45                    | /    | /   | <=13  | Pass    |
|                                     | 3789.99         | Outer_Full    | 5.42                    | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 64 QAM                   | 3710.01         | Outer_Full    | 5.91                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 5.90                    | /    | /   | <=13  | Pass    |
|                                     | 3789.99         | Outer_Full    | 5.87                    | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 256 QAM                  | 3710.01         | Outer_Full    | 6.81                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 6.80                    | /    | /   | <=13  | Pass    |
|                                     | 3789.99         | Outer_Full    | 6.76                    | /    | /   | <=13  | Pass    |
| CP-OFDM QPSK                        | 3710.01         | Outer_Full    | 6.56                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 6.52                    | /    | /   | <=13  | Pass    |

**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

|                 |         |            |      |   |   |      |      |
|-----------------|---------|------------|------|---|---|------|------|
|                 | 3789.99 | Outer_Full | 6.52 | / | / | <=13 | Pass |
| CP-OFDM 16 QAM  | 3710.01 | Outer_Full | 6.52 | / | / | <=13 | Pass |
|                 | 3750    | Outer_Full | 6.49 | / | / | <=13 | Pass |
|                 | 3789.99 | Outer_Full | 6.47 | / | / | <=13 | Pass |
| CP-OFDM 64 QAM  | 3710.01 | Outer_Full | 7.15 | / | / | <=13 | Pass |
|                 | 3750    | Outer_Full | 7.15 | / | / | <=13 | Pass |
|                 | 3789.99 | Outer_Full | 7.14 | / | / | <=13 | Pass |
| CP-OFDM 256 QAM | 3710.01 | Outer_Full | 8.58 | / | / | <=13 | Pass |
|                 | 3750    | Outer_Full | 8.59 | / | / | <=13 | Pass |
|                 | 3789.99 | Outer_Full | 8.50 | / | / | <=13 | Pass |

#### 4.1.3 30\_S\_30M\_NTNV

| 5G NR n78a SCS=30kHz SISO 30MHz NTN |                 |               |                         |      |     |       |         |
|-------------------------------------|-----------------|---------------|-------------------------|------|-----|-------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation | Peak-Average Ratio (dB) |      |     |       | Verdict |
|                                     |                 |               | Ant1                    | Ant2 | Sum | Limit |         |
| DFT-s-OFDM PI/2 BPSK                | 3715.02         | Outer_Full    | 3.97                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 4.27                    | /    | /   | <=13  | Pass    |
|                                     | 3784.98         | Outer_Full    | 4.10                    | /    | /   | <=13  | Pass    |
| DFT-s-OFDM QPSK                     | 3715.02         | Outer_Full    | 4.79                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 4.72                    | /    | /   | <=13  | Pass    |
|                                     | 3784.98         | Outer_Full    | 4.79                    | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 16 QAM                   | 3715.02         | Outer_Full    | 5.64                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 5.58                    | /    | /   | <=13  | Pass    |
|                                     | 3784.98         | Outer_Full    | 5.62                    | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 64 QAM                   | 3715.02         | Outer_Full    | 6.16                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 6.14                    | /    | /   | <=13  | Pass    |
|                                     | 3784.98         | Outer_Full    | 6.14                    | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 256 QAM                  | 3715.02         | Outer_Full    | 6.66                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 6.82                    | /    | /   | <=13  | Pass    |
|                                     | 3784.98         | Outer_Full    | 6.84                    | /    | /   | <=13  | Pass    |
| CP-OFDM QPSK                        | 3715.02         | Outer_Full    | 7.14                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 9.95                    | /    | /   | <=13  | Pass    |
|                                     | 3784.98         | Outer_Full    | 7.18                    | /    | /   | <=13  | Pass    |
| CP-OFDM 16 QAM                      | 3715.02         | Outer_Full    | 7.28                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 10.06                   | /    | /   | <=13  | Pass    |
|                                     | 3784.98         | Outer_Full    | 7.28                    | /    | /   | <=13  | Pass    |
| CP-OFDM 64 QAM                      | 3715.02         | Outer_Full    | 7.59                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 10.31                   | /    | /   | <=13  | Pass    |
|                                     | 3784.98         | Outer_Full    | 7.58                    | /    | /   | <=13  | Pass    |
| CP-OFDM 256 QAM                     | 3715.02         | Outer_Full    | 8.36                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 8.37                    | /    | /   | <=13  | Pass    |
|                                     | 3784.98         | Outer_Full    | 8.31                    | /    | /   | <=13  | Pass    |

#### 4.1.4 30\_S\_40M\_NTNV

| 5G NR n78a SCS=30kHz SISO 40MHz NTN |                 |               |                         |      |     |       |         |
|-------------------------------------|-----------------|---------------|-------------------------|------|-----|-------|---------|
| Modulation                          | Frequency (MHz) | RB Allocation | Peak-Average Ratio (dB) |      |     |       | Verdict |
|                                     |                 |               | Ant1                    | Ant2 | Sum | Limit |         |
| DFT-s-OFDM PI/2 BPSK                | 3720            | Outer_Full    | 5.04                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 5.04                    | /    | /   | <=13  | Pass    |
|                                     | 3780            | Outer_Full    | 4.98                    | /    | /   | <=13  | Pass    |
| DFT-s-OFDM QPSK                     | 3720            | Outer_Full    | 6.01                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 5.97                    | /    | /   | <=13  | Pass    |
|                                     | 3780            | Outer_Full    | 6.01                    | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 16 QAM                   | 3720            | Outer_Full    | 6.81                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 6.77                    | /    | /   | <=13  | Pass    |
|                                     | 3780            | Outer_Full    | 6.79                    | /    | /   | <=13  | Pass    |
| DFT-s-OFDM 64 QAM                   | 3720            | Outer_Full    | 6.93                    | /    | /   | <=13  | Pass    |
|                                     | 3750            | Outer_Full    | 6.91                    | /    | /   | <=13  | Pass    |
|                                     | 3780            | Outer_Full    | 6.91                    | /    | /   | <=13  | Pass    |

**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694