

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/2

Report No.: SZCR260700337601

Page: 137 of 152

NR n77 (3450- 3550 n78)	2	Back Side	5	QPSK	100	1	1	633334	3500.01	1:1	1	0.126	0.049	0.19	16.68	17.00	1.076	0.136	22.3
NR n77 (3450- 3550 n78)	2	Left Side	5	QPSK	100	1	1	633334	3500.01	1:1	1	0.008	0.002	0.03	16.68	17.00	1.076	0.009	22.3
NR n77 (3450- 3550 n78)	2	Right Side	5	QPSK	100	1	1	633334	3500.01	1:1	1	0.030	0.014	-0.16	16.68	17.00	1.076	0.032	22.3
NR n77 (3450- 3550 n78)	2	Top Side	5	QPSK	100	1	1	633334	3500.01	1:1	1	0.007	0.002	-0.12	16.68	17.00	1.076	0.008	22.3
NR n77 (3450- 3550 n78)	2	Bottom Side	5	QPSK	100	1	1	633334	3500.01	1:1	1	0.616	0.193	-0.02	16.68	17.00	1.076	0.663	22.3
NR n77 (3450- 3550 n78)	2	Front Side	5	QPSK	100	135	69	633334	3500.01	1:1	1	0.100	0.034	-0.04	16.58	17.00	1.102	0.110	22.3
NR n77 (3450- 3550 n78)	2	Back Side	5	QPSK	100	135	69	633334	3500.01	1:1	1	0.171	0.065	0.06	16.58	17.00	1.102	0.188	22.3
NR n77 (3450- 3550 n78)	2	Left Side	5	QPSK	100	135	69	633334	3500.01	1:1	1	0.009	0.003	-0.18	16.58	17.00	1.102	0.010	22.3
NR n77 (3450- 3550 n78)	2	Right Side	5	QPSK	100	135	69	633334	3500.01	1:1	1	0.040	0.019	0.17	16.58	17.00	1.102	0.044	22.3
NR n77 (3450- 3550 n78)	2	Top Side	5	QPSK	100	135	69	633334	3500.01	1:1	1	0.010	0.003	-0.04	16.58	17.00	1.102	0.011	22.3
NR n77 (3450- 3550 n78)	2	Bottom Side	5	QPSK	100	135	69	633334	3500.01	1:1	1	0.555	0.185	0.04	16.58	17.00	1.102	0.612	22.3
NR n77 (3550- 3700 n78)	8	Front Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.249	0.127	-0.13	19.42	19.50	1.019	0.254	22.3
NR n77 (3550- 3700 n78)	8	Back Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.329	0.168	-0.07	19.42	19.50	1.019	0.335	22.3
NR n77 (3550- 3700 n78)	8	Left Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.011	0.007	0.19	19.42	19.50	1.019	0.011	22.3
NR n77 (3550- 3700 n78)	8	Right Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.007	0.003	0.00	19.42	19.50	1.019	0.007	22.3
NR n77 (3550- 3700 n78)	8	Top Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.622	0.234	0.15	19.42	19.50	1.019	0.634	21.3
NR n77 (3550- 3700 n78)	8	Bottom Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.003	0.002	-0.12	19.42	19.50	1.019	0.003	22.3
NR n77 (3550- 3700 n78)	8	Front Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.268	0.115	0.18	19.30	19.50	1.047	0.281	22.3
NR n77 (3550- 3700 n78)	8	Back Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.297	0.119	-0.07	19.30	19.50	1.047	0.311	22.3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/2

Report No.: SZCR260700337601

Page: 138 of 152

NR n77 (3550- 3700 n78)	8	Left Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.014	0.008	0.09	19.30	19.50	1.047	0.015	22.3
NR n77 (3550- 3700 n78)	8	Right Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.008	0.003	0.12	19.30	19.50	1.047	0.008	22.3
NR n77 (3550- 3700 n78)	8	Top Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.554	0.206	0.06	19.30	19.50	1.047	0.580	22.3
NR n77 (3550- 3700 n78)	8	Bottom Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.004	0.002	-0.17	19.30	19.50	1.047	0.004	22.3
NR n77 (3550- 3700 n78)	5	Front Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.187	0.057	0.07	14.38	14.50	1.028	0.192	22.3
NR n77 (3550- 3700 n78)	5	Back Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.172	0.060	-0.08	14.38	14.50	1.028	0.177	22.3
NR n77 (3550- 3700 n78)	5	Left Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.004	0.001	-0.11	14.38	14.50	1.028	0.004	22.3
NR n77 (3550- 3700 n78)	5	Right Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.512	0.200	-0.09	14.38	14.50	1.028	0.526	22.3
NR n77 (3550- 3700 n78)	5	Top Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.077	0.032	-0.19	14.38	14.50	1.028	0.079	22.3
NR n77 (3550- 3700 n78)	5	Bottom Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.004	0.002	0.16	14.38	14.50	1.028	0.004	22.3
NR n77 (3550- 3700 n78)	5	Front Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.236	0.100	-0.07	14.46	14.50	1.009	0.238	22.3
NR n77 (3550- 3700 n78)	5	Back Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.248	0.080	0.05	14.46	14.50	1.009	0.250	22.3
NR n77 (3550- 3700 n78)	5	Left Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.003	0.001	-0.07	14.46	14.50	1.009	0.003	22.3
NR n77 (3550- 3700 n78)	5	Right Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.490	0.182	-0.02	14.46	14.50	1.009	0.494	22.3
NR n77 (3550- 3700 n78)	5	Top Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.073	0.028	0.10	14.46	14.50	1.009	0.074	22.3
NR n77 (3550- 3700 n78)	5	Bottom Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.005	0.003	-0.02	14.46	14.50	1.009	0.005	22.3
NR n77 (3550- 3700 n78)	10	Front Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.106	0.044	0.01	13.05	13.50	1.109	0.118	22.3
NR n77 (3550- 3700 n78)	10	Back Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.098	0.043	-0.02	13.05	13.50	1.109	0.109	22.3
NR n77 (3550- 3700 n78)	10	Left Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.007	0.002	0.09	13.05	13.50	1.109	0.008	22.3
NR n77	10	Right	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.039	0.013	0.10	13.05	13.50	1.109	0.043	22.3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/2

Report No.: SZCR260700337601

Page: 139 of 152

NR n77 (3550-3700 n78)		Side																	
NR n77 (3550-3700 n78)	10	Top Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.197	0.076	-0.04	13.05	13.50	1.109	0.218	22.3
NR n77 (3550-3700 n78)	10	Bottom Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.002	0.001	0.16	13.05	13.50	1.109	0.002	22.3
NR n77 (3550-3700 n78)	10	Front Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.112	0.047	0.09	13.00	13.50	1.122	0.126	22.3
NR n77 (3550-3700 n78)	10	Back Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.147	0.058	0.19	13.00	13.50	1.122	0.165	22.3
NR n77 (3550-3700 n78)	10	Left Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.006	0.002	0.07	13.00	13.50	1.122	0.007	22.3
NR n77 (3550-3700 n78)	10	Right Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.034	0.014	0.17	13.00	13.50	1.122	0.038	22.3
NR n77 (3550-3700 n78)	10	Top Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.240	0.092	0.09	13.00	13.50	1.122	0.269	22.3
NR n77 (3550-3700 n78)	10	Bottom Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.002	0.001	-0.11	13.00	13.50	1.122	0.002	22.3
NR n77 (3550-3700 n78)	2	Front Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.148	0.052	0.10	16.68	17.00	1.076	0.159	22.3
NR n77 (3550-3700 n78)	2	Back Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.118	0.047	0.10	16.68	17.00	1.076	0.127	22.3
NR n77 (3550-3700 n78)	2	Left Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.008	0.002	-0.08	16.68	17.00	1.076	0.009	22.3
NR n77 (3550-3700 n78)	2	Right Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.028	0.013	-0.13	16.68	17.00	1.076	0.030	22.3
NR n77 (3550-3700 n78)	2	Top Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.007	0.002	0.02	16.68	17.00	1.076	0.008	22.3
NR n77 (3550-3700 n78)	2	Bottom Side	5	QPSK	100	1	1	641667	3625.01	1:1	1	0.581	0.186	-0.14	16.68	17.00	1.076	0.625	22.3
NR n77 (3550-3700 n78)	2	Front Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.094	0.032	-0.07	16.58	17.00	1.102	0.104	22.3
NR n77 (3550-3700 n78)	2	Back Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.164	0.061	0.13	16.58	17.00	1.102	0.181	22.3
NR n77 (3550-3700 n78)	2	Left Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.009	0.003	0.03	16.58	17.00	1.102	0.010	22.3
NR n77 (3550-3700 n78)	2	Right Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.038	0.018	-0.07	16.58	17.00	1.102	0.042	22.3
NR n77 (3550-3700 n78)	2	Top Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.010	0.003	0.12	16.58	17.00	1.102	0.011	22.3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/2

Report No.: SZCR260700337601

Page: 140 of 152

NR n77 (3550- 3700 n78)	2	Bottom Side	5	QPSK	100	135	69	641667	3625.01	1:1	1	0.524	0.173	-0.12	16.58	17.00	1.102	0.577	22.3
NR n77 (3700- 3980 n78)	8	Front Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.222	0.074	0.02	19.38	19.50	1.028	0.228	22.3
NR n77 (3700- 3980 n78)	8	Back Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.229	0.085	-0.11	19.38	19.50	1.028	0.235	22.3
NR n77 (3700- 3980 n78)	8	Left Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.013	0.006	-0.01	19.38	19.50	1.028	0.013	22.3
NR n77 (3700- 3980 n78)	8	Right Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.015	0.006	-0.06	19.38	19.50	1.028	0.015	22.3
NR n77 (3700- 3980 n78)	8	Top Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.344	0.108	-0.14	19.38	19.50	1.028	0.354	22.3
NR n77 (3700- 3980 n78)	8	Bottom Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.035	0.011	0.19	19.38	19.50	1.028	0.036	22.3
NR n77 (3700- 3980 n78)	8	Top Side	5	QPSK	100	1	1	654800	3822	1:1	1	0.372	0.140	-0.19	19.31	19.50	1.045	0.389	22.3
NR n77 (3700- 3980 n78)	8	Front Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.254	0.079	0.07	19.18	19.50	1.076	0.273	22.3
NR n77 (3700- 3980 n78)	8	Back Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.307	0.102	-0.11	19.18	19.50	1.076	0.330	22.3
NR n77 (3700- 3980 n78)	8	Left Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.021	0.009	-0.03	19.18	19.50	1.076	0.023	22.3
NR n77 (3700- 3980 n78)	8	Right Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.018	0.008	0.06	19.18	19.50	1.076	0.019	22.3
NR n77 (3700- 3980 n78)	8	Top Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.447	0.158	0.02	19.18	19.50	1.076	0.481	22.3
NR n77 (3700- 3980 n78)	8	Bottom Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.034	0.012	-0.12	19.18	19.50	1.076	0.037	22.3
NR n77 (3700- 3980 n78)	8	Top Side	5	QPSK	100	135	69	654800	3822	1:1	1	0.488	0.175	0.01	19.32	19.50	1.042	0.508	21.3
NR n77 (3700- 3980 n78)	8	Top Side	5	QPSK	100	270	0	654800	3822	1:1	1	0.343	0.132	0.15	18.30	18.50	1.047	0.359	22.3
NR n77 (3700- 3980 n78)	5	Front Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.253	0.105	0.02	14.43	14.50	1.016	0.257	22.3
NR n77 (3700- 3980 n78)	5	Back Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.237	0.084	0.10	14.43	14.50	1.016	0.241	22.3
NR n77 (3700- 3980 n78)	5	Left Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.003	0.001	-0.02	14.43	14.50	1.016	0.003	22.3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 83071443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/2

Report No.: SZCR260700337601

Page: 141 of 152

NR n77 (3700- 3980 n78)	5	Right Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.561	0.183	-0.16	14.43	14.50	1.016	0.570	22.3
NR n77 (3700- 3980 n78)	5	Top Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.091	0.033	-0.08	14.43	14.50	1.016	0.092	22.3
NR n77 (3700- 3980 n78)	5	Bottom Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.003	0.001	-0.08	14.43	14.50	1.016	0.003	22.3
NR n77 (3700- 3980 n78)	5	Right Side	5	QPSK	100	1	1	654800	3822	1:1	1	0.466	0.161	0.11	14.42	14.50	1.019	0.475	22.3
NR n77 (3700- 3980 n78)	5	Front Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.192	0.080	-0.17	14.37	14.50	1.030	0.198	22.3
NR n77 (3700- 3980 n78)	5	Back Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.210	0.079	-0.09	14.37	14.50	1.030	0.216	22.3
NR n77 (3700- 3980 n78)	5	Left Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.007	0.002	-0.07	14.37	14.50	1.030	0.007	22.3
NR n77 (3700- 3980 n78)	5	Right Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.557	0.193	-0.13	14.37	14.50	1.030	0.574	22.3
NR n77 (3700- 3980 n78)	5	Top Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.079	0.027	-0.12	14.37	14.50	1.030	0.081	22.3
NR n77 (3700- 3980 n78)	5	Bottom Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.003	0.001	0.03	14.37	14.50	1.030	0.003	22.3
NR n77 (3700- 3980 n78)	5	Right Side	5	QPSK	100	135	69	654800	3822	1:1	1	0.492	0.169	0.04	14.22	14.50	1.067	0.525	22.3
NR n77 (3700- 3980 n78)	5	Right Side	5	QPSK	100	270	0	654800	3822	1:1	1	0.415	0.149	-0.01	13.48	13.50	1.005	0.417	22.3
NR n77 (3700- 3980 n78)	10	Front Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.256	0.099	0.17	13.10	13.50	1.096	0.281	22.3
NR n77 (3700- 3980 n78)	10	Back Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.324	0.131	0.04	13.10	13.50	1.096	0.355	22.3
NR n77 (3700- 3980 n78)	10	Left Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.012	0.003	-0.05	13.10	13.50	1.096	0.013	22.3
NR n77 (3700- 3980 n78)	10	Right Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.057	0.023	-0.08	13.10	13.50	1.096	0.062	22.3
NR n77 (3700- 3980 n78)	10	Top Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.456	0.196	-0.09	13.10	13.50	1.096	0.500	22.3
NR n77 (3700- 3980 n78)	10	Bottom Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.035	0.015	-0.14	13.10	13.50	1.096	0.038	22.3
NR n77 (3700- 3980 n78)	10	Top Side	5	QPSK	100	1	1	654800	3822	1:1	1	0.535	0.188	-0.12	13.05	13.50	1.109	0.593	22.3
NR n77	10	Front	5	QPSK	100	135	69	657200	3858	1:1	1	0.323	0.141	0.18	13.02	13.50	1.117	0.361	22.3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/2

Report No.: SZCR260700337601

Page: 142 of 152

(3700-3980 n78)		Side																	
NR n77 (3700-3980 n78)	10	Back Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.402	0.181	0.09	13.02	13.50	1.117	0.449	22.3
NR n77 (3700-3980 n78)	10	Left Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.015	0.004	0.10	13.02	13.50	1.117	0.017	22.3
NR n77 (3700-3980 n78)	10	Right Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.092	0.029	-0.13	13.02	13.50	1.117	0.103	22.3
NR n77 (3700-3980 n78)	10	Top Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.562	0.188	-0.18	13.02	13.50	1.117	0.628	22.3
NR n77 (3700-3980 n78)	10	Bottom Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.044	0.014	-0.07	13.02	13.50	1.117	0.049	22.3
NR n77 (3700-3980 n78)	10	Back Side	5	QPSK	100	135	69	654800	3822	1:1	1	0.411	0.195	0.03	13.01	13.50	1.119	0.460	21.3
NR n77 (3700-3980 n78)	10	Top Side	5	QPSK	100	135	69	654800	3822	1:1	1	0.539	0.190	0.01	13.01	13.50	1.119	0.603	21.3
NR n77 (3700-3980 n78)	10	Top Side	5	QPSK	100	270	0	654800	3822	1:1	1	0.386	0.135	0.03	11.86	12.50	1.159	0.447	22.3
NR n77 (3700-3980 n78)	2	Front Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.148	0.055	0.15	16.75	17.00	1.059	0.157	22.3
NR n77 (3700-3980 n78)	2	Back Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.211	0.080	0.18	16.75	17.00	1.059	0.223	22.3
NR n77 (3700-3980 n78)	2	Left Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.012	0.004	-0.07	16.75	17.00	1.059	0.013	22.3
NR n77 (3700-3980 n78)	2	Right Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.014	0.006	-0.15	16.75	17.00	1.059	0.015	22.3
NR n77 (3700-3980 n78)	2	Top Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.011	0.002	0.10	16.75	17.00	1.059	0.012	22.3
NR n77 (3700-3980 n78)	2	Bottom Side	5	QPSK	100	1	1	657200	3858	1:1	1	0.452	0.149	0.12	16.75	17.00	1.059	0.479	22.3
NR n77 (3700-3980 n78)	2	Bottom Side	5	QPSK	100	1	1	654800	3822	1:1	1	0.454	0.151	-0.05	16.72	17.00	1.067	0.484	22.3
NR n77 (3700-3980 n78)	2	Front Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.215	0.082	0.13	16.56	17.00	1.107	0.238	22.3
NR n77 (3700-3980 n78)	2	Back Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.298	0.118	-0.06	16.56	17.00	1.107	0.330	22.3
NR n77 (3700-3980 n78)	2	Left Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.013	0.004	-0.15	16.56	17.00	1.107	0.014	22.3
NR n77 (3700-3980 n78)	2	Right Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.032	0.015	-0.07	16.56	17.00	1.107	0.035	22.3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/2

Report No.: SZCR260700337601

Page: 143 of 152

NR n77 (3700-3980 n78)	2	Top Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.006	0.002	-0.19	16.56	17.00	1.107	0.007	22.3
NR n77 (3700-3980 n78)	2	Bottom Side	5	QPSK	100	135	69	657200	3858	1:1	1	0.367	0.136	0.11	16.56	17.00	1.107	0.406	22.3
NR n77 (3700-3980 n78)	2	Bottom Side	5	QPSK	100	135	69	654800	3822	1:1	1	0.360	0.129	0.05	16.69	17.00	1.074	0.387	22.3
NR n77 (3700-3980 n78)	2	Bottom Side	5	QPSK	100	270	0	654800	3822	1:1	1	0.340	0.115	0.15	15.73	16.00	1.064	0.362	22.3
WiFi 2.4G	4	Front Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.346	0.146	0.10	14.72	15.00	1.067	0.374	21.3
WiFi 2.4G	4	Back Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.159	0.081	0.12	14.72	15.00	1.067	0.172	21.3
WiFi 2.4G	4	Left Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.016	0.007	0.10	14.72	15.00	1.067	0.017	21.3
WiFi 2.4G	4	Right Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.408	0.166	0.02	14.72	15.00	1.067	0.441	21.3
WiFi 2.4G	4	Top Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.015	0.007	-0.04	14.72	15.00	1.067	0.016	21.3
WiFi 2.4G	4	Bottom Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.020	0.018	-0.11	14.72	15.00	1.067	0.022	21.3
WiFi 2.4G	4	Right Side	5	802.11b	20	-	-	1	2412	98.65%	1.014	0.415	0.185	0.06	14.68	15.00	1.076	0.453	21.3
WiFi 2.4G	4	Right Side	5	802.11b	20	-	-	11	2462	98.65%	1.014	0.376	0.148	-0.11	14.58	15.00	1.102	0.420	21.3
WiFi 2.4G	8	Front Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.179	0.082	0.04	14.66	15.00	1.081	0.196	21.3
WiFi 2.4G	8	Back Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.089	0.050	-0.01	14.66	15.00	1.081	0.098	21.3
WiFi 2.4G	8	Left Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.012	0.005	-0.03	14.66	15.00	1.081	0.013	21.3
WiFi 2.4G	8	Right Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.039	0.018	-0.17	14.66	15.00	1.081	0.043	21.3
WiFi 2.4G	8	Top Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.257	0.109	-0.12	14.66	15.00	1.081	0.282	21.3
WiFi 2.4G	8	Bottom Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.015	0.004	0.19	14.66	15.00	1.081	0.016	21.3
WiFi 2.4G	8	Top Side	5	802.11b	20	-	-	1	2412	98.65%	1.014	0.412	0.162	-0.04	14.51	15.00	1.119	0.467	21.3
WiFi 2.4G	8	Top Side	5	802.11b	20	-	-	11	2462	98.65%	1.014	0.454	0.186	0.16	14.41	15.00	1.146	0.528	21.3
WiFi 2.4G	MIMO	Front Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.430	0.195	0.16	17.70	18.00	1.071	0.467	21.3
WiFi 2.4G	MIMO	Back Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.215	0.110	-0.15	17.70	18.00	1.071	0.233	21.3
WiFi 2.4G	MIMO	Left Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.018	0.009	0.03	17.70	18.00	1.071	0.020	21.3
WiFi 2.4G	MIMO	Right Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.484	0.222	-0.08	17.70	18.00	1.071	0.526	21.3
WiFi 2.4G	MIMO	Top Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.460	0.219	-0.07	17.70	18.00	1.071	0.500	21.3
WiFi 2.4G	MIMO	Bottom Side	5	802.11b	20	-	-	6	2437	98.65%	1.014	0.006	0.003	-0.02	17.70	18.00	1.071	0.007	21.3
WiFi 2.4G	MIMO	Right Side	5	802.11b	20	-	-	1	2412	98.65%	1.014	0.550	0.224	-0.05	17.61	18.00	1.095	0.611	21.3
WiFi 2.4G	MIMO	Right Side	5	802.11b	20	-	-	11	2462	98.65%	1.014	0.446	0.178	0.06	17.51	18.00	1.120	0.507	21.3
WiFi 5G U-NII-2A	5	Front Side	5	802.11n	40	-	-	54	5270	94.85%	1.054	0.224	0.078	-0.05	9.05	10.00	1.245	0.294	21.3
WiFi 5G U-NII-2A	5	Back Side	5	802.11n	40	-	-	54	5270	94.85%	1.054	0.173	0.057	-0.12	9.05	10.00	1.245	0.227	21.3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/2

Report No.: SZCR260700337601

Page: 144 of 152

WiFi 5G U-NII-2A	5	Left Side	5	802.11n	40	-	-	54	5270	94.85%	1.054	0.017	0.004	-0.19	9.05	10.00	1.245	0.022	21.3
WiFi 5G U-NII-2A	5	Right Side	5	802.11n	40	-	-	54	5270	94.85%	1.054	0.425	0.144	0.18	9.05	10.00	1.245	0.558	21.3
WiFi 5G U-NII-2C	5	Front Side	5	802.11ac	80	-	-	138	5690	90.25%	1.108	0.306	0.111	0.09	9.50	10.00	1.122	0.380	21.3
WiFi 5G U-NII-2C	5	Back Side	5	802.11ac	80	-	-	138	5690	90.25%	1.108	0.208	0.078	-0.03	9.50	10.00	1.122	0.259	21.3
WiFi 5G U-NII-2C	5	Left Side	5	802.11ac	80	-	-	138	5690	90.25%	1.108	0.008	0.002	-0.01	9.50	10.00	1.122	0.010	21.3
WiFi 5G U-NII-2C	5	Right Side	5	802.11ac	80	-	-	138	5690	90.25%	1.108	0.515	0.144	-0.19	9.50	10.00	1.122	0.640	21.3
WiFi 5G U-NII-2C	5	Top Side	5	802.11ac	80	-	-	138	5690	90.25%	1.108	0.099	0.039	0.01	9.50	10.00	1.122	0.123	21.3
WiFi 5G U-NII-3	5	Back Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.142	0.046	0.01	8.61	9.50	1.227	0.193	21.3
WiFi 5G U-NII-3	5	Left Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.008	0.002	0.18	8.61	9.50	1.227	0.011	21.3
WiFi 5G U-NII-3	5	Right Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.385	0.127	0.11	8.61	9.50	1.227	0.523	21.3
WiFi 5G U-NII-3	5	Top Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.107	0.044	-0.19	8.61	9.50	1.227	0.145	21.3
WiFi 5G U-NII-3	5	Bottom Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.005	0.002	0.18	8.61	9.50	1.227	0.007	21.3
WiFi 5G U-NII-2A	10	Front Side	5	802.11n	40	-	-	54	5270	94.85%	1.054	0.073	0.030	0.07	8.55	9.50	1.245	0.096	21.3
WiFi 5G U-NII-2A	10	Back Side	5	802.11n	40	-	-	54	5270	94.85%	1.054	0.084	0.031	0.08	8.55	9.50	1.245	0.110	21.3
WiFi 5G U-NII-2A	10	Left Side	5	802.11n	40	-	-	54	5270	94.85%	1.054	0.018	0.004	0.09	8.55	9.50	1.245	0.024	21.3
WiFi 5G U-NII-2A	10	Right Side	5	802.11n	40	-	-	54	5270	94.85%	1.054	0.015	0.006	-0.17	8.55	9.50	1.245	0.020	21.3
WiFi 5G U-NII-2A	10	Top Side	5	802.11n	40	-	-	54	5270	94.85%	1.054	0.100	0.036	-0.04	8.55	9.50	1.245	0.131	21.3
WiFi 5G U-NII-2A	10	Bottom Side	5	802.11n	40	-	-	54	5270	94.85%	1.054	0.010	0.004	-0.16	8.55	9.50	1.245	0.013	21.3
WiFi 5G U-NII-2C	10	Front Side	5	802.11ac	80	-	-	122	5610	90.25%	1.108	0.082	0.032	-0.07	9.14	9.50	1.086	0.099	21.3
WiFi 5G U-NII-2C	10	Back Side	5	802.11ac	80	-	-	122	5610	90.25%	1.108	0.075	0.026	0.19	9.14	9.50	1.086	0.090	21.3
WiFi 5G U-NII-2C	10	Left Side	5	802.11ac	80	-	-	122	5610	90.25%	1.108	0.007	0.002	-0.17	9.14	9.50	1.086	0.008	21.3
WiFi 5G U-NII-2C	10	Right Side	5	802.11ac	80	-	-	122	5610	90.25%	1.108	0.018	0.007	0.07	9.14	9.50	1.086	0.022	21.3
WiFi 5G U-NII-2C	10	Top Side	5	802.11ac	80	-	-	122	5610	90.25%	1.108	0.117	0.042	0.08	9.14	9.50	1.086	0.141	21.3
WiFi 5G U-NII-2C	10	Bottom Side	5	802.11ac	80	-	-	122	5610	90.25%	1.108	0.012	0.003	0.11	9.14	9.50	1.086	0.014	21.3
WiFi 5G U-NII-3	10	Front Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.122	0.040	-0.17	9.58	10.00	1.102	0.149	21.3
WiFi 5G U-NII-3	10	Back Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.059	0.022	-0.07	9.58	10.00	1.102	0.072	21.3
WiFi 5G U-NII-3	10	Left Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.007	0.002	-0.01	9.58	10.00	1.102	0.009	21.3
WiFi 5G U-NII-3	10	Right Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.026	0.011	0.19	9.58	10.00	1.102	0.032	21.3
WiFi 5G U-NII-3	10	Top Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.196	0.057	-0.06	9.58	10.00	1.102	0.239	21.3



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/2

Report No.: SZCR260700337601

Page: 145 of 152

WiFi 5G U-NII-3	10	Bottom Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.019	0.006	-0.06	9.58	10.00	1.102	0.023	21.3
WiFi 5G U-NII-2A	MIMO	Front Side	5	802.11a	20	-	-	56	5280	97.54%	1.025	0.169	0.046	0.16	12.04	12.50	1.112	0.193	21.3
WiFi 5G U-NII-2A	MIMO	Back Side	5	802.11a	20	-	-	56	5280	97.54%	1.025	0.130	0.034	0.19	12.04	12.50	1.112	0.148	21.3
WiFi 5G U-NII-2A	MIMO	Left Side	5	802.11a	20	-	-	56	5280	97.54%	1.025	0.006	0.001	0.06	12.04	12.50	1.112	0.007	21.3
WiFi 5G U-NII-2A	MIMO	Right Side	5	802.11a	20	-	-	56	5280	97.54%	1.025	0.345	0.107	0.07	12.04	12.50	1.112	0.393	21.3
WiFi 5G U-NII-2A	MIMO	Top Side	5	802.11a	20	-	-	56	5280	97.54%	1.025	0.084	0.029	-0.04	12.04	12.50	1.112	0.096	21.3
WiFi 5G U-NII-2A	MIMO	Bottom Side	5	802.11a	20	-	-	56	5280	97.54%	1.025	0.003	0.001	-0.07	12.04	12.50	1.112	0.003	21.3
WiFi 5G U-NII-2C	MIMO	Front Side	5	802.11a	20	-	-	120	5600	97.54%	1.025	0.269	0.066	0.13	12.33	12.50	1.040	0.287	21.3
WiFi 5G U-NII-2C	MIMO	Back Side	5	802.11a	20	-	-	120	5600	97.54%	1.025	0.182	0.046	0.04	12.33	12.50	1.040	0.194	21.3
WiFi 5G U-NII-2C	MIMO	Left Side	5	802.11a	20	-	-	120	5600	97.54%	1.025	0.006	0.001	-0.18	12.33	12.50	1.040	0.006	21.3
WiFi 5G U-NII-2C	MIMO	Right Side	5	802.11a	20	-	-	120	5600	97.54%	1.025	0.633	0.198	0.14	12.33	12.50	1.040	0.675	21.5
WiFi 5G U-NII-2C	MIMO	Top Side	5	802.11a	20	-	-	120	5600	97.54%	1.025	0.092	0.031	0.18	12.33	12.50	1.040	0.098	21.3
WiFi 5G U-NII-2C	MIMO	Bottom Side	5	802.11a	20	-	-	120	5600	97.54%	1.025	0.003	0.001	0.07	12.33	12.50	1.040	0.003	21.3
WiFi 5G U-NII-3	MIMO	Front Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.152	0.039	-0.17	12.13	12.50	1.089	0.183	21.3
WiFi 5G U-NII-3	MIMO	Back Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.141	0.042	0.17	12.13	12.50	1.089	0.170	21.3
WiFi 5G U-NII-3	MIMO	Left Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.008	0.001	0.12	12.13	12.50	1.089	0.010	21.3
WiFi 5G U-NII-3	MIMO	Right Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.343	0.059	0.00	12.13	12.50	1.089	0.414	21.3
WiFi 5G U-NII-3	MIMO	Top Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.177	0.029	-0.12	12.13	12.50	1.089	0.214	21.3
WiFi 5G U-NII-3	MIMO	Bottom Side	5	802.11ac	80	-	-	155	5775	90.25%	1.108	0.003	0.000	0.14	12.13	12.50	1.089	0.004	21.3
Bluetooth	4	Front Side	5	DH5	-	-	-	39	2441	77.22%	1.295	0.317	0.160	0.02	13.42	13.50	1.019	0.418	21.2
Bluetooth	4	Back Side	5	DH5	-	-	-	39	2441	77.22%	1.295	0.245	0.129	-0.04	13.42	13.50	1.019	0.323	21.2
Bluetooth	4	Left Side	5	DH5	-	-	-	39	2441	77.22%	1.295	0.030	0.023	-0.14	13.42	13.50	1.019	0.040	21.2
Bluetooth	4	Right Side	5	DH5	-	-	-	39	2441	77.22%	1.295	0.305	0.152	0.14	13.42	13.50	1.019	0.402	21.2
Bluetooth	4	Top Side	5	DH5	-	-	-	39	2441	77.22%	1.295	0.029	0.023	0.00	13.42	13.50	1.019	0.038	21.2
Bluetooth	4	Bottom Side	5	DH5	-	-	-	39	2441	77.22%	1.295	0.063	0.021	0.14	13.42	13.50	1.019	0.083	21.2
Bluetooth	4	Front Side	5	DH5	-	-	-	0	2402	77.22%	1.295	0.298	0.148	-0.07	13.13	13.50	1.089	0.420	21.2
Bluetooth	4	Front Side	5	DH5	-	-	-	78	2480	77.22%	1.295	0.287	0.142	-0.03	12.29	13.50	1.321	0.491	21.2
Bluetooth	8	Front Side	5	DH5	-	-	-	39	2441	77.22%	1.295	0.103	0.046	0.17	12.70	13.00	1.072	0.143	21.2
Bluetooth	8	Back Side	5	DH5	-	-	-	39	2441	77.22%	1.295	0.136	0.067	-0.13	12.70	13.00	1.072	0.189	21.2
Bluetooth	8	Left Side	5	DH5	-	-	-	39	2441	77.22%	1.295	0.021	0.011	-0.19	12.70	13.00	1.072	0.029	21.2
Bluetooth	8	Right	5	DH5	-	-	-	39	2441	77.22%	1.295	0.032	0.015	0.13	12.70	13.00	1.072	0.044	21.2



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/2

Report No.: SZCR260700337601

Page: 146 of 152

		Side																	
Bluetooth	8	Top Side	5	DH5	-	-	-	39	2441	77.22%	1.295	0.160	0.072	0.17	12.70	13.00	1.072	0.222	21.2
Bluetooth	8	Bottom Side	5	DH5	-	-	-	39	2441	77.22%	1.295	0.011	0.004	0.03	12.70	13.00	1.072	0.015	21.2

WCDMA Band IV						
Test Position	Test ch	Measured SAR (W/kg)	1st Repeated	Ratio	2nd Repeated	3rd Repeated
Top Side	1513	0.826	0.822	1.005	N/A	N/A

WCDMA Band V						
Test Position	Test ch	Measured SAR (W/kg)	1st Repeated	Ratio	2nd Repeated	3rd Repeated
Front Side	4182	0.874	0.848	1.031	N/A	N/A

LTE Band 7						
Test Position	Test ch	Measured SAR (W/kg)	1st Repeated	Ratio	2nd Repeated	3rd Repeated
Top Side	21350	0.908	0.905	1.003	N/A	N/A

LTE Band 34						
Test Position	Test ch	Measured SAR (W/kg)	1st Repeated	Ratio	2nd Repeated	3rd Repeated
Top Side	36275	0.818	0.805	1.016	N/A	N/A

LTE Band 38						
Test Position	Test ch	Measured SAR (W/kg)	1st Repeated	Ratio	2nd Repeated	3rd Repeated
Top Side	38000	0.822	0.821	1.001	N/A	N/A

LTE Band 66(4)						
Test Position	Test ch	Measured SAR (W/kg)	1st Repeated	Ratio	2nd Repeated	3rd Repeated
Top Side	132322	0.815	0.805	1.012	N/A	N/A

Note: 1) When the original highest measured SAR is ≥ 0.80 W/kg, the measurement was repeated once.
 2) A second repeated measurement was performed only if the ratio of largest to smallest SAR for the original and first repeated measurements was > 1.20 or when the original or repeated measurement was ≥ 1.45 W/kg ($\sim 10\%$ from the 1-g SAR limit).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/2

Report No.: SZCR260700337601

Page: 147 of 152

3) A third repeated measurement was performed only if the original, first or second repeated measurement was ≥ 1.5 W/kg and the ratio of largest to smallest SAR for the original, first and second repeated measurements is > 1.20 .

4) Repeated measurements are not required when the original highest measured SAR is < 0.80 W/kg

5) The same procedures should be adapted for measurements according to extremity and occupational exposure limits by applying a factor of 2.5 for extremity exposure and a factor of 5 for occupational exposure to the corresponding SAR thresholds. The repeated measurement results must be clearly identified in the SAR report.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZSAR-TRF-01) EMC Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

8.4 Multiple Transmitter Evaluation

8.4.1 Simultaneous SAR test evaluation

No.	Simultaneous Tx Combination	Fold With Mobile Phone			Unfold with Mini Tablet
		Head	Body worn&Hotspot	Product specific 10g SAR	Body worn&Hotspot
1	WWAN+WIFI 2.4G	Yes	Yes	Yes	Yes
2	WWAN+WIFI 5G	Yes	Yes	Yes	Yes
3	WWAN+Bluetooth	Yes	Yes	Yes	Yes



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

8.4.2 Simultaneous Transmission SAR Summation Scenario

Sum Head with Fold:

Test position	SAR max (W/kg)									Summed SAR							
	WWAN Max SAR	WiFi 2.4G Ant4	WiFi 2.4G Ant8	WiFi 2.4G MIMO	WiFi 5G Ant5	WiFi 5G Ant10	WiFi 5G MIMO	BT Ant4	BT Ant8								
	1	2	3	4	5	6	7	8	9	1+2	1+3	1+4	1+5	1+6	1+7	1+8	1+9
Left Cheek	1.046	0.113	0.293	0.118	0.113	0.437	0.505	0.025	0.060	1.159	1.339	1.164	1.159	1.483	1.551	1.106	1.106
Left Tilted	1.068	0.121	0.302	0.349	0.088	0.328	0.387	0.025	0.065	1.189	1.370	1.417	1.156	1.396	1.455	1.133	1.133
Right Cheek	0.748	0.236	0.315	0.134	0.047	0.345	0.416	0.049	0.071	0.984	1.063	0.882	0.795	1.093	1.164	0.819	0.819
Right Tilted	0.979	0.067	0.508	0.269	0.056	0.392	0.386	0.015	0.151	1.046	1.487	1.248	1.035	1.371	1.365	1.130	1.130

Sum Body worn&Hotspot with Fold:

Test position	SAR max (W/kg)									Summed SAR							
	WWAN Max SAR	WiFi 2.4G Ant4	WiFi 2.4G Ant8	WiFi 2.4G MIMO	WiFi 5G Ant5	WiFi 5G Ant10	WiFi 5G MIMO	BT Ant4	BT Ant8								
	1	2	3	4	5	6	7	8	9	1+2	1+3	1+4	1+5	1+6	1+7	1+8	1+9
Front side	0.310	0.019	0.028	0.034	0.016	0.011	0.011	0.021	0.029	0.329	0.338	0.344	0.326	0.321	0.321	0.339	0.339
Back side	0.742	0.091	0.101	0.109	0.106	0.042	0.062	0.128	0.097	0.833	0.843	0.851	0.848	0.784	0.804	0.839	0.839
Left side	0.175	0.000	0.034	0.028	0.000	0.000	0.000	0.000	0.039	0.175	0.209	0.203	0.175	0.175	0.175	0.214	0.214
Right side	0.561	0.101	0.000	0.151	0.146	0.012	0.154	0.185	0.000	0.662	0.561	0.712	0.707	0.573	0.715	0.561	0.561
Top side	0.467	0.000	0.137	0.130	0.030	0.023	0.033	0.000	0.096	0.467	0.604	0.597	0.497	0.490	0.500	0.563	0.563
Bottom side	0.863	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.863	0.863	0.863	0.863	0.863	0.863	0.863	0.863

Sum Body worn&Hotspot with Unfold:

Test position	SAR max (W/kg)									Summed SAR							
	WWAN Max SAR	WiFi 2.4G Ant4	WiFi 2.4G Ant8	WiFi 2.4G MIMO	WiFi 5G Ant5	WiFi 5G Ant10	WiFi 5G MIMO	BT Ant4	BT Ant8								
	1	2	3	4	5	6	7	8	9	1+2	1+3	1+4	1+5	1+6	1+7	1+8	1+9
Front side	0.933	0.374	0.196	0.467	0.380	0.149	0.287	0.491	0.143	1.307	1.129	1.400	1.313	1.082	1.220	1.076	1.076
Back side	0.874	0.172	0.098	0.233	0.259	0.110	0.194	0.323	0.189	1.046	0.972	1.107	1.133	0.984	1.068	1.063	1.063
Left side	0.572	0.017	0.013	0.020	0.022	0.024	0.010	0.040	0.029	0.589	0.585	0.592	0.594	0.596	0.582	0.601	0.601
Right side	0.838	0.453	0.043	0.611	0.640	0.032	0.675	0.402	0.044	1.291	0.881	1.449	1.478	0.870	1.513	0.882	0.882
Top side	0.980	0.016	0.528	0.500	0.145	0.239	0.214	0.038	0.222	0.996	1.508	1.480	1.125	1.219	1.194	1.202	1.202
Bottom side	0.834	0.022	0.016	0.007	0.007	0.023	0.004	0.083	0.015	0.856	0.850	0.841	0.841	0.857	0.838	0.849	0.849

9 Equipment list

Test Platform		SPEAG DASY Professional				
Software Reference		cDASY8 V16.4.0.5005				
Hardware Reference						
Equipment		Manufacturer	Model	Inventory No.	Calibration Date	Due date of calibration
☒	Test Phantom	SPEAG	SAM Twin	SZ-WSR-A-026	NCR	NCR
☒	Test Phantom	SPEAG	SAM Twin	SZ-WSR-A-027	NCR	NCR
☒	DAE	SPEAG	DAE4ip	SZ-WSR-M-074	2025/8/15	2026/8/14
☒	DAE	SPEAG	DAE4ip	SZ-WSR-M-078	2025/11/11	2026/11/10
☒	E-Field Probe	SPEAG	EX3DV4	SZ-WSR-M-079	2026/2/2	2027/2/1
☒	E-Field Probe	SPEAG	EX3DV4	SZ-WSR-M-027	2025/8/26	2026/8/25
☒	Validation Kits	SPEAG	D750V3	SZ-WSR-M-032	2025/6/18	2028/6/17
☒	Validation Kits	SPEAG	D835V2	SZ-WSR-M-033	2025/10/14	2028/10/13
☒	Validation Kits	SPEAG	D1750V2	SZ-WSR-M-035	2025/6/18	2028/6/17
☒	Validation Kits	SPEAG	D1900V2	SZ-WSR-M-036	2025/10/13	2028/10/12
☒	Validation Kits	SPEAG	D1950V3	SZ-WSR-M-037	2025/10/15	2028/10/14
☒	Validation Kits	SPEAG	D2300V2	SZ-WSR-M-038	2025/6/19	2028/6/18
☒	Validation Kits	SPEAG	D2450V2	SZ-WSR-M-039	2025/10/15	2028/10/14
☒	Validation Kits	SPEAG	D2600V2	SZ-WSR-M-040	2025/6/17	2028/6/16
☒	Validation Kits	SPEAG	D3500V2	SZ-WSR-M-041	2025/10/15	2028/10/14
☒	Validation Kits	SPEAG	D3700V2	SZ-WSR-M-042	2025/10/13	2028/10/12
☒	Validation Kits	SPEAG	D3900V2	SZ-WSR-M-043	2025/10/15	2028/10/14
☒	Validation Kits	SPEAG	D5GHzV2	SZ-WSR-M-046	2025/10/14	2028/10/13
☒	Dielectric parameter probes	SPEAG	DAK-3.5	SZ-WSR-M-093	2025/11/16	2026/11/15
☒	Agilent Network Analyzer	Agilent	E5071C	SZ-WSR-M-067	2025/8/26	2026/8/25
☒	Radio Communication Analyzer	Anritsu	MT8820C	SZ-WSR-M-005	2025/12/16	2026/12/15
☒	Radio Communication Analyzer	Anritsu	MT8820C	SZ-WSR-M-018	2026/5/14	2027/5/13
☒	Radio Communication Analyzer	Anritsu	MT8820C	SZ-WSR-M-020	2025/8/14	2026/8/13
☒	RF Bi-Directional Coupler	Agilent	86205-60001	SZ-WSR-A-004	NCR	NCR
☒	Signal Generator	Agilent	N5171B	SZ-WSR-M-006	2025/12/16	2026/12/15
☒	Preamplifier	Mini-Circuits	ZHL-42W	SZ-WSR-A-001	NCR	NCR
☒	Preamplifier	Compliance Directions Systems Inc.	AMP28-3W	SZ-WSR-A-002	NCR	NCR
☒	Power Meter	Agilent	E4416A	SZ-WSR-M-007	2025/12/16	2026/12/15
☒	Power Sensor	Agilent	8481H	SZ-WSR-M-008	2025/12/16	2026/12/15
☒	Power Sensor	R&S	NRP-Z92	SZ-WSR-M-009	2025/12/16	2026/12/15



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch

SZSAR-TRF-01 Rev. A/2

Report No.: SZCR260700337601

Page: 151 of 152

☒	Attenuator	SHX	TS2-3dB	SZ-WSR-A-012	NCR	NCR
☒	Speed reading thermometer	Zhengzhou Boyang Instrument	TP3001	SZ-WSR-M-014	2026/5/11	2027/5/10
☒	Temperature	MingGao	T809	SZ-WSR-M-015	2026/5/11	2027/5/10
☒	Temperature	MingGao	T809	SZ-WSR-M-016	2026/5/11	2027/5/10
☒	Humidity and Temperature Indicator	AS ONE	THA-02L	SZ-WSR-M-098	2025/11/14	2026/11/13
☒	Humidity and Temperature Indicator	AS ONE	THA-02L	SZ-WSR-M-003	2026/1/21	2027/1/20

Note: All the equipment are within the valid period when the tests are performed.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
 中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com

10 Calibration certificate

Please see the Appendix C

11 Photographs

Please see the Appendix D

Appendix A: Detailed System Check Results

Appendix B: Detailed Test Results

Appendix C: Calibration certificate

Appendix D: Photographs

Appendix E: Conducted RF Output Power

--- End of report ---



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <https://www.sgs.com/en/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

SGS-CSTC Standards Technical Services Co., Ltd.
Shenzhen Branch (SZSAR-TRF-01 Rev. A/2) Laboratory

No.1 Workshop, M-10, Middle Section, Science & Technology Park, Nanshan District, Shenzhen, Guangdong, China 518057 t (86-755) 26012053 f (86-755) 26710594 www.sgs.com.cn
中国·广东·深圳市南山区科技园中区M-10栋1号厂房 邮编: 518057 t (86-755) 26012053 f (86-755) 26710594 sgs.china@sgs.com