



## n78e\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_QPSK\_3470.01MHz\_Inner\_1RB\_Left\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3445.01     | 3449.01    | 0.5       | CHP    | 1          | 3448.715   | -41.89      | -13         | Pass   |
| 3449.01     | 3450.01    | 0.03      | /      | 2          | 3450.006   | -36.97      | -13         | Pass   |
| 3450.01     | 3490.01    | 0.03      | /      | /          | /          | /           | /           | /      |
| 3490.01     | 3491.01    | 0.03      | /      | 3          | 3490.315   | -58.25      | -13         | Pass   |
| 3491.01     | 3495.01    | 0.5       | CHP    | 4          | 3493.870   | -47.35      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_QPSK\_3500.01MHz\_Edge\_1RB\_Left\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 887.950    | -44.80      | -13         | Pass   |

**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

## n78e\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_QPSK\_3500.01MHz\_Edge\_1RB\_Left\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 3475.01    | 1         | /      | 1          | 3069.750   | -40.50      | -13         | Pass   |
| 3475.01     | 3525.01    | 1         | /      | /          | /          | /           | /           | /      |
| 3525.01     | 26500      | 1         | /      | 2          | 26276.450  | -34.48      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_QPSK\_3529.98MHz\_Edge\_1RB\_Right\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3504.98     | 3508.98    | 0.5       | CHP    | 1          | 3505.550   | -47.32      | -13         | Pass   |
| 3508.98     | 3509.98    | 0.03      | /      | 2          | 3509.345   | -58.14      | -13         | Pass   |
| 3509.98     | 3549.98    | 0.03      | /      | /          | /          | /           | /           | /      |
| 3549.98     | 3550.98    | 0.03      | /      | 3          | 3549.985   | -35.02      | -13         | Pass   |
| 3550.98     | 3554.98    | 0.5       | CHP    | 4          | 3551.245   | -41.99      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_QPSK\_3529.98MHz\_Edge\_1RB\_Right\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 834.200    | -44.97      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_QPSK\_3529.98MHz\_Edge\_1RB\_Right\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 3504.98    | 1         | /      | 1          | 3106.300   | -40.54      | -13         | Pass   |
| 3504.98     | 3554.98    | 1         | /      | /          | /          | /           | /           | /      |
| 3554.98     | 26500      | 1         | /      | 2          | 26296.000  | -34.66      | -13         | Pass   |

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

## n78e\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_QPSK\_3529.98MHz\_Outer\_Full\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3504.98     | 3508.98    | 0.5       | CHP    | 1          | 3508.630   | -38.40      | -13         | Pass   |
| 3508.98     | 3509.98    | 0.2       | CHP    | 2          | 3509.680   | -38.26      | -13         | Pass   |
| 3509.98     | 3549.98    | 0.2       | CHP    | /          | /          | /           | /           | /      |
| 3549.98     | 3550.98    | 0.2       | CHP    | 3          | 3550.380   | -39.47      | -13         | Pass   |
| 3550.98     | 3554.98    | 0.5       | CHP    | 4          | 3551.580   | -37.98      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_40MHz\_CP-OFDM\_QPSK\_3529.98MHz\_Inner\_1RB\_Right\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3504.98     | 3508.98    | 0.5       | CHP    | 1          | 3506.735   | -47.38      | -13         | Pass   |
| 3508.98     | 3509.98    | 0.03      | /      | 2          | 3509.540   | -58.19      | -13         | Pass   |
| 3509.98     | 3549.98    | 0.03      | /      | /          | /          | /           | /           | /      |
| 3549.98     | 3550.98    | 0.03      | /      | 3          | 3550.030   | -35.31      | -13         | Pass   |
| 3550.98     | 3554.98    | 0.5       | CHP    | 4          | 3551.260   | -40.78      | -13         | Pass   |

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


### 5.2.5 30\_S\_50M\_NTNV



**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK 3475.02MHz\_Edge\_1RB\_Left\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 3445.02    | 1         | /      | 1          | 3147.100   | -40.56      | -13         | Pass   |
| 3445.02     | 3505.02    | 1         | /      | /          | /          | /           | /           | /      |
| 3505.02     | 26500      | 1         | /      | 2          | 26257.750  | -34.71      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK 3475.02MHz\_Outer\_Full\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3445.02     | 3449.02    | 0.5       | CHP    | 1          | 3445.670   | -42.81      | -13         | Pass   |
| 3449.02     | 3450.02    | 0.2       | CHP    | 2          | 3449.870   | -45.61      | -13         | Pass   |
| 3450.02     | 3500.02    | 0.2       | CHP    | /          | /          | /           | /           | /      |
| 3500.02     | 3501.02    | 0.2       | CHP    | 3          | 3500.820   | -44.28      | -13         | Pass   |
| 3501.02     | 3505.02    | 0.5       | CHP    | 4          | 3501.470   | -40.25      | -13         | Pass   |

**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK 3475.02MHz\_Inner\_1RB\_Left\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3445.02     | 3449.02    | 0.5       | CHP    | 1          | 3448.680   | -43.17      | -13         | Pass   |
| 3449.02     | 3450.02    | 0.03      | /      | 2          | 3450.015   | -37.94      | -13         | Pass   |
| 3450.02     | 3500.02    | 0.03      | /      | /          | /          | /           | /           | /      |
| 3500.02     | 3501.02    | 0.03      | /      | 3          | 3500.445   | -58.45      | -13         | Pass   |
| 3501.02     | 3505.02    | 0.5       | CHP    | 4          | 3501.810   | -47.48      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK 3500.01MHz\_Edge\_1RB\_Left\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 897.850    | -44.80      | -13         | Pass   |

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK 3500.01MHz\_Edge\_1RB\_Left\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 3470.01    | 1         | /      | 1          | 3067.200   | -40.49      | -13         | Pass   |
| 3470.01     | 3530.01    | 1         | /      | /          | /          | /           | /           | /      |
| 3530.01     | 26500      | 1         | /      | 2          | 26245.850  | -34.69      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK 3525MHz\_Edge\_1RB\_Right\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3495        | 3499       | 0.5       | CHP    | 1          | 3498.105   | -47.42      | -13         | Pass   |
| 3499        | 3500       | 0.03      | /      | 2          | 3499.935   | -57.73      | -13         | Pass   |
| 3500        | 3550       | 0.03      | /      | /          | /          | /           | /           | /      |
| 3550        | 3551       | 0.03      | /      | 3          | 3550.005   | -43.33      | -13         | Pass   |
| 3551        | 3555       | 0.5       | CHP    | 4          | 3551.250   | -43.96      | -13         | Pass   |

n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3525MHz\_Edge\_1RB\_Right\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 864.000    | -44.93      | -13         | Pass   |

n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3525MHz\_Edge\_1RB\_Right\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 3495       | 1         | /      | 1          | 3102.900   | -40.47      | -13         | Pass   |
| 3495        | 3555       | 1         | /      | /          | /          | /           | /           | /      |
| 3555        | 26500      | 1         | /      | 2          | 26245.850  | -34.39      | -13         | Pass   |

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,  
Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

## n78e 30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3525MHz\_Outer\_Full\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3495        | 3499       | 0.5       | CHP    | 1          | 3498.750   | -41.55      | -13         | Pass   |
| 3499        | 3500       | 0.2       | CHP    | 2          | 3499.900   | -42.16      | -13         | Pass   |
| 3500        | 3550       | 0.2       | CHP    | /          | /          | /           | /           | /      |
| 3550        | 3551       | 0.2       | CHP    | 3          | 3550.550   | -45.36      | -13         | Pass   |
| 3551        | 3555       | 0.5       | CHP    | 4          | 3551.950   | -42.48      | -13         | Pass   |

## n78e 30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM PI/2 BPSK\_3525MHz\_Inner\_1RB\_Right\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3495        | 3499       | 0.5       | CHP    | 1          | 3496.485   | -47.40      | -13         | Pass   |
| 3499        | 3500       | 0.03      | /      | 2          | 3499.575   | -57.97      | -13         | Pass   |
| 3500        | 3550       | 0.03      | /      | /          | /          | /           | /           | /      |
| 3550        | 3551       | 0.03      | /      | 3          | 3550.005   | -37.33      | -13         | Pass   |
| 3551        | 3555       | 0.5       | CHP    | 4          | 3551.550   | -43.93      | -13         | Pass   |

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_QPSK\_3475.02MHz\_Edge\_1RB\_Left\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3445.02     | 3449.02    | 0.5       | CHP    | 1          | 3448.770   | -44.86      | -13         | Pass   |
| 3449.02     | 3450.02    | 0.03      | /      | 2          | 3449.985   | -37.88      | -13         | Pass   |
| 3450.02     | 3500.02    | 0.03      | /      | /          | /          | /           | /           | /      |
| 3500.02     | 3501.02    | 0.03      | /      | 3          | 3500.625   | -58.39      | -13         | Pass   |
| 3501.02     | 3505.02    | 0.5       | CHP    | 4          | 3503.160   | -47.48      | -13         | Pass   |

n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_QPSK\_3475.02MHz\_Edge\_1RB\_Left\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 860.000    | -45.16      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_QPSK\_3475.02MHz\_Edge\_1RB\_Left\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 3445.02    | 1         | /      | 1          | 3442.900   | -40.36      | -13         | Pass   |
| 3445.02     | 3505.02    | 1         | /      | /          | /          | /           | /           | /      |
| 3505.02     | 26500      | 1         | /      | 2          | 26254.350  | -34.94      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_QPSK\_3475.02MHz\_Outer\_Full\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3445.02     | 3449.02    | 0.5       | CHP    | 1          | 3448.770   | -39.81      | -13         | Pass   |
| 3449.02     | 3450.02    | 0.2       | CHP    | 2          | 3449.970   | -40.68      | -13         | Pass   |
| 3450.02     | 3500.02    | 0.2       | CHP    | /          | /          | /           | /           | /      |
| 3500.02     | 3501.02    | 0.2       | CHP    | 3          | 3500.170   | -45.25      | -13         | Pass   |
| 3501.02     | 3505.02    | 0.5       | CHP    | 4          | 3501.420   | -41.74      | -13         | Pass   |

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

n78e 30kHz SISO NTN 50MHz DFT-s-OFDM QPSK 3475.02MHz Inner 1RB Left Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3445.02     | 3449.02    | 0.5       | CHP    | 1          | 3448.620   | -43.88      | -13         | Pass   |
| 3449.02     | 3450.02    | 0.03      | /      | 2          | 3449.940   | -36.94      | -13         | Pass   |
| 3450.02     | 3500.02    | 0.03      | /      | /          | /          | /           | /           | /      |
| 3500.02     | 3501.02    | 0.03      | /      | 3          | 3500.985   | -58.40      | -13         | Pass   |
| 3501.02     | 3505.02    | 0.5       | CHP    | 4          | 3502.815   | -47.45      | -13         | Pass   |

n78e 30kHz SISO NTN 50MHz DFT-s-OFDM QPSK 3500.01MHz Edge 1RB Left Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 905.100    | -44.97      | -13         | Pass   |

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_QPSK\_3500.01MHz\_Edge\_1RB\_Left\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 3470.01    | 1         | /      | 1          | 3142.850   | -40.35      | -13         | Pass   |
| 3470.01     | 3530.01    | 1         | /      | /          | /          | /           | /           | /      |
| 3530.01     | 26500      | 1         | /      | 2          | 26195.700  | -34.44      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_QPSK\_3525MHz\_Edge\_1RB\_Right\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3495        | 3499       | 0.5       | CHP    | 1          | 3498.465   | -47.45      | -13         | Pass   |
| 3499        | 3500       | 0.03      | /      | 2          | 3499.725   | -58.34      | -13         | Pass   |
| 3500        | 3550       | 0.03      | /      | /          | /          | /           | /           | /      |
| 3550        | 3551       | 0.03      | /      | 3          | 3550.020   | -39.26      | -13         | Pass   |
| 3551        | 3555       | 0.5       | CHP    | 4          | 3551.250   | -44.81      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_QPSK\_3525MHz\_Edge\_1RB\_Right\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 870.100    | -44.96      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_QPSK\_3525MHz\_Edge\_1RB\_Right\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 3495       | 1         | /      | 1          | 3250.800   | -40.40      | -13         | Pass   |
| 3495        | 3555       | 1         | /      | /          | /          | /           | /           | /      |
| 3555        | 26500      | 1         | /      | 2          | 26318.100  | -34.30      | -13         | Pass   |

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_QPSK\_3525MHz\_Outer\_Full\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3495        | 3499       | 0.5       | CHP    | 1          | 3498.000   | -41.84      | -13         | Pass   |
| 3499        | 3500       | 0.2       | CHP    | 2          | 3499.950   | -40.94      | -13         | Pass   |
| 3500        | 3550       | 0.2       | CHP    | /          | /          | /           | /           | /      |
| 3550        | 3551       | 0.2       | CHP    | 3          | 3550.150   | -46.46      | -13         | Pass   |
| 3551        | 3555       | 0.5       | CHP    | 4          | 3552.800   | -43.00      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_DFT-s-OFDM\_QPSK\_3525MHz\_Inner\_1RB\_Right\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3495        | 3499       | 0.5       | CHP    | 1          | 3495.450   | -47.45      | -13         | Pass   |
| 3499        | 3500       | 0.03      | /      | 2          | 3499.830   | -58.59      | -13         | Pass   |
| 3500        | 3550       | 0.03      | /      | /          | /          | /           | /           | /      |
| 3550        | 3551       | 0.03      | /      | 3          | 3550.035   | -38.99      | -13         | Pass   |
| 3551        | 3555       | 0.5       | CHP    | 4          | 3551.250   | -39.61      | -13         | Pass   |

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


## n78e\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_QPSK\_3475.02MHz\_Edge\_1RB\_Left\_Ant1



## n78e\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_QPSK\_3475.02MHz\_Edge\_1RB\_Left\_Ant1




## n78e\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_QPSK\_3475.02MHz\_Edge\_1RB\_Left\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 3445.02    | 1         | /      | 1          | 3086.750   | -40.21      | -13         | Pass   |
| 3445.02     | 3505.02    | 1         | /      | /          | /          | /           | /           | /      |
| 3505.02     | 26500      | 1         | /      | 2          | 26201.650  | -34.78      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_QPSK\_3475.02MHz\_Outer\_Full\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3445.02     | 3449.02    | 0.5       | CHP    | 1          | 3448.670   | -36.33      | -13         | Pass   |
| 3449.02     | 3450.02    | 0.2       | CHP    | 2          | 3449.970   | -38.40      | -13         | Pass   |
| 3450.02     | 3500.02    | 0.2       | CHP    | /          | /          | /           | /           | /      |
| 3500.02     | 3501.02    | 0.2       | CHP    | 3          | 3500.070   | -39.00      | -13         | Pass   |
| 3501.02     | 3505.02    | 0.5       | CHP    | 4          | 3501.270   | -39.30      | -13         | Pass   |

Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_QPSK\_3475.02MHz\_Inner\_1RB\_Left\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3445.02     | 3449.02    | 0.5       | CHP    | 1          | 3448.560   | -42.06      | -13         | Pass   |
| 3449.02     | 3450.02    | 0.03      | /      | 2          | 3449.895   | -36.48      | -13         | Pass   |
| 3450.02     | 3500.02    | 0.03      | /      | /          | /          | /           | /           | /      |
| 3500.02     | 3501.02    | 0.03      | /      | 3          | 3500.220   | -58.44      | -13         | Pass   |
| 3501.02     | 3505.02    | 0.5       | CHP    | 4          | 3503.145   | -47.34      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_QPSK\_3500.01MHz\_Edge\_1RB\_Left\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 895.350    | -44.71      | -13         | Pass   |

**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_QPSK\_3500.01MHz\_Edge\_1RB\_Left\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 3470.01    | 1         | /      | 1          | 3105.450   | -40.37      | -13         | Pass   |
| 3470.01     | 3530.01    | 1         | /      | /          | /          | /           | /           | /      |
| 3530.01     | 26500      | 1         | /      | 2          | 26227.150  | -34.70      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_QPSK\_3525MHz\_Edge\_1RB\_Right\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3495        | 3499       | 0.5       | CHP    | 1          | 3496.860   | -47.27      | -13         | Pass   |
| 3499        | 3500       | 0.03      | /      | 2          | 3499.680   | -57.93      | -13         | Pass   |
| 3500        | 3550       | 0.03      | /      | /          | /          | /           | /           | /      |
| 3550        | 3551       | 0.03      | /      | 3          | 3550.005   | -38.68      | -13         | Pass   |
| 3551        | 3555       | 0.5       | CHP    | 4          | 3551.610   | -44.43      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_QPSK\_3525MHz\_Edge\_1RB\_Right\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 923.550    | -44.95      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_QPSK\_3525MHz\_Edge\_1RB\_Right\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 3495       | 1         | /      | 1          | 3257.600   | -40.69      | -13         | Pass   |
| 3495        | 3555       | 1         | /      | /          | /          | /           | /           | /      |
| 3555        | 26500      | 1         | /      | 2          | 26273.050  | -34.28      | -13         | Pass   |

**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_QPSK\_3525MHz\_Outer\_Full\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3495        | 3499       | 0.5       | CHP    | 1          | 3498.400   | -38.40      | -13         | Pass   |
| 3499        | 3500       | 0.2       | CHP    | 2          | 3499.500   | -39.92      | -13         | Pass   |
| 3500        | 3550       | 0.2       | CHP    | /          | /          | /           | /           | /      |
| 3550        | 3551       | 0.2       | CHP    | 3          | 3550.100   | -44.42      | -13         | Pass   |
| 3551        | 3555       | 0.5       | CHP    | 4          | 3552.000   | -40.66      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_50MHz\_CP-OFDM\_QPSK\_3525MHz\_Inner\_1RB\_Right\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3495        | 3499       | 0.5       | CHP    | 1          | 3497.970   | -47.36      | -13         | Pass   |
| 3499        | 3500       | 0.03      | /      | 2          | 3499.455   | -58.03      | -13         | Pass   |
| 3500        | 3550       | 0.03      | /      | /          | /          | /           | /           | /      |
| 3550        | 3551       | 0.03      | /      | 3          | 3550.005   | -37.71      | -13         | Pass   |
| 3551        | 3555       | 0.5       | CHP    | 4          | 3551.250   | -40.50      | -13         | Pass   |

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694


### 5.2.6 30\_S\_60M\_NTNV



**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

## n78e\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3480MHz\_Edge\_1RB\_Left\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 3445       | 1         | /      | 1          | 3083.350   | -40.59      | -13         | Pass   |
| 3445        | 3515       | 1         | /      | /          | /          | /           | /           | /      |
| 3515        | 26500      | 1         | /      | 2          | 26226.300  | -34.77      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3480MHz\_Outer\_Full\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3445        | 3449       | 0.5       | CHP    | 1          | 3447.300   | -40.72      | -13         | Pass   |
| 3449        | 3450       | 0.2       | CHP    | 2          | 3449.700   | -44.36      | -13         | Pass   |
| 3450        | 3510       | 0.2       | CHP    | /          | /          | /           | /           | /      |
| 3510        | 3511       | 0.2       | CHP    | 3          | 3510.050   | -39.15      | -13         | Pass   |
| 3511        | 3515       | 0.5       | CHP    | 4          | 3511.950   | -41.77      | -13         | Pass   |

**Radiolink Testing (Shenzhen) Co., Ltd.**


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China  
Tel: +86 0755 23080694

## n78e\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM PI/2 BPSK 3480MHz\_Inner\_1RB\_Left\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3445        | 3449       | 0.5       | CHP    | 1          | 3448.736   | -44.56      | -13         | Pass   |
| 3449        | 3450       | 0.03      | /      | 2          | 3449.936   | -33.97      | -13         | Pass   |
| 3450        | 3510       | 0.03      | /      | /          | /          | /           | /           | /      |
| 3510        | 3511       | 0.03      | /      | 3          | 3510.844   | -59.00      | -13         | Pass   |
| 3511        | 3515       | 0.5       | CHP    | 4          | 3513.500   | -47.34      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM PI/2 BPSK 3500.01MHz\_Edge\_1RB\_Left\_Ant1




| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 30          | 1000       | 1         | CHP    | 1          | 862.550    | -44.85      | -13         | Pass   |

**Radiolink Testing (Shenzhen) Co., Ltd.**

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694

## n78e\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3500.01MHz\_Edge\_1RB\_Left\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 1000        | 3465.01    | 1         | /      | 1          | 3225.300   | -40.28      | -13         | Pass   |
| 3465.01     | 3535.01    | 1         | /      | /          | /          | /           | /           | /      |
| 3535.01     | 26500      | 1         | /      | 2          | 26238.200  | -34.52      | -13         | Pass   |

## n78e\_30kHz\_SISO\_NTNV\_60MHz\_DFT-s-OFDM\_PI/2\_BPSK\_3519.99MHz\_Edge\_1RB\_Right\_Ant1



| Start (MHz) | Stop (MHz) | RBW (MHz) | Method | Marker No. | Freq (MHz) | Level (dBm) | Limit (dBm) | Result |
|-------------|------------|-----------|--------|------------|------------|-------------|-------------|--------|
| 3484.99     | 3488.99    | 0.5       | CHP    | 1          | 3487.630   | -47.36      | -13         | Pass   |
| 3488.99     | 3489.99    | 0.03      | /      | 2          | 3489.881   | -58.29      | -13         | Pass   |
| 3489.99     | 3549.99    | 0.03      | /      | /          | /          | /           | /           | /      |
| 3549.99     | 3550.99    | 0.03      | /      | 3          | 3550.024   | -35.32      | -13         | Pass   |
| 3550.99     | 3554.99    | 0.5       | CHP    | 4          | 3551.254   | -43.59      | -13         | Pass   |