


LTE Band 12 10M QPSK 1RB49 23095CH Left cheek Ant3

Communication System: Band 12; Frequency: 707.500
Medium: Head Simulating Liquid. Medium parameters used: $f= 707.500$ MHz; $\sigma= 0.847$ S/m; $\epsilon_r = 44.1$

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(10.2, 10.2, 10.2); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (120.0 mm x 210.0 mm): Measurement Grid: 15.0 mm x 15.0 mm
SAR (1g) = 0.439 W/kg; SAR (10g) = 0.277 W/kg;

Zoom Scan (32.0 mm x 32.0 mm x 30.0 mm): Measurement Grid: 6.0 mm x 6.0 mm x 1.5 mm
Power Drift = 0.00 dB
SAR (1g) = 0.440 W/kg; SAR (10g) = 0.238 W/kg;
M2/M1 [%]=78.0
Dist 3dB Peak [mm]=8.0




LTE Band 12 10M QPSK 1RB0 23095CH Back side 10mm Ant1

Communication System: Band 12; Frequency: 707.500
Medium: Head Simulating Liquid. Medium parameters used: f= 707.500 MHz; σ = 0.847 S/m; ϵ_r = 44.1

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(10.2, 10.2, 10.2); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (120.0 mm x 210.0 mm): Measurement Grid: 15.0 mm x 15.0 mm
SAR (1g) = 0.233 W/kg; SAR (10g) = 0.149 W/kg;

Zoom Scan (32.0 mm x 32.0 mm x 30.0 mm): Measurement Grid: 6.0 mm x 6.0 mm x 1.5 mm
Power Drift = -0.03 dB
SAR (1g) = 0.230 W/kg; SAR (10g) = 0.141 W/kg;
M2/M1 [%]=78.9
Dist 3dB Peak [mm]=11.9




LTE Band 12 10M QPSK 1RB0 23095CH Bottom side 5mm Ant1

Communication System: Band 12; Frequency: 707.500
Medium: Head Simulating Liquid. Medium parameters used: f= 707.500 MHz; σ = 0.847 S/m; ϵ_r = 44.1

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(10.2, 10.2, 10.2); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (48.0 mm x 180.0 mm): Measurement Grid: 8.0 mm x 15.0 mm
SAR (1g) = 0.740 W/kg; SAR (10g) = 0.387 W/kg;

Zoom Scan (32.0 mm x 32.0 mm x 30.0 mm): Measurement Grid: 6.0 mm x 6.0 mm x 1.5 mm
Power Drift = -0.07 dB
SAR (1g) = 0.730 W/kg; SAR (10g) = 0.316 W/kg;
M2/M1 [%]=65.8
Dist 3dB Peak [mm]=6.6




LTE Band 25 20M QPSK 1RB50 26590CH Left tilted Ant9

Communication System: Band 25; Frequency: 1905.000
Medium: Head Simulating Liquid. Medium parameters used: $f=1905.000$ MHz; $\sigma=1.41$ S/m; $\epsilon_r=40.6$

- DASY8 Configuration:
- Probe: EX3DV4 - SN7636; ConvF(8.4, 8.4, 8.4); Calibrated: 2025-08-26
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1803; Calibrated: 2025-08-15
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2156
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (120.0 mm x 210.0 mm): Measurement Grid: 15.0 mm x 15.0 mm
SAR (1g) = 0.338 W/kg; SAR (10g) = 0.172 W/kg;

Zoom Scan (32.0 mm x 32.0 mm x 30.0 mm): Measurement Grid: 6.0 mm x 6.0 mm x 1.5 mm
Power Drift = -0.09 dB
SAR (1g) = 0.357 W/kg; SAR (10g) = 0.187 W/kg;
M2/M1 [%]=82.7
Dist 3dB Peak [mm]=8.8




LTE Band 25 20M QPSK 1RB99 26590CH Top side 10mm Ant9

Communication System: Band 25; Frequency: 1905.000
Medium: Head Simulating Liquid. Medium parameters used: $f=1905.000$ MHz; $\sigma=1.41$ S/m; $\epsilon_r=40.6$

- DASY8 Configuration:
- Probe: EX3DV4 - SN7636; ConvF(8.4, 8.4, 8.4); Calibrated: 2025-08-26
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1803; Calibrated: 2025-08-15
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2156
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (48.0 mm x 120.0 mm): Measurement Grid: 8.0 mm x 15.0 mm
SAR (1g) = 0.252 W/kg; SAR (10g) = 0.133 W/kg;

Zoom Scan (32.0 mm x 32.0 mm x 30.0 mm): Measurement Grid: 6.0 mm x 6.0 mm x 1.5 mm
Power Drift = 0.01 dB
SAR (1g) = 0.256 W/kg; SAR (10g) = 0.138 W/kg;
M2/M1 [%]=81.8
Dist 3dB Peak [mm]=10.3




LTE Band 25 20M QPSK 1RB0 26365CH Top side 5mm Ant9

Communication System: Band 25; Frequency: 1882.500
Medium: Head Simulating Liquid. Medium parameters used: $f=1882.500$ MHz; $\sigma=1.40$ S/m; $\epsilon_r=40.6$

- DASY8 Configuration:
- Probe: EX3DV4 - SN7636; ConvF(8.4, 8.4, 8.4); Calibrated: 2025-08-26
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1803; Calibrated: 2025-08-15
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2156
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (48.0 mm x 120.0 mm): Measurement Grid: 8.0 mm x 15.0 mm
SAR (1g) = 0.710 W/kg; SAR (10g) = 0.342 W/kg;

Zoom Scan (32.0 mm x 32.0 mm x 30.0 mm): Measurement Grid: 6.0 mm x 6.0 mm x 1.5 mm
Power Drift = 0.01 dB
SAR (1g) = 0.722 W/kg; SAR (10g) = 0.348 W/kg;
M2/M1 [%]=79.2
Dist 3dB Peak [mm]=8.1




LTE Band 26 15M QPSK 1RB74 26865CH Left cheek Ant3

Communication System: Band 26; Frequency: 831.500
Medium: Head Simulating Liquid. Medium parameters used: $f= 831.500$ MHz; $\sigma= 0.925$ S/m; $\epsilon_r = 43.4$

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(9.77, 9.77, 9.77); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (120.0 mm x 210.0 mm): Measurement Grid: 15.0 mm x 15.0 mm
SAR (1g) = 0.729 W/kg; SAR (10g) = 0.444 W/kg;

Zoom Scan (32.0 mm x 32.0 mm x 30.0 mm): Measurement Grid: 6.0 mm x 6.0 mm x 1.5 mm
Power Drift = 0.03 dB
SAR (1g) = 0.726 W/kg; SAR (10g) = 0.393 W/kg;
M2/M1 [%]=76.8
Dist 3dB Peak [mm]=8.0




LTE Band 26 15M QPSK 1RB0 26865CH Back side 10mm Ant1

Communication System: Band 26; Frequency: 831.500
Medium: Head Simulating Liquid. Medium parameters used: f= 831.500 MHz; σ = 0.925 S/m; ϵ_r = 43.4

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(9.77, 9.77, 9.77); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (120.0 mm x 210.0 mm): Measurement Grid: 15.0 mm x 15.0 mm
SAR (1g) = 0.297 W/kg; SAR (10g) = 0.191 W/kg;

Zoom Scan (32.0 mm x 32.0 mm x 30.0 mm): Measurement Grid: 6.0 mm x 6.0 mm x 1.5 mm
Power Drift = -0.02 dB
SAR (1g) = 0.298 W/kg; SAR (10g) = 0.182 W/kg;
M2/M1 [%]=80.3
Dist 3dB Peak [mm]=12.8




LTE Band 26 15M QPSK 1RB0 26865CH Bottom side 5mm Ant1

Communication System: Band 26; Frequency: 831.500
Medium: Head Simulating Liquid. Medium parameters used: f= 831.500 MHz; σ = 0.925 S/m; ϵ_r = 43.4

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(9.77, 9.77, 9.77); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (48.0 mm x 180.0 mm): Measurement Grid: 8.0 mm x 15.0 mm
SAR (1g) = 0.482 W/kg; SAR (10g) = 0.255 W/kg;

Zoom Scan (32.0 mm x 32.0 mm x 30.0 mm): Measurement Grid: 6.0 mm x 6.0 mm x 1.5 mm
Power Drift = -0.03 dB
SAR (1g) = 0.483 W/kg; SAR (10g) = 0.214 W/kg;
M2/M1 [%]=67.9
Dist 3dB Peak [mm]=6.6




LTE Band 34 15M QPSK 1RB74 36275CH Left tilted Ant9

Communication System: Band 34; Frequency: 2017.500
Medium: Head Simulating Liquid. Medium parameters used: $f= 2017.500$ MHz; $\sigma= 1.44$ S/m; $\epsilon_r = 39.9$

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(8.04, 8.04, 8.04); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (120.0 mm x 192.0 mm): Measurement Grid: 12.0 mm x 12.0 mm
SAR (1g) = 0.706 W/kg; SAR (10g) = 0.358 W/kg;

Zoom Scan (30.0 mm x 30.0 mm x 30.0 mm): Measurement Grid: 5.0 mm x 5.0 mm x 1.5 mm
Power Drift = 0.08 dB
SAR (1g) = 0.771 W/kg; SAR (10g) = 0.412 W/kg;
M2/M1 [%]=83.6
Dist 3dB Peak [mm]=8.1




LTE Band 34 15M QPSK 1RB0 36275CH Bottom side 10mm Ant2

Communication System: Band 34; Frequency: 2017.500
Medium: Head Simulating Liquid. Medium parameters used: f= 2017.500 MHz; σ = 1.44 S/m; ϵ_r = 39.9

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(8.04, 8.04, 8.04); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (48.0 mm x 120.0 mm): Measurement Grid: 8.0 mm x 12.0 mm
SAR (1g) = 0.341 W/kg; SAR (10g) = 0.171 W/kg;

Zoom Scan (30.0 mm x 30.0 mm x 30.0 mm): Measurement Grid: 5.0 mm x 5.0 mm x 1.5 mm
Power Drift = -0.04 dB
SAR (1g) = 0.356 W/kg; SAR (10g) = 0.189 W/kg;
M2/M1 [%]=82.2
Dist 3dB Peak [mm]=9.0




LTE Band 34 15M QPSK 1RB74 36275CH Top side 5mm Ant9

Communication System: Band 34; Frequency: 2017.500
Medium: Head Simulating Liquid. Medium parameters used: f= 2017.500 MHz; σ = 1.44 S/m; ϵ_r = 39.9

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(8.04, 8.04, 8.04); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (48.0 mm x 192.0 mm): Measurement Grid: 8.0 mm x 12.0 mm
SAR (1g) = 0.789 W/kg; SAR (10g) = 0.381 W/kg;

Zoom Scan (30.0 mm x 30.0 mm x 30.0 mm): Measurement Grid: 5.0 mm x 5.0 mm x 1.5 mm
Power Drift = 0.02 dB
SAR (1g) = 0.818 W/kg; SAR (10g) = 0.415 W/kg;
M2/M1 [%]=80.1
Dist 3dB Peak [mm]=8.0




LTE Band 38 20M QPSK 1RB0 38000CH Left tilted Ant9

Communication System: Band 38; Frequency: 2595.000
Medium: Head Simulating Liquid. Medium parameters used: f= 2595.000 MHz; σ = 1.97 S/m; ϵ_r = 39.3

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(7.37, 7.37, 7.37); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (120.0 mm x 192.0 mm): Measurement Grid: 12.0 mm x 12.0 mm
SAR (1g) = 0.593 W/kg; SAR (10g) = 0.295 W/kg;

Zoom Scan (30.0 mm x 30.0 mm x 30.0 mm): Measurement Grid: 5.0 mm x 5.0 mm x 1.5 mm
Power Drift = -0.03 dB
SAR (1g) = 0.623 W/kg; SAR (10g) = 0.317 W/kg;
M2/M1 [%]=88.2
Dist 3dB Peak [mm]=11.5




LTE Band 38 20M QPSK 1RB50 38000CH Right side 10mm Ant3

Communication System: Band 38; Frequency: 2595.000
Medium: Head Simulating Liquid. Medium parameters used: f= 2595.000 MHz; σ = 1.97 S/m; ϵ_r = 39.3

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(7.37, 7.37, 7.37); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (48.0 mm x 192.0 mm): Measurement Grid: 8.0 mm x 12.0 mm
SAR (1g) = 0.316 W/kg; SAR (10g) = 0.156 W/kg;

Zoom Scan (30.0 mm x 30.0 mm x 30.0 mm): Measurement Grid: 5.0 mm x 5.0 mm x 1.5 mm
Power Drift = -0.09 dB
SAR (1g) = 0.324 W/kg; SAR (10g) = 0.170 W/kg;
M2/M1 [%]=84.4
Dist 3dB Peak [mm]=10.3




LTE Band 38 20M QPSK 1RB0 38000CH Top side 5mm Ant9

Communication System: Band 38; Frequency: 2595.000
Medium: Head Simulating Liquid. Medium parameters used: $f= 2595.000$ MHz; $\sigma= 1.97$ S/m; $\epsilon_r = 39.3$

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(7.37, 7.37, 7.37); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (48.0 mm x 192.0 mm): Measurement Grid: 8.0 mm x 12.0 mm
SAR (1g) = 0.495 W/kg; SAR (10g) = 0.225 W/kg;

Zoom Scan (30.0 mm x 30.0 mm x 30.0 mm): Measurement Grid: 5.0 mm x 5.0 mm x 1.5 mm
Power Drift = 0.08 dB
SAR (1g) = 0.479 W/kg; SAR (10g) = 0.225 W/kg;
M2/M1 [%]=80.5
Dist 3dB Peak [mm]=8.0




LTE Band 40 20M QPSK 1RB0 39150CH Left tilted Ant9

Communication System: Band 40; Frequency: 2350.000
Medium: Head Simulating Liquid. Medium parameters used: f= 2350.000 MHz; σ = 1.73 S/m; ϵ_r = 40.6

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(7.8, 7.8, 7.8); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (120.0 mm x 192.0 mm): Measurement Grid: 12.0 mm x 12.0 mm
SAR (1g) = 0.515 W/kg; SAR (10g) = 0.242 W/kg;

Zoom Scan (30.0 mm x 30.0 mm x 30.0 mm): Measurement Grid: 5.0 mm x 5.0 mm x 1.5 mm
Power Drift = -0.01 dB
SAR (1g) = 0.499 W/kg; SAR (10g) = 0.254 W/kg;
M2/M1 [%]=83.5
Dist 3dB Peak [mm]=8.1




LTE Band 40 20M QPSK 50RB0 38750CH Bottom side 10mm Ant2

Communication System: Band 40; Frequency: 2310.000
Medium: Head Simulating Liquid. Medium parameters used: f= 2310.000 MHz; σ = 1.69 S/m; ϵ_r = 40.7

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(7.8, 7.8, 7.8); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (48.0 mm x 120.0 mm): Measurement Grid: 8.0 mm x 12.0 mm
SAR (1g) = 0.318 W/kg; SAR (10g) = 0.151 W/kg;

Zoom Scan (30.0 mm x 30.0 mm x 30.0 mm): Measurement Grid: 5.0 mm x 5.0 mm x 1.5 mm
Power Drift = -0.03 dB
SAR (1g) = 0.323 W/kg; SAR (10g) = 0.159 W/kg;
M2/M1 [%]=81.2
Dist 3dB Peak [mm]=8.6




LTE Band 40 20M QPSK 1RB0 39150CH Top side 5mm Ant9

Communication System: Band 40; Frequency: 2350.000
Medium: Head Simulating Liquid. Medium parameters used: f= 2350.000 MHz; σ = 1.73 S/m; ϵ_r = 40.6

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(7.8, 7.8, 7.8); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (48.0 mm x 192.0 mm): Measurement Grid: 8.0 mm x 12.0 mm
SAR (1g) = 0.618 W/kg; SAR (10g) = 0.273 W/kg;

Zoom Scan (30.0 mm x 30.0 mm x 30.0 mm): Measurement Grid: 5.0 mm x 5.0 mm x 1.5 mm
Power Drift = 0.05 dB
SAR (1g) = 0.659 W/kg; SAR (10g) = 0.292 W/kg;
M2/M1 [%]=78.1
Dist 3dB Peak [mm]=7.0




LTE Band 41 20M QPSK 1RB50 40620CH Left cheek Ant3

Communication System: Band 41; Frequency: 2593.000
Medium: Head Simulating Liquid. Medium parameters used: $f= 2593.000$ MHz; $\sigma= 1.95$ S/m; $\epsilon_r = 39.7$

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(7.37, 7.37, 7.37); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (120.0 mm x 192.0 mm): Measurement Grid: 12.0 mm x 12.0 mm
SAR (1g) = 0.453 W/kg; SAR (10g) = 0.205 W/kg;

Zoom Scan (30.0 mm x 30.0 mm x 30.0 mm): Measurement Grid: 5.0 mm x 5.0 mm x 1.5 mm
Power Drift = 0.09 dB
SAR (1g) = 0.561 W/kg; SAR (10g) = 0.252 W/kg;
M2/M1 [%]=82.0
Dist 3dB Peak [mm]=6.4




LTE Band 41 20M QPSK 50RB0 40620CH Left cheek Ant3

Communication System: Band 41; Frequency: 2593.000
Medium: Head Simulating Liquid. Medium parameters used: $f= 2593.000$ MHz; $\sigma= 1.95$ S/m; $\epsilon_r = 39.7$

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(7.37, 7.37, 7.37); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (120.0 mm x 192.0 mm): Measurement Grid: 12.0 mm x 12.0 mm
SAR (1g) = 0.453 W/kg; SAR (10g) = 0.205 W/kg;

Zoom Scan (30.0 mm x 30.0 mm x 30.0 mm): Measurement Grid: 5.0 mm x 5.0 mm x 1.5 mm
Power Drift = 0.05 dB
SAR (1g) = 0.561 W/kg; SAR (10g) = 0.205 W/kg;
M2/M1 [%]=82.0
Dist 3dB Peak [mm]=6.4




LTE Band 41 20M QPSK 1RB0 40185CH Bottom side 10mm Ant2

Communication System: Band 41; Frequency: 2549.500
Medium: Head Simulating Liquid. Medium parameters used: f= 2549.500 MHz; σ = 1.90 S/m; ϵ_r = 39.8

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(7.37, 7.37, 7.37); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (48.0 mm x 120.0 mm): Measurement Grid: 8.0 mm x 12.0 mm
SAR (1g) = 0.800 W/kg; SAR (10g) = 0.369 W/kg;

Zoom Scan (30.0 mm x 30.0 mm x 30.0 mm): Measurement Grid: 5.0 mm x 5.0 mm x 1.5 mm
Power Drift = 0.05 dB
SAR (1g) = 0.816 W/kg; SAR (10g) = 0.387 W/kg;
M2/M1 [%]=80.5
Dist 3dB Peak [mm]=8.6




LTE Band 41 20M QPSK 1RB0 40620CH Top side 5mm Ant9

Communication System: Band 41; Frequency: 2593.000
Medium: Head Simulating Liquid. Medium parameters used: f= 2593.000 MHz; σ = 1.95 S/m; ϵ_r = 39.7

- DASY8 Configuration:
- Probe: EX3DV4 - SN7838; ConvF(7.37, 7.37, 7.37); Calibrated: 2026-02-02
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1830; Calibrated: 2025-11-11
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2146
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (48.0 mm x 120.0 mm): Measurement Grid: 8.0 mm x 12.0 mm
SAR (1g) = 0.626 W/kg; SAR (10g) = 0.287 W/kg;

Zoom Scan (30.0 mm x 30.0 mm x 30.0 mm): Measurement Grid: 5.0 mm x 5.0 mm x 1.5 mm
Power Drift = -0.01 dB
SAR (1g) = 0.636 W/kg; SAR (10g) = 0.300 W/kg;
M2/M1 [%]=79.0
Dist 3dB Peak [mm]=8.0




LTE Band 42 20M QPSK 1RB99 42590CH Left tilted Ant10

Communication System: Band 42; Frequency: 3500.000
Medium: Head Simulating Liquid. Medium parameters used: $f= 3500.000$ MHz; $\sigma= 3.02$ S/m; $\epsilon_r = 38.3$

- DASY8 Configuration:
- Probe: EX3DV4 - SN7636; ConvF(7.05, 7.05, 7.05); Calibrated: 2025-08-26
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1803; Calibrated: 2025-08-15
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2156
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (96.0 mm x 185.0 mm): Measurement Grid: 12.0 mm x 12.0 mm
SAR (1g) = 0.846 W/kg; SAR (10g) = 0.365 W/kg;

Zoom Scan (30.0 mm x 30.0 mm x 28.0 mm): Measurement Grid: 5.0 mm x 5.0 mm x 1.4 mm
Power Drift = -0.03 dB
SAR (1g) = 0.909 W/kg; SAR (10g) = 0.382 W/kg;
M2/M1 [%]=79.0
Dist 3dB Peak [mm]=9.9



LTE Band 42 20M QPSK 1RB0 41690CH Right side 10mm Ant5

Communication System: Band 42; Frequency: 3410.000
Medium: Head Simulating Liquid. Medium parameters used: $f= 3410.000$ MHz; $\sigma= 2.92$ S/m; $\epsilon_r = 38.6$

- DASY8 Configuration:
- Probe: EX3DV4 - SN7636; ConvF(7.05, 7.05, 7.05); Calibrated: 2025-08-26
 - Sensor-Surface: 1.4 mm
 - Electronics: DAE4ip Sn1803; Calibrated: 2025-08-15
 - Phantom: Twin-SAM V8.0 (30deg probe tilt); Serial: 2156
 - Measurement Software: cDASY8 V16.4.0.5005

Area Scan (48.0 mm x 200.0 mm): Measurement Grid: 8.0 mm x 10.0 mm
SAR (1g) = 0.114 W/kg; SAR (10g) = 0.045 W/kg;

Zoom Scan (30.0 mm x 30.0 mm x 28.0 mm): Measurement Grid: 5.0 mm x 5.0 mm x 1.4 mm
Power Drift = 0.02 dB
SAR (1g) = 0.122 W/kg; SAR (10g) = 0.046 W/kg;
M2/M1 [%]=76.4
Dist 3dB Peak [mm]=8.0

