

DFT-s-OFDM 256 QAM	3470.01	Outer_Full	6.99	/	/	<=13	Pass
	3500.01	Outer_Full	6.99	/	/	<=13	Pass
	3529.98	Outer_Full	6.98	/	/	<=13	Pass
CP-OFDM QPSK	3470.01	Outer_Full	7.95	/	/	<=13	Pass
	3500.01	Outer_Full	7.95	/	/	<=13	Pass
	3529.98	Outer_Full	7.95	/	/	<=13	Pass
CP-OFDM 16 QAM	3470.01	Outer_Full	8.01	/	/	<=13	Pass
	3500.01	Outer_Full	8.01	/	/	<=13	Pass
	3529.98	Outer_Full	8.00	/	/	<=13	Pass
CP-OFDM 64 QAM	3470.01	Outer_Full	8.16	/	/	<=13	Pass
	3500.01	Outer_Full	8.17	/	/	<=13	Pass
	3529.98	Outer_Full	8.16	/	/	<=13	Pass
CP-OFDM 256 QAM	3470.01	Outer_Full	8.58	/	/	<=13	Pass
	3500.01	Outer_Full	8.57	/	/	<=13	Pass
	3529.98	Outer_Full	8.56	/	/	<=13	Pass

4.1.5 30_S_50M_NTNV

5G NR n77d SCS=30kHz SISO 50MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3475.02	Outer_Full	6.16	/	/	<=13	Pass
	3500.01	Outer_Full	6.14	/	/	<=13	Pass
	3525	Outer_Full	6.16	/	/	<=13	Pass
DFT-s-OFDM QPSK	3475.02	Outer_Full	6.47	/	/	<=13	Pass
	3500.01	Outer_Full	6.49	/	/	<=13	Pass
	3525	Outer_Full	6.48	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3475.02	Outer_Full	7.14	/	/	<=13	Pass
	3500.01	Outer_Full	7.16	/	/	<=13	Pass
	3525	Outer_Full	7.13	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3475.02	Outer_Full	7.25	/	/	<=13	Pass
	3500.01	Outer_Full	7.28	/	/	<=13	Pass
	3525	Outer_Full	7.24	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3475.02	Outer_Full	7.25	/	/	<=13	Pass
	3500.01	Outer_Full	7.29	/	/	<=13	Pass
	3525	Outer_Full	7.27	/	/	<=13	Pass
CP-OFDM QPSK	3475.02	Outer_Full	8.03	/	/	<=13	Pass
	3500.01	Outer_Full	8.05	/	/	<=13	Pass
	3525	Outer_Full	8.02	/	/	<=13	Pass
CP-OFDM 16 QAM	3475.02	Outer_Full	8.00	/	/	<=13	Pass
	3500.01	Outer_Full	8.02	/	/	<=13	Pass
	3525	Outer_Full	8.00	/	/	<=13	Pass
CP-OFDM 64 QAM	3475.02	Outer_Full	8.33	/	/	<=13	Pass
	3500.01	Outer_Full	8.32	/	/	<=13	Pass
	3525	Outer_Full	8.33	/	/	<=13	Pass
CP-OFDM 256 QAM	3475.02	Outer_Full	8.46	/	/	<=13	Pass
	3500.01	Outer_Full	8.46	/	/	<=13	Pass
	3525	Outer_Full	8.46	/	/	<=13	Pass

4.1.6 30_S_60M_NTNV

5G NR n77d SCS=30kHz SISO 60MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3480	Outer_Full	6.75	/	/	<=13	Pass
	3500.01	Outer_Full	6.74	/	/	<=13	Pass
	3519.99	Outer_Full	6.76	/	/	<=13	Pass
DFT-s-OFDM QPSK	3480	Outer_Full	6.90	/	/	<=13	Pass
	3500.01	Outer_Full	6.89	/	/	<=13	Pass
	3519.99	Outer_Full	6.89	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3480	Outer_Full	7.39	/	/	<=13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

DFT-s-OFDM 64 QAM	3500.01	Outer_Full	7.39	/	/	<=13	Pass
	3519.99	Outer_Full	7.39	/	/	<=13	Pass
	3480	Outer_Full	7.43	/	/	<=13	Pass
	3500.01	Outer_Full	7.44	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3519.99	Outer_Full	7.42	/	/	<=13	Pass
	3480	Outer_Full	7.48	/	/	<=13	Pass
	3500.01	Outer_Full	7.47	/	/	<=13	Pass
	3519.99	Outer_Full	7.47	/	/	<=13	Pass
CP-OFDM QPSK	3480	Outer_Full	8.17	/	/	<=13	Pass
	3500.01	Outer_Full	8.17	/	/	<=13	Pass
	3519.99	Outer_Full	8.16	/	/	<=13	Pass
	3480	Outer_Full	8.17	/	/	<=13	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	8.16	/	/	<=13	Pass
	3519.99	Outer_Full	8.16	/	/	<=13	Pass
	3480	Outer_Full	8.21	/	/	<=13	Pass
	3500.01	Outer_Full	8.22	/	/	<=13	Pass
CP-OFDM 64 QAM	3519.99	Outer_Full	8.21	/	/	<=13	Pass
	3480	Outer_Full	8.41	/	/	<=13	Pass
	3500.01	Outer_Full	8.38	/	/	<=13	Pass
	3519.99	Outer_Full	8.38	/	/	<=13	Pass

4.1.7 30_S_70M_NTNV

5G NR n77d SCS=30kHz SISO 70MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3485.01	Outer_Full	6.27	/	/	<=13	Pass
	3500.01	Outer_Full	6.27	/	/	<=13	Pass
	3514.98	Outer_Full	6.27	/	/	<=13	Pass
DFT-s-OFDM QPSK	3485.01	Outer_Full	6.99	/	/	<=13	Pass
	3500.01	Outer_Full	6.99	/	/	<=13	Pass
	3514.98	Outer_Full	7.00	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3485.01	Outer_Full	7.36	/	/	<=13	Pass
	3500.01	Outer_Full	7.36	/	/	<=13	Pass
	3514.98	Outer_Full	7.37	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3485.01	Outer_Full	7.43	/	/	<=13	Pass
	3500.01	Outer_Full	7.45	/	/	<=13	Pass
	3514.98	Outer_Full	7.43	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3485.01	Outer_Full	7.55	/	/	<=13	Pass
	3500.01	Outer_Full	7.55	/	/	<=13	Pass
	3514.98	Outer_Full	7.55	/	/	<=13	Pass
CP-OFDM QPSK	3485.01	Outer_Full	8.18	/	/	<=13	Pass
	3500.01	Outer_Full	8.18	/	/	<=13	Pass
	3514.98	Outer_Full	8.19	/	/	<=13	Pass
CP-OFDM 16 QAM	3485.01	Outer_Full	8.16	/	/	<=13	Pass
	3500.01	Outer_Full	8.19	/	/	<=13	Pass
	3514.98	Outer_Full	8.18	/	/	<=13	Pass
CP-OFDM 64 QAM	3485.01	Outer_Full	8.44	/	/	<=13	Pass
	3500.01	Outer_Full	8.43	/	/	<=13	Pass
	3514.98	Outer_Full	8.43	/	/	<=13	Pass
CP-OFDM 256 QAM	3485.01	Outer_Full	8.32	/	/	<=13	Pass
	3500.01	Outer_Full	8.31	/	/	<=13	Pass
	3514.98	Outer_Full	8.35	/	/	<=13	Pass

4.1.8 30_S_80M_NTNV

5G NR n77d SCS=30kHz SISO 80MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3490.02	Outer_Full	6.29	/	/	<=13	Pass
	3500.01	Outer_Full	6.30	/	/	<=13	Pass

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

	3510	Outer_Full	6.30	/	/	<=13	Pass
DFT-s-OFDM QPSK	3490.02	Outer_Full	7.23	/	/	<=13	Pass
	3500.01	Outer_Full	7.25	/	/	<=13	Pass
	3510	Outer_Full	7.22	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3490.02	Outer_Full	7.49	/	/	<=13	Pass
	3500.01	Outer_Full	7.48	/	/	<=13	Pass
	3510	Outer_Full	7.48	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3490.02	Outer_Full	7.51	/	/	<=13	Pass
	3500.01	Outer_Full	7.51	/	/	<=13	Pass
	3510	Outer_Full	7.49	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3490.02	Outer_Full	7.59	/	/	<=13	Pass
	3500.01	Outer_Full	7.61	/	/	<=13	Pass
	3510	Outer_Full	7.59	/	/	<=13	Pass
CP-OFDM QPSK	3490.02	Outer_Full	8.15	/	/	<=13	Pass
	3500.01	Outer_Full	8.11	/	/	<=13	Pass
	3510	Outer_Full	8.13	/	/	<=13	Pass
CP-OFDM 16 QAM	3490.02	Outer_Full	8.32	/	/	<=13	Pass
	3500.01	Outer_Full	8.39	/	/	<=13	Pass
	3510	Outer_Full	8.33	/	/	<=13	Pass
CP-OFDM 64 QAM	3490.02	Outer_Full	8.31	/	/	<=13	Pass
	3500.01	Outer_Full	8.31	/	/	<=13	Pass
	3510	Outer_Full	8.30	/	/	<=13	Pass
CP-OFDM 256 QAM	3490.02	Outer_Full	8.36	/	/	<=13	Pass
	3500.01	Outer_Full	8.37	/	/	<=13	Pass
	3510	Outer_Full	8.36	/	/	<=13	Pass

4.1.9 30_S_90M_NTNV

5G NR n77d SCS=30kHz SISO 90MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3495	Outer_Full	6.35	/	/	<=13	Pass
	3500.01	Outer_Full	6.37	/	/	<=13	Pass
	3504.99	Outer_Full	6.36	/	/	<=13	Pass
DFT-s-OFDM QPSK	3495	Outer_Full	7.18	/	/	<=13	Pass
	3500.01	Outer_Full	7.18	/	/	<=13	Pass
	3504.99	Outer_Full	7.15	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3495	Outer_Full	7.67	/	/	<=13	Pass
	3500.01	Outer_Full	7.66	/	/	<=13	Pass
	3504.99	Outer_Full	7.67	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3495	Outer_Full	7.67	/	/	<=13	Pass
	3500.01	Outer_Full	7.66	/	/	<=13	Pass
	3504.99	Outer_Full	7.66	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3495	Outer_Full	7.67	/	/	<=13	Pass
	3500.01	Outer_Full	7.66	/	/	<=13	Pass
	3504.99	Outer_Full	7.66	/	/	<=13	Pass
CP-OFDM QPSK	3495	Outer_Full	8.14	/	/	<=13	Pass
	3500.01	Outer_Full	8.14	/	/	<=13	Pass
	3504.99	Outer_Full	8.14	/	/	<=13	Pass
CP-OFDM 16 QAM	3495	Outer_Full	8.37	/	/	<=13	Pass
	3500.01	Outer_Full	8.36	/	/	<=13	Pass
	3504.99	Outer_Full	8.37	/	/	<=13	Pass
CP-OFDM 64 QAM	3495	Outer_Full	8.30	/	/	<=13	Pass
	3500.01	Outer_Full	8.30	/	/	<=13	Pass
	3504.99	Outer_Full	8.30	/	/	<=13	Pass
CP-OFDM 256 QAM	3495	Outer_Full	8.42	/	/	<=13	Pass
	3500.01	Outer_Full	8.44	/	/	<=13	Pass
	3504.99	Outer_Full	8.43	/	/	<=13	Pass

4.1.10 30_S_100M_NTNV

Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694



5G NR n77d SCS=30kHz SISO 100MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	3500.01	Outer_Full	6.63	/	/	<=13	Pass
DFT-s-OFDM QPSK	3500.01	Outer_Full	7.31	/	/	<=13	Pass
DFT-s-OFDM 16 QAM	3500.01	Outer_Full	7.69	/	/	<=13	Pass
DFT-s-OFDM 64 QAM	3500.01	Outer_Full	7.80	/	/	<=13	Pass
DFT-s-OFDM 256 QAM	3500.01	Outer_Full	7.83	/	/	<=13	Pass
CP-OFDM QPSK	3500.01	Outer_Full	8.27	/	/	<=13	Pass
CP-OFDM 16 QAM	3500.01	Outer_Full	8.41	/	/	<=13	Pass
CP-OFDM 64 QAM	3500.01	Outer_Full	8.25	/	/	<=13	Pass
CP-OFDM 256 QAM	3500.01	Outer_Full	8.62	/	/	<=13	Pass




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

4.2 Test Graph

4.2.1 30_S_10M_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n77d_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_PI/2_BPSK_3544.98MHz_Outer_Full_Ant1




n77d_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3455.01MHz_Outer_Full_Ant1



n77d_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3500.01MHz_Outer_Full_Ant1



n77d_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_QPSK_3544.98MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n77d_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_3455.01MHz_Outer_Full_Ant1




n77d_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_3500.01MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


n77d_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_16_QAM_3544.98MHz_Outer_Full_Ant1




n77d_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_3455.01MHz_Outer_Full_Ant1



n77d_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_3500.01MHz_Outer_Full_Ant1



n77d_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_64_QAM_3544.98MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n77d_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_3455.01MHz_Outer_Full_Ant1



n77d_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_3500.01MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n77d_30kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_3544.98MHz_Outer_Full_Ant1




n77d_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3455.01MHz_Outer_Full_Ant1



n77d_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3500.01MHz_Outer_Full_Ant1



n77d_30kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_3544.98MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n77d_30kHz_SISO_NTNV_10MHz_CP-OFDM_16_QAM_3455.01MHz_Outer_Full_Ant1




n77d_30kHz_SISO_NTNV_10MHz_CP-OFDM_16_QAM_3500.01MHz_Outer_Full_Ant1


Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n77d_30kHz_SISO_NTNV_10MHz_CP-OFDM_16_QAM_3544.98MHz_Outer_Full_Ant1




n77d_30kHz_SISO_NTNV_10MHz_CP-OFDM_64_QAM_3455.01MHz_Outer_Full_Ant1



n77d_30kHz_SISO_NTNV_10MHz_CP-OFDM_64_QAM_3500.01MHz_Outer_Full_Ant1



n77d_30kHz_SISO_NTNV_10MHz_CP-OFDM_64_QAM_3544.98MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694

n77d_30kHz_SISO_NTNV_10MHz_CP-OFDM_256_QAM_3455.01MHz_Outer_Full_Ant1




n77d_30kHz_SISO_NTNV_10MHz_CP-OFDM_256_QAM_3500.01MHz_Outer_Full_Ant1



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China


Tel: +86 0755 23080694



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694


4.2.2 30_S_20M_NTNV




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_PI/2_BPSK_3540MHz_Outer_Full_Ant1



n77d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3460.02MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n77d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3500.01MHz_Outer_Full_Ant1




n77d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_3540MHz_Outer_Full_Ant1



n77d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3460.02MHz_Outer_Full_Ant1




n77d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3500.01MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_16_QAM_3540MHz_Outer_Full_Ant1



n77d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3460.02MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.


Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694


n77d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3500.01MHz_Outer_Full_Ant1




n77d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_64_QAM_3540MHz_Outer_Full_Ant1



n77d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3460.02MHz_Outer_Full_Ant1




n77d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3500.01MHz_Outer_Full_Ant1




Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District,
Shenzhen, Guangdong Province, China
Tel: +86 0755 23080694

n77d_30kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_3540MHz_Outer_Full_Ant1



n77d_30kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_3460.02MHz_Outer_Full_Ant1



Radiolink Testing (Shenzhen) Co., Ltd.

Room 103, Building B, Jinghang Industrial Park, Area 71, Xingdong Community, Xin'an Subdistrict, Bao'an District, Shenzhen, Guangdong Province, China

Tel: +86 0755 23080694