

Specification for Approval

CONTENTS


Customer:	N/A	Vendor:	N/A
Customer P/N:	N/A	HL P/N:	N/A
Product model:	HSELCQ_02_60MG_73	HL Device Name:	N/A
Pcb antenna brand:	Fuxiang	Approval Date:	2025-11-12

Internal Approval		
Approved By:	Checked By:	Prepared By:
		Zhang Bin
Customer Approval		



Revision:


Date	Rev	Description of Changes
2024-10-18	A	Initial Release

1、Products Electrical		
PCB Antenna		
1	Antenna Model	PCB IFA Antenna
2	Frequency Range	2400-2500MHz
3	VSWR (or return loss)	<2 (<-9.5dB)
4	Broadband	>100MHz
5	Impedance	50 ohm
6	Gain	-1.5dBi
7	Polarization	LP



2.2 RADIATION PATTERNS 2450MHz





2.3 GAIN AND EFFICIENCY

Frequency (MHz)	Efficiency (%)	Gain (dBi)
2400	24.6	-1.9
2410	25.0	-1.9
2420	26.4	-1.8
2430	28.3	-1.7
2440	31.5	-1.6
2450	31.8	-1.5
2460	29.2	-1.7
2470	28.0	-2.1
2480	27.6	-2.2
2490	26.5	-2.2
2500	26.2	-2.1

3、PCB ANTENNA (MM)

