

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 15_S_5M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 5MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1852.5	Outer_Full	23.73	/	/	23.73	/	/	<=33.01	Pass
		Inner_Full	24.15	/	/	24.15	/	/	<=33.01	Pass
		Inner_1RB_Left	24.24	/	/	24.24	/	/	<=33.01	Pass
		Inner_1RB_Right	24.13	/	/	24.13	/	/	<=33.01	Pass
	1880	Outer_Full	23.76	/	/	23.76	/	/	<=33.01	Pass
		Inner_Full	24.15	/	/	24.15	/	/	<=33.01	Pass
		Inner_1RB_Left	24.20	/	/	24.20	/	/	<=33.01	Pass
		Inner_1RB_Right	24.12	/	/	24.12	/	/	<=33.01	Pass
	1907.5	Outer_Full	23.53	/	/	23.53	/	/	<=33.01	Pass
		Inner_Full	23.99	/	/	23.99	/	/	<=33.01	Pass
		Inner_1RB_Left	24.08	/	/	24.08	/	/	<=33.01	Pass
		Inner_1RB_Right	23.94	/	/	23.94	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	1852.5	Outer_Full	23.22	/	/	23.22	/	/	<=33.01	Pass
		Inner_Full	24.16	/	/	24.16	/	/	<=33.01	Pass
		Inner_1RB_Left	24.24	/	/	24.24	/	/	<=33.01	Pass
		Inner_1RB_Right	24.11	/	/	24.11	/	/	<=33.01	Pass
	1880	Outer_Full	23.23	/	/	23.23	/	/	<=33.01	Pass
		Inner_Full	24.16	/	/	24.16	/	/	<=33.01	Pass
		Inner_1RB_Left	24.23	/	/	24.23	/	/	<=33.01	Pass
		Inner_1RB_Right	24.15	/	/	24.15	/	/	<=33.01	Pass
	1907.5	Outer_Full	22.99	/	/	22.99	/	/	<=33.01	Pass
		Inner_Full	23.97	/	/	23.97	/	/	<=33.01	Pass
		Inner_1RB_Left	24.15	/	/	24.15	/	/	<=33.01	Pass
		Inner_1RB_Right	23.97	/	/	23.97	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	1852.5	Outer_Full	22.18	/	/	22.18	/	/	<=33.01	Pass
		Inner_Full	23.37	/	/	23.37	/	/	<=33.01	Pass
		Inner_1RB_Left	23.10	/	/	23.10	/	/	<=33.01	Pass
		Inner_1RB_Right	23.00	/	/	23.00	/	/	<=33.01	Pass
	1880	Outer_Full	22.23	/	/	22.23	/	/	<=33.01	Pass
		Inner_Full	23.32	/	/	23.32	/	/	<=33.01	Pass
		Inner_1RB_Left	23.16	/	/	23.16	/	/	<=33.01	Pass
		Inner_1RB_Right	23.03	/	/	23.03	/	/	<=33.01	Pass
	1907.5	Outer_Full	22.09	/	/	22.09	/	/	<=33.01	Pass
		Inner_Full	23.16	/	/	23.16	/	/	<=33.01	Pass
		Inner_1RB_Left	23.00	/	/	23.00	/	/	<=33.01	Pass
		Inner_1RB_Right	22.88	/	/	22.88	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1852.5	Outer_Full	21.75	/	/	21.75	/	/	<=33.01	Pass
		Inner_Full	21.74	/	/	21.74	/	/	<=33.01	Pass
		Inner_1RB_Left	21.89	/	/	21.89	/	/	<=33.01	Pass
		Inner_1RB_Right	21.83	/	/	21.83	/	/	<=33.01	Pass
	1880	Outer_Full	21.74	/	/	21.74	/	/	<=33.01	Pass
		Inner_Full	21.76	/	/	21.76	/	/	<=33.01	Pass
		Inner_1RB_Left	21.88	/	/	21.88	/	/	<=33.01	Pass
		Inner_1RB_Right	21.85	/	/	21.85	/	/	<=33.01	Pass
	1907.5	Outer_Full	21.52	/	/	21.52	/	/	<=33.01	Pass
		Inner_Full	21.59	/	/	21.59	/	/	<=33.01	Pass
		Inner_1RB_Left	21.76	/	/	21.76	/	/	<=33.01	Pass
		Inner_1RB_Right	21.63	/	/	21.63	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1852.5	Outer_Full	19.65	/	/	19.65	/	/	<=33.01	Pass
		Inner_Full	19.72	/	/	19.72	/	/	<=33.01	Pass
		Inner_1RB_Left	19.21	/	/	19.21	/	/	<=33.01	Pass
		Inner_1RB_Right	19.13	/	/	19.13	/	/	<=33.01	Pass
	1880	Outer_Full	19.66	/	/	19.66	/	/	<=33.01	Pass
		Inner_Full	19.70	/	/	19.70	/	/	<=33.01	Pass

		Inner_1RB_Left	19.21	/	/	19.21	/	/	<=33.01	Pass
		Inner_1RB_Right	19.10	/	/	19.10	/	/	<=33.01	Pass
	1907.5	Outer_Full	19.48	/	/	19.48	/	/	<=33.01	Pass
		Inner_Full	19.51	/	/	19.51	/	/	<=33.01	Pass
		Inner_1RB_Left	19.04	/	/	19.04	/	/	<=33.01	Pass
		Inner_1RB_Right	18.85	/	/	18.85	/	/	<=33.01	Pass
CP-OFDM QPSK	1852.5	Outer_Full	21.22	/	/	21.22	/	/	<=33.01	Pass
		Inner_Full	22.84	/	/	22.84	/	/	<=33.01	Pass
		Inner_1RB_Left	22.57	/	/	22.57	/	/	<=33.01	Pass
		Inner_1RB_Right	22.49	/	/	22.49	/	/	<=33.01	Pass
	1880	Outer_Full	21.21	/	/	21.21	/	/	<=33.01	Pass
		Inner_Full	22.84	/	/	22.84	/	/	<=33.01	Pass
		Inner_1RB_Left	22.70	/	/	22.70	/	/	<=33.01	Pass
		Inner_1RB_Right	22.54	/	/	22.54	/	/	<=33.01	Pass
	1907.5	Outer_Full	21.05	/	/	21.05	/	/	<=33.01	Pass
		Inner_Full	22.59	/	/	22.59	/	/	<=33.01	Pass
		Inner_1RB_Left	22.56	/	/	22.56	/	/	<=33.01	Pass
		Inner_1RB_Right	22.42	/	/	22.42	/	/	<=33.01	Pass
CP-OFDM 16 QAM	1852.5	Outer_Full	21.22	/	/	21.22	/	/	<=33.01	Pass
		Inner_Full	22.16	/	/	22.16	/	/	<=33.01	Pass
		Inner_1RB_Left	22.38	/	/	22.38	/	/	<=33.01	Pass
		Inner_1RB_Right	22.26	/	/	22.26	/	/	<=33.01	Pass
	1880	Outer_Full	21.20	/	/	21.20	/	/	<=33.01	Pass
		Inner_Full	22.07	/	/	22.07	/	/	<=33.01	Pass
		Inner_1RB_Left	22.22	/	/	22.22	/	/	<=33.01	Pass
		Inner_1RB_Right	22.28	/	/	22.28	/	/	<=33.01	Pass
	1907.5	Outer_Full	21.02	/	/	21.02	/	/	<=33.01	Pass
		Inner_Full	22.01	/	/	22.01	/	/	<=33.01	Pass
		Inner_1RB_Left	22.20	/	/	22.20	/	/	<=33.01	Pass
		Inner_1RB_Right	22.08	/	/	22.08	/	/	<=33.01	Pass
CP-OFDM 64 QAM	1852.5	Outer_Full	20.67	/	/	20.67	/	/	<=33.01	Pass
		Inner_Full	20.75	/	/	20.75	/	/	<=33.01	Pass
		Inner_1RB_Left	20.85	/	/	20.85	/	/	<=33.01	Pass
		Inner_1RB_Right	20.75	/	/	20.75	/	/	<=33.01	Pass
	1880	Outer_Full	20.69	/	/	20.69	/	/	<=33.01	Pass
		Inner_Full	20.74	/	/	20.74	/	/	<=33.01	Pass
		Inner_1RB_Left	20.81	/	/	20.81	/	/	<=33.01	Pass
		Inner_1RB_Right	20.70	/	/	20.70	/	/	<=33.01	Pass
	1907.5	Outer_Full	20.56	/	/	20.56	/	/	<=33.01	Pass
		Inner_Full	20.55	/	/	20.55	/	/	<=33.01	Pass
		Inner_1RB_Left	20.67	/	/	20.67	/	/	<=33.01	Pass
		Inner_1RB_Right	20.48	/	/	20.48	/	/	<=33.01	Pass
CP-OFDM 256 QAM	1852.5	Outer_Full	17.69	/	/	17.69	/	/	<=33.01	Pass
		Inner_Full	17.72	/	/	17.72	/	/	<=33.01	Pass
		Inner_1RB_Left	17.32	/	/	17.32	/	/	<=33.01	Pass
		Inner_1RB_Right	17.14	/	/	17.14	/	/	<=33.01	Pass
	1880	Outer_Full	17.70	/	/	17.70	/	/	<=33.01	Pass
		Inner_Full	17.70	/	/	17.70	/	/	<=33.01	Pass
		Inner_1RB_Left	17.27	/	/	17.27	/	/	<=33.01	Pass
		Inner_1RB_Right	17.14	/	/	17.14	/	/	<=33.01	Pass
	1907.5	Outer_Full	17.55	/	/	17.55	/	/	<=33.01	Pass
		Inner_Full	17.62	/	/	17.62	/	/	<=33.01	Pass
		Inner_1RB_Left	17.12	/	/	17.12	/	/	<=33.01	Pass
		Inner_1RB_Right	17.00	/	/	17.00	/	/	<=33.01	Pass
Note1: Antenna Gain: Ant1: 0.00dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.2 15_S_10M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 10MHz NTNv										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	

DFT-s-OFDM PI/2 BPSK	1855	Outer_Full	23.67	/	/	23.67	/	/	<=33.01	Pass
		Inner_Full	24.19	/	/	24.19	/	/	<=33.01	Pass
		Inner_1RB_Left	24.18	/	/	24.18	/	/	<=33.01	Pass
		Inner_1RB_Right	24.19	/	/	24.19	/	/	<=33.01	Pass
	1880	Outer_Full	23.82	/	/	23.82	/	/	<=33.01	Pass
		Inner_Full	24.20	/	/	24.20	/	/	<=33.01	Pass
		Inner_1RB_Left	24.20	/	/	24.20	/	/	<=33.01	Pass
		Inner_1RB_Right	24.11	/	/	24.11	/	/	<=33.01	Pass
	1905	Outer_Full	23.54	/	/	23.54	/	/	<=33.01	Pass
		Inner_Full	24.09	/	/	24.09	/	/	<=33.01	Pass
		Inner_1RB_Left	24.10	/	/	24.10	/	/	<=33.01	Pass
		Inner_1RB_Right	23.98	/	/	23.98	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	1855	Outer_Full	23.21	/	/	23.21	/	/	<=33.01	Pass
		Inner_Full	24.19	/	/	24.19	/	/	<=33.01	Pass
		Inner_1RB_Left	24.24	/	/	24.24	/	/	<=33.01	Pass
		Inner_1RB_Right	24.15	/	/	24.15	/	/	<=33.01	Pass
	1880	Outer_Full	23.19	/	/	23.19	/	/	<=33.01	Pass
		Inner_Full	24.20	/	/	24.20	/	/	<=33.01	Pass
		Inner_1RB_Left	24.26	/	/	24.26	/	/	<=33.01	Pass
		Inner_1RB_Right	24.16	/	/	24.16	/	/	<=33.01	Pass
	1905	Outer_Full	23.02	/	/	23.02	/	/	<=33.01	Pass
		Inner_Full	24.07	/	/	24.07	/	/	<=33.01	Pass
		Inner_1RB_Left	24.14	/	/	24.14	/	/	<=33.01	Pass
		Inner_1RB_Right	24.00	/	/	24.00	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	1855	Outer_Full	22.17	/	/	22.17	/	/	<=33.01	Pass
		Inner_Full	23.27	/	/	23.27	/	/	<=33.01	Pass
		Inner_1RB_Left	23.04	/	/	23.04	/	/	<=33.01	Pass
		Inner_1RB_Right	23.07	/	/	23.07	/	/	<=33.01	Pass
	1880	Outer_Full	22.23	/	/	22.23	/	/	<=33.01	Pass
		Inner_Full	23.27	/	/	23.27	/	/	<=33.01	Pass
		Inner_1RB_Left	23.34	/	/	23.34	/	/	<=33.01	Pass
		Inner_1RB_Right	23.08	/	/	23.08	/	/	<=33.01	Pass
	1905	Outer_Full	22.12	/	/	22.12	/	/	<=33.01	Pass
		Inner_Full	23.13	/	/	23.13	/	/	<=33.01	Pass
		Inner_1RB_Left	23.10	/	/	23.10	/	/	<=33.01	Pass
		Inner_1RB_Right	22.90	/	/	22.90	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1855	Outer_Full	21.76	/	/	21.76	/	/	<=33.01	Pass
		Inner_Full	21.75	/	/	21.75	/	/	<=33.01	Pass
		Inner_1RB_Left	21.93	/	/	21.93	/	/	<=33.01	Pass
		Inner_1RB_Right	21.84	/	/	21.84	/	/	<=33.01	Pass
	1880	Outer_Full	21.78	/	/	21.78	/	/	<=33.01	Pass
		Inner_Full	21.74	/	/	21.74	/	/	<=33.01	Pass
		Inner_1RB_Left	21.85	/	/	21.85	/	/	<=33.01	Pass
		Inner_1RB_Right	21.81	/	/	21.81	/	/	<=33.01	Pass
	1905	Outer_Full	21.65	/	/	21.65	/	/	<=33.01	Pass
		Inner_Full	21.59	/	/	21.59	/	/	<=33.01	Pass
		Inner_1RB_Left	21.86	/	/	21.86	/	/	<=33.01	Pass
		Inner_1RB_Right	21.71	/	/	21.71	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1855	Outer_Full	19.67	/	/	19.67	/	/	<=33.01	Pass
		Inner_Full	19.60	/	/	19.60	/	/	<=33.01	Pass
		Inner_1RB_Left	19.19	/	/	19.19	/	/	<=33.01	Pass
		Inner_1RB_Right	19.14	/	/	19.14	/	/	<=33.01	Pass
	1880	Outer_Full	19.67	/	/	19.67	/	/	<=33.01	Pass
		Inner_Full	19.66	/	/	19.66	/	/	<=33.01	Pass
		Inner_1RB_Left	19.15	/	/	19.15	/	/	<=33.01	Pass
		Inner_1RB_Right	19.12	/	/	19.12	/	/	<=33.01	Pass
	1905	Outer_Full	19.53	/	/	19.53	/	/	<=33.01	Pass
		Inner_Full	19.51	/	/	19.51	/	/	<=33.01	Pass
		Inner_1RB_Left	19.08	/	/	19.08	/	/	<=33.01	Pass
		Inner_1RB_Right	18.96	/	/	18.96	/	/	<=33.01	Pass
CP-OFDM QPSK	1855	Outer_Full	21.21	/	/	21.21	/	/	<=33.01	Pass
		Inner_Full	22.66	/	/	22.66	/	/	<=33.01	Pass
		Inner_1RB_Left	22.73	/	/	22.73	/	/	<=33.01	Pass
		Inner_1RB_Right	22.63	/	/	22.63	/	/	<=33.01	Pass

	1880	Outer_Full	21.25	/	/	21.25	/	/	<=33.01	Pass	
		Inner_Full	22.64	/	/	22.64	/	/	<=33.01	Pass	
		Inner_1RB_Left	22.74	/	/	22.74	/	/	<=33.01	Pass	
		Inner_1RB_Right	22.64	/	/	22.64	/	/	<=33.01	Pass	
	1905	Edge_1RB_Left	21.09	/	/	21.09	/	/	<=33.01	Pass	
		Outer_Full	21.09	/	/	21.09	/	/	<=33.01	Pass	
		Inner_Full	22.53	/	/	22.53	/	/	<=33.01	Pass	
		Inner_1RB_Left	22.60	/	/	22.60	/	/	<=33.01	Pass	
		Inner_1RB_Right	22.45	/	/	22.45	/	/	<=33.01	Pass	
	CP-OFDM 16 QAM	1855	Outer_Full	21.25	/	/	21.25	/	/	<=33.01	Pass
			Inner_Full	22.22	/	/	22.22	/	/	<=33.01	Pass
			Inner_1RB_Left	22.41	/	/	22.41	/	/	<=33.01	Pass
Inner_1RB_Right			22.26	/	/	22.26	/	/	<=33.01	Pass	
1880		Outer_Full	21.20	/	/	21.20	/	/	<=33.01	Pass	
		Inner_Full	22.27	/	/	22.27	/	/	<=33.01	Pass	
		Inner_1RB_Left	22.29	/	/	22.29	/	/	<=33.01	Pass	
		Inner_1RB_Right	22.20	/	/	22.20	/	/	<=33.01	Pass	
1905		Edge_1RB_Left	21.09	/	/	21.09	/	/	<=33.01	Pass	
		Outer_Full	21.09	/	/	21.09	/	/	<=33.01	Pass	
		Inner_Full	21.99	/	/	21.99	/	/	<=33.01	Pass	
		Inner_1RB_Left	22.24	/	/	22.24	/	/	<=33.01	Pass	
	Inner_1RB_Right	22.10	/	/	22.10	/	/	<=33.01	Pass		
CP-OFDM 64 QAM	1855	Outer_Full	20.70	/	/	20.70	/	/	<=33.01	Pass	
		Inner_Full	20.70	/	/	20.70	/	/	<=33.01	Pass	
		Inner_1RB_Left	20.90	/	/	20.90	/	/	<=33.01	Pass	
		Inner_1RB_Right	20.79	/	/	20.79	/	/	<=33.01	Pass	
	1880	Outer_Full	20.71	/	/	20.71	/	/	<=33.01	Pass	
		Inner_Full	20.79	/	/	20.79	/	/	<=33.01	Pass	
		Inner_1RB_Left	20.85	/	/	20.85	/	/	<=33.01	Pass	
		Inner_1RB_Right	20.73	/	/	20.73	/	/	<=33.01	Pass	
	1905	Edge_1RB_Left	20.72	/	/	20.72	/	/	<=33.01	Pass	
		Outer_Full	20.54	/	/	20.54	/	/	<=33.01	Pass	
		Inner_Full	20.60	/	/	20.60	/	/	<=33.01	Pass	
		Inner_1RB_Left	20.65	/	/	20.65	/	/	<=33.01	Pass	
	Inner_1RB_Right	20.61	/	/	20.61	/	/	<=33.01	Pass		
CP-OFDM 256 QAM	1855	Outer_Full	17.69	/	/	17.69	/	/	<=33.01	Pass	
		Inner_Full	17.63	/	/	17.63	/	/	<=33.01	Pass	
		Inner_1RB_Left	17.28	/	/	17.28	/	/	<=33.01	Pass	
		Inner_1RB_Right	17.27	/	/	17.27	/	/	<=33.01	Pass	
	1880	Outer_Full	17.66	/	/	17.66	/	/	<=33.01	Pass	
		Inner_Full	17.72	/	/	17.72	/	/	<=33.01	Pass	
		Inner_1RB_Left	17.27	/	/	17.27	/	/	<=33.01	Pass	
		Inner_1RB_Right	17.20	/	/	17.20	/	/	<=33.01	Pass	
	1905	Edge_1RB_Left	17.18	/	/	17.18	/	/	<=33.01	Pass	
		Outer_Full	17.48	/	/	17.48	/	/	<=33.01	Pass	
		Inner_Full	17.55	/	/	17.55	/	/	<=33.01	Pass	
		Inner_1RB_Left	17.18	/	/	17.18	/	/	<=33.01	Pass	
	Inner_1RB_Right	17.11	/	/	17.11	/	/	<=33.01	Pass		
Note1: Antenna Gain: Ant1: 0.00dBi; Note2: EIRP=Conducted Power+Antenna Gain											

1.1.3 15_S_15M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 15MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1857.5	Edge_1RB_Left	23.63	/	/	23.63	/	/	<=33.01	Pass
		Outer_Full	23.62	/	/	23.62	/	/	<=33.01	Pass
		Inner_Full	24.14	/	/	24.14	/	/	<=33.01	Pass
		Inner_1RB_Left	24.23	/	/	24.23	/	/	<=33.01	Pass
		Inner_1RB_Right	24.23	/	/	24.23	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	23.65	/	/	23.65	/	/	<=33.01	Pass

		Outer_Full	23.78	/	/	23.78	/	/	<=33.01	Pass
		Inner_Full	24.28	/	/	24.28	/	/	<=33.01	Pass
		Inner_1RB_Left	24.16	/	/	24.16	/	/	<=33.01	Pass
		Inner_1RB_Right	24.18	/	/	24.18	/	/	<=33.01	Pass
	1902.5	Edge_1RB_Left	23.68	/	/	23.68	/	/	<=33.01	Pass
		Outer_Full	23.65	/	/	23.65	/	/	<=33.01	Pass
		Inner_Full	24.10	/	/	24.10	/	/	<=33.01	Pass
		Inner_1RB_Left	24.10	/	/	24.10	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	1857.5	Inner_1RB_Right	24.07	/	/	24.07	/	/	<=33.01	Pass
		Edge_1RB_Left	23.23	/	/	23.23	/	/	<=33.01	Pass
		Outer_Full	23.18	/	/	23.18	/	/	<=33.01	Pass
		Inner_Full	24.16	/	/	24.16	/	/	<=33.01	Pass
		Inner_1RB_Left	24.14	/	/	24.14	/	/	<=33.01	Pass
	1880	Inner_1RB_Right	24.23	/	/	24.23	/	/	<=33.01	Pass
		Edge_1RB_Left	23.27	/	/	23.27	/	/	<=33.01	Pass
		Outer_Full	23.28	/	/	23.28	/	/	<=33.01	Pass
		Inner_Full	24.27	/	/	24.27	/	/	<=33.01	Pass
		Inner_1RB_Left	24.29	/	/	24.29	/	/	<=33.01	Pass
	1902.5	Inner_1RB_Right	24.21	/	/	24.21	/	/	<=33.01	Pass
		Edge_1RB_Left	23.19	/	/	23.19	/	/	<=33.01	Pass
		Outer_Full	23.21	/	/	23.21	/	/	<=33.01	Pass
		Inner_Full	24.09	/	/	24.09	/	/	<=33.01	Pass
		Inner_1RB_Left	24.22	/	/	24.22	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	1857.5	Inner_1RB_Right	23.99	/	/	23.99	/	/	<=33.01	Pass
		Edge_1RB_Left	22.01	/	/	22.01	/	/	<=33.01	Pass
		Outer_Full	22.15	/	/	22.15	/	/	<=33.01	Pass
		Inner_Full	23.22	/	/	23.22	/	/	<=33.01	Pass
		Inner_1RB_Left	22.90	/	/	22.90	/	/	<=33.01	Pass
	1880	Inner_1RB_Right	23.15	/	/	23.15	/	/	<=33.01	Pass
		Edge_1RB_Left	22.17	/	/	22.17	/	/	<=33.01	Pass
		Outer_Full	22.28	/	/	22.28	/	/	<=33.01	Pass
		Inner_Full	23.34	/	/	23.34	/	/	<=33.01	Pass
		Inner_1RB_Left	23.24	/	/	23.24	/	/	<=33.01	Pass
	1902.5	Inner_1RB_Right	23.21	/	/	23.21	/	/	<=33.01	Pass
		Edge_1RB_Left	22.05	/	/	22.05	/	/	<=33.01	Pass
		Outer_Full	22.14	/	/	22.14	/	/	<=33.01	Pass
		Inner_Full	23.14	/	/	23.14	/	/	<=33.01	Pass
		Inner_1RB_Left	23.09	/	/	23.09	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1857.5	Inner_1RB_Right	22.90	/	/	22.90	/	/	<=33.01	Pass
		Edge_1RB_Left	21.81	/	/	21.81	/	/	<=33.01	Pass
		Outer_Full	21.74	/	/	21.74	/	/	<=33.01	Pass
		Inner_Full	21.74	/	/	21.74	/	/	<=33.01	Pass
		Inner_1RB_Left	21.77	/	/	21.77	/	/	<=33.01	Pass
	1880	Inner_1RB_Right	21.86	/	/	21.86	/	/	<=33.01	Pass
		Edge_1RB_Left	21.82	/	/	21.82	/	/	<=33.01	Pass
		Outer_Full	21.79	/	/	21.79	/	/	<=33.01	Pass
		Inner_Full	21.78	/	/	21.78	/	/	<=33.01	Pass
		Inner_1RB_Left	21.86	/	/	21.86	/	/	<=33.01	Pass
	1902.5	Inner_1RB_Right	21.84	/	/	21.84	/	/	<=33.01	Pass
		Edge_1RB_Left	21.82	/	/	21.82	/	/	<=33.01	Pass
		Outer_Full	21.65	/	/	21.65	/	/	<=33.01	Pass
		Inner_Full	21.62	/	/	21.62	/	/	<=33.01	Pass
		Inner_1RB_Left	21.73	/	/	21.73	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1857.5	Inner_1RB_Right	21.62	/	/	21.62	/	/	<=33.01	Pass
		Edge_1RB_Left	19.14	/	/	19.14	/	/	<=33.01	Pass
		Outer_Full	19.62	/	/	19.62	/	/	<=33.01	Pass
		Inner_Full	19.55	/	/	19.55	/	/	<=33.01	Pass
		Inner_1RB_Left	19.11	/	/	19.11	/	/	<=33.01	Pass
	1880	Inner_1RB_Right	19.12	/	/	19.12	/	/	<=33.01	Pass
		Edge_1RB_Left	19.22	/	/	19.22	/	/	<=33.01	Pass
		Outer_Full	19.70	/	/	19.70	/	/	<=33.01	Pass
		Inner_Full	19.66	/	/	19.66	/	/	<=33.01	Pass
		Inner_1RB_Left	19.22	/	/	19.22	/	/	<=33.01	Pass
		Inner_1RB_Right	19.15	/	/	19.15	/	/	<=33.01	Pass

	1902.5	Edge_1RB_Left	19.08	/	/	19.08	/	/	<=33.01	Pass
		Outer_Full	19.55	/	/	19.55	/	/	<=33.01	Pass
		Inner_Full	19.53	/	/	19.53	/	/	<=33.01	Pass
		Inner_1RB_Left	19.12	/	/	19.12	/	/	<=33.01	Pass
		Inner_1RB_Right	18.88	/	/	18.88	/	/	<=33.01	Pass
CP-OFDM QPSK	1857.5	Edge_1RB_Left	21.21	/	/	21.21	/	/	<=33.01	Pass
		Outer_Full	21.13	/	/	21.13	/	/	<=33.01	Pass
		Inner_Full	22.64	/	/	22.64	/	/	<=33.01	Pass
		Inner_1RB_Left	22.71	/	/	22.71	/	/	<=33.01	Pass
		Inner_1RB_Right	22.72	/	/	22.72	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	21.17	/	/	21.17	/	/	<=33.01	Pass
		Outer_Full	21.22	/	/	21.22	/	/	<=33.01	Pass
		Inner_Full	22.75	/	/	22.75	/	/	<=33.01	Pass
		Inner_1RB_Left	22.77	/	/	22.77	/	/	<=33.01	Pass
		Inner_1RB_Right	22.70	/	/	22.70	/	/	<=33.01	Pass
	1902.5	Edge_1RB_Left	21.08	/	/	21.08	/	/	<=33.01	Pass
		Outer_Full	21.07	/	/	21.07	/	/	<=33.01	Pass
		Inner_Full	22.59	/	/	22.59	/	/	<=33.01	Pass
		Inner_1RB_Left	22.61	/	/	22.61	/	/	<=33.01	Pass
		Inner_1RB_Right	22.47	/	/	22.47	/	/	<=33.01	Pass
CP-OFDM 16 QAM	1857.5	Edge_1RB_Left	21.26	/	/	21.26	/	/	<=33.01	Pass
		Outer_Full	21.17	/	/	21.17	/	/	<=33.01	Pass
		Inner_Full	22.21	/	/	22.21	/	/	<=33.01	Pass
		Inner_1RB_Left	22.33	/	/	22.33	/	/	<=33.01	Pass
		Inner_1RB_Right	22.23	/	/	22.23	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	21.27	/	/	21.27	/	/	<=33.01	Pass
		Outer_Full	21.25	/	/	21.25	/	/	<=33.01	Pass
		Inner_Full	22.30	/	/	22.30	/	/	<=33.01	Pass
		Inner_1RB_Left	22.33	/	/	22.33	/	/	<=33.01	Pass
		Inner_1RB_Right	22.26	/	/	22.26	/	/	<=33.01	Pass
	1902.5	Edge_1RB_Left	21.15	/	/	21.15	/	/	<=33.01	Pass
		Outer_Full	21.10	/	/	21.10	/	/	<=33.01	Pass
		Inner_Full	22.15	/	/	22.15	/	/	<=33.01	Pass
		Inner_1RB_Left	22.14	/	/	22.14	/	/	<=33.01	Pass
		Inner_1RB_Right	22.10	/	/	22.10	/	/	<=33.01	Pass
CP-OFDM 64 QAM	1857.5	Edge_1RB_Left	20.78	/	/	20.78	/	/	<=33.01	Pass
		Outer_Full	20.66	/	/	20.66	/	/	<=33.01	Pass
		Inner_Full	20.63	/	/	20.63	/	/	<=33.01	Pass
		Inner_1RB_Left	20.80	/	/	20.80	/	/	<=33.01	Pass
		Inner_1RB_Right	20.77	/	/	20.77	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	20.83	/	/	20.83	/	/	<=33.01	Pass
		Outer_Full	20.74	/	/	20.74	/	/	<=33.01	Pass
		Inner_Full	20.72	/	/	20.72	/	/	<=33.01	Pass
		Inner_1RB_Left	20.83	/	/	20.83	/	/	<=33.01	Pass
		Inner_1RB_Right	20.76	/	/	20.76	/	/	<=33.01	Pass
	1902.5	Edge_1RB_Left	20.61	/	/	20.61	/	/	<=33.01	Pass
		Outer_Full	20.58	/	/	20.58	/	/	<=33.01	Pass
		Inner_Full	20.62	/	/	20.62	/	/	<=33.01	Pass
		Inner_1RB_Left	20.64	/	/	20.64	/	/	<=33.01	Pass
		Inner_1RB_Right	20.61	/	/	20.61	/	/	<=33.01	Pass
CP-OFDM 256 QAM	1857.5	Edge_1RB_Left	17.26	/	/	17.26	/	/	<=33.01	Pass
		Outer_Full	17.60	/	/	17.60	/	/	<=33.01	Pass
		Inner_Full	17.60	/	/	17.60	/	/	<=33.01	Pass
		Inner_1RB_Left	17.23	/	/	17.23	/	/	<=33.01	Pass
		Inner_1RB_Right	17.22	/	/	17.22	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	17.36	/	/	17.36	/	/	<=33.01	Pass
		Outer_Full	17.68	/	/	17.68	/	/	<=33.01	Pass
		Inner_Full	17.70	/	/	17.70	/	/	<=33.01	Pass
		Inner_1RB_Left	17.37	/	/	17.37	/	/	<=33.01	Pass
		Inner_1RB_Right	17.30	/	/	17.30	/	/	<=33.01	Pass
	1902.5	Edge_1RB_Left	17.21	/	/	17.21	/	/	<=33.01	Pass
		Outer_Full	17.59	/	/	17.59	/	/	<=33.01	Pass
		Inner_Full	17.57	/	/	17.57	/	/	<=33.01	Pass
		Inner_1RB_Left	17.22	/	/	17.22	/	/	<=33.01	Pass

		Inner 1RB Right	17.02	/	/	17.02	/	/	<=33.01	Pass
Note1: Antenna Gain: Ant1: 0.00dBi; Note2: EIRP=Conducted Power+Antenna Gain										

1.1.4 15_S_20M_NTNV_EIRP

5G NR n2 SCS=15kHz SISO 20MHz NTN										
Modulation	Frequency (MHz)	RB Allocation	Conducted Power(dBm)			EIRP(dBm)				Verdict
			Ant1	Ant2	Sum	Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1860	Edge 1RB Left	23.55	/	/	23.55	/	/	<=33.01	Pass
		Outer Full	23.67	/	/	23.67	/	/	<=33.01	Pass
		Inner Full	24.21	/	/	24.21	/	/	<=33.01	Pass
		Inner 1RB Left	24.08	/	/	24.08	/	/	<=33.01	Pass
		Inner 1RB Right	24.19	/	/	24.19	/	/	<=33.01	Pass
	1880	Edge 1RB Left	23.69	/	/	23.69	/	/	<=33.01	Pass
		Outer Full	23.75	/	/	23.75	/	/	<=33.01	Pass
		Inner Full	24.27	/	/	24.27	/	/	<=33.01	Pass
		Inner 1RB Left	24.20	/	/	24.20	/	/	<=33.01	Pass
		Inner 1RB Right	24.16	/	/	24.16	/	/	<=33.01	Pass
	1900	Edge 1RB Left	23.60	/	/	23.60	/	/	<=33.01	Pass
		Outer Full	23.64	/	/	23.64	/	/	<=33.01	Pass
		Inner Full	24.07	/	/	24.07	/	/	<=33.01	Pass
		Inner 1RB Left	24.06	/	/	24.06	/	/	<=33.01	Pass
		Inner 1RB Right	23.93	/	/	23.93	/	/	<=33.01	Pass
DFT-s-OFDM QPSK	1860	Edge 1RB Left	23.06	/	/	23.06	/	/	<=33.01	Pass
		Outer Full	23.20	/	/	23.20	/	/	<=33.01	Pass
		Inner Full	24.17	/	/	24.17	/	/	<=33.01	Pass
		Inner 1RB Left	24.01	/	/	24.01	/	/	<=33.01	Pass
		Inner 1RB Right	24.18	/	/	24.18	/	/	<=33.01	Pass
	1880	Edge 1RB Left	23.24	/	/	23.24	/	/	<=33.01	Pass
		Outer Full	23.29	/	/	23.29	/	/	<=33.01	Pass
		Inner Full	24.32	/	/	24.32	/	/	<=33.01	Pass
		Inner 1RB Left	24.18	/	/	24.18	/	/	<=33.01	Pass
		Inner 1RB Right	24.20	/	/	24.20	/	/	<=33.01	Pass
	1900	Edge 1RB Left	23.06	/	/	23.06	/	/	<=33.01	Pass
		Outer Full	23.22	/	/	23.22	/	/	<=33.01	Pass
		Inner Full	24.10	/	/	24.10	/	/	<=33.01	Pass
		Inner 1RB Left	23.99	/	/	23.99	/	/	<=33.01	Pass
		Inner 1RB Right	23.92	/	/	23.92	/	/	<=33.01	Pass
DFT-s-OFDM 16 QAM	1860	Edge 1RB Left	22.02	/	/	22.02	/	/	<=33.01	Pass
		Outer Full	22.15	/	/	22.15	/	/	<=33.01	Pass
		Inner Full	23.22	/	/	23.22	/	/	<=33.01	Pass
		Inner 1RB Left	22.92	/	/	22.92	/	/	<=33.01	Pass
		Inner 1RB Right	23.18	/	/	23.18	/	/	<=33.01	Pass
	1880	Edge 1RB Left	22.12	/	/	22.12	/	/	<=33.01	Pass
		Outer Full	22.22	/	/	22.22	/	/	<=33.01	Pass
		Inner Full	23.31	/	/	23.31	/	/	<=33.01	Pass
		Inner 1RB Left	23.14	/	/	23.14	/	/	<=33.01	Pass
		Inner 1RB Right	23.23	/	/	23.23	/	/	<=33.01	Pass
	1900	Edge 1RB Left	22.00	/	/	22.00	/	/	<=33.01	Pass
		Outer Full	22.08	/	/	22.08	/	/	<=33.01	Pass
		Inner Full	23.17	/	/	23.17	/	/	<=33.01	Pass
		Inner 1RB Left	22.98	/	/	22.98	/	/	<=33.01	Pass
		Inner 1RB Right	22.88	/	/	22.88	/	/	<=33.01	Pass
DFT-s-OFDM 64 QAM	1860	Edge 1RB Left	21.69	/	/	21.69	/	/	<=33.01	Pass
		Outer Full	21.71	/	/	21.71	/	/	<=33.01	Pass
		Inner Full	21.72	/	/	21.72	/	/	<=33.01	Pass
		Inner 1RB Left	21.81	/	/	21.81	/	/	<=33.01	Pass
		Inner 1RB Right	21.86	/	/	21.86	/	/	<=33.01	Pass
	1880	Edge 1RB Left	21.90	/	/	21.90	/	/	<=33.01	Pass
		Outer Full	21.78	/	/	21.78	/	/	<=33.01	Pass

		Inner_1RB_Left	21.91	/	/	21.91	/	/	<=33.01	Pass
		Inner_1RB_Right	21.86	/	/	21.86	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	21.69	/	/	21.69	/	/	<=33.01	Pass
		Outer_Full	21.63	/	/	21.63	/	/	<=33.01	Pass
		Inner_Full	21.63	/	/	21.63	/	/	<=33.01	Pass
		Inner_1RB_Left	21.72	/	/	21.72	/	/	<=33.01	Pass
		Inner_1RB_Right	21.65	/	/	21.65	/	/	<=33.01	Pass
DFT-s-OFDM 256 QAM	1860	Edge_1RB_Left	19.09	/	/	19.09	/	/	<=33.01	Pass
		Outer_Full	19.73	/	/	19.73	/	/	<=33.01	Pass
		Inner_Full	19.60	/	/	19.60	/	/	<=33.01	Pass
		Inner_1RB_Left	19.05	/	/	19.05	/	/	<=33.01	Pass
		Inner_1RB_Right	19.21	/	/	19.21	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	19.23	/	/	19.23	/	/	<=33.01	Pass
		Outer_Full	19.75	/	/	19.75	/	/	<=33.01	Pass
		Inner_Full	19.77	/	/	19.77	/	/	<=33.01	Pass
		Inner_1RB_Left	19.25	/	/	19.25	/	/	<=33.01	Pass
		Inner_1RB_Right	19.17	/	/	19.17	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	19.03	/	/	19.03	/	/	<=33.01	Pass
		Outer_Full	19.62	/	/	19.62	/	/	<=33.01	Pass
		Inner_Full	19.55	/	/	19.55	/	/	<=33.01	Pass
		Inner_1RB_Left	19.03	/	/	19.03	/	/	<=33.01	Pass
		Inner_1RB_Right	18.90	/	/	18.90	/	/	<=33.01	Pass
CP-OFDM QPSK	1860	Edge_1RB_Left	21.12	/	/	21.12	/	/	<=33.01	Pass
		Outer_Full	21.16	/	/	21.16	/	/	<=33.01	Pass
		Inner_Full	22.64	/	/	22.64	/	/	<=33.01	Pass
		Inner_1RB_Left	22.69	/	/	22.69	/	/	<=33.01	Pass
		Inner_1RB_Right	22.75	/	/	22.75	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	21.22	/	/	21.22	/	/	<=33.01	Pass
		Outer_Full	21.30	/	/	21.30	/	/	<=33.01	Pass
		Inner_Full	22.82	/	/	22.82	/	/	<=33.01	Pass
		Inner_1RB_Left	22.78	/	/	22.78	/	/	<=33.01	Pass
		Inner_1RB_Right	22.69	/	/	22.69	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	21.11	/	/	21.11	/	/	<=33.01	Pass
		Outer_Full	21.10	/	/	21.10	/	/	<=33.01	Pass
		Inner_Full	22.56	/	/	22.56	/	/	<=33.01	Pass
		Inner_1RB_Left	22.66	/	/	22.66	/	/	<=33.01	Pass
		Inner_1RB_Right	22.52	/	/	22.52	/	/	<=33.01	Pass
CP-OFDM 16 QAM	1860	Edge_1RB_Left	21.33	/	/	21.33	/	/	<=33.01	Pass
		Outer_Full	21.15	/	/	21.15	/	/	<=33.01	Pass
		Inner_Full	22.20	/	/	22.20	/	/	<=33.01	Pass
		Inner_1RB_Left	22.20	/	/	22.20	/	/	<=33.01	Pass
		Inner_1RB_Right	22.26	/	/	22.26	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	21.21	/	/	21.21	/	/	<=33.01	Pass
		Outer_Full	21.22	/	/	21.22	/	/	<=33.01	Pass
		Inner_Full	22.29	/	/	22.29	/	/	<=33.01	Pass
		Inner_1RB_Left	22.26	/	/	22.26	/	/	<=33.01	Pass
		Inner_1RB_Right	22.33	/	/	22.33	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	21.10	/	/	21.10	/	/	<=33.01	Pass
		Outer_Full	21.02	/	/	21.02	/	/	<=33.01	Pass
		Inner_Full	22.16	/	/	22.16	/	/	<=33.01	Pass
		Inner_1RB_Left	22.13	/	/	22.13	/	/	<=33.01	Pass
		Inner_1RB_Right	22.02	/	/	22.02	/	/	<=33.01	Pass
CP-OFDM 64 QAM	1860	Edge_1RB_Left	20.75	/	/	20.75	/	/	<=33.01	Pass
		Outer_Full	20.67	/	/	20.67	/	/	<=33.01	Pass
		Inner_Full	20.65	/	/	20.65	/	/	<=33.01	Pass
		Inner_1RB_Left	20.74	/	/	20.74	/	/	<=33.01	Pass
		Inner_1RB_Right	20.77	/	/	20.77	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	20.80	/	/	20.80	/	/	<=33.01	Pass
		Outer_Full	20.75	/	/	20.75	/	/	<=33.01	Pass
		Inner_Full	20.81	/	/	20.81	/	/	<=33.01	Pass
		Inner_1RB_Left	20.83	/	/	20.83	/	/	<=33.01	Pass
	1900	Inner_1RB_Right	20.71	/	/	20.71	/	/	<=33.01	Pass
		Edge_1RB_Left	20.64	/	/	20.64	/	/	<=33.01	Pass
		Outer_Full	20.60	/	/	20.60	/	/	<=33.01	Pass

CP-OFDM 256 QAM		Inner_Full	20.68	/	/	20.68	/	/	<=33.01	Pass
		Inner_1RB_Left	20.64	/	/	20.64	/	/	<=33.01	Pass
		Inner_1RB_Right	20.57	/	/	20.57	/	/	<=33.01	Pass
	1860	Edge_1RB_Left	17.21	/	/	17.21	/	/	<=33.01	Pass
		Outer_Full	17.74	/	/	17.74	/	/	<=33.01	Pass
		Inner_Full	17.68	/	/	17.68	/	/	<=33.01	Pass
		Inner_1RB_Left	17.18	/	/	17.18	/	/	<=33.01	Pass
		Inner_1RB_Right	17.32	/	/	17.32	/	/	<=33.01	Pass
	1880	Edge_1RB_Left	17.26	/	/	17.26	/	/	<=33.01	Pass
		Outer_Full	17.79	/	/	17.79	/	/	<=33.01	Pass
		Inner_Full	17.71	/	/	17.71	/	/	<=33.01	Pass
		Inner_1RB_Left	17.28	/	/	17.28	/	/	<=33.01	Pass
		Inner_1RB_Right	17.31	/	/	17.31	/	/	<=33.01	Pass
	1900	Edge_1RB_Left	17.17	/	/	17.17	/	/	<=33.01	Pass
		Outer_Full	17.54	/	/	17.54	/	/	<=33.01	Pass
		Inner_Full	17.54	/	/	17.54	/	/	<=33.01	Pass
		Inner_1RB_Left	17.15	/	/	17.15	/	/	<=33.01	Pass
		Inner_1RB_Right	17.04	/	/	17.04	/	/	<=33.01	Pass

Note1: Antenna Gain: Ant1: 0.00dBi;

Note2: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 15_S_20M

5G NR n2 SCS=15kHz SISO 20MHz								
Modulation	Frequency (MHz)	RB Allocation	Temp. (°C)	Volt.	Freq. Error (Hz)	Freq. vs. rated (ppm)		Verdict
						Result	Limit	
DFT-s-OFDM QPSK	1880	Outer_Full	20	LV	-6.80	-0.0036	>=-2.5 & <=2.5	Pass
				HV	-7.50	-0.0040	>=-2.5 & <=2.5	Pass
			-30	NV	-7.00	-0.0037	>=-2.5 & <=2.5	Pass
			-20	NV	-11.70	-0.0062	>=-2.5 & <=2.5	Pass
			-10	NV	-6.30	-0.0034	>=-2.5 & <=2.5	Pass
			0	NV	-5.30	-0.0028	>=-2.5 & <=2.5	Pass
			10	NV	-11.20	-0.0060	>=-2.5 & <=2.5	Pass
			20	NV	-10.60	-0.0056	>=-2.5 & <=2.5	Pass
			30	NV	-11.30	-0.0060	>=-2.5 & <=2.5	Pass
			40	NV	-10.40	-0.0055	>=-2.5 & <=2.5	Pass
50	NV	-8.70	-0.0046	>=-2.5 & <=2.5	Pass			

3. 99% & 26dB Bandwidth

3.1 Test Result

3.1.1 15_S_5M_NTNV

5G NR n2 SCS=15kHz SISO 5MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	4.50	5.11	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	4.50	5.13	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	4.52	5.16	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	4.51	5.19	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	4.53	5.25	/	Pass
CP-OFDM QPSK	1880	Outer_Full	4.53	5.32	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	4.58	5.33	/	Pass

CP-OFDM 64 QAM	1880	Outer_Full	4.53	5.22	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	4.53	5.24	/	Pass

3.1.2 15_S_10M_NTNV

5G NR n2 SCS=15kHz SISO 10MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	8.99	9.85	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	9.00	9.97	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	9.03	9.93	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	9.02	9.93	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	8.99	9.75	/	Pass
CP-OFDM QPSK	1880	Outer_Full	9.35	10.29	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	9.35	10.37	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	9.32	10.25	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	9.38	10.28	/	Pass

3.1.3 15_S_15M_NTNV


5G NR n2 SCS=15kHz SISO 15MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	13.50	14.68	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	13.47	14.56	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	13.55	14.60	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	13.47	14.54	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	13.67	14.42	/	Pass
CP-OFDM QPSK	1880	Outer_Full	14.20	15.22	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	14.21	15.21	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	14.23	15.25	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	14.16	15.26	/	Pass

3.1.4 15_S_20M_NTNV


5G NR n2 SCS=15kHz SISO 20MHz NTN						
Modulation	Frequency (MHz)	RB Allocation	99% Bandwidth (MHz)	26dB Bandwidth (MHz)	Limit (MHz)	Verdict
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	18.01	19.28	/	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	17.98	19.36	/	Pass
DFT-s-OFDM 16 QAM	1880	Outer_Full	17.97	19.24	/	Pass
DFT-s-OFDM 64 QAM	1880	Outer_Full	17.99	19.35	/	Pass
DFT-s-OFDM 256 QAM	1880	Outer_Full	17.99	19.24	/	Pass
CP-OFDM QPSK	1880	Outer_Full	19.02	20.36	/	Pass
CP-OFDM 16 QAM	1880	Outer_Full	19.08	20.45	/	Pass
CP-OFDM 64 QAM	1880	Outer_Full	19.06	20.40	/	Pass
CP-OFDM 256 QAM	1880	Outer_Full	19.05	20.64	/	Pass

3.2 Test Graph


3.2.1 15_S_5M_NTNV




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_16 QAM_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_64 QAM_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_256 QAM_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant1



n2_15kHz_SISO_NTNV_5MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant1




3.2.2 15_S_10M_NTNV


n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM PI/2 BPSK_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM QPSK_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 16 QAM_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM 64 QAM_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_10MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant1



n2_15kHz_SISO_NTNV_10MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_10MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant1




3.2.3 15_S_15M_NTNV


n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 16 QAM_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM 64 QAM_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_15MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant1



n2_15kHz_SISO_NTNV_15MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_15MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant1




3.2.4 15_S_20M_NTNV


n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 16 QAM_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM 64 QAM_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_256_QAM_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant1




n2_15kHz_SISO_NTNV_20MHz_CP-OFDM 16 QAM 1880MHz_Outer_Full_Ant1



n2_15kHz_SISO_NTNV_20MHz_CP-OFDM 64 QAM 1880MHz_Outer_Full_Ant1



n2_15kHz_SISO_NTNV_20MHz_CP-OFDM_256_QAM_1880MHz_Outer_Full_Ant1



4. Peak-Average Ratio


4.1 Test Result

4.1.1 15_S_20M_NTNV


5G NR n2 SCS=15kHz SISO 20MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Peak-Average Ratio (dB)				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1880	Outer_Full	3.96	/	/	<=13	Pass
DFT-s-OFDM QPSK	1880	Outer_Full	5.12	/	/	<=13	Pass
CP-OFDM QPSK	1880	Outer_Full	6.74	/	/	<=13	Pass

4.2 Test Graph

4.2.1 15_S_20M_NTNV



n2_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1880MHz_Outer_Full_Ant1



5. Spurious Emission

5.1 Test Result

5.1.1 15_S_5M_NTNV

5G NR n2 SCS=15kHz SISO 5MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1852.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1907.5	Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1852.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1907.5	Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1852.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1907.5	Outer_Full	Refer To Test Graph				Pass

5.1.2 15_S_15M_NTNV

5G NR n2 SCS=15kHz SISO 15MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1857.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1902.5	Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1857.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1902.5	Outer_Full	Refer To Test Graph				Pass
CP-OFDM QPSK	1857.5	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1902.5	Outer_Full	Refer To Test Graph				Pass


5.1.3 15_S_20M_NTNV

5G NR n2 SCS=15kHz SISO 20MHz NTN							
Modulation	Frequency (MHz)	RB Allocation	Spurious Emission				Verdict
			Ant1	Ant2	Sum	Limit	
DFT-s-OFDM PI/2 BPSK	1860	Edge_1RB_Left	Refer To Test Graph				Pass
		Outer_Full	Refer To Test Graph				Pass
	1880	Edge_1RB_Left	Refer To Test Graph				Pass
		Edge_1RB_Right	Refer To Test Graph				Pass
	1900	Outer_Full	Refer To Test Graph				Pass
DFT-s-OFDM QPSK	1860	Edge_1RB_Left	Refer To Test Graph				Pass


		Outer_Full	Refer To Test Graph	Pass
		1880 Edge_1RB_Left	Refer To Test Graph	Pass
	1900	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
CP-OFDM QPSK	1860	Edge_1RB_Left	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass
	1880	Edge_1RB_Left	Refer To Test Graph	Pass
	1900	Edge_1RB_Right	Refer To Test Graph	Pass
		Outer_Full	Refer To Test Graph	Pass

5.2 Test Graph

5.2.1 15_S_5M_NTNV




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1852.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1844.695	-45.65	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1932.181	-38.38	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1852.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1847.800	-17.88	-13	Pass
1849	1850	0.05128	CHP	2	1849.990	-24.37	-13	Pass
1850	1855	0.05128	CHP	/	/	/	/	/

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.600	-44.71	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1803.667	-46.34	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1960.539	-38.28	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1907.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-28.53	-13	Pass
1911	1915	1	CHP	2	1911.500	-39.79	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1907.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.950	-44.93	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1907.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1835.645	-46.58	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1987.690	-39.01	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM PI/2 BPSK_1907.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.05128	CHP	/	/	/	/	/
1910	1911	0.05128	CHP	1	1910.010	-24.24	-13	Pass
1911	1915	1	CHP	2	1912.010	-25.73	-13	Pass


n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1852.5MHz_Edge_1RB_Left_Ant1



n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1852.5MHz_Edge_1RB_Left_Ant1




n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1852.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1844.695	-45.95	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1931.578	-38.22	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1852.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.460	-15.80	-13	Pass
1849	1850	0.05128	CHP	2	1849.990	-23.02	-13	Pass
1850	1855	0.05128	CHP	/	/	/	/	/

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.150	-44.75	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1803.667	-46.09	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1959.935	-38.41	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1907.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-26.70	-13	Pass
1911	1915	1	CHP	2	1911.500	-40.52	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM_QPSK_1907.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.600	-44.82	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1907.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1000.000	-46.78	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1988.293	-38.96	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_DFT-s-OFDM QPSK_1907.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.05128	CHP	/	/	/	/	/
1910	1911	0.05128	CHP	1	1910.010	-26.21	-13	Pass
1911	1915	1	CHP	2	1911.510	-22.25	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1852.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-40.45	-13	Pass
1849	1850	0.003	/	2	1849.992	-29.68	-13	Pass
1850	1855	0.003	/	/	/	/	/	/

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1852.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.000	-44.54	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1852.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1477.856	-46.37	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1931.578	-38.30	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1852.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-17.33	-13	Pass
1849	1850	0.05128	CHP	2	1849.990	-23.61	-13	Pass
1850	1855	0.05128	CHP	/	/	/	/	/

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.950	-44.73	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1803.667	-46.63	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1961.142	-37.96	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1907.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-30.09	-13	Pass
1911	1915	1	CHP	2	1911.500	-42.14	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM_QPSK_1907.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.950	-44.86	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1907.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1835.645	-46.88	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1988.896	-39.15	-13	Pass

n2_15kHz_SISO_NTNV_5MHz_CP-OFDM QPSK_1907.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1905	1910	0.05128	CHP	/	/	/	/	/
1910	1911	0.05128	CHP	1	1910.010	-27.62	-13	Pass
1911	1915	1	CHP	2	1911.500	-22.95	-13	Pass

5.2.2 15_S_15M_NTNV




n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_1857.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1836.248	-43.29	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1932.181	-42.22	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_1857.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-23.09	-13	Pass
1849	1850	0.14563	CHP	2	1849.980	-26.10	-13	Pass
1850	1865	0.14563	CHP	/	/	/	/	/

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.900	-44.65	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM PI/2 BPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1798.840	-46.62	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1962.952	-42.41	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1902.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-33.35	-13	Pass
1911	1915	1	CHP	2	1911.500	-36.07	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1902.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	552.050	-44.91	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1902.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1835.041	-45.81	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1976.226	-42.80	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_PI/2_BPSK_1902.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.14563	CHP	/	/	/	/	/
1910	1911	0.14563	CHP	1	1910.020	-38.10	-13	Pass
1911	1915	1	CHP	2	1911.500	-32.13	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1857.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-38.81	-13	Pass
1849	1850	0.003	/	2	1849.991	-29.64	-13	Pass
1850	1865	0.003	/	/	/	/	/	/

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1857.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.400	-44.24	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1857.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1836.248	-43.74	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1932.181	-42.03	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1857.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-20.68	-13	Pass
1849	1850	0.14563	CHP	2	1849.980	-26.91	-13	Pass
1850	1865	0.14563	CHP	/	/	/	/	/

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.950	-44.53	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM QPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1003.620	-46.71	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1964.159	-42.17	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1902.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-31.91	-13	Pass
1911	1915	1	CHP	2	1911.500	-36.43	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1902.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.800	-44.63	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1902.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1835.041	-46.05	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1978.639	-42.49	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_DFT-s-OFDM_QPSK_1902.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.14563	CHP	/	/	/	/	/
1910	1911	0.14563	CHP	1	1910.020	-36.05	-13	Pass
1911	1915	1	CHP	2	1911.500	-28.46	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1857.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-41.19	-13	Pass
1849	1850	0.003	/	2	1849.994	-32.47	-13	Pass
1850	1865	0.003	/	/	/	/	/	/

n2_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1857.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.400	-44.31	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1857.5MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1836.248	-45.21	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1931.578	-42.37	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_CP-OFDM_QPSK_1857.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-22.60	-13	Pass
1849	1850	0.14563	CHP	2	1849.980	-28.18	-13	Pass
1850	1865	0.14563	CHP	/	/	/	/	/

n2_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.200	-44.65	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1001.810	-46.48	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1962.349	-42.44	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_1902.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-34.40	-13	Pass
1911	1915	1	CHP	2	1911.500	-39.30	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_1902.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	549.200	-44.82	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_1902.5MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1835.645	-46.56	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1976.829	-42.30	-13	Pass

n2_15kHz_SISO_NTNV_15MHz_CP-OFDM QPSK_1902.5MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1895	1910	0.14563	CHP	/	/	/	/	/
1910	1911	0.14563	CHP	1	1910.020	-32.74	-13	Pass
1911	1915	1	CHP	2	1911.540	-27.45	-13	Pass

5.2.3 15_S_20M_NTNV




n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_1860MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1775.913	-45.77	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1932.784	-43.14	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_1860MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-23.68	-13	Pass
1849	1850	0.19359	CHP	2	1849.975	-25.03	-13	Pass
1850	1870	0.19359	CHP	/	/	/	/	/

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.050	-44.51	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1796.427	-45.17	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1952.092	-42.81	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_1900MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.003	-37.97	-13	Pass
1911	1915	1	CHP	2	1911.500	-36.25	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_1900MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.800	-44.75	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_1900MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1835.645	-45.85	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1971.399	-42.61	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM PI/2 BPSK_1900MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.19359	CHP	/	/	/	/	/
1910	1911	0.19359	CHP	1	1910.025	-35.43	-13	Pass
1911	1915	1	CHP	2	1911.725	-29.04	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_1860MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.500	-38.16	-13	Pass
1849	1850	0.003	/	2	1849.989	-33.42	-13	Pass
1850	1870	0.003	/	/	/	/	/	/

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_1860MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.950	-44.36	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_1860MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1776.516	-45.62	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1944.248	-43.04	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_1860MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.425	-21.87	-13	Pass
1849	1850	0.19359	CHP	2	1849.975	-26.71	-13	Pass
1850	1870	0.19359	CHP	/	/	/	/	/

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.950	-44.78	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM QPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1796.427	-45.54	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1967.176	-42.97	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_1900MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-35.65	-13	Pass
1911	1915	1	CHP	2	1911.500	-36.57	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_1900MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	548.750	-44.75	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_1900MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1835.645	-46.15	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1971.399	-42.76	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_DFT-s-OFDM_QPSK_1900MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.19359	CHP	/	/	/	/	/
1910	1911	0.19359	CHP	1	1910.350	-34.42	-13	Pass
1911	1915	1	CHP	2	1911.775	-27.74	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_1860MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1848.498	-38.60	-13	Pass
1849	1850	0.003	/	2	1849.994	-36.48	-13	Pass
1850	1870	0.003	/	/	/	/	/	/

n2_15kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_1860MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	550.700	-44.45	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_1860MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1776.516	-45.96	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1946.662	-42.90	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_1860MHz_Outer_Full_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1845	1849	1	CHP	1	1847.850	-24.61	-13	Pass
1849	1850	0.19359	CHP	2	1849.975	-29.17	-13	Pass
1850	1870	0.19359	CHP	/	/	/	/	/

n2_15kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	549.500	-44.78	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_CP-OFDM QPSK_1880MHz_Edge_1RB_Left_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1000	1849	1	/	1	1796.427	-46.44	-13	Pass
1849	1915	1	/	/	/	/	/	/
1915	19100	1	/	2	1965.366	-42.58	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1900MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
1890	1910	0.003	/	/	/	/	/	/
1910	1911	0.003	/	1	1910.005	-38.70	-13	Pass
1911	1915	1	CHP	2	1911.500	-39.90	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1900MHz_Edge_1RB_Right_Ant1




Start (MHz)	Stop (MHz)	RBW (MHz)	Method	Marker No.	Freq (MHz)	Level (dBm)	Limit (dBm)	Result
30	1000	1	CHP	1	551.800	-44.92	-13	Pass

n2_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1900MHz_Edge_1RB_Right_Ant1



n2_15kHz_SISO_NTNV_20MHz_CP-OFDM_QPSK_1900MHz_Outer_Full_Ant1



- End of the Appendix -