


Mode: AX20

Channel: 5745 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5700.8750	36.98	51.88	14.90	105.45	53.57	150	40	PK	Vertical	PASS
2	5724.1250	48.77	63.39	14.62	120.21	56.82	150	21	PK	Vertical	PASS
3	5730.8750	59.48	74.37	14.89	122.20	47.83	150	93	PK	Vertical	PASS
4	5769.5000	41.29	55.90	14.61	122.20	66.30	150	121	PK	Vertical	PASS
5	5775.1250	40.53	55.21	14.68	122.20	66.99	150	21	PK	Vertical	PASS
6	5832.8750	38.27	52.84	14.57	122.20	69.36	150	193	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5745 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5696.7500	38.23	53.07	14.84	102.81	49.74	150	341	PK	Horizontal	PASS
2	5725.2500	48.61	63.28	14.67	122.20	58.92	150	360	PK	Horizontal	PASS
3	5730.8750	63.46	78.35	14.89	122.20	43.85	150	18	PK	Horizontal	PASS
4	5760.8750	57.18	71.91	14.73	122.20	50.29	150	360	PK	Horizontal	PASS
5	5772.8750	46.36	60.97	14.61	122.20	61.23	150	36	PK	Horizontal	PASS
6	5800.6250	38.37	52.84	14.47	122.20	69.36	150	331	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5785 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5684.3750	38.01	52.24	14.23	93.68	41.44	150	161	PK	Vertical	PASS
2	5759.7500	42.39	57.11	14.72	122.20	65.09	150	273	PK	Vertical	PASS
3	5768.0000	50.03	64.60	14.57	122.20	57.60	150	232	PK	Vertical	PASS
4	5809.6250	45.13	59.50	14.37	122.20	62.70	150	0	PK	Vertical	PASS
5	5834.7500	39.11	53.71	14.60	122.20	68.49	150	90	PK	Vertical	PASS
6	5862.5000	37.85	52.68	14.83	108.70	56.02	150	232	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5785 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5704.2500	38.36	53.19	14.83	106.39	53.20	150	295	PK	Horizontal	PASS
2	5755.6250	43.55	58.19	14.64	122.20	64.01	150	342	PK	Horizontal	PASS
3	5769.1250	58.37	72.98	14.61	122.20	49.22	150	4	PK	Horizontal	PASS
4	5811.8750	45.94	60.43	14.49	122.20	61.77	150	173	PK	Horizontal	PASS
5	5827.6250	42.07	56.63	14.56	122.20	65.57	150	14	PK	Horizontal	PASS
6	5848.6250	39.75	54.43	14.68	122.20	67.77	150	58	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5825 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5720.7500	38.91	53.48	14.57	112.51	59.03	150	251	PK	Vertical	PASS
2	5787.1250	38.22	52.89	14.67	122.20	69.31	150	98	PK	Vertical	PASS
3	5811.1250	55.32	69.78	14.46	122.20	52.42	150	24	PK	Vertical	PASS
4	5846.0000	45.83	60.58	14.75	122.20	61.62	150	122	PK	Vertical	PASS
5	5857.2500	41.31	56.06	14.75	110.17	54.11	150	345	PK	Vertical	PASS
6	5896.2500	38.10	53.11	15.01	89.45	36.34	150	134	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5825 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5709.5000	37.10	51.54	14.44	107.86	56.32	150	321	PK	Horizontal	PASS
2	5737.6250	37.81	52.61	14.80	122.20	69.59	150	256	PK	Horizontal	PASS
3	5804.0000	48.11	62.54	14.43	122.20	59.66	150	299	PK	Horizontal	PASS
4	5846.0000	49.93	64.68	14.75	122.20	57.52	150	217	PK	Horizontal	PASS
5	5862.8750	40.92	55.76	14.84	108.59	52.83	150	324	PK	Horizontal	PASS
6	5884.6250	37.43	52.33	14.90	98.06	45.73	150	96	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 5755 MHz

Test Graph



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5670.1250	37.82	52.12	14.30	83.15	31.03	150	281	PK	Vertical	PASS
2	5710.2500	40.18	54.58	14.40	108.07	53.49	150	8	PK	Vertical	PASS
3	5720.0000	49.22	63.81	14.59	110.80	46.99	150	8	PK	Vertical	PASS
4	5786.7500	44.14	58.81	14.67	122.20	63.39	150	310	PK	Vertical	PASS
5	5802.8750	42.52	56.94	14.42	122.20	65.26	150	292	PK	Vertical	PASS
6	5838.1250	38.39	53.05	14.66	122.20	69.15	150	76	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 5755 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5695.6250	42.32	57.11	14.79	101.98	44.87	150	327	PK	Horizontal	PASS
2	5720.7500	47.79	62.36	14.57	112.51	50.15	150	4	PK	Horizontal	PASS
3	5734.2500	64.74	79.63	14.89	122.20	42.57	150	21	PK	Horizontal	PASS
4	5779.2500	54.78	69.44	14.66	122.20	52.76	150	360	PK	Horizontal	PASS
5	5795.3750	48.70	63.24	14.54	122.20	58.96	150	30	PK	Horizontal	PASS
6	5818.6250	40.60	55.14	14.54	122.20	67.06	150	4	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 5795 MHz

Test Graph



Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5689.6250	37.53	52.08	14.55	97.56	45.48	150	145	PK	Vertical	PASS
2	5717.3750	37.49	51.98	14.49	110.07	58.09	150	178	PK	Vertical	PASS
3	5761.2500	46.58	61.30	14.72	122.20	60.90	150	349	PK	Vertical	PASS
4	5820.5000	45.88	60.38	14.50	122.20	61.82	150	312	PK	Vertical	PASS
5	5851.2500	40.15	54.77	14.62	119.35	64.58	150	356	PK	Vertical	PASS
6	5879.0000	38.23	53.12	14.89	102.23	49.11	150	222	PK	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 5795 MHz

Test Graph



Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5703.5000	37.81	52.68	14.87	106.18	53.50	150	266	PK	Horizontal	PASS
2	5721.1250	38.79	53.35	14.56	113.37	60.02	150	216	PK	Horizontal	PASS
3	5766.1250	47.30	61.94	14.64	122.20	60.26	150	90	PK	Horizontal	PASS
4	5820.8750	53.63	68.15	14.52	122.20	54.05	150	42	PK	Horizontal	PASS
5	5845.2500	45.07	59.86	14.79	122.20	62.34	150	33	PK	Horizontal	PASS
6	5873.7500	37.97	52.88	14.91	105.55	52.67	150	304	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level


Appendix F: Conducted emission AC power port

Test Result



Final Data List

NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1685	10.29	37.65	47.94	65.03	17.09	21.94	32.23	55.03	22.80	L1	PASS
2	0.3597	10.30	25.72	36.02	58.74	22.72	17.96	28.26	48.74	20.48	L1	PASS
3	0.7491	10.26	16.56	26.82	56.00	29.18	12.51	22.77	46.00	23.23	L1	PASS
4	3.2644	10.29	12.58	22.87	56.00	33.13	9.27	19.56	46.00	26.44	L1	PASS
5	5.9925	10.44	11.57	22.01	60.00	37.99	8.83	19.27	50.00	30.73	L1	PASS
6	8.7094	10.53	9.89	20.42	60.00	39.58	7.45	17.98	50.00	32.02	L1	PASS


Final Data List

NO.	Frequency [MHz]	Factor [dB]	QP Reading [dBμV]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Reading [dBμV]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1643	10.35	37.78	48.13	65.25	17.12	22.65	33.00	55.25	22.25	N	PASS
2	0.3732	10.35	33.01	43.36	58.43	15.07	26.34	36.69	48.43	11.74	N	PASS
3	0.7293	10.36	19.95	30.31	56.00	25.69	15.10	25.46	46.00	20.54	N	PASS
4	1.8509	10.47	17.05	27.52	56.00	28.48	14.19	24.66	46.00	21.34	N	PASS
5	5.1444	10.51	11.40	21.91	60.00	38.09	8.62	19.13	50.00	30.87	N	PASS
6	6.7699	10.52	8.66	19.18	60.00	40.82	6.59	17.11	50.00	32.89	N	PASS