


Appendix F: Unwant Emissions

Test Result




Suspected Data List											
NO.	Frequency [MHz]	Reading [dBµV/m]	Level [dBµV/m]	Factor [dB]	Limit [dBµV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	46.4900	32.02	16.04	-15.98	40.00	23.96	150	80	PK	Vertical	PASS
2	76.9238	32.59	13.00	-19.59	40.00	27.00	150	340	PK	Vertical	PASS
3	129.7888	36.13	19.22	-16.91	43.50	24.28	150	40	PK	Vertical	PASS
4	190.1713	38.05	19.54	-18.51	43.50	23.96	150	220	PK	Vertical	PASS
5	375.0775	44.46	30.30	-14.16	46.00	15.70	150	330	PK	Vertical	PASS
6	625.0950	37.85	29.27	-8.58	46.00	16.73	150	290	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX

Channel: 5180MHz

Test Graph

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	48.4300	30.84	14.80	-16.04	40.00	25.20	150	60	PK	Horizontal	PASS
2	133.0625	36.83	19.90	-16.93	43.50	23.60	150	20	PK	Horizontal	PASS
3	307.5413	38.60	23.35	-15.25	46.00	22.65	150	320	PK	Horizontal	PASS
4	368.0450	39.72	25.30	-14.42	46.00	20.70	150	90	PK	Horizontal	PASS
5	500.0863	36.02	24.65	-11.37	46.00	21.35	150	50	PK	Horizontal	PASS
6	625.0950	37.55	28.97	-8.58	46.00	17.03	150	160	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5180 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.4000	-0.35	46.01	45.66	74.00	28.34	43.21	42.86	54.00	11.14	150	61	Vertical	PASS
2	3764.8000	8.47	41.37	49.84	74.00	24.16	38.91	47.38	54.00	6.62	150	356	Vertical	PASS
3	7999.6600	-7.77	62.38	54.61	68.23	13.62	56.40	48.63	54.00	5.37	150	200	Vertical	PASS
4	9599.6900	-4.75	52.36	47.61	68.23	20.62	50.07	45.32	54.00	8.68	150	104	Vertical	PASS
5	11199.720	-2.44	57.4	54.96	74.00	19.04	52.08	49.64	54.00	4.36	150	226	Vertical	PASS
6	15530.110	2.17	49.43	51.60	74.00	22.40	42.57	44.74	54.00	9.26	150	4	Vertical	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: A

Channel: 5180 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3208.6000	6.56	40.5	47.06	68.23	21.17	35.54	42.10	54.00	11.90	150	143	Horizonta	PASS
2	3828.4000	8.72	41.27	49.99	74.00	24.01	39.48	48.20	54.00	5.80	150	296	Horizonta	PASS
3	7046.8400	-9.30	53.7	44.40	68.23	23.83	51.10	41.80	54.00	12.20	150	168	Horizonta	PASS
4	7999.6600	-7.77	61.42	53.65	68.23	14.58	57.10	49.33	54.00	4.67	150	253	Horizonta	PASS
5	11199.720	-2.44	55.87	53.43	74.00	20.57	52.27	49.83	54.00	4.17	150	310	Horizonta	PASS
6	15313.560	3.23	47.61	50.84	68.23	17.39	41.67	44.90	54.00	9.10	150	82	Horizonta	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5200 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3162.4000	6.34	40.1	46.44	68.23	21.79	37.67	44.01	54.00	9.99	150	267	Vertical	PASS
2	3874.6000	8.97	40.63	49.60	74.00	24.40	38.56	47.53	54.00	6.47	150	338	Vertical	PASS
3	6589.3400	-10.11	54.9	44.79	68.23	23.44	49.81	39.70	54.00	14.30	150	146	Vertical	PASS
4	7999.6600	-7.77	62.37	54.60	68.23	13.63	57.06	49.29	54.00	4.71	150	199	Vertical	PASS
5	11199.720	-2.44	57.2	54.76	74.00	19.24	52.21	49.77	54.00	4.23	150	225	Vertical	PASS
6	15591.110	2.99	48.97	51.96	74.00	22.04	45.99	48.98	54.00	5.02	150	281	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5200 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3731.8000	8.25	40.93	49.18	74.00	24.82	38.69	46.94	54.00	7.06	150	5	Horizonta	PASS
2	4480.6000	11.21	38.71	49.92	68.23	18.31	36.21	47.42	54.00	6.58	150	316	Horizonta	PASS
3	7999.6600	-7.77	61.49	53.72	68.23	14.51	57.50	49.73	54.00	4.27	150	250	Horizonta	PASS
4	9647.8800	-4.34	53.33	48.99	68.23	19.24	50.72	46.38	54.00	7.62	150	166	Horizonta	PASS
5	11199.720	-2.44	55.76	53.32	74.00	20.68	52.07	49.63	54.00	4.37	150	312	Horizonta	PASS
6	15600.260	3.18	49.7	52.88	74.00	21.12	44.59	47.77	54.00	6.23	150	244	Horizonta	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5240 MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3800.8000	8.50	41.68	50.18	74.00	23.82	38.56	47.06	54.00	6.94	150	153	Vertical	PASS
2	4720.6000	11.71	39.37	51.08	74.00	22.92	37.58	49.29	54.00	4.71	150	28	Vertical	PASS
3	7999.6600	-7.77	61.5	53.73	68.23	14.50	57.66	49.89	54.00	4.11	150	205	Vertical	PASS
4	9599.6900	-4.75	51.83	47.08	68.23	21.15	50.32	45.57	54.00	8.43	150	116	Vertical	PASS
5	11199.110	-2.44	57.14	54.70	74.00	19.30	51.69	49.25	54.00	4.75	150	116	Vertical	PASS
6	15725.920	2.26	54.35	56.61	74.00	17.39	45.91	48.17	54.00	5.83	150	252	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5240 MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1600.0000	0.34	43.23	43.57	74.00	30.43	39.66	40.00	54.00	14.00	150	325	Horizonta	PASS
2	3038.8000	6.15	40.55	46.70	68.23	21.53	36.35	42.50	54.00	11.50	150	338	Horizonta	PASS
3	7999.6600	-7.77	62.26	54.49	68.23	13.74	56.64	48.87	54.00	5.13	150	256	Horizonta	PASS
4	9647.8800	-4.34	52.08	47.74	68.23	20.49	50.59	46.25	54.00	7.75	150	188	Horizonta	PASS
5	11199.110	-2.44	56.12	53.68	74.00	20.32	51.91	49.47	54.00	4.53	150	318	Horizonta	PASS
6	15721.650	2.22	50.6	52.82	74.00	21.18	48.34	50.56	54.00	3.44	150	32	Horizonta	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5745 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.6800	-0.35	45.46	45.11	74.00	28.89	43.24	42.89	54.00	11.11	150	53	Vertical	PASS
2	3669.0000	8.02	41.36	49.38	74.00	24.62	36.78	44.80	54.00	9.20	150	214	Vertical	PASS
3	9599.7900	-4.98	52.03	47.05	68.23	21.18	50.91	45.93	54.00	8.07	150	115	Vertical	PASS
4	11199.660	-3.00	58.48	55.48	74.00	18.52	51.31	48.31	54.00	5.69	150	115	Vertical	PASS
5	14081.160	1.79	48.61	50.40	68.23	17.83	47.18	48.97	54.00	5.03	150	278	Vertical	PASS
6	17232.960	3.62	50.61	54.23	68.23	14.00	42.71	46.33	54.00	7.67	150	216	Vertical	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: A

Channel: 5745 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.6800	-0.35	43.94	43.59	74.00	30.41	41.78	41.43	54.00	12.57	150	25	Horizontal	PASS
2	3749.9200	8.66	41.03	49.69	74.00	24.31	37.35	46.01	54.00	7.99	150	338	Horizontal	PASS
3	7999.9200	-6.38	59.68	53.30	68.23	14.93	55.72	49.34	54.00	4.66	150	250	Horizontal	PASS
4	9647.7300	-4.72	52.44	47.72	68.23	20.51	50.91	46.19	54.00	7.81	150	182	Horizontal	PASS
5	11199.660	-3.00	56.91	53.91	74.00	20.09	51.25	48.25	54.00	5.75	150	312	Horizontal	PASS
6	17239.080	3.64	53.77	57.41	68.23	10.82	45.50	49.14	54.00	4.86	150	318	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5785 MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3781.8800	8.67	40.37	49.04	74.00	24.96	37.98	46.65	54.00	7.35	150	6	Vertical	PASS
2	4971.8800	13.82	39.68	53.50	74.00	20.50	36.69	50.51	54.00	3.49	150	69	Vertical	PASS
3	9599.7900	-4.98	54.19	49.21	68.23	19.02	50.91	45.93	54.00	8.07	150	122	Vertical	PASS
4	11199.660	-3.00	58.32	55.32	74.00	18.68	52.68	49.68	54.00	4.32	150	122	Vertical	PASS
5	13878.180	1.46	47.49	48.95	68.23	19.28	44.43	45.89	54.00	8.11	150	305	Vertical	PASS
6	17342.610	4.25	51.6	55.85	68.23	12.38	45.71	49.96	54.00	4.04	150	222	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5785 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.6800	-0.35	44.39	44.04	74.00	29.96	42.00	41.65	54.00	12.35	150	356	Horizonta	PASS
2	3913.8000	9.17	40.47	49.64	74.00	24.36	36.77	45.94	54.00	8.06	150	271	Horizonta	PASS
3	9647.7300	-4.72	53.85	49.13	68.23	19.10	51.74	47.02	54.00	6.98	150	165	Horizonta	PASS
4	11199.660	-3.00	57.07	54.07	74.00	19.93	51.60	48.60	54.00	5.40	150	316	Horizonta	PASS
5	14399.400	1.29	49	50.29	68.23	17.94	47.21	48.50	54.00	5.50	150	165	Horizonta	PASS
6	17357.910	4.53	50	54.53	68.23	13.70	45.11	49.64	54.00	4.36	150	238	Horizonta	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5825 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.6800	-0.35	45.28	44.93	74.00	29.07	43.69	43.34	54.00	10.66	150	52	Vertical	PASS
2	9599.7900	-4.98	52.91	47.93	68.23	20.30	51.27	46.29	54.00	7.71	150	295	Vertical	PASS
3	11199.660	-3.00	57.64	54.64	74.00	19.36	52.14	49.14	54.00	4.86	150	115	Vertical	PASS
4	11649.480	-2.11	50.07	47.96	74.00	26.04	47.73	45.62	54.00	8.38	150	45	Vertical	PASS
5	14399.400	1.29	48.24	49.53	68.23	18.70	46.50	47.79	54.00	6.21	150	357	Vertical	PASS
6	17469.090	4.10	50.89	54.99	68.23	13.24	45.88	49.98	54.00	4.02	150	133	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5825 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3743.8000	8.65	40.89	49.54	74.00	24.46	35.84	44.49	54.00	9.51	150	307	Horizonta	PASS
2	5213.9600	13.82	40.58	54.40	68.23	13.83	35.51	49.33	54.00	4.67	150	2	Horizonta	PASS
3	9647.7300	-4.72	52.27	47.55	68.23	20.68	50.27	45.55	54.00	8.45	150	240	Horizonta	PASS
4	11199.660	-3.00	56.97	53.97	74.00	20.03	52.27	49.27	54.00	4.73	150	318	Horizonta	PASS
5	12958.650	-0.40	49.05	48.65	68.23	19.58	47.15	46.75	54.00	7.25	150	89	Horizonta	PASS
6	14554.950	2.53	47.04	49.57	68.23	18.66	44.62	47.15	54.00	6.85	150	96	Horizonta	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX20

Channel: 5180 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.4000	-0.35	45.46	45.11	74.00	28.89	42.86	42.51	54.00	11.49	150	60	Vertical	PASS
2	3811.6000	8.95	41.34	50.29	74.00	23.71	36.14	45.09	54.00	8.91	150	288	Vertical	PASS
3	6399.6300	-10.18	55.79	45.61	68.23	22.62	53.51	43.33	54.00	10.67	150	166	Vertical	PASS
4	7999.6600	-7.77	62.24	54.47	68.23	13.76	55.80	48.03	54.00	5.97	150	204	Vertical	PASS
5	11199.720	-2.44	57.54	55.10	74.00	18.90	50.69	48.25	54.00	5.75	150	224	Vertical	PASS
6	14399.780	1.18	49.66	50.84	68.23	17.39	47.18	48.36	54.00	5.64	150	356	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5180 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1600.0000	0.34	43.06	43.40	74.00	30.60	38.74	39.08	54.00	14.92	150	334	Horizonta	PASS
2	4480.0000	11.19	40.01	51.20	68.23	17.03	36.87	48.06	54.00	5.94	150	278	Horizonta	PASS
3	7999.6600	-7.77	61.09	53.32	68.23	14.91	52.03	44.26	54.00	9.74	150	253	Horizonta	PASS
4	9647.8800	-4.34	52.33	47.99	68.23	20.24	50.79	46.45	54.00	7.55	150	163	Horizonta	PASS
5	11199.720	-2.44	55.97	53.53	74.00	20.47	51.61	49.17	54.00	4.83	150	322	Horizonta	PASS
6	14584.610	1.96	47.5	49.46	68.23	18.77	43.66	45.62	54.00	8.38	150	182	Horizonta	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5200 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1375.0000	-0.35	46.37	46.02	74.00	27.98	41.97	41.62	54.00	12.38	150	48	Vertical	PASS
2	3841.6000	9.16	40.41	49.57	74.00	24.43	37.29	46.45	54.00	7.55	150	214	Vertical	PASS
3	4224.4000	10.37	39.98	50.35	74.00	23.65	37.36	47.73	54.00	6.27	150	0	Vertical	PASS
4	7999.6600	-7.77	61.74	53.97	68.23	14.26	54.18	46.41	54.00	7.59	150	209	Vertical	PASS
5	11199.720	-2.44	57.57	55.13	74.00	18.87	50.74	48.30	54.00	5.70	150	113	Vertical	PASS
6	15609.410	3.27	49.35	52.62	74.00	21.38	46.48	49.75	54.00	4.25	150	23	Vertical	PASS


Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX20

Channel: 5200 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1979.8000	1.80	38.85	40.65	68.23	27.58	36.52	38.32	54.00	15.68	150	308	Horizontal	PASS
2	3785.2000	8.55	41.23	49.78	74.00	24.22	38.11	46.66	54.00	7.34	150	47	Horizontal	PASS
3	7999.6600	-7.77	61.02	53.25	68.23	14.98	56.49	48.72	54.00	5.28	150	247	Horizontal	PASS
4	9647.8800	-4.34	52.32	47.98	68.23	20.25	50.32	45.98	54.00	8.02	150	167	Horizontal	PASS
5	11199.720	-2.44	57.12	54.68	74.00	19.32	51.68	49.24	54.00	4.76	150	317	Horizontal	PASS
6	15366.630	2.85	48.16	51.01	74.00	22.99	45.79	48.64	54.00	5.36	150	82	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5240 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.4000	-0.35	45.41	45.06	74.00	28.94	43.42	43.07	54.00	10.93	150	114	Vertical	PASS
2	3833.8000	8.91	40.58	49.49	74.00	24.51	38.84	47.75	54.00	6.25	150	12	Vertical	PASS
3	7999.6600	-7.77	61.75	53.98	68.23	14.25	54.77	47.00	54.00	7.00	150	204	Vertical	PASS
4	9599.6900	-4.75	53.81	49.06	68.23	19.17	51.25	46.50	54.00	7.50	150	114	Vertical	PASS
5	11199.720	-2.44	57.46	55.02	74.00	18.98	51.12	48.68	54.00	5.32	150	219	Vertical	PASS
6	15722.870	2.24	51.45	53.69	74.00	20.31	45.66	47.90	54.00	6.10	150	360	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5240 MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.4000	-0.35	43.73	43.38	74.00	30.62	41.80	41.45	54.00	12.55	150	199	Horizontal	PASS
2	3011.8000	6.01	39.21	45.22	68.23	23.01	35.37	41.38	54.00	12.62	150	212	Horizontal	PASS
3	7999.6600	-7.77	61.84	54.07	68.23	14.16	55.99	48.22	54.00	5.78	150	251	Horizontal	PASS
4	9923.6000	-4.10	51.85	47.75	68.23	20.48	46.32	42.22	54.00	11.78	150	169	Horizontal	PASS
5	11199.720	-2.44	56.56	54.12	74.00	19.88	51.22	48.78	54.00	5.22	150	262	Horizontal	PASS
6	15703.350	2.34	52.5	54.84	74.00	19.16	44.45	46.79	54.00	7.21	150	231	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5745 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2124.7200	2.20	42.3	44.50	68.23	23.73	39.14	41.34	54.00	12.66	150	183	Vertical	PASS
2	3737.0000	8.49	40.65	49.14	74.00	24.86	37.63	46.12	54.00	7.88	150	333	Vertical	PASS
3	9599.7900	-4.98	53.21	48.23	68.23	20.00	50.51	45.53	54.00	8.47	150	114	Vertical	PASS
4	11199.150	-3.00	57.66	54.66	74.00	19.34	51.49	48.49	54.00	5.51	150	225	Vertical	PASS
5	14896.140	2.45	46.91	49.36	68.23	18.87	45.19	47.64	54.00	6.36	150	360	Vertical	PASS
6	17238.060	3.64	54	57.64	68.23	10.59	44.67	48.31	54.00	5.69	150	137	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5745 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3016.2000	6.06	38.63	44.69	68.23	23.54	36.09	42.15	54.00	11.85	150	69	Horizontal	PASS
2	3783.2400	8.62	41.05	49.67	74.00	24.33	37.86	46.48	54.00	7.52	150	42	Horizontal	PASS
3	9647.7300	-4.72	52.15	47.43	68.23	20.80	51.15	46.43	54.00	7.57	150	253	Horizontal	PASS
4	11199.660	-3.00	57.05	54.05	74.00	19.95	51.75	48.75	54.00	5.25	150	313	Horizontal	PASS
5	14041.890	2.09	47.6	49.69	68.23	18.54	44.24	46.33	54.00	7.67	150	300	Horizontal	PASS
6	17230.410	3.61	52.16	55.77	68.23	12.46	44.22	47.83	54.00	6.17	150	194	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5785 MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2986.9600	6.02	39.11	45.13	68.23	23.10	34.21	40.23	54.00	13.77	150	113	Vertical	PASS
2	3782.5600	8.65	41.61	50.26	74.00	23.74	39.84	48.49	54.00	5.51	150	146	Vertical	PASS
3	9599.2800	-4.97	52.87	47.90	68.23	20.33	50.13	45.16	54.00	8.84	150	297	Vertical	PASS
4	11199.660	-3.00	58.08	55.08	74.00	18.92	51.85	48.85	54.00	5.15	150	242	Vertical	PASS
5	14974.170	2.08	48.42	50.50	68.23	17.73	44.65	46.73	54.00	7.27	150	359	Vertical	PASS
6	17363.010	4.48	49.5	53.98	68.23	14.25	45.17	49.65	54.00	4.35	150	138	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5785 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2668.7200	4.14	39.43	43.57	68.23	24.66	36.17	40.31	54.00	13.69	150	176	Horizonta	PASS
2	3838.3200	9.10	40.91	50.01	74.00	23.99	38.07	47.17	54.00	6.83	150	15	Horizonta	PASS
3	9647.7300	-4.72	54.64	49.92	68.23	18.31	53.38	48.66	54.00	5.34	150	164	Horizonta	PASS
4	11199.660	-3.00	56.1	53.10	74.00	20.90	51.53	48.53	54.00	5.47	150	320	Horizonta	PASS
5	14582.490	2.05	48.33	50.38	68.23	17.85	43.52	45.57	54.00	8.43	150	305	Horizonta	PASS
6	17343.630	4.27	49.94	54.21	68.23	14.02	46.27	50.54	54.00	3.46	150	182	Horizonta	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5825 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3267.1200	6.66	40.29	46.95	68.23	21.28	35.90	42.56	54.00	11.44	150	291	Vertical	PASS
2	3777.1200	8.74	40.63	49.37	74.00	24.63	36.26	45.00	54.00	9.00	150	180	Vertical	PASS
3	11199.660	-3.00	59.07	56.07	74.00	17.93	52.38	49.38	54.00	4.62	150	224	Vertical	PASS
4	13710.390	0.74	48.06	48.80	68.23	19.43	44.85	45.59	54.00	8.41	150	51	Vertical	PASS
5	14399.400	1.29	49	50.29	68.23	17.94	47.35	48.64	54.00	5.36	150	360	Vertical	PASS
6	17473.680	4.32	48.75	53.07	68.23	15.16	46.06	50.38	54.00	3.62	150	155	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5825 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3833.5600	8.90	41.18	50.08	74.00	23.92	38.79	47.69	54.00	6.31	150	311	Horizonta	PASS
2	4659.7600	11.39	40.98	52.37	74.00	21.63	38.55	49.94	54.00	4.06	150	13	Horizonta	PASS
3	9647.7300	-4.72	53.18	48.46	68.23	19.77	51.57	46.85	54.00	7.15	150	163	Horizonta	PASS
4	11199.660	-3.00	57.34	54.34	74.00	19.66	51.61	48.61	54.00	5.39	150	263	Horizonta	PASS
5	14399.910	1.28	48.36	49.64	68.23	18.59	46.21	47.49	54.00	6.51	150	220	Horizonta	PASS
6	17471.640	4.22	49.28	53.50	68.23	14.73	42.17	46.39	54.00	7.61	150	207	Horizonta	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 5190 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3085.6000	6.26	40.2	46.46	68.23	21.77	36.26	42.52	54.00	11.48	150	151	Vertical	PASS
2	3810.4000	9.00	40.63	49.63	74.00	24.37	35.80	44.80	54.00	9.20	150	6	Vertical	PASS
3	6399.6300	-10.18	54.33	44.15	68.23	24.08	52.91	42.73	54.00	11.27	150	227	Vertical	PASS
4	7999.6600	-7.77	62.55	54.78	68.23	13.45	55.66	47.89	54.00	6.11	150	202	Vertical	PASS
5	11199.720	-2.44	57.13	54.69	74.00	19.31	51.81	49.37	54.00	4.63	150	222	Vertical	PASS
6	14399.170	1.19	50.31	51.50	68.23	16.73	47.44	48.63	54.00	5.37	150	11	Vertical	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX40

Channel: 5190 MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3101.2000	6.46	39.65	46.11	68.23	22.12	36.19	42.65	54.00	11.35	150	50	Horizontal	PASS
2	4026.4000	9.66	39.92	49.58	74.00	24.42	37.86	47.52	54.00	6.48	150	241	Horizontal	PASS
3	7999.6600	-7.77	61.35	53.58	68.23	14.65	55.57	47.80	54.00	6.20	150	252	Horizontal	PASS
4	9647.8800	-4.34	52.17	47.83	68.23	20.40	49.82	45.48	54.00	8.52	150	162	Horizontal	PASS
5	11199.720	-2.44	56.02	53.58	74.00	20.42	51.16	48.72	54.00	5.28	150	320	Horizontal	PASS
6	15335.520	3.38	46.77	50.15	68.23	18.08	44.61	47.99	54.00	6.01	150	13	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 5230 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1874.8000	1.44	39.37	40.81	68.23	27.42	37.88	39.32	54.00	14.68	150	352	Vertical	PASS
2	3697.0000	8.31	41.23	49.54	74.00	24.46	38.29	46.60	54.00	7.40	150	287	Vertical	PASS
3	7999.6600	-7.77	62.15	54.38	68.23	13.85	55.25	47.48	54.00	6.52	150	204	Vertical	PASS
4	9647.8800	-4.34	52.7	48.36	68.23	19.87	49.88	45.54	54.00	8.46	150	274	Vertical	PASS
5	11199.720	-2.44	58.33	55.89	74.00	18.11	50.66	48.22	54.00	5.78	150	224	Vertical	PASS
6	14399.170	1.19	49.93	51.12	68.23	17.11	47.64	48.83	54.00	5.17	150	4	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 5230 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3077.2000	6.20	40.93	47.13	68.23	21.10	39.37	45.57	54.00	8.43	150	194	Horizonta	PASS
2	3785.2000	8.55	41.92	50.47	74.00	23.53	35.75	44.30	54.00	9.70	150	95	Horizonta	PASS
3	7999.6600	-7.77	62.04	54.27	68.23	13.96	54.88	47.11	54.00	6.89	150	255	Horizonta	PASS
4	9647.8800	-4.34	52.32	47.98	68.23	20.25	51.02	46.68	54.00	7.32	150	180	Horizonta	PASS
5	11199.720	-2.44	56.59	54.15	74.00	19.85	51.55	49.11	54.00	4.89	150	314	Horizonta	PASS
6	15224.500	2.64	47.98	50.62	68.23	17.61	45.49	48.13	54.00	5.87	150	116	Horizonta	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 5755 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3836.9600	9.05	40.66	49.71	74.00	24.29	37.32	46.37	54.00	7.63	150	235	Vertical	PASS
2	4808.0000	12.85	38.72	51.57	74.00	22.43	35.94	48.79	54.00	5.21	150	277	Vertical	PASS
3	9599.7900	-4.98	52.09	47.11	68.23	21.12	50.24	45.26	54.00	8.74	150	201	Vertical	PASS
4	11199.660	-3.00	58.85	55.85	74.00	18.15	51.22	48.22	54.00	5.78	150	227	Vertical	PASS
5	14400.420	1.27	49.23	50.50	68.23	17.73	46.59	47.86	54.00	6.14	150	360	Vertical	PASS
6	17251.320	3.83	52.75	56.58	68.23	11.65	44.42	48.25	54.00	5.75	150	138	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 5755 MHz

Test Graph



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	1374.6800	-0.35	43.21	42.86	74.00	31.14	41.61	41.26	54.00	12.74	150	7	Horizontal	PASS
2	3852.6000	9.00	41.2	50.20	74.00	23.80	38.97	47.97	54.00	6.03	150	152	Horizontal	PASS
3	9647.7300	-4.72	52.27	47.55	68.23	20.68	50.95	46.23	54.00	7.77	150	176	Horizontal	PASS
4	11199.660	-3.00	57.44	54.44	74.00	19.56	50.73	47.73	54.00	6.27	150	316	Horizontal	PASS
5	13145.310	0.11	49.08	49.19	68.23	19.04	45.15	45.26	54.00	8.74	150	340	Horizontal	PASS
6	17260.500	3.96	50.24	54.20	68.23	14.03	46.98	50.94	54.00	3.06	150	316	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 5795 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2124.7200	2.20	41.5	43.70	68.23	24.53	38.98	41.18	54.00	12.82	150	194	Vertical	PASS
2	3822.0000	8.63	41.04	49.67	74.00	24.33	37.75	46.38	54.00	7.62	150	326	Vertical	PASS
3	5011.3200	13.54	39.37	52.91	74.00	21.09	36.70	50.24	54.00	3.76	150	198	Vertical	PASS
4	9599.2800	-4.97	53.02	48.05	68.23	20.18	51.34	46.37	54.00	7.63	150	297	Vertical	PASS
5	11199.660	-3.00	58.32	55.32	74.00	18.68	52.36	49.36	54.00	4.64	150	116	Vertical	PASS
6	14399.400	1.29	49.14	50.43	68.23	17.80	46.44	47.73	54.00	6.27	150	139	Vertical	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX40

Channel: 5795 MHz


Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3837.6400	9.07	40.63	49.70	74.00	24.30	38.80	47.87	54.00	6.13	150	168	Horizontal	PASS
2	4635.9600	11.84	41.11	52.95	74.00	21.05	37.53	49.37	54.00	4.63	150	39	Horizontal	PASS
3	9647.7300	-4.72	52.54	47.82	68.23	20.41	50.82	46.10	54.00	7.90	150	191	Horizontal	PASS
4	11199.660	-3.00	57.04	54.04	74.00	19.96	50.90	47.90	54.00	6.10	150	308	Horizontal	PASS
5	14081.670	1.77	47.62	49.39	68.23	18.84	45.09	46.86	54.00	7.14	150	302	Horizontal	PASS
6	15385.230	2.16	48.75	50.91	74.00	23.09	46.75	48.91	54.00	5.09	150	121	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Out of band



Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	35.52	46.61	68.23	21.62	25.12	36.21	54.00	17.79	150	117	Vertical	PASS
2	4672.2122	11.82	38.1	49.92	74.00	24.08	27.80	39.62	54.00	14.38	150	286	Vertical	PASS
3	4905.4257	12.73	39.99	52.72	74.00	21.28	29.67	42.40	54.00	11.60	150	182	Vertical	PASS
4	5080.0360	13.28	40.02	53.30	74.00	20.70	32.32	45.60	54.00	8.40	150	78	Vertical	PASS
5	5145.0839	13.54	39.82	53.36	74.00	20.64	33.01	46.55	54.00	7.45	150	12	Vertical	PASS
6	5150.0000	13.64	38.94	52.58	74.00	21.42	34.37	48.01	54.00	5.99	150	107	Vertical	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5180 MHz

Test Graph



Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	37.57	48.66	68.23	19.57	27.11	38.20	54.00	15.80	150	4	Horizonta	PASS
2	4924.4604	13.02	39.76	52.78	74.00	21.22	29.48	42.50	54.00	11.50	150	71	Horizonta	PASS
3	4973.7710	13.83	39.8	53.63	74.00	20.37	30.45	44.28	54.00	9.72	150	301	Horizonta	PASS
4	5031.7746	13.04	39.83	52.87	74.00	21.13	31.15	44.19	54.00	9.81	150	177	Horizonta	PASS
5	5140.2878	13.36	42.65	56.01	74.00	17.99	32.32	45.68	54.00	8.32	150	304	Horizonta	PASS
6	5150.0000	13.64	37.94	51.58	74.00	22.42	34.96	48.60	54.00	5.40	150	313	Horizonta	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX20

Channel: 5180 MHz

Test Graph


★ PK Detector ★ AV Detector

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	35.03	46.12	68.23	22.11	24.68	35.77	54.00	18.23	150	297	Vertical	PASS
2	5028.0276	13.09	40.58	53.67	74.00	20.33	30.27	43.36	54.00	10.64	150	304	Vertical	PASS
3	5080.4856	13.30	39.8	53.10	74.00	20.90	31.45	44.75	54.00	9.25	150	63	Vertical	PASS
4	5113.4592	13.45	40.03	53.48	74.00	20.52	32.51	45.96	54.00	8.04	150	4	Vertical	PASS
5	5148.0815	13.64	43.86	57.50	74.00	16.50	33.39	47.03	54.00	6.97	150	328	Vertical	PASS
6	5150.0000	13.64	38.47	52.11	74.00	21.89	35.09	48.73	54.00	5.27	150	88	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX20

Channel: 5180 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	35.91	47.00	68.23	21.23	25.13	36.22	54.00	17.78	150	118	Horizontal	PASS
2	4713.1295	11.64	39.64	51.28	74.00	22.72	27.34	38.98	54.00	15.02	150	196	Horizontal	PASS
3	4947.6918	13.52	39.53	53.05	74.00	20.95	28.73	42.25	54.00	11.75	150	32	Horizontal	PASS
4	5141.0372	13.38	44.02	57.40	74.00	16.60	33.31	46.69	54.00	7.31	150	26	Horizontal	PASS
5	5148.8309	13.64	45.31	58.95	74.00	15.05	34.73	48.37	54.00	5.63	150	199	Horizontal	PASS
6	5150.0000	13.64	43.92	57.56	74.00	16.44	35.55	49.19	54.00	4.81	150	26	Horizontal	PASS

Note: (1) Level = Reading + Factor

(2) Margin = Limit - Level

Mode: AX40

Channel: 5190 MHz

Test Graph

Final Data List


NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	35.1	46.19	68.23	22.04	24.75	35.84	54.00	18.16	150	356	Vertical	PASS
2	4845.9233	12.69	37.94	50.63	74.00	23.37	27.51	40.20	54.00	13.80	150	84	Vertical	PASS
3	5060.2518	13.18	40.32	53.50	74.00	20.50	29.89	43.07	54.00	10.93	150	250	Vertical	PASS
4	5139.2386	13.31	44.66	57.97	74.00	16.03	34.18	47.49	54.00	6.51	150	3	Vertical	PASS
5	5144.4844	13.52	44.48	58.00	74.00	16.00	34.11	47.63	54.00	6.37	150	325	Vertical	PASS
6	5150.0000	13.64	42.48	56.12	74.00	17.88	35.66	49.30	54.00	4.70	150	188	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: AX40

Channel: 5190 MHz

Test Graph

Final Data List

NO.	Frequency [MHz]	Factor [dB]	PK Reading [dBμV/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Reading [dBμV/m]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4500.0000	11.09	36.66	47.75	68.23	20.48	26.05	37.14	54.00	16.86	150	134	Horizonta	PASS
2	5011.9904	13.55	39.81	53.36	74.00	20.64	29.41	42.96	54.00	11.04	150	48	Horizonta	PASS
3	5128.1475	13.06	40.35	53.41	74.00	20.59	32.95	46.01	54.00	7.99	150	196	Horizonta	PASS
4	5135.1918	13.15	47.34	60.49	74.00	13.51	33.78	46.93	54.00	7.07	150	203	Horizonta	PASS
5	5146.1331	13.59	50.07	63.66	74.00	10.34	34.80	48.39	54.00	5.61	150	35	Horizonta	PASS
6	5150.0000	13.64	40.17	53.81	74.00	20.19	35.21	48.85	54.00	5.15	150	203	Horizonta	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5745 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5687.7500	37.74	52.17	14.43	96.17	44.00	150	133	PK	Vertical	PASS
2	5714.7500	38.64	53.07	14.43	109.33	56.26	150	75	PK	Vertical	PASS
3	5730.5000	53.73	68.58	14.85	122.20	53.62	150	75	PK	Vertical	PASS
4	5758.2500	56.30	70.98	14.68	122.20	51.22	150	33	PK	Vertical	PASS
5	5772.5000	40.15	54.74	14.59	122.20	67.46	150	293	PK	Vertical	PASS
6	5841.1250	37.63	52.35	14.72	122.20	69.85	150	353	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5745 MHz

Test Graph


★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5691.1250	37.30	51.92	14.62	98.66	46.74	150	83	PK	Horizontal	PASS
2	5716.2500	41.96	56.42	14.46	109.75	53.33	150	44	PK	Horizontal	PASS
3	5732.3750	61.77	76.71	14.94	122.20	45.49	150	76	PK	Horizontal	PASS
4	5756.7500	63.73	78.37	14.64	122.20	43.83	150	30	PK	Horizontal	PASS
5	5774.7500	44.87	59.53	14.66	122.20	62.67	150	57	PK	Horizontal	PASS
6	5816.7500	38.98	53.59	14.61	122.20	68.61	150	156	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5785 MHz

Test Graph



★ PK Detector ★ AV Detector

Suspected Data List


NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5715.1250	37.11	51.55	14.44	109.44	57.89	150	13	PK	Vertical	PASS
2	5756.0000	39.66	54.31	14.65	122.20	67.89	150	131	PK	Vertical	PASS
3	5772.1250	55.97	70.54	14.57	122.20	51.66	150	32	PK	Vertical	PASS
4	5799.1250	53.63	68.12	14.49	122.20	54.08	150	356	PK	Vertical	PASS
5	5811.8750	42.96	57.45	14.49	122.20	64.75	150	7	PK	Vertical	PASS
6	5832.5000	37.52	52.12	14.60	122.20	70.08	150	147	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5785 MHz

Test Graph


★ PK Detector ★ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5711.3750	37.55	51.96	14.41	108.39	56.43	150	360	PK	Horizontal	PASS
2	5758.6250	43.76	58.45	14.69	122.20	63.75	150	180	PK	Horizontal	PASS
3	5765.7500	52.76	67.42	14.66	122.20	54.78	150	335	PK	Horizontal	PASS
4	5801.3750	52.36	66.80	14.44	122.20	55.40	150	315	PK	Horizontal	PASS
5	5822.0000	39.37	53.83	14.46	122.20	68.37	150	50	PK	Horizontal	PASS
6	5854.6250	38.13	52.83	14.70	111.65	58.82	150	102	PK	Horizontal	PASS


Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5825 MHz

Test Graph



★ PK Detector ★ AV Detector


Suspected Data List											
NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5723.0000	36.83	51.40	14.57	117.64	66.24	150	166	PK	Vertical	PASS
2	5782.2500	38.17	52.83	14.66	122.20	69.37	150	268	PK	Vertical	PASS
3	5813.7500	59.30	73.82	14.52	122.20	48.38	150	356	PK	Vertical	PASS
4	5849.0000	43.22	57.89	14.67	122.20	64.31	150	42	PK	Vertical	PASS
5	5867.7500	38.53	53.43	14.90	107.23	53.80	150	71	PK	Vertical	PASS
6	5910.8750	37.78	52.83	15.05	78.64	25.81	150	317	PK	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode: A

Channel: 5825 MHz

Test Graph


★ PK Detector ✱ AV Detector

Suspected Data List

NO.	Frequency [MHz]	Reading [dBμV/m]	Level [dBμV/m]	Factor [dB]	Limit [dBμV/m]	Margin [dB]	Height [cm]	Angle [°]	Det	Polarity	Verdict
1	5723.7500	37.74	52.34	14.60	119.35	67.01	150	22	PK	Horizontal	PASS
2	5796.1250	42.56	57.10	14.54	122.20	65.10	150	299	PK	Horizontal	PASS
3	5808.8750	58.19	72.57	14.38	122.20	49.63	150	360	PK	Horizontal	PASS
4	5856.1250	45.16	59.89	14.73	110.48	50.59	150	25	PK	Horizontal	PASS
5	5894.3750	37.97	52.95	14.98	90.84	37.89	150	42	PK	Horizontal	PASS
6	5910.1250	38.71	53.75	15.04	79.20	25.45	150	322	PK	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level