






Duty Cycle



Condition	Mode	Frequency (MHz)	On Time (ms)	Period (ms)	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)	Max Variation (%)
NVNT	a	5745	1.392	1.546	90.04	0.46	0.72	0.19
NVNT	a	5785	1.394	1.546	90.17	0.45	0.72	0.22
NVNT	a	5825	1.392	1.546	90.04	0.46	0.72	0.18
NVNT	n20	5745	1.3	1.452	89.53	0.48	0.77	0.16
NVNT	n20	5785	1.3	1.444	90.03	0.46	0.77	0.19
NVNT	n20	5825	1.3	1.452	89.53	0.48	0.77	0.15
NVNT	n40	5755	0.65	0.802	81.05	0.91	1.54	0.17
NVNT	n40	5795	0.65	0.802	81.05	0.91	1.54	0.18
NVNT	ac20	5745	1.311	1.464	89.55	0.48	0.76	0.14
NVNT	ac20	5785	1.311	1.464	89.55	0.48	0.76	0.15
NVNT	ac20	5825	1.314	1.467	89.57	0.48	0.76	0.20
NVNT	ac40	5755	0.652	0.806	80.89	0.92	1.53	0.18
NVNT	ac40	5795	0.652	0.806	80.89	0.92	1.53	0.23
NVNT	ac80	5775	0.324	0.476	68.07	1.67	3.09	0.18









Duty Cycle NVNT n40 5755MHz







Duty Cycle NVNT ac20 5825MHz







Maximum Output Power



Condition	Mode	Frequency (MHz)	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5745	13.19	0.46	13.65	<=30	Pass
NVNT	a	5785	12.89	0.45	13.34	<=30	Pass
NVNT	a	5825	12.67	0.46	13.13	<=30	Pass
NVNT	n20	5745	12.34	0.48	12.82	<=30	Pass
NVNT	n20	5785	11.99	0.46	12.45	<=30	Pass
NVNT	n20	5825	11.82	0.48	12.3	<=30	Pass
NVNT	n40	5755	12.52	0.91	13.43	<=30	Pass
NVNT	n40	5795	11.87	0.91	12.78	<=30	Pass
NVNT	ac20	5745	12.37	0.48	12.85	<=30	Pass
NVNT	ac20	5785	12.03	0.48	12.51	<=30	Pass
NVNT	ac20	5825	11.89	0.48	12.37	<=30	Pass
NVNT	ac40	5755	12.51	0.92	13.43	<=30	Pass
NVNT	ac40	5795	11.9	0.92	12.82	<=30	Pass
NVNT	ac80	5775	10.4	1.67	12.07	<=30	Pass




















-6dB Bandwidth


Condition	Mode	Frequency (MHz)	-6 dB Bandwidth (MHz)	Limit -6 dB Bandwidth (MHz)	Verdict
NVNT	a	5745	16.34	≥ 0.5	Pass
NVNT	a	5785	16.36	≥ 0.5	Pass
NVNT	a	5825	16.35	≥ 0.5	Pass
NVNT	n20	5745	17.05	≥ 0.5	Pass
NVNT	n20	5785	17.32	≥ 0.5	Pass
NVNT	n20	5825	17.09	≥ 0.5	Pass
NVNT	n40	5755	35.48	≥ 0.5	Pass
NVNT	n40	5795	35.64	≥ 0.5	Pass
NVNT	ac20	5745	17.03	≥ 0.5	Pass
NVNT	ac20	5785	17.4	≥ 0.5	Pass
NVNT	ac20	5825	17.06	≥ 0.5	Pass
NVNT	ac40	5755	35.61	≥ 0.5	Pass
NVNT	ac40	5795	35.42	≥ 0.5	Pass
NVNT	ac80	5775	75.5	≥ 0.5	Pass



Test Graphs



-6dB Bandwidth NVNT a 5745MHz







-6dB Bandwidth NVNT a 5785MHz

























Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	99% OBW (MHz)
NVNT	a	5745	16.545
NVNT	a	5785	16.561
NVNT	a	5825	16.546
NVNT	n20	5745	17.626
NVNT	n20	5785	17.602
NVNT	n20	5825	17.606
NVNT	n40	5755	36.157
NVNT	n40	5795	36.137
NVNT	ac20	5745	17.588
NVNT	ac20	5785	17.555
NVNT	ac20	5825	17.569
NVNT	ac40	5755	36.095
NVNT	ac40	5795	36.103
NVNT	ac80	5775	75.574



















Maximum Power Spectral Density Level

Condition	Mode	Frequency (MHz)	Conducted PSD (dBm/510kHz)	Duty Factor (dB)	Total PSD (dBm/510kHz)	Total PSD (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
NVNT	a	5745	-0.341	0.46	0.119	0.03	<=30	Pass
NVNT	a	5785	-0.64	0.45	-0.19	-0.28	<=30	Pass
NVNT	a	5825	-0.733	0.46	-0.273	-0.36	<=30	Pass
NVNT	n20	5745	-1.446	0.48	-0.966	-1.05	<=30	Pass
NVNT	n20	5785	-1.687	0.46	-1.227	-1.31	<=30	Pass
NVNT	n20	5825	-2	0.48	-1.52	-1.61	<=30	Pass
NVNT	n40	5755	-3.938	0.91	-3.028	-3.11	<=30	Pass
NVNT	n40	5795	-4.646	0.91	-3.736	-3.82	<=30	Pass
NVNT	ac20	5745	-1.598	0.48	-1.118	-1.2	<=30	Pass
NVNT	ac20	5785	-1.545	0.48	-1.065	-1.15	<=30	Pass
NVNT	ac20	5825	-1.722	0.48	-1.242	-1.33	<=30	Pass
NVNT	ac40	5755	-4.135	0.92	-3.215	-3.3	<=30	Pass
NVNT	ac40	5795	-4.596	0.92	-3.676	-3.76	<=30	Pass
NVNT	ac80	5775	-9.002	1.67	-7.332	-7.42	<=30	Pass

