



FCC ID_BLE (Part15.247) Test Data
Report No.: NCT260037410E1-1
FCC ID: 2BUJL-704V105AH

Table of Contents

1. -6dB Bandwidth	2
2. 99% Occupied Bandwidth	4
3. Duty Cycle	6
4. Peak Output Power	8
5. Power Spectral Density	9
6. Bandedge	11
7. Spurious Emission	13

1. -6dB Bandwidth

Condition	Antenna	Rate	Frequency (MHz)	-6dB BW(kHz)	limit(kHz)	Result
NVNT	ANT1	1Mbps	2402.00	523.90	500	Pass
NVNT	ANT1	1Mbps	2440.00	533.97	500	Pass
NVNT	ANT1	1Mbps	2480.00	539.12	500	Pass



-6dB Bandwidth NVNT ANT1 1Mbps 2480



2. 99% Occupied Bandwidth

Condition	Antenna	Rate	Frequency (MHz)	99% BW (MHz)
NVNT	ANT1	1Mbps	2402.00	1.160
NVNT	ANT1	1Mbps	2440.00	1.187
NVNT	ANT1	1Mbps	2480.00	1.192





99%_Occupied_Bandwidth_NVNT_ANT1_1Mbps_2480




3. Duty Cycle

Condition	Antenna	Rate	Frequency (MHz)	Dutycycle(%)	Duty_factor
NVNT	ANT1	1Mbps	2402.00	12.90	8.89
NVNT	ANT1	1Mbps	2440.00	15.62	8.06
NVNT	ANT1	1Mbps	2480.00	15.63	8.06



Duty Cycle NVNT ANT1 1Mbps 2480





4. Peak Output Power

Condition	Antenna	Rate	Frequency (MHz)	Max. Conducted Power(dBm)	Max. Conducted Power(mW)	Limit(mW)	Result
NVNT	ANT1	1Mbps	2402.00	0.15	1.03	1000	Pass
NVNT	ANT1	1Mbps	2440.00	-0.11	0.97	1000	Pass
NVNT	ANT1	1Mbps	2480.00	-0.19	0.96	1000	Pass

5. Power Spectral Density

Condition	Antenna	Rate	Frequency (MHz)	Power Spectral Density(dBm/3kHz)	Limit(dBm/3kHz)	Result
NVNT	ANT1	1Mbps	2402.00	-20.50	8	Pass
NVNT	ANT1	1Mbps	2440.00	-20.58	8	Pass
NVNT	ANT1	1Mbps	2480.00	-20.82	8	Pass




Power Spectral Density_NVNT_ANT1_1Mbps_2480



6. Bandedge


Condition	Antenna	Modulation	TX_Frequency (MHz)	Max. Mark_freq(MHz)	Ref_level(dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	1Mbps	2402.00	2377.735	-0.332	-47.634	-20.332	Pass
NVNT	ANT1	1Mbps	2480.00	2490.250	-0.551	-57.095	-20.551	Pass



1 Reference Level NVNT ANT1 1Mbps 2480



2_Bandedge_NVNT_ANT1_1Mbps_2480




7. Spurious Emission

Condition	Antenna	Modulation	TX_Frequency (MHz)	Ref_level(dBm)	Spurious level(dBm)	limit(dBm)	Result
NVNT	ANT1	1Mbps	2402.00	-0.332	-49.395	-20.332	Pass
NVNT	ANT1	1Mbps	2440.00	-0.478	-50.183	-20.478	Pass
NVNT	ANT1	1Mbps	2480.00	-0.551	-50.406	-20.551	Pass

1_Reference_Level_NVNT_ANT1_1Mbps_2402




2_Spurious Emission_NVNT_ANT1_1Mbps_2402



1_Reference_Level_NVNT_ANT1_1Mbps_2440



2_Spurious_Emission_NVNT_ANT1_1Mbps_2440



1_Reference_Level_NVNT_ANT1_1Mbps_2480



2_Spurious_Emission_NVNT_ANT1_1Mbps_2480

