



Mode: G-2462




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	49.81	74.00	24.19	49.62	54.00	4.38	200	360	Horizontal	PASS
2	2485.6835	5.49	50.01	74.00	23.99	49.98	54.00	4.02	100	242	Horizontal	PASS
3	2490.0160	5.57	49.78	74.00	24.22	49.67	54.00	4.33	100	248	Horizontal	PASS
4	2491.2150	5.55	49.00	74.00	25.00	48.93	54.00	5.07	100	242	Horizontal	PASS
5	2495.6275	5.56	49.99	74.00	24.01	49.90	54.00	4.10	100	235	Horizontal	PASS
6	2500.0000	5.50	46.00	74.00	28.00	45.89	54.00	8.11	100	245	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	47.70	74.00	26.30	47.58	54.00	6.42	100	42	Vertical	PASS
2	2486.3629	5.50	48.41	74.00	25.59	48.35	54.00	5.65	100	118	Vertical	PASS
3	2489.7282	5.57	47.80	74.00	26.20	47.73	54.00	6.27	200	7	Vertical	PASS
4	2492.7738	5.57	47.40	74.00	26.60	47.26	54.00	6.74	200	346	Vertical	PASS
5	2494.9720	5.56	46.57	74.00	27.43	46.32	54.00	7.68	200	346	Vertical	PASS
6	2500.0000	5.50	44.95	74.00	29.05	44.24	54.00	9.76	100	185	Vertical	PASS

Mode:

N20-2412




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	44.09	74.00	29.91	41.79	54.00	12.21	100	347	Horizontal	PASS
2	2324.0800	4.86	46.15	74.00	27.85	44.37	54.00	9.63	100	243	Horizontal	PASS
3	2341.2400	4.87	46.19	74.00	27.81	44.01	54.00	9.99	100	341	Horizontal	PASS
4	2356.5300	4.96	46.43	74.00	27.57	44.43	54.00	9.57	200	341	Horizontal	PASS
5	2376.9900	5.07	46.97	74.00	27.03	45.64	54.00	8.36	200	341	Horizontal	PASS
6	2390.0000	4.95	47.43	74.00	26.57	44.73	54.00	9.27	100	347	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	43.65	74.00	30.35	42.41	54.00	11.59	100	38	Vertical	PASS
2	2323.7500	4.86	45.08	74.00	28.92	42.82	54.00	11.18	100	124	Vertical	PASS
3	2339.9200	4.85	46.02	74.00	27.98	43.10	54.00	10.90	100	54	Vertical	PASS
4	2353.8900	4.97	45.03	74.00	28.97	43.43	54.00	10.57	100	214	Vertical	PASS
5	2367.7500	4.99	45.43	74.00	28.57	42.22	54.00	11.78	100	142	Vertical	PASS
6	2390.0000	4.95	46.72	74.00	27.28	45.24	54.00	8.76	100	122	Vertical	PASS

Mode:	N20-2462
-------	----------




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	48.83	74.00	25.17	48.67	54.00	5.33	100	255	Horizontal	PASS
2	2485.8593	5.48	49.74	74.00	24.26	49.56	54.00	4.44	100	262	Horizontal	PASS
3	2488.5771	5.51	49.40	74.00	24.60	49.31	54.00	4.69	100	249	Horizontal	PASS
4	2492.4460	5.56	48.13	74.00	25.87	47.99	54.00	6.01	100	246	Horizontal	PASS
5	2495.8993	5.56	47.23	74.00	26.77	47.16	54.00	6.84	100	255	Horizontal	PASS
6	2500.0000	5.50	45.60	74.00	28.40	45.51	54.00	8.49	200	45	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	48.02	74.00	25.98	47.61	54.00	6.39	100	163	Vertical	PASS
2	2486.7306	5.52	47.41	74.00	26.59	47.30	54.00	6.70	200	355	Vertical	PASS
3	2489.1607	5.56	47.18	74.00	26.82	47.00	54.00	7.00	100	166	Vertical	PASS
4	2494.8841	5.56	45.94	74.00	28.06	45.69	54.00	8.31	100	34	Vertical	PASS
5	2498.1295	5.57	46.24	74.00	27.76	46.01	54.00	7.99	200	348	Vertical	PASS
6	2500.0000	5.50	44.51	74.00	29.49	44.07	54.00	9.93	200	338	Vertical	PASS

Mode:

N40-2422




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	43.24	74.00	30.76	41.52	54.00	12.48	100	255	Horizontal	PASS
2	2323.0900	4.87	45.58	74.00	28.42	43.71	54.00	10.29	100	349	Horizontal	PASS
3	2332.0000	4.76	46.68	74.00	27.32	44.65	54.00	9.35	100	343	Horizontal	PASS
4	2352.0200	4.96	45.29	74.00	28.71	41.84	54.00	12.16	100	255	Horizontal	PASS
5	2370.6100	5.04	45.99	74.00	28.01	43.55	54.00	10.45	200	248	Horizontal	PASS
6	2390.0000	4.95	47.79	74.00	26.21	46.30	54.00	7.70	100	352	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2310.0000	4.67	43.12	74.00	30.88	41.21	54.00	12.79	100	152	Vertical	PASS
2	2325.6200	4.86	44.67	74.00	29.33	42.86	54.00	11.14	100	172	Vertical	PASS
3	2339.1500	4.84	44.43	74.00	29.57	42.58	54.00	11.42	100	188	Vertical	PASS
4	2364.6700	4.98	45.46	74.00	28.54	43.70	54.00	10.30	100	54	Vertical	PASS
5	2379.1900	5.05	45.43	74.00	28.57	43.47	54.00	10.53	100	25	Vertical	PASS
6	2390.0000	4.95	46.60	74.00	27.40	45.31	54.00	8.69	100	119	Vertical	PASS

Mode:

N40-2452



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	49.14	74.00	24.86	49.02	54.00	4.98	100	245	Horizontal	PASS
2	2486.1551	5.48	50.00	74.00	24.00	49.78	54.00	4.22	100	239	Horizontal	PASS
3	2489.3685	5.56	49.93	74.00	24.07	49.87	54.00	4.13	100	242	Horizontal	PASS
4	2491.4388	5.55	49.11	74.00	24.89	48.98	54.00	5.02	100	254	Horizontal	PASS
5	2497.0823	5.59	48.78	74.00	25.22	48.57	54.00	5.43	100	242	Horizontal	PASS
6	2500.0000	5.50	47.26	74.00	26.74	47.12	54.00	6.88	100	242	Horizontal	PASS



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	2483.5000	5.46	46.69	74.00	27.31	46.56	54.00	7.44	100	183	Vertical	PASS
2	2485.9952	5.47	47.85	74.00	26.15	47.79	54.00	6.21	200	353	Vertical	PASS
3	2489.1127	5.56	48.13	74.00	25.87	48.05	54.00	5.95	100	54	Vertical	PASS
4	2493.2614	5.58	47.20	74.00	26.80	47.11	54.00	6.89	100	205	Vertical	PASS
5	2495.4277	5.56	46.13	74.00	27.87	46.05	54.00	7.95	200	353	Vertical	PASS
6	2500.0000	5.50	43.54	74.00	30.46	43.30	54.00	10.70	100	48	Vertical	PASS

Appendix I: Spurious emissions


Test Result

Note:


The low frequency, which starts from 9 kHz to 30 MHz, is pre-scanned and the result which is 20 dB lower than the limit line is not reported.

During the test, the Radiates Emission from 30MHz to 1GHz was performed in all modes with all channels. The test data of the worst-case (B-2412MHz) condition was recorded in this report. The measurement results above 18GHz were greater than 20dB below the limit, so only the radiated spurious emissions from 30MHz to 18GHz are reported.

30MHz-1GHz




QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBμV/m]	QP Limit [dBμV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	37.8812	-16.00	15.52	40.00	24.48	100	147	Horizontal	PASS
2	59.9488	-16.96	22.03	40.00	17.97	100	10	Horizontal	PASS
3	83.4712	-20.15	20.85	40.00	19.15	100	10	Horizontal	PASS
4	154.5238	-15.81	16.41	43.50	27.09	100	244	Horizontal	PASS
5	270.0750	-16.88	21.50	46.00	24.50	100	38	Horizontal	PASS
6	590.4175	-8.73	24.47	46.00	21.53	100	271	Horizontal	PASS




QP Final Data List									
NO.	Freq. [MHz]	Factor [dB/m]	QP Value [dBµV/m]	QP Limit [dBµV/m]	QP Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	45.7625	-15.91	26.04	40.00	13.96	100	104	Vertical	PASS
2	62.4950	-17.33	27.55	40.00	12.45	100	19	Vertical	PASS
3	83.4712	-20.15	22.11	40.00	17.89	100	213	Vertical	PASS
4	107.9638	-18.79	22.98	43.50	20.52	100	86	Vertical	PASS
5	162.0412	-15.87	25.16	43.50	18.34	100	325	Vertical	PASS
6	260.3750	-17.32	23.82	46.00	22.18	100	19	Vertical	PASS

1GHz~18GHz

Mode:	B-2412
-------	--------




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3506.0000	-19.66	36.91	74.00	37.09	35.18	54.00	18.82	150	104	Horizontal	PASS
2	4867.5000	-14.28	41.14	74.00	32.86	37.28	54.00	16.72	150	112	Horizontal	PASS
3	5909.5000	-12.44	41.43	74.00	32.57	39.13	54.00	14.87	150	144	Horizontal	PASS
4	8183.0000	-7.82	43.72	74.00	30.28	40.58	54.00	13.42	150	337	Horizontal	PASS
5	11068.5000	-2.99	46.24	74.00	27.76	44.48	54.00	9.52	150	50	Horizontal	PASS
6	13695.5000	0.75	49.85	74.00	24.15	46.25	54.00	7.75	150	34	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3852.5000	-18.10	38.00	74.00	36.00	34.95	54.00	19.05	150	185	Vertical	PASS
2	5138.5000	-13.67	41.34	74.00	32.66	39.63	54.00	14.37	150	270	Vertical	PASS
3	6460.0000	-9.92	42.74	74.00	31.26	38.37	54.00	15.63	150	176	Vertical	PASS
4	9921.0000	-4.28	45.81	74.00	28.19	44.22	54.00	9.78	150	43	Vertical	PASS
5	11999.0000	-1.72	50.51	74.00	23.49	48.96	54.00	5.04	150	122	Vertical	PASS
6	15090.0000	2.20	49.35	74.00	24.65	47.03	54.00	6.97	150	360	Vertical	PASS

Mode:

B-2437




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3868.5000	-17.97	37.91	74.00	36.09	33.52	54.00	20.48	150	21	Horizontal	PASS
2	4891.0000	-13.69	40.34	74.00	33.66	37.65	54.00	16.35	150	193	Horizontal	PASS
3	6065.5000	-11.79	41.17	74.00	32.83	39.51	54.00	14.49	150	270	Horizontal	PASS
4	8437.5000	-6.96	44.46	74.00	29.54	42.76	54.00	11.24	150	316	Horizontal	PASS
5	11549.0000	-2.17	47.39	74.00	26.61	43.93	54.00	10.07	150	0	Horizontal	PASS
6	13660.0000	1.33	50.27	74.00	23.73	48.47	54.00	5.53	150	37	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3804.0000	-18.50	38.12	74.00	35.88	36.55	54.00	17.45	150	220	Vertical	PASS
2	5008.0000	-13.93	40.81	74.00	33.19	36.19	54.00	17.81	150	71	Vertical	PASS
3	7470.5000	-8.93	43.13	74.00	30.87	41.82	54.00	12.18	150	181	Vertical	PASS
4	9935.5000	-4.29	45.51	74.00	28.49	43.90	54.00	10.10	150	228	Vertical	PASS
5	11999.5000	-1.72	50.66	74.00	23.34	48.64	54.00	5.36	150	95	Vertical	PASS
6	13772.0000	0.82	49.28	74.00	24.72	46.77	54.00	7.23	150	284	Vertical	PASS

Mode:

B-2462




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3595.0000	-19.15	37.10	74.00	36.90	35.45	54.00	18.55	150	340	Horizontal	PASS
2	4318.0000	-16.24	40.33	74.00	33.67	38.79	54.00	15.21	150	217	Horizontal	PASS
3	6371.0000	-10.36	43.50	74.00	30.50	41.23	54.00	12.77	150	179	Horizontal	PASS
4	8329.0000	-7.46	44.94	74.00	29.06	43.68	54.00	10.32	150	94	Horizontal	PASS
5	11999.5000	-1.72	49.64	74.00	24.36	47.06	54.00	6.94	150	148	Horizontal	PASS
6	13730.0000	0.30	49.15	74.00	24.85	47.89	54.00	6.11	150	110	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3799.0000	-18.68	38.48	74.00	35.52	36.28	54.00	17.72	150	222	Vertical	PASS
2	5191.0000	-13.24	40.73	74.00	33.27	36.43	54.00	17.57	150	112	Vertical	PASS
3	7211.5000	-9.17	43.39	74.00	30.61	40.60	54.00	13.40	150	222	Vertical	PASS
4	8832.5000	-6.86	44.76	74.00	29.24	42.65	54.00	11.35	150	190	Vertical	PASS
5	11999.5000	-1.72	49.79	74.00	24.21	47.73	54.00	6.27	150	332	Vertical	PASS
6	13780.5000	0.95	48.90	74.00	25.10	47.00	54.00	7.00	150	332	Vertical	PASS

Mode:

G-2412




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3216.0000	-20.37	39.76	74.00	34.24	37.45	54.00	16.55	150	16	Horizontal	PASS
2	4388.0000	-16.57	38.46	74.00	35.54	34.09	54.00	19.91	150	309	Horizontal	PASS
3	5534.5000	-13.12	40.53	74.00	33.47	37.77	54.00	16.23	150	185	Horizontal	PASS
4	8367.5000	-7.19	43.68	74.00	30.32	40.84	54.00	13.16	150	201	Horizontal	PASS
5	10740.5000	-3.56	46.72	74.00	27.28	45.10	54.00	8.90	150	24	Horizontal	PASS
6	13759.5000	0.63	49.44	74.00	24.56	47.56	54.00	6.44	150	61	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3400.5000	-19.51	37.54	74.00	36.46	32.86	54.00	21.14	150	13	Vertical	PASS
2	4913.0000	-13.23	40.36	74.00	33.64	38.37	54.00	15.63	150	356	Vertical	PASS
3	6347.5000	-10.21	42.97	74.00	31.03	41.10	54.00	12.90	150	206	Vertical	PASS
4	8778.5000	-6.52	45.99	74.00	28.01	43.78	54.00	10.22	150	76	Vertical	PASS
5	11146.5000	-2.76	46.50	74.00	27.50	43.58	54.00	10.42	150	262	Vertical	PASS
6	13701.0000	0.82	49.27	74.00	24.73	44.40	54.00	9.60	150	324	Vertical	PASS

Mode: G-2437




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3249.0000	-20.39	37.75	74.00	36.25	35.95	54.00	18.05	150	35	Horizontal	PASS
2	4367.0000	-16.83	37.83	74.00	36.17	35.92	54.00	18.08	150	309	Horizontal	PASS
3	4908.5000	-13.17	39.59	74.00	34.41	36.81	54.00	17.19	150	43	Horizontal	PASS
4	7322.0000	-9.16	43.31	74.00	30.69	41.37	54.00	12.63	150	59	Horizontal	PASS
5	9490.5000	-5.18	45.60	74.00	28.40	42.39	54.00	11.61	150	333	Horizontal	PASS
6	13886.0000	0.90	49.51	74.00	24.49	46.51	54.00	7.49	150	214	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3370.0000	-19.92	36.90	74.00	37.10	33.08	54.00	20.92	150	54	Vertical	PASS
2	4880.0000	-14.07	40.20	74.00	33.80	38.62	54.00	15.38	150	46	Vertical	PASS
3	6435.0000	-10.58	42.39	74.00	31.61	37.96	54.00	16.04	150	92	Vertical	PASS
4	8388.5000	-7.40	44.45	74.00	29.55	43.05	54.00	10.95	150	177	Vertical	PASS
5	10754.0000	-3.41	46.45	74.00	27.55	42.97	54.00	11.03	150	177	Vertical	PASS
6	13364.5000	0.29	47.35	74.00	26.65	45.54	54.00	8.46	150	340	Vertical	PASS

Mode:

G-2462




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3282.5000	-20.39	38.27	74.00	35.73	36.61	54.00	17.39	150	11	Horizontal	PASS
2	4917.5000	-13.40	40.96	74.00	33.04	37.88	54.00	16.12	150	58	Horizontal	PASS
3	6381.5000	-10.15	42.60	74.00	31.40	40.49	54.00	13.51	150	205	Horizontal	PASS
4	8457.5000	-7.26	44.24	74.00	29.76	41.81	54.00	12.19	150	205	Horizontal	PASS
5	12294.5000	-1.38	47.14	74.00	26.86	45.39	54.00	8.61	150	260	Horizontal	PASS
6	14089.5000	1.06	48.75	74.00	25.25	47.30	54.00	6.70	150	308	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4369.5000	-16.84	38.32	74.00	35.68	36.76	54.00	17.24	150	356	Vertical	PASS
2	6150.0000	-10.51	42.47	74.00	31.53	41.01	54.00	12.99	150	256	Vertical	PASS
3	7744.0000	-8.41	43.79	74.00	30.21	40.88	54.00	13.12	150	164	Vertical	PASS
4	10116.5000	-4.38	46.33	74.00	27.67	43.77	54.00	10.23	150	17	Vertical	PASS
5	12601.5000	-1.04	47.46	74.00	26.54	45.41	54.00	8.59	150	157	Vertical	PASS
6	13835.0000	0.99	48.53	74.00	25.47	46.17	54.00	7.83	150	326	Vertical	PASS

Mode: N20-2412




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3559.0000	-19.53	37.65	74.00	36.35	33.98	54.00	20.02	150	183	Horizontal	PASS
2	4913.0000	-13.23	40.14	74.00	33.86	37.84	54.00	16.16	150	329	Horizontal	PASS
3	6431.5000	-10.57	41.94	74.00	32.06	38.14	54.00	15.86	150	267	Horizontal	PASS
4	9556.0000	-4.78	45.23	74.00	28.77	43.00	54.00	11.00	150	20	Horizontal	PASS
5	12000.0000	-1.72	46.46	74.00	27.54	42.62	54.00	11.38	150	98	Horizontal	PASS
6	13884.0000	0.94	48.69	74.00	25.31	46.12	54.00	7.88	150	75	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3564.5000	-19.61	39.26	74.00	34.74	37.50	54.00	16.50	150	104	Vertical	PASS
2	4907.5000	-13.22	40.67	74.00	33.33	38.58	54.00	15.42	150	268	Vertical	PASS
3	6430.0000	-10.58	42.18	74.00	31.82	38.20	54.00	15.80	150	81	Vertical	PASS
4	8815.5000	-6.92	43.92	74.00	30.08	41.22	54.00	12.78	150	245	Vertical	PASS
5	10074.5000	-4.37	45.71	74.00	28.29	43.61	54.00	10.39	150	89	Vertical	PASS
6	13707.5000	0.75	49.38	74.00	24.62	47.29	54.00	6.71	150	20	Vertical	PASS

Mode:

N20-2437




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4140.0000	-17.39	37.22	74.00	36.78	34.62	54.00	19.38	150	166	Horizontal	PASS
2	4910.5000	-13.13	40.38	74.00	33.62	38.51	54.00	15.49	150	124	Horizontal	PASS
3	6354.5000	-10.37	42.36	74.00	31.64	38.98	54.00	15.02	150	61	Horizontal	PASS
4	8212.5000	-7.21	44.43	74.00	29.57	39.44	54.00	14.56	150	337	Horizontal	PASS
5	11046.0000	-2.73	47.32	74.00	26.68	44.93	54.00	9.07	150	37	Horizontal	PASS
6	13873.5000	0.91	50.00	74.00	24.00	46.56	54.00	7.44	150	17	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4376.5000	-16.81	38.54	74.00	35.46	36.44	54.00	17.56	150	347	Vertical	PASS
2	5654.0000	-12.53	40.78	74.00	33.22	38.80	54.00	15.20	150	53	Vertical	PASS
3	6580.5000	-10.01	43.20	74.00	30.80	36.71	54.00	17.29	150	81	Vertical	PASS
4	9255.5000	-4.57	45.54	74.00	28.46	43.32	54.00	10.68	150	337	Vertical	PASS
5	11728.0000	-2.11	47.08	74.00	26.92	45.67	54.00	8.33	150	202	Vertical	PASS
6	14899.0000	2.41	49.66	74.00	24.34	48.01	54.00	5.99	150	308	Vertical	PASS

Mode:	N20-2462
-------	----------




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4177.0000	-17.11	37.82	74.00	36.18	34.83	54.00	19.17	150	96	Horizontal	PASS
2	4894.0000	-13.63	41.15	74.00	32.85	37.72	54.00	16.28	150	278	Horizontal	PASS
3	6447.0000	-10.51	42.19	74.00	31.81	38.79	54.00	15.21	150	191	Horizontal	PASS
4	8543.0000	-7.11	43.88	74.00	30.12	42.15	54.00	11.85	150	278	Horizontal	PASS
5	9531.0000	-4.70	46.54	74.00	27.46	42.52	54.00	11.48	150	352	Horizontal	PASS
6	13917.0000	0.41	49.08	74.00	24.92	46.46	54.00	7.54	150	259	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	4293.5000	-16.21	38.21	74.00	35.79	36.25	54.00	17.75	150	163	Vertical	PASS
2	5767.5000	-12.52	40.63	74.00	33.37	38.13	54.00	15.87	150	70	Vertical	PASS
3	7241.0000	-8.98	43.34	74.00	30.66	40.72	54.00	13.28	150	104	Vertical	PASS
4	9395.0000	-5.24	45.40	74.00	28.60	43.56	54.00	10.44	150	173	Vertical	PASS
5	11903.5000	-1.67	47.99	74.00	26.01	43.23	54.00	10.77	150	41	Vertical	PASS
6	15301.0000	2.66	50.75	74.00	23.25	48.57	54.00	5.43	150	283	Vertical	PASS

Mode:

N40-2422




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3490.0000	-19.80	37.41	74.00	36.59	34.28	54.00	19.72	150	20	Horizontal	PASS
2	4906.5000	-13.26	40.73	74.00	33.27	37.74	54.00	16.26	150	88	Horizontal	PASS
3	7075.5000	-9.74	42.92	74.00	31.08	41.03	54.00	12.97	150	268	Horizontal	PASS
4	9091.5000	-6.03	45.02	74.00	28.98	42.66	54.00	11.34	150	98	Horizontal	PASS
5	10280.0000	-3.59	46.17	74.00	27.83	44.00	54.00	10.00	150	34	Horizontal	PASS
6	13613.0000	0.43	49.01	74.00	24.99	44.39	54.00	9.61	150	142	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3446.5000	-20.25	37.09	74.00	36.91	35.26	54.00	18.74	150	124	Vertical	PASS
2	4950.5000	-13.90	40.12	74.00	33.88	38.11	54.00	15.89	150	168	Vertical	PASS
3	6982.0000	-9.74	42.82	74.00	31.18	37.75	54.00	16.25	150	318	Vertical	PASS
4	9752.0000	-4.65	45.61	74.00	28.39	42.97	54.00	11.03	150	318	Vertical	PASS
5	12366.0000	-1.20	47.41	74.00	26.59	45.54	54.00	8.46	150	240	Vertical	PASS
6	15270.0000	2.50	50.16	74.00	23.84	48.21	54.00	5.79	150	221	Vertical	PASS

Mode: N40-2437




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3647.5000	-19.22	37.19	74.00	36.81	33.65	54.00	20.35	150	283	Horizontal	PASS
2	4289.0000	-16.06	37.67	74.00	36.33	35.37	54.00	18.63	150	220	Horizontal	PASS
3	5733.0000	-12.46	40.24	74.00	33.76	38.81	54.00	15.19	150	131	Horizontal	PASS
4	8059.5000	-8.03	43.63	74.00	30.37	42.14	54.00	11.86	150	160	Horizontal	PASS
5	9664.5000	-4.72	45.56	74.00	28.44	44.23	54.00	9.77	150	229	Horizontal	PASS
6	13805.5000	1.16	51.00	74.00	23.00	48.17	54.00	5.83	150	29	Horizontal	PASS




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3378.0000	-19.68	37.61	74.00	36.39	34.37	54.00	19.63	150	78	Vertical	PASS
2	4892.5000	-13.66	40.99	74.00	33.01	36.83	54.00	17.17	150	323	Vertical	PASS
3	6837.0000	-9.98	43.61	74.00	30.39	41.83	54.00	12.17	150	294	Vertical	PASS
4	9369.5000	-5.11	45.56	74.00	28.44	43.72	54.00	10.28	150	332	Vertical	PASS
5	11130.5000	-2.94	46.64	74.00	27.36	41.40	54.00	12.60	150	164	Vertical	PASS
6	13510.5000	0.22	47.86	74.00	26.14	43.78	54.00	10.22	150	97	Vertical	PASS

Mode:

N40-2452




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3269.0000	-19.77	38.95	74.00	35.05	36.62	54.00	17.38	150	351	Horizontal	PASS
2	4902.5000	-13.42	39.83	74.00	34.17	35.45	54.00	18.55	150	92	Horizontal	PASS
3	6396.0000	-10.70	41.33	74.00	32.67	39.69	54.00	14.31	150	332	Horizontal	PASS
4	8020.5000	-7.37	44.28	74.00	29.72	42.50	54.00	11.50	150	156	Horizontal	PASS
5	8922.5000	-6.47	44.93	74.00	29.07	42.75	54.00	11.25	150	205	Horizontal	PASS
6	12855.5000	-0.51	47.07	74.00	26.93	44.00	54.00	10.00	150	176	Horizontal	PASS



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	3510.5000	-19.54	37.34	74.00	36.66	33.56	54.00	20.44	150	239	Vertical	PASS
2	4342.0000	-17.21	38.24	74.00	35.76	36.30	54.00	17.70	150	205	Vertical	PASS
3	5625.5000	-12.68	41.06	74.00	32.94	37.27	54.00	16.73	150	210	Vertical	PASS
4	8302.0000	-7.60	44.60	74.00	29.40	42.51	54.00	11.49	150	318	Vertical	PASS
5	10607.0000	-3.61	46.65	74.00	27.35	43.14	54.00	10.86	150	182	Vertical	PASS
6	14046.0000	1.14	49.72	74.00	24.28	47.88	54.00	6.12	150	308	Vertical	PASS

18GHz-25GHz

Mode:	B-2412
-------	--------




★ PK Detector ★ AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18358.4179	-4.89	44.89	74.00	29.11	43.82	54.00	10.18	100	166	Horizontal	PASS
2	19480.2240	-3.84	43.81	74.00	30.19	42.62	54.00	11.38	100	91	Horizontal	PASS
3	20942.2471	-1.69	45.43	74.00	28.57	44.76	54.00	9.24	100	329	Horizontal	PASS
4	22010.1505	-1.71	44.59	74.00	29.41	42.66	54.00	11.34	100	91	Horizontal	PASS
5	23341.2671	1.58	46.93	74.00	27.07	42.76	54.00	11.24	100	37	Horizontal	PASS
6	23940.1470	3.00	49.02	74.00	24.98	46.93	54.00	7.07	100	31	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18597.1299	-4.75	45.20	74.00	28.80	43.75	54.00	10.25	100	250	Vertical	PASS
2	19827.7914	-3.36	46.29	74.00	27.71	45.66	54.00	8.34	100	350	Vertical	PASS
3	20457.1229	-2.43	45.28	74.00	28.72	44.24	54.00	9.76	100	245	Vertical	PASS
4	21926.8463	-1.73	44.01	74.00	29.99	43.48	54.00	10.52	100	281	Vertical	PASS
5	23283.8642	1.45	46.56	74.00	27.44	43.95	54.00	10.05	100	225	Vertical	PASS
6	24117.6059	3.08	50.02	74.00	23.98	48.78	54.00	5.22	100	360	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	B-2437
-------	--------




★ PK Detector ★ AV Detector

Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18368.2184	-4.89	44.34	74.00	29.66	42.18	54.00	11.82	100	276	Horizontal	PASS
2	19501.5751	-3.81	44.78	74.00	29.22	43.74	54.00	10.26	100	198	Horizontal	PASS
3	20438.9219	-2.46	45.56	74.00	28.44	44.78	54.00	9.22	100	220	Horizontal	PASS
4	21412.6706	-1.66	44.79	74.00	29.21	43.38	54.00	10.62	100	24	Horizontal	PASS
5	22568.7784	-0.31	44.72	74.00	29.28	44.02	54.00	9.98	100	127	Horizontal	PASS
6	23711.5856	2.46	48.38	74.00	25.62	46.85	54.00	7.15	100	71	Horizontal	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18394.4697	-4.87	44.27	74.00	29.73	43.03	54.00	10.97	100	108	Vertical	PASS
2	19556.8778	-3.73	46.28	74.00	27.72	44.65	54.00	9.35	100	247	Vertical	PASS
3	19827.7914	-3.36	46.83	74.00	27.17	46.31	54.00	7.69	100	30	Vertical	PASS
4	21181.3091	-1.63	45.61	74.00	28.39	44.59	54.00	9.41	100	125	Vertical	PASS
5	21991.5996	-1.74	44.17	74.00	29.83	42.82	54.00	11.18	100	180	Vertical	PASS
6	24287.3644	2.98	48.57	74.00	25.43	47.52	54.00	6.48	100	341	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Mode:	B-2462
-------	--------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBµV/m]	PK Limit [dBµV/m]	PK Margin [dB]	AV Value [dBµV/m]	AV Limit [dBµV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18607.6304	-4.75	44.29	74.00	29.71	43.00	54.00	11.00	100	89	Horizontal	PASS
2	19827.4414	-3.36	44.86	74.00	29.14	42.94	54.00	11.06	100	9	Horizontal	PASS
3	20560.7280	-2.27	45.05	74.00	28.95	43.83	54.00	10.17	100	89	Horizontal	PASS
4	21503.3252	-1.68	44.30	74.00	29.70	43.65	54.00	10.35	100	84	Horizontal	PASS
5	22746.5873	0.14	47.16	74.00	26.84	45.90	54.00	8.10	100	201	Horizontal	PASS
6	24060.9030	3.10	48.25	74.00	25.75	45.47	54.00	8.53	100	196	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18364.3682	-4.89	43.86	74.00	30.14	42.24	54.00	11.76	100	342	Vertical	PASS
2	19398.3199	-3.96	44.63	74.00	29.37	43.75	54.00	10.25	100	140	Vertical	PASS
3	20528.5264	-2.32	45.78	74.00	28.22	44.71	54.00	9.29	100	194	Vertical	PASS
4	21828.4914	-1.72	44.50	74.00	29.50	42.99	54.00	11.01	100	90	Vertical	PASS
5	23078.4039	0.96	46.24	74.00	27.76	44.02	54.00	9.98	100	243	Vertical	PASS
6	24282.4641	2.99	49.40	74.00	24.60	47.86	54.00	6.14	100	332	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Mode:	G-2412
-------	--------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18183.0592	-5.00	45.69	74.00	28.31	44.45	54.00	9.55	100	112	Horizontal	PASS
2	18809.9405	-4.62	45.40	74.00	28.60	44.33	54.00	9.67	100	202	Horizontal	PASS
3	20204.0602	-2.81	45.51	74.00	28.49	44.31	54.00	9.69	100	346	Horizontal	PASS
4	21509.6255	-1.68	46.60	74.00	27.40	43.83	54.00	10.17	100	265	Horizontal	PASS
5	22893.2447	0.51	46.89	74.00	27.11	46.12	54.00	7.88	100	260	Horizontal	PASS
6	24004.5502	3.14	50.74	74.00	23.26	49.23	54.00	4.77	100	25	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18537.6269	-4.79	45.79	74.00	28.21	44.76	54.00	9.24	100	197	Vertical	PASS
2	19710.8855	-3.52	46.36	74.00	27.64	45.19	54.00	8.81	100	208	Vertical	PASS
3	20791.3896	-1.93	46.24	74.00	27.76	45.48	54.00	8.52	100	296	Vertical	PASS
4	22423.5212	-0.67	46.07	74.00	27.93	44.23	54.00	9.77	100	233	Vertical	PASS
5	23614.2807	2.23	48.90	74.00	25.10	47.60	54.00	6.40	100	279	Vertical	PASS
6	23812.7406	2.69	50.30	74.00	23.70	49.22	54.00	4.78	100	76	Vertical	PASS

Note:(1)Level=Reading+Factor


(2)Margin=Limit-Level

Mode:	G-2437
-------	--------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18045.5023	-5.08	45.37	74.00	28.63	43.63	54.00	10.37	100	168	Horizontal	PASS
2	19450.8225	-3.88	46.04	74.00	27.96	43.94	54.00	10.06	100	189	Horizontal	PASS
3	20212.8106	-2.80	45.80	74.00	28.20	44.96	54.00	9.04	100	155	Horizontal	PASS
4	21375.2188	-1.66	46.19	74.00	27.81	45.11	54.00	8.89	100	240	Horizontal	PASS
5	23371.3686	1.66	47.93	74.00	26.07	47.16	54.00	6.84	100	287	Horizontal	PASS
6	24127.7564	3.07	49.88	74.00	24.12	48.74	54.00	5.26	100	87	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level




Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18276.5138	-4.94	45.98	74.00	28.02	45.16	54.00	8.84	100	213	Vertical	PASS
2	19154.3577	-4.29	46.32	74.00	27.68	45.58	54.00	8.42	100	9	Vertical	PASS
3	20466.2233	-2.42	46.35	74.00	27.65	44.47	54.00	9.53	100	339	Vertical	PASS
4	21652.0826	-1.69	45.46	74.00	28.54	43.57	54.00	10.43	100	244	Vertical	PASS
5	23049.0025	0.89	48.51	74.00	25.49	45.90	54.00	8.10	100	4	Vertical	PASS
6	24010.8505	3.14	50.18	74.00	23.82	49.15	54.00	4.85	100	339	Vertical	PASS

Note:(1)Level=Reading+Factor

(2)Margin=Limit-Level

Mode:	G-2462
-------	--------



Final Data List												
NO.	Freq. [MHz]	Factor [dB]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	AV Value [dBμV/m]	AV Limit [dBμV/m]	AV Margin [dB]	Height [cm]	Angle [°]	Polarity	Verdict
1	18364.0182	-4.89	45.42	74.00	28.58	43.39	54.00	10.61	100	235	Horizontal	PASS
2	19449.0725	-3.89	46.57	74.00	27.43	45.25	54.00	8.75	100	134	Horizontal	PASS
3	20184.8092	-2.84	46.48	74.00	27.52	44.88	54.00	9.12	100	202	Horizontal	PASS
4	20992.9997	-1.62	46.68	74.00	27.32	44.96	54.00	9.04	100	71	Horizontal	PASS
5	22668.8834	-0.06	46.54	74.00	27.46	44.32	54.00	9.68	100	325	Horizontal	PASS
6	24102.2051	3.09	50.29	74.00	23.71	49.12	54.00	4.88	100	235	Horizontal	PASS

Note:(1)Level=Reading+Factor
(2)Margin=Limit-Level