

ANNEX 1 TEST DATA

FCC ID: 2BVCW-GLORYCLASS2

Applicant: Youchuangyi Health Technology (Shenzhen) Co., Ltd.

Address: Room 503, Building A, Xichenglong Qiukou Industrial Park, beside National Highway 107, Longteng Community, Xixiang Street, Bao'an District, Shenzhen City, China

Manufacturer: Youchuangyi Health Technology (Shenzhen) Co., Ltd.

Address: Room 503, Building A, Xichenglong Qiukou Industrial Park, beside National Highway 107, Longteng Community, Xixiang Street, Bao'an District, Shenzhen City, China

Product Name: Smart Glasses

Trade Mark: N/A

Model Number: Glory Glass2 Sport

Date of Receipt: Aug. 03, 2026

Test Date: Aug. 03, 2026 –Aug. 07, 2026

Date of Report: Aug. 07, 2026

Prepared By: Shenzhen DL Testing Technology Co., Ltd.

Address: 101-201, Comprehensive Building, Tongzhou Electronics Longgang Factory Area, No.1 Baolong Fifth Road, Baolong Community, Baolong Street, Longgang District, Shenzhen, China

Applicable Standards: FCC PART 15 E 15.407
ANSI C63.10-2020+Cor. 1-2023+C63.10a-2024+Errata to C63.10a-2024

Test Result: Pass

Report Number: DLE-260803025R

1. Duty Cycle


1.1 Test Result

1.1.1 Ant1


Ant1							
Mode	TX Type	Frequency (MHz)	T_on (ms)	Period (ms)	Duty Cycle (%)	Duty Cycle Correction Factor (dB)	Max. DC Variation (%)
802.11a	SISO	5180	0.178	0.220	80.91	0.92	0.13
		5200	0.179	0.221	81.00	0.92	0.09
		5240	0.177	0.221	80.09	0.96	0.07
802.11n (HT20)	SISO	5180	0.167	0.209	79.90	0.97	0.12
		5200	0.167	0.209	79.90	0.97	0.15
		5240	0.165	0.209	78.95	1.03	0.11
802.11n (HT40)	SISO	5190	0.068	0.144	47.22	3.26	0.27
		5230	0.101	0.144	70.14	1.54	0.09

1.2 Test Graph


1.2.1 Ant1




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV



802.11n(HT40)_LCH_5190MHz_Ant1_NTNV



802.11n(HT40)_HCH_5230MHz_Ant1_NTNV



2. Bandwidth

2.1 Test Result

2.1.1 OBW


Mode	TX Type	Frequency (MHz)	ANT	99% Occupied Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	16.386	/	Pass
		5200	1	16.384	/	Pass
		5240	1	16.373	/	Pass
802.11n (HT20)	SISO	5180	1	17.559	/	Pass
		5200	1	17.556	/	Pass
		5240	1	17.560	/	Pass
802.11n (HT40)	SISO	5190	1	36.223	/	Pass
		5230	1	36.109	/	Pass

2.1.2 26dB BW


Mode	TX Type	Frequency (MHz)	ANT	26dB Bandwidth (MHz)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	19.578	/	Pass
		5200	1	18.990	/	Pass
		5240	1	19.646	/	Pass
802.11n (HT20)	SISO	5180	1	19.897	/	Pass
		5200	1	19.729	/	Pass
		5240	1	19.749	/	Pass
802.11n (HT40)	SISO	5190	1	40.710	/	Pass
		5230	1	40.781	/	Pass

2.2 Test Graph


2.2.1 OBW




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




802.11n(HT40)_HCH_5230MHz_Ant1_NTNV




2.2.2 26dB BW




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV



802.11n(HT40)_LCH_5190MHz_Ant1_NTNV



802.11n(HT40)_HCH_5230MHz_Ant1_NTNV



3. Maximum Conducted Output Power


3.1 Test Result

3.1.1 Power


Mode	TX Type	Frequency (MHz)	Maximum Average Conducted Output Power (dBm)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	6.08	<=23.98	Pass
		5200	6.00	<=23.98	Pass
		5240	6.95	<=23.98	Pass
802.11n (HT20)	SISO	5180	6.19	<=23.98	Pass
		5200	6.32	<=23.98	Pass
		5240	6.59	<=23.98	Pass
802.11n (HT40)	SISO	5190	7.31	<=23.98	Pass
		5230	6.36	<=23.98	Pass

3.2 Test Graph


3.2.1 Power




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV



802.11n(HT40)_LCH_5190MHz_Ant1_NTNV



802.11n(HT40)_HCH_5230MHz_Ant1_NTNV



4. Maximum Power Spectral Density


4.1 Test Result

4.1.1 PSD


Mode	TX Type	Frequency (MHz)	Maximum PSD (dBm/MHz)		Verdict
			ANT1	Limit	
802.11a	SISO	5180	-4.09	<=11	Pass
		5200	-4.03	<=11	Pass
		5240	-2.85	<=11	Pass
802.11n (HT20)	SISO	5180	-4.17	<=11	Pass
		5200	-3.78	<=11	Pass
		5240	-3.44	<=11	Pass
802.11n (HT40)	SISO	5190	-5.87	<=11	Pass
		5230	-6.73	<=11	Pass

4.2 Test Graph


4.2.1 PSD




802.11a_HCH_5240MHz_Ant1_NTNV




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




802.11n(HT20)_HCH_5240MHz_Ant1_NTNV



802.11n(HT40)_LCH_5190MHz_Ant1_NTNV



802.11n(HT40)_HCH_5230MHz_Ant1_NTNV



5. Unwanted Emissions In Restricted Frequency Bands


5.1 Test Result

5.1.1 RSE


Mode	TX Type	Frequency (MHz)	ANT	Level of Unwanted Emissions (dBm)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	Refer To Test Graph		Pass
		5200	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5180	1	Refer To Test Graph		Pass
		5200	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5190	1	Refer To Test Graph		Pass
		5230	1	Refer To Test Graph		Pass

5.2 Test Graph

5.2.1 RSE




802.11a_MCH_5200MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	1782.85	-39.55	-27.00	12.55	Pass	Peak	7	1782.85	/	-27.00	/	/	AVG
2	21154.35	-40.39	-21.20	19.19	Pass	Peak	8	21154.35	-49.81	-41.20	8.61	Pass	AVG
3	23203.7	-39.72	-27.00	12.72	Pass	Peak	9	23203.7	/	-27.00	/	/	AVG
4	24278.1	-37.14	-27.00	10.14	Pass	Peak	10	24278.1	/	-27.00	/	/	AVG
5	25118.75	-35.90	-27.00	8.90	Pass	Peak	11	25118.75	/	-27.00	/	/	AVG
6	26467.7	-37.30	-27.00	10.30	Pass	Peak	12	26467.7	/	-27.00	/	/	AVG

802.11a_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21249.55	-39.86	-21.20	18.66	Pass	Peak	7	21249.55	-49.85	-41.20	8.65	Pass	AVG
2	22404.7	-40.19	-21.20	18.99	Pass	Peak	8	22404.7	-50.06	-41.20	8.86	Pass	AVG
3	23205.4	-40.96	-27.00	13.96	Pass	Peak	9	23205.4	/	-27.00	/	/	AVG
4	24258.55	-38.16	-27.00	11.16	Pass	Peak	10	24258.55	/	-27.00	/	/	AVG
5	25109.4	-35.99	-27.00	8.99	Pass	Peak	11	25109.4	/	-27.00	/	/	AVG
6	26465.15	-37.66	-27.00	10.66	Pass	Peak	12	26465.15	/	-27.00	/	/	AVG

802.11a_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5355.840	-52.92	-21.20	31.72	Pass	Peak	7	5355.840	-59.22	-41.20	18.02	Pass	AVG
2	5364.000	-51.05	-21.20	29.85	Pass	Peak	8	5364.000	-59.08	-41.20	17.88	Pass	AVG
3	5374.560	-53.11	-21.20	31.91	Pass	Peak	9	5374.560	-59.38	-41.20	18.18	Pass	AVG
4	5383.200	-52.70	-21.20	31.50	Pass	Peak	10	5383.200	-59.50	-41.20	18.30	Pass	AVG
5	5401.200	-52.65	-21.20	31.45	Pass	Peak	11	5401.200	-59.64	-41.20	18.44	Pass	AVG
6	5457.600	-52.57	-21.20	31.37	Pass	Peak	12	5457.600	-59.62	-41.20	18.42	Pass	AVG

802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20556.8	-41.49	-21.20	20.29	Pass	Peak	7	20556.8	-50.38	-41.20	9.18	Pass	AVG
2	21565.75	-40.32	-27.00	13.32	Pass	Peak	8	21565.75	/	-27.00	/	/	AVG
3	23224.1	-40.34	-27.00	13.34	Pass	Peak	9	23224.1	/	-27.00	/	/	AVG
4	24283.2	-39.21	-27.00	12.21	Pass	Peak	10	24283.2	/	-27.00	/	/	AVG
5	25060.1	-36.80	-27.00	9.80	Pass	Peak	11	25060.1	/	-27.00	/	/	AVG
6	25943.25	-37.91	-27.00	10.91	Pass	Peak	12	25943.25	/	-27.00	/	/	AVG

802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5013.000	-49.41	-21.20	28.21	Pass	Peak	7	5013.000	-58.06	-41.20	16.86	Pass	AVG
2	5034.000	-51.54	-21.20	30.34	Pass	Peak	8	5034.000	-57.91	-41.20	16.71	Pass	AVG
3	5074.500	-51.91	-21.20	30.71	Pass	Peak	9	5074.500	-57.98	-41.20	16.78	Pass	AVG
4	5098.000	-50.07	-21.20	28.87	Pass	Peak	10	5098.000	-57.70	-41.20	16.50	Pass	AVG
5	5124.500	-49.62	-21.20	28.42	Pass	Peak	11	5124.500	-56.89	-41.20	15.69	Pass	AVG
6	5150.000	-46.49	-21.20	25.29	Pass	Peak	12	5150.000	-55.54	-41.20	14.34	Pass	AVG

802.11n(HT20)_MCH_5200MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20048.5	-40.90	-21.20	19.70	Pass	Peak	7	20048.5	-50.97	-41.20	9.77	Pass	AVG
2	20962.25	-39.39	-21.20	18.19	Pass	Peak	8	20962.25	-48.91	-41.20	7.71	Pass	AVG
3	21766.35	-39.03	-27.00	12.03	Pass	Peak	9	21766.35	/	-27.00	/	/	AVG
4	24301.05	-37.93	-27.00	10.93	Pass	Peak	10	24301.05	/	-27.00	/	/	AVG
5	25468.95	-36.24	-27.00	9.24	Pass	Peak	11	25468.95	/	-27.00	/	/	AVG
6	26405.65	-38.68	-27.00	11.68	Pass	Peak	12	26405.65	/	-27.00	/	/	AVG

802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20839	-41.16	-21.20	19.96	Pass	Peak	7	20839	-49.86	-41.20	8.66	Pass	AVG
2	21629.5	-39.99	-27.00	12.99	Pass	Peak	8	21629.5	/	-27.00	/	/	AVG
3	23160.35	-40.79	-27.00	13.79	Pass	Peak	9	23160.35	/	-27.00	/	/	AVG
4	24196.5	-38.57	-27.00	11.57	Pass	Peak	10	24196.5	/	-27.00	/	/	AVG
5	25080.5	-36.25	-27.00	9.25	Pass	Peak	11	25080.5	/	-27.00	/	/	AVG
6	26432.85	-37.67	-27.00	10.67	Pass	Peak	12	26432.85	/	-27.00	/	/	AVG

802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5351.520	-53.61	-21.20	32.41	Pass	Peak	7	5351.520	-59.04	-41.20	17.84	Pass	AVG
2	5363.520	-53.57	-21.20	32.37	Pass	Peak	8	5363.520	-59.28	-41.20	18.08	Pass	AVG
3	5372.160	-52.66	-21.20	31.46	Pass	Peak	9	5372.160	-59.31	-41.20	18.11	Pass	AVG
4	5397.840	-53.85	-21.20	32.65	Pass	Peak	10	5397.840	-59.50	-41.20	18.30	Pass	AVG
5	5406.000	-52.66	-21.20	31.46	Pass	Peak	11	5406.000	-59.40	-41.20	18.20	Pass	AVG
6	5415.840	-53.87	-21.20	32.67	Pass	Peak	12	5415.840	-59.36	-41.20	18.16	Pass	AVG

802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	20828.8	-40.77	-21.20	19.57	Pass	Peak	7	20828.8	-47.64	-41.20	6.44	Pass	AVG
2	21601.45	-40.31	-27.00	13.31	Pass	Peak	8	21601.45	/	-27.00	/	/	AVG
3	23277.65	-40.28	-27.00	13.28	Pass	Peak	9	23277.65	/	-27.00	/	/	AVG
4	24211.8	-39.09	-27.00	12.09	Pass	Peak	10	24211.8	/	-27.00	/	/	AVG
5	25023.55	-35.93	-27.00	8.93	Pass	Peak	11	25023.55	/	-27.00	/	/	AVG
6	26014.65	-38.36	-27.00	11.36	Pass	Peak	12	26014.65	/	-27.00	/	/	AVG

802.11n(HT40)_LCH_5190MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4986.500	-52.80	-21.20	31.60	Pass	Peak	7	4986.500	-56.06	-41.20	14.86	Pass	AVG
2	5012.500	-50.12	-21.20	28.92	Pass	Peak	8	5012.500	-55.55	-41.20	14.35	Pass	AVG
3	5037.500	-52.07	-21.20	30.87	Pass	Peak	9	5037.500	-56.09	-41.20	14.89	Pass	AVG
4	5067.500	-52.27	-21.20	31.07	Pass	Peak	10	5067.500	-55.97	-41.20	14.77	Pass	AVG
5	5123.500	-50.26	-21.20	29.06	Pass	Peak	11	5123.500	-55.18	-41.20	13.98	Pass	AVG
6	5149.500	-48.86	-21.20	27.66	Pass	Peak	12	5149.500	-53.53	-41.20	12.33	Pass	AVG

802.11n(HT40)_HCH_5230MHz_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	21404.25	-40.21	-27.00	13.21	Pass	Peak	7	21404.25	/	-27.00	/	/	AVG
2	22278.9	-41.07	-21.20	19.87	Pass	Peak	8	22278.9	-49.37	-41.20	8.17	Pass	AVG
3	23197.75	-41.02	-27.00	14.02	Pass	Peak	9	23197.75	/	-27.00	/	/	AVG
4	24233.9	-38.15	-27.00	11.15	Pass	Peak	10	24233.9	/	-27.00	/	/	AVG
5	25102.6	-34.99	-27.00	7.99	Pass	Peak	11	25102.6	/	-27.00	/	/	AVG
6	26078.4	-38.29	-27.00	11.29	Pass	Peak	12	26078.4	/	-27.00	/	/	AVG

802.11n(HT40)_HCH_5230MHz_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5357.400	-53.62	-21.20	32.42	Pass	Peak	7	5357.400	-58.99	-41.20	17.79	Pass	AVG
2	5367.390	-52.50	-21.20	31.30	Pass	Peak	8	5367.390	-58.64	-41.20	17.44	Pass	AVG
3	5384.400	-52.10	-21.20	30.90	Pass	Peak	9	5384.400	-58.88	-41.20	17.68	Pass	AVG
4	5396.820	-53.35	-21.20	32.15	Pass	Peak	10	5396.820	-59.15	-41.20	17.95	Pass	AVG
5	5405.460	-53.64	-21.20	32.44	Pass	Peak	11	5405.460	-58.89	-41.20	17.69	Pass	AVG
6	5417.340	-53.62	-21.20	32.42	Pass	Peak	12	5417.340	-59.21	-41.20	18.01	Pass	AVG

6. Band Edge


6.1 Test Result

6.1.1 BandEdge


Mode	TX Type	Frequency (MHz)	ANT	Level of Unwanted Emissions (dBm)		Verdict
				Result	Limit	
802.11a	SISO	5180	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
802.11n (HT20)	SISO	5180	1	Refer To Test Graph		Pass
		5240	1	Refer To Test Graph		Pass
802.11n (HT40)	SISO	5190	1	Refer To Test Graph		Pass
		5230	1	Refer To Test Graph		Pass

6.2 Test Graph

6.2.1 BandEdge




802.11n(HT20)_LCH_5180MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5013.000	-49.36	-21.20	28.16	Pass	Peak	7	5013.000	-55.33	-41.20	14.13	Pass	AVG
2	5034.500	-52.65	-21.20	31.45	Pass	Peak	8	5034.500	-55.76	-41.20	14.56	Pass	AVG
3	5062.500	-51.59	-21.20	30.39	Pass	Peak	9	5062.500	-55.11	-41.20	13.91	Pass	AVG
4	5097.500	-51.67	-21.20	30.47	Pass	Peak	10	5097.500	-55.02	-41.20	13.82	Pass	AVG
5	5122.500	-48.89	-21.20	27.69	Pass	Peak	11	5122.500	-54.47	-41.20	13.27	Pass	AVG
6	5149.000	-46.85	-21.20	25.65	Pass	Peak	12	5149.000	-53.04	-41.20	11.84	Pass	AVG

802.11n(HT20)_HCH_5240MHz_Ant1_NTNV




No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5353.920	-52.79	-21.20	31.59	Pass	Peak	7	5353.920	-56.26	-41.20	15.06	Pass	AVG
2	5362.320	-51.43	-21.20	30.23	Pass	Peak	8	5362.320	-56.45	-41.20	15.25	Pass	AVG
3	5373.120	-52.38	-21.20	31.18	Pass	Peak	9	5373.120	-56.51	-41.20	15.31	Pass	AVG
4	5391.840	-52.36	-21.20	31.16	Pass	Peak	10	5391.840	-56.62	-41.20	15.42	Pass	AVG
5	5405.520	-53.20	-21.20	32.00	Pass	Peak	11	5405.520	-56.75	-41.20	15.55	Pass	AVG
6	5414.160	-52.14	-21.20	30.94	Pass	Peak	12	5414.160	-56.87	-41.20	15.67	Pass	AVG

802.11n(HT40) LCH_5190MHz_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	4999.500	-50.81	-21.20	29.61	Pass	Peak	7	4999.500	-53.54	-41.20	12.34	Pass	AVG
2	5020.000	-51.79	-21.20	30.59	Pass	Peak	8	5020.000	-52.92	-41.20	11.72	Pass	AVG
3	5060.000	-52.44	-21.20	31.24	Pass	Peak	9	5060.000	-53.47	-41.20	12.27	Pass	AVG
4	5092.500	-52.85	-21.20	31.65	Pass	Peak	10	5092.500	-53.36	-41.20	12.16	Pass	AVG
5	5128.500	-50.58	-21.20	29.38	Pass	Peak	11	5128.500	-52.89	-41.20	11.69	Pass	AVG
6	5150.000	-48.25	-21.20	27.05	Pass	Peak	12	5150.000	-51.44	-41.20	10.24	Pass	AVG

802.11n(HT40) HCH_5230MHz_Ant1_NTNV



No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark	No	Frequency (MHz)	Level (dBm)	Limit (dBm)	Margin (dB)	Status	Remark
1	5357.400	-53.37	-21.20	32.17	Pass	Peak	7	5357.400	-56.00	-41.20	14.80	Pass	AVG
2	5367.930	-51.49	-21.20	30.29	Pass	Peak	8	5367.930	-56.22	-41.20	15.02	Pass	AVG
3	5379.810	-51.84	-21.20	30.64	Pass	Peak	9	5379.810	-56.24	-41.20	15.04	Pass	AVG
4	5395.740	-52.33	-21.20	31.13	Pass	Peak	10	5395.740	-56.20	-41.20	15.00	Pass	AVG
5	5412.750	-53.73	-21.20	32.53	Pass	Peak	11	5412.750	-56.07	-41.20	14.87	Pass	AVG
6	5427.060	-54.35	-21.20	33.15	Pass	Peak	12	5427.060	-56.54	-41.20	15.34	Pass	AVG