







11AC80MIMO_Ant1_5690




11AC80MIMO_Ant2_5690




11AC80MIMO_Ant1_5775




11AC80MIMO_Ant2_5775



11AX20MIMO_Ant1_5180



11AX20MIMO_Ant2_5180



REF 10 MHz
VEM 10 MHz
SVP 5 ns

Delta 2 [TL] 0.46 dB
1.090000 ns

Mirror 1 [TL] 15.00 dB
2.370000 ns

Delta 1 [TL] 2.31 dB
1.090000 ns

Ref 40 dBm
Att 25 dB

SVP 5 ns
1 cf
1

PG 1X 8 dB

Center 5.2 GHz
Span 500 us

Date: 3. APR. 2026 00:14:42

RF 10 MHz
VBW 10 MHz
SWF 5 ns

Delta 2 [T1]
-0.31 dB
1.000000 ns

Ref 40 dBm
*Att 25 dB

Offset 22.8 dB

Marker 1 [T1]
16.04 dB
2.270000 ns

Delta 1 [T1]
-43.41 dB
5.000000 ns


1 of
1

1 of
1


Center 5.2 GHz
500 μs

Date: 3. APR. 2026 00:15:35


11AX20MIMO Ant1 5240




11AX20MIMO_Ant2_5240




11AX20MIMO_Ant1_5260




11AX20MIMO_Ant2_5260




11AX20MIMO_Ant1_5280




11AX20MIMO_Ant2_5280




11AX20MIMO_Ant1_5320




11AX20MIMO_Ant2_5320




11AX20MIMO_Ant1_5500




11AX20MIMO_Ant2_5500




11AX20MIMO_Ant1_5580




11AX20MIMO_Ant2_5580




11AX20MIMO_Ant1_5700




11AX20MIMO_Ant2_5700




11AX20MIMO_Ant1_5720




11AX20MIMO_Ant2_5720




11AX20MIMO_Ant1_5745




11AX20MIMO_Ant2_5745




11AX20MIMO_Ant1_5785




11AX20MIMO_Ant2_5785



11AX20MIMO_Ant1_5825



11AX20MIMO_Ant2_5825



1 P
QRM

Ref 40 dBm Att 25 dB RBW 10 MHz VBW 10 MHz SFW 5 ns Delta 2 [T1] -0.15 dB 590.000000 µs

Marker 1 [T1] -8.77 dB 2.990000 ns Delta 1 [T1] -37.63 dB 540.000000 µs

S/F 1 c 1

Center 5.19 GHz 500 µs

Date: 3. APR. 2026 00:22:33

L.P.

CLAW

Ref 40 dBm * Att 25 dB

RBW 10 MHz
VBW 10 MHz
SWF 5 ns

Delta 2 [T1]
-0.01 dB
570.000000 µs


Mir korr 1 [T1]
10.19 dB
4.180000 ns

Delta 1 [T1]
-38.67 dB
546.000000 µs


Center 5.19 GHz 500 kHz

Date: 3. APR. 2026 00:23:27


11AX40MIMO Ant1 5230




11AX40MIMO_Ant2_5230




11AX40MIMO_Ant1_5270




11AX40MIMO_Ant2_5270




11AX40MIMO_Ant1_5310




11AX40MIMO_Ant2_5310




11AX40MIMO_Ant1_5510




11AX40MIMO_Ant2_5510




11AX40MIMO_Ant1_5550




11AX40MIMO_Ant2_5550




11AX40MIMO_Ant1_5670




11AX40MIMO_Ant2_5670




11AX40MIMO_Ant1_5710




11AX40MIMO_Ant2_5710




11AX40MIMO_Ant1_5755




11AX40MIMO_Ant2_5755




11AX40MIMO_Ant1_5795




11AX40MIMO_Ant2_5795




11AX80MIMO_Ant1_5210




11AX80MIMO_Ant2_5210




11AX80MIMO_Ant2_5290




11AX80MIMO_Ant2_5290




11AX80MIMO_Ant1_5530




11AX80MIMO_Ant2_5530




11AX80MIMO_Ant1_5610






11AX80MIMO_Ant2_5610



11AX80MIMO_Ant1_5690



11AX80MIMO_Ant2_5690



11AX20MIMO_Ant1_5180_26Tone_RU0














11AX20MIMO_Ant2_5500_52Tone_RU37



11AX20MIMO_Ant2_5500_106Tone_RU53



11AX20MIMO_Ant1_5700_26Tone_RU8
















11AX20MIMO_Ant2_5825_52Tone_RU40




11AX20MIMO_Ant2_5825_106Tone_RU54



8. Maximum Output Power

8.1. Block diagram of test setup



8.2. Limits

FCC Part15, Subpart E/ RSS-247		
Test Item	Limit	Frequency Range (MHz)
Maximum Output Power	For FCC: outdoor access point: 1 W(30 dBm) indoor access point: 1 W(30 dBm) fixed point-to-point access points1 W(30 dBm) client devices: 250 mW (23.98 dBm)	5150-5250
	For RSS: e.i.r.p. power: not exceed 200 mW (23 dBm) or $10 + 10 \log_{10} B$	
	For FCC: 250 mW (23.98 dBm) or $11 + 10 \log_{10} B$	
	For RSS: For conducted output power: 250 mW (23.98 dBm) or $11 + 10 \log_{10} B$	5250-5350
	For RSS: e.i.r.p. power: not exceed 1.0 W (30 dBm) or $17 + 10 \log_{10} B$	
	For FCC: 250 mW (23.98 dBm) or $11 + 10 \log_{10} B$	
	For RSS: For conducted output power: 250 mW (23.98 dBm) or $11 + 10 \log_{10} B$	5470 - 5725
	For RSS: e.i.r.p. power: not exceed 1.0 W (30 dBm) or $17 + 10 \log_{10} B$	
	1 Watt (30 dBm)	5725-5850

Note: For FCC: B=26 bandwidth; For ISDE: B=99% bandwidth.

8.3. Test procedure

Connect each EUT's antenna output to power sensor by RF cable and attenuator
Measure the output power of each antenna port by power sensor.

8.4. Test result

Test Engineer:	Wayne Huang	Test Site:	RF Measurement System 5#
Ambient Condition:	24.3-27.2℃,39.2-44.2%RH	Test Date:	2026.03.07-2026.04.17
Test Power Supply:	100 - 240 V AC, ~ 50 / 60 Hz	Sample Number:	S26020804-005

Test Mode	Ant.	Freq. [MHz]	Channel Power [dBm]	Duty Cycle [%]	DC Factor [dBm]	Result [dBm]	Limit [dBm]	Limit [dBm]	EIRP [dBm]	EIRP Limit [dBm]	Verdict
11A	Ant1	5180	15.95	97.9	0.09	16.04	≤23.98	---	19.01	≤22.28	PASS
	Ant2	5180	15.32	97.22	0.12	15.44	≤23.98	---	18.27	≤22.28	PASS
	Ant1	5200	15.65	97.9	0.09	15.74	≤23.98	---	18.71	≤22.28	PASS
	Ant2	5200	15.57	97.9	0.09	15.66	≤23.98	---	18.49	≤22.28	PASS
	Ant1	5240	16.24	97.22	0.12	16.36	≤23.98	---	19.33	≤22.28	PASS
	Ant2	5240	15.91	97.22	0.12	16.03	≤23.98	---	18.86	≤22.28	PASS
	Ant1	5260	17.27	97.22	0.12	17.39	≤23.98	≤23.28	20.36	≤29.28	PASS
	Ant2	5260	17.6	97.9	0.09	17.69	≤23.98	≤23.28	20.52	≤29.28	PASS
	Ant1	5280	17.55	97.22	0.12	17.67	≤23.98	≤23.28	20.64	≤29.28	PASS
	Ant2	5280	18.14	97.22	0.12	18.26	≤23.98	≤23.28	21.09	≤29.28	PASS
	Ant1	5320	18.79	97.22	0.12	18.91	≤23.98	≤23.28	21.88	≤29.28	PASS
	Ant2	5320	17.74	97.22	0.12	17.86	≤23.98	≤23.28	20.69	≤29.28	PASS
	Ant1	5500	17.86	97.22	0.12	17.98	≤23.98	≤23.28	20.95	≤29.28	PASS
	Ant2	5500	17.27	97.22	0.12	17.39	≤23.98	≤23.28	20.22	≤29.28	PASS
	Ant1	5580	17.63	97.22	0.12	17.75	≤23.98	≤23.28	20.72	≤29.28	PASS
	Ant2	5580	17.23	97.9	0.09	17.32	≤23.98	≤23.28	20.15	≤29.28	PASS
	Ant1	5700	16.72	97.22	0.12	16.84	≤23.98	≤23.28	19.81	≤29.28	PASS
	Ant2	5700	16.46	97.22	0.12	16.58	≤23.98	≤23.28	19.41	≤29.28	PASS
	Ant1	5720	15.98	97.22	0.12	16.1	≤23.98	≤23.28	19.07	≤29.28	PASS
	Ant2	5720	16	97.22	0.12	16.12	≤23.98	≤23.28	18.95	≤29.28	PASS
	Ant1	5745	15.61	97.22	0.12	15.73	≤30.00	≤30.00	18.7	---	PASS
	Ant2	5745	15.74	97.9	0.09	15.83	≤30.00	≤30.00	18.66	---	PASS
	Ant1	5785	15.83	97.22	0.12	15.95	≤30.00	≤30.00	18.92	---	PASS
	Ant2	5785	16.31	97.22	0.12	16.43	≤30.00	≤30.00	19.26	---	PASS
	Ant1	5825	16.66	97.22	0.12	16.78	≤30.00	≤30.00	19.75	---	PASS
	Ant2	5825	17.34	97.9	0.09	17.43	≤30.00	≤30.00	20.26	---	PASS
11N20 MIMO	Ant1	5180	12.73	94.44	0.25	12.98	≤23.98	---	15.95	≤22.51	PASS
	Ant2	5180	12.67	94.44	0.25	12.92	≤23.98	---	15.75	≤22.51	PASS
	total	5180	---	---	---	15.96	≤23.98	---	18.93	≤22.51	PASS
	Ant1	5200	12.68	94.37	0.25	12.93	≤23.98	---	15.9	≤22.51	PASS
	Ant2	5200	12.88	95.77	0.19	13.07	≤23.98	---	15.9	≤22.51	PASS
	total	5200	---	---	---	16.01	≤23.98	---	18.98	≤22.51	PASS
	Ant1	5240	12.86	94.37	0.25	13.11	≤23.98	---	16.08	≤22.51	PASS
	Ant2	5240	13.52	94.44	0.25	13.77	≤23.98	---	16.6	≤22.51	PASS
	total	5240	---	---	---	16.46	≤23.98	---	19.43	≤22.51	PASS
	Ant1	5260	16.72	95.77	0.19	16.91	≤23.98	≤23.51	19.88	≤29.51	PASS
	Ant2	5260	17.84	95.77	0.19	18.03	≤23.98	≤23.51	20.86	≤29.51	PASS
	total	5260	---	---	---	20.52	≤23.98	≤23.51	23.49	≤29.51	PASS
	Ant1	5280	17.02	94.37	0.25	17.27	≤23.98	≤23.51	20.24	≤29.51	PASS
	Ant2	5280	18.11	94.44	0.25	18.36	≤23.98	≤23.51	21.19	≤29.51	PASS
	total	5280	---	---	---	20.86	≤23.98	≤23.51	23.83	≤29.51	PASS
	Ant1	5320	18.11	95.77	0.19	18.3	≤23.98	≤23.51	21.27	≤29.51	PASS
	Ant2	5320	17.78	94.37	0.25	18.03	≤23.98	≤23.51	20.86	≤29.51	PASS
	total	5320	---	---	---	21.18	≤23.98	≤23.51	24.15	≤29.51	PASS
	Ant1	5500	17.49	95.77	0.19	17.68	≤23.98	≤23.51	20.65	≤29.51	PASS
	Ant2	5500	17.02	94.37	0.25	17.27	≤23.98	≤23.51	20.1	≤29.51	PASS
	total	5500	---	---	---	20.49	≤23.98	≤23.51	23.46	≤29.51	PASS
	Ant1	5580	17.36	94.37	0.25	17.61	≤23.98	≤23.51	20.58	≤29.51	PASS
	Ant2	5580	17.89	94.37	0.25	18.14	≤23.98	≤23.51	20.97	≤29.51	PASS
	total	5580	---	---	---	20.89	≤23.98	≤23.51	23.86	≤29.51	PASS
	Ant1	5700	16.31	94.37	0.25	16.56	≤23.98	≤23.51	19.53	≤29.51	PASS
	Ant2	5700	16.29	95.77	0.19	16.48	≤23.98	≤23.51	19.31	≤29.51	PASS
	total	5700	---	---	---	19.53	≤23.98	≤23.51	22.5	≤29.51	PASS

	Ant1	5720	15.7	95.77	0.19	15.89	≤23.98	≤23.51	18.86	≤29.51	PASS
	Ant2	5720	16.1	95.77	0.19	16.29	≤23.98	≤23.51	19.12	≤29.51	PASS
	total	5720	---	---	---	19.1	≤23.98	≤23.51	22.07	≤29.51	PASS
	Ant1	5745	15.54	94.37	0.25	15.79	≤30.00	≤30.00	18.76	---	PASS
	Ant2	5745	15.42	95.77	0.19	15.61	≤30.00	≤30.00	18.44	---	PASS
	total	5745	---	---	---	18.71	≤30.00	≤30.00	21.68	---	PASS
	Ant1	5785	15.87	95.77	0.19	16.06	≤30.00	≤30.00	19.03	---	PASS
	Ant2	5785	16.26	95.77	0.19	16.45	≤30.00	≤30.00	19.28	---	PASS
	total	5785	---	---	---	19.27	≤30.00	≤30.00	22.24	---	PASS
	Ant1	5825	16.35	94.44	0.25	16.6	≤30.00	≤30.00	19.57	---	PASS
	Ant2	5825	17.24	94.44	0.25	17.49	≤30.00	≤30.00	20.32	---	PASS
	total	5825	---	---	---	20.08	≤30.00	≤30.00	23.05	---	PASS
11N40 MIMO	Ant1	5190	13.81	92.11	0.36	14.17	≤23.98	---	17.14	≤23.00	PASS
	Ant2	5190	14.4	89.74	0.47	14.87	≤23.98	---	17.7	≤23.00	PASS
	total	5190	---	---	---	17.54	≤23.98	---	20.51	≤23.00	PASS
	Ant1	5230	13.12	89.74	0.47	13.59	≤23.98	---	16.56	≤23.00	PASS
	Ant2	5230	14.71	89.74	0.47	15.18	≤23.98	---	18.01	≤23.00	PASS
	total	5230	---	---	---	17.47	≤23.98	---	20.44	≤23.00	PASS
	Ant1	5270	15.73	89.74	0.47	16.2	≤23.98	≤23.98	19.17	≤30.00	PASS
	Ant2	5270	17.69	89.74	0.47	18.16	≤23.98	≤23.98	20.99	≤30.00	PASS
	total	5270	---	---	---	20.3	≤23.98	≤23.98	23.27	≤30.00	PASS
	Ant1	5310	16.76	92.11	0.36	17.12	≤23.98	≤23.98	20.09	≤30.00	PASS
	Ant2	5310	17.33	89.74	0.47	17.8	≤23.98	≤23.98	20.63	≤30.00	PASS
	total	5310	---	---	---	20.48	≤23.98	≤23.98	23.45	≤30.00	PASS
	Ant1	5510	16.76	92.11	0.36	17.12	≤23.98	≤23.98	20.09	≤30.00	PASS
	Ant2	5510	16.26	92.11	0.36	16.62	≤23.98	≤23.98	19.45	≤30.00	PASS
	total	5510	---	---	---	19.89	≤23.98	≤23.98	22.86	≤30.00	PASS
	Ant1	5550	16.7	89.74	0.47	17.17	≤23.98	≤23.98	20.14	≤30.00	PASS
	Ant2	5550	16.66	89.74	0.47	17.13	≤23.98	≤23.98	19.96	≤30.00	PASS
	total	5550	---	---	---	20.16	≤23.98	≤23.98	23.13	≤30.00	PASS
	Ant1	5670	15.47	89.74	0.47	15.94	≤23.98	≤23.98	18.91	≤30.00	PASS
	Ant2	5670	16.04	92.11	0.36	16.4	≤23.98	≤23.98	19.23	≤30.00	PASS
	total	5670	---	---	---	19.19	≤23.98	≤23.98	22.16	≤30.00	PASS
	Ant1	5710	14.6	89.74	0.47	15.07	≤23.98	≤23.98	18.04	≤30.00	PASS
	Ant2	5710	15.82	89.74	0.47	16.29	≤23.98	≤23.98	19.12	≤30.00	PASS
	total	5710	---	---	---	18.73	≤23.98	≤23.98	21.7	≤30.00	PASS
	Ant1	5755	14.65	92.11	0.36	15.01	≤30.00	≤30.00	17.98	---	PASS
	Ant2	5755	15	92.11	0.36	15.36	≤30.00	≤30.00	18.19	---	PASS
	total	5755	---	---	---	18.2	≤30.00	≤30.00	21.17	---	PASS
	Ant1	5795	14.92	89.74	0.47	15.39	≤30.00	≤30.00	18.36	---	PASS
	Ant2	5795	15.99	92.11	0.36	16.35	≤30.00	≤30.00	19.18	---	PASS
	total	5795	---	---	---	18.91	≤30.00	≤30.00	21.88	---	PASS
11AC20 MIMO	Ant1	5180	12.97	97.78	0.1	13.07	≤23.98	---	16.04	≤22.48	PASS
	Ant2	5180	13.19	97.78	0.1	13.29	≤23.98	---	16.12	≤22.48	PASS
	total	5180	---	---	---	16.19	≤23.98	---	19.16	≤22.48	PASS
	Ant1	5200	13.01	97.78	0.1	13.11	≤23.98	---	16.08	≤22.48	PASS
	Ant2	5200	13.28	97.06	0.13	13.41	≤23.98	---	16.24	≤22.48	PASS
	total	5200	---	---	---	16.27	≤23.98	---	19.24	≤22.48	PASS
	Ant1	5240	13.07	97.06	0.13	13.2	≤23.98	---	16.17	≤22.48	PASS
	Ant2	5240	14.11	97.06	0.13	14.24	≤23.98	---	17.07	≤22.48	PASS
	total	5240	---	---	---	16.76	≤23.98	---	19.73	≤22.48	PASS
	Ant1	5260	16.84	97.06	0.13	16.97	≤23.98	≤23.48	19.94	≤29.48	PASS
	Ant2	5260	18.07	97.06	0.13	18.2	≤23.98	≤23.48	21.03	≤29.48	PASS
	total	5260	---	---	---	20.64	≤23.98	≤23.48	23.61	≤29.48	PASS
	Ant1	5280	17.11	97.78	0.1	17.21	≤23.98	≤23.48	20.18	≤29.48	PASS
	Ant2	5280	18.15	97.78	0.1	18.25	≤23.98	≤23.48	21.08	≤29.48	PASS
	total	5280	---	---	---	20.77	≤23.98	≤23.48	23.74	≤29.48	PASS
	Ant1	5320	18.11	97.06	0.13	18.24	≤23.98	≤23.48	21.21	≤29.48	PASS
	Ant2	5320	18.4	97.78	0.1	18.5	≤23.98	≤23.48	21.33	≤29.48	PASS
	total	5320	---	---	---	21.38	≤23.98	≤23.48	24.35	≤29.48	PASS
	Ant1	5500	17.62	97.78	0.1	17.72	≤23.98	≤23.48	20.69	≤29.48	PASS
	Ant2	5500	17.27	97.78	0.1	17.37	≤23.98	≤23.48	20.2	≤29.48	PASS
	total	5500	---	---	---	20.56	≤23.98	≤23.48	23.53	≤29.48	PASS
	Ant1	5580	17.45	97.06	0.13	17.58	≤23.98	≤23.48	20.55	≤29.48	PASS

	Ant2	5580	17.95	97.06	0.13	18.08	≤23.98	≤23.48	20.91	≤29.48	PASS
	total	5580	---	---	---	20.85	≤23.98	≤23.48	23.82	≤29.48	PASS
	Ant1	5700	16.47	97.78	0.1	16.57	≤23.98	≤23.48	19.54	≤29.48	PASS
	Ant2	5700	16.47	97.78	0.1	16.57	≤23.98	≤23.48	19.4	≤29.48	PASS
	total	5700	---	---	---	19.58	≤23.98	≤23.48	22.55	≤29.48	PASS
	Ant1	5720	15.77	97.78	0.1	15.87	≤23.98	≤23.48	18.84	≤29.48	PASS
	Ant2	5720	16.34	97.06	0.13	16.47	≤23.98	≤23.48	19.3	≤29.48	PASS
	total	5720	---	---	---	19.19	≤23.98	≤23.48	22.16	≤29.48	PASS
	Ant1	5745	15.55	97.06	0.13	15.68	≤30.00	≤30.00	18.65	---	PASS
	Ant2	5745	15.44	97.06	0.13	15.57	≤30.00	≤30.00	18.4	---	PASS
	total	5745	---	---	---	18.64	≤30.00	≤30.00	21.61	---	PASS
	Ant1	5785	15.89	97.78	0.1	15.99	≤30.00	≤30.00	18.96	---	PASS
	Ant2	5785	16.22	97.78	0.1	16.32	≤30.00	≤30.00	19.15	---	PASS
	total	5785	---	---	---	19.17	≤30.00	≤30.00	22.14	---	PASS
	Ant1	5825	16.44	97.06	0.13	16.57	≤30.00	≤30.00	19.54	---	PASS
	Ant2	5825	17.49	97.78	0.1	17.59	≤30.00	≤30.00	20.42	---	PASS
	total	5825	---	---	---	20.12	≤30.00	≤30.00	23.09	---	PASS
11AC40 MIMO	Ant1	5190	14.09	95.65	0.19	14.28	≤23.98	---	17.25	≤23.00	PASS
	Ant2	5190	14.78	95.65	0.19	14.97	≤23.98	---	17.8	≤23.00	PASS
	total	5190	---	---	---	17.65	≤23.98	---	20.62	≤23.00	PASS
	Ant1	5230	13.44	94.2	0.26	13.7	≤23.98	---	16.67	≤23.00	PASS
	Ant2	5230	15	95.65	0.19	15.19	≤23.98	---	18.02	≤23.00	PASS
	total	5230	---	---	---	17.52	≤23.98	---	20.49	≤23.00	PASS
	Ant1	5270	14.78	94.2	0.26	15.04	≤23.98	≤23.98	18.01	≤30.00	PASS
	Ant2	5270	16.7	95.65	0.19	16.89	≤23.98	≤23.98	19.72	≤30.00	PASS
	total	5270	---	---	---	19.07	≤23.98	≤23.98	22.04	≤30.00	PASS
	Ant1	5310	16.26	94.2	0.26	16.52	≤23.98	≤23.98	19.49	≤30.00	PASS
	Ant2	5310	16.3	94.2	0.26	16.56	≤23.98	≤23.98	19.39	≤30.00	PASS
	total	5310	---	---	---	19.55	≤23.98	≤23.98	22.52	≤30.00	PASS
	Ant1	5510	15.77	94.2	0.26	16.03	≤23.98	≤23.98	19	≤30.00	PASS
	Ant2	5510	15.59	94.2	0.26	15.85	≤23.98	≤23.98	18.68	≤30.00	PASS
	total	5510	---	---	---	18.95	≤23.98	≤23.98	21.92	≤30.00	PASS
	Ant1	5550	15.73	95.65	0.19	15.92	≤23.98	≤23.98	18.89	≤30.00	PASS
	Ant2	5550	15.26	95.65	0.19	15.45	≤23.98	≤23.98	18.28	≤30.00	PASS
	total	5550	---	---	---	18.7	≤23.98	≤23.98	21.67	≤30.00	PASS
	Ant1	5670	14.58	95.65	0.19	14.77	≤23.98	≤23.98	17.74	≤30.00	PASS
	Ant2	5670	15.09	94.2	0.26	15.35	≤23.98	≤23.98	18.18	≤30.00	PASS
	total	5670	---	---	---	18.08	≤23.98	≤23.98	21.05	≤30.00	PASS
	Ant1	5710	13.72	94.2	0.26	13.98	≤23.98	≤23.98	16.95	≤30.00	PASS
	Ant2	5710	14.74	95.65	0.19	14.93	≤23.98	≤23.98	17.76	≤30.00	PASS
	total	5710	---	---	---	17.49	≤23.98	≤23.98	20.46	≤30.00	PASS
	Ant1	5755	13.8	94.2	0.26	14.06	≤30.00	≤30.00	17.03	---	PASS
	Ant2	5755	14.41	95.65	0.19	14.6	≤30.00	≤30.00	17.43	---	PASS
	total	5755	---	---	---	17.35	≤30.00	≤30.00	20.32	---	PASS
	Ant1	5795	13.85	94.2	0.26	14.11	≤30.00	≤30.00	17.08	---	PASS
	Ant2	5795	15.08	95.65	0.19	15.27	≤30.00	≤30.00	18.1	---	PASS
	total	5795	---	---	---	17.74	≤30.00	≤30.00	20.71	---	PASS
11AC80 MIMO	Ant1	5210	12.64	96.61	0.15	12.79	≤23.98	---	15.76	≤23.00	PASS
	Ant2	5210	13.21	97.44	0.11	13.32	≤23.98	---	16.15	≤23.00	PASS
	total	5210	---	---	---	16.07	≤23.98	---	19.04	≤23.00	PASS
	Ant1	5290	13.67	97.44	0.11	13.78	≤23.98	≤23.98	16.75	≤30.00	PASS
	Ant2	5290	14.4	97.44	0.11	14.51	≤23.98	≤23.98	17.34	≤30.00	PASS
	total	5290	---	---	---	17.17	≤23.98	≤23.98	20.14	≤30.00	PASS
	Ant1	5530	13.7	97.44	0.11	13.81	≤23.98	≤23.98	16.78	≤30.00	PASS
	Ant2	5530	13.16	96.61	0.15	13.31	≤23.98	≤23.98	16.14	≤30.00	PASS
	total	5530	---	---	---	16.58	≤23.98	≤23.98	19.55	≤30.00	PASS
	Ant1	5610	13.23	96.61	0.15	13.38	≤23.98	≤23.98	16.35	≤30.00	PASS
	Ant2	5610	13.7	96.61	0.15	13.85	≤23.98	≤23.98	16.68	≤30.00	PASS
	total	5610	---	---	---	16.63	≤23.98	≤23.98	19.6	≤30.00	PASS
	Ant1	5690	12.11	96.61	0.15	12.26	≤23.98	≤23.98	15.23	≤30.00	PASS
	Ant2	5690	12.53	96.61	0.15	12.68	≤23.98	≤23.98	15.51	≤30.00	PASS
	total	5690	---	---	---	15.49	≤23.98	≤23.98	18.46	≤30.00	PASS
	Ant1	5775	11.99	96.61	0.15	12.14	≤30.00	≤30.00	15.11	---	PASS
	Ant2	5775	12.53	97.44	0.11	12.64	≤30.00	≤30.00	15.47	---	PASS

	total	5775	---	---	---	15.41	≤30.00	≤30.00	18.38	---	PASS
11AX20 MIMO	Ant1	5180	14	96.23	0.17	14.17	≤23.98	---	17.14	≤22.78	PASS
	Ant2	5180	14.51	96.23	0.17	14.68	≤23.98	---	17.51	≤22.78	PASS
	total	5180	---	---	---	17.44	≤23.98	---	20.41	≤22.78	PASS
	Ant1	5200	14.22	96.23	0.17	14.39	≤23.98	---	17.36	≤22.78	PASS
	Ant2	5200	14.67	96.23	0.17	14.84	≤23.98	---	17.67	≤22.78	PASS
	total	5200	---	---	---	17.63	≤23.98	---	20.6	≤22.78	PASS
	Ant1	5240	14.55	96.23	0.17	14.72	≤23.98	---	17.69	≤22.78	PASS
	Ant2	5240	14.95	96.23	0.17	15.12	≤23.98	---	17.95	≤22.78	PASS
	total	5240	---	---	---	17.93	≤23.98	---	20.9	≤22.78	PASS
	Ant1	5260	14.21	96.23	0.17	14.38	≤23.98	≤23.78	17.35	≤29.78	PASS
	Ant2	5260	14.27	97.14	0.13	14.4	≤23.98	≤23.78	17.23	≤29.78	PASS
	total	5260	---	---	---	17.4	≤23.98	≤23.78	20.37	≤29.78	PASS
	Ant1	5280	14.28	97.14	0.13	14.41	≤23.98	≤23.78	17.38	≤29.78	PASS
	Ant2	5280	14.72	97.14	0.13	14.85	≤23.98	≤23.78	17.68	≤29.78	PASS
	total	5280	---	---	---	17.65	≤23.98	≤23.78	20.62	≤29.78	PASS
	Ant1	5320	14.15	96.23	0.17	14.32	≤23.98	≤23.78	17.29	≤29.78	PASS
	Ant2	5320	14.52	96.23	0.17	14.69	≤23.98	≤23.78	17.52	≤29.78	PASS
	total	5320	---	---	---	17.52	≤23.98	≤23.78	20.49	≤29.78	PASS
	Ant1	5500	13.7	96.23	0.17	13.87	≤23.98	≤23.78	16.84	≤29.78	PASS
	Ant2	5500	12.88	96.23	0.17	13.05	≤23.98	≤23.78	15.88	≤29.78	PASS
	total	5500	---	---	---	16.49	≤23.98	≤23.78	19.46	≤29.78	PASS
	Ant1	5580	13.91	97.14	0.13	14.04	≤23.98	≤23.78	17.01	≤29.78	PASS
	Ant2	5580	14.09	96.23	0.17	14.26	≤23.98	≤23.78	17.09	≤29.78	PASS
	total	5580	---	---	---	17.16	≤23.98	≤23.78	20.13	≤29.78	PASS
	Ant1	5700	13.22	96.23	0.17	13.39	≤23.98	≤23.78	16.36	≤29.78	PASS
	Ant2	5700	13.38	97.14	0.13	13.51	≤23.98	≤23.78	16.34	≤29.78	PASS
	total	5700	---	---	---	16.46	≤23.98	≤23.78	19.43	≤29.78	PASS
	Ant1	5720	13.13	96.19	0.17	13.3	≤23.98	≤23.78	16.27	≤29.78	PASS
	Ant2	5720	13.46	97.14	0.13	13.59	≤23.98	≤23.78	16.42	≤29.78	PASS
	total	5720	---	---	---	16.46	≤23.98	≤23.78	19.43	≤29.78	PASS
	Ant1	5745	13.09	96.23	0.17	13.26	≤30.00	≤30.00	16.23	---	PASS
	Ant2	5745	13.47	96.23	0.17	13.64	≤30.00	≤30.00	16.47	---	PASS
	total	5745	---	---	---	16.46	≤30.00	≤30.00	19.43	---	PASS
	Ant1	5785	12.99	97.14	0.13	13.12	≤30.00	≤30.00	16.09	---	PASS
	Ant2	5785	13.63	96.23	0.17	13.8	≤30.00	≤30.00	16.63	---	PASS
	total	5785	---	---	---	16.48	≤30.00	≤30.00	19.45	---	PASS
	Ant1	5825	12.93	96.23	0.17	13.1	≤30.00	≤30.00	16.07	---	PASS
	Ant2	5825	13.61	97.14	0.13	13.74	≤30.00	≤30.00	16.57	---	PASS
	total	5825	---	---	---	16.44	≤30.00	≤30.00	19.41	---	PASS
11AX40 MIMO	Ant1	5190	12.61	93.1	0.31	12.92	≤23.98	---	15.89	≤23.00	PASS
	Ant2	5190	13.33	94.74	0.23	13.56	≤23.98	---	16.39	≤23.00	PASS
	total	5190	---	---	---	16.26	≤23.98	---	19.23	≤23.00	PASS
	Ant1	5230	13.07	94.74	0.23	13.3	≤23.98	---	16.27	≤23.00	PASS
	Ant2	5230	13.95	92.98	0.32	14.27	≤23.98	---	17.1	≤23.00	PASS
	total	5230	---	---	---	16.82	≤23.98	---	19.79	≤23.00	PASS
	Ant1	5270	13.06	92.98	0.32	13.38	≤23.98	≤23.98	16.35	≤30.00	PASS
	Ant2	5270	13.99	93.1	0.31	14.3	≤23.98	≤23.98	17.13	≤30.00	PASS
	total	5270	---	---	---	16.87	≤23.98	≤23.98	19.84	≤30.00	PASS
	Ant1	5310	12.95	94.74	0.23	13.18	≤23.98	≤23.98	16.15	≤30.00	PASS
	Ant2	5310	13.53	94.74	0.23	13.76	≤23.98	≤23.98	16.59	≤30.00	PASS
	total	5310	---	---	---	16.49	≤23.98	≤23.98	19.46	≤30.00	PASS
	Ant1	5510	12.52	92.98	0.32	12.84	≤23.98	≤23.98	15.81	≤30.00	PASS
	Ant2	5510	12.03	93.1	0.31	12.34	≤23.98	≤23.98	15.17	≤30.00	PASS
	total	5510	---	---	---	15.61	≤23.98	≤23.98	18.58	≤30.00	PASS
	Ant1	5550	12.89	92.98	0.32	13.21	≤23.98	≤23.98	16.18	≤30.00	PASS
	Ant2	5550	12.45	92.98	0.32	12.77	≤23.98	≤23.98	15.6	≤30.00	PASS
	total	5550	---	---	---	16.01	≤23.98	≤23.98	18.98	≤30.00	PASS
	Ant1	5670	11.92	92.98	0.32	12.24	≤23.98	≤23.98	15.21	≤30.00	PASS
	Ant2	5670	12.66	92.98	0.32	12.98	≤23.98	≤23.98	15.81	≤30.00	PASS
	total	5670	---	---	---	15.64	≤23.98	≤23.98	18.61	≤30.00	PASS
	Ant1	5710	11.96	92.98	0.32	12.28	≤23.98	≤23.98	15.25	≤30.00	PASS
	Ant2	5710	12.24	92.98	0.32	12.56	≤23.98	≤23.98	15.39	≤30.00	PASS
	total	5710	---	---	---	15.43	≤23.98	≤23.98	18.4	≤30.00	PASS

	Ant1	5755	11.91	92.98	0.32	12.23	≤30.00	≤30.00	15.2	---	PASS
	Ant2	5755	12.61	92.98	0.32	12.93	≤30.00	≤30.00	15.76	---	PASS
	total	5755	---	---	---	15.6	≤30.00	≤30.00	18.57	---	PASS
	Ant1	5795	11.72	92.98	0.32	12.04	≤30.00	≤30.00	15.01	---	PASS
	Ant2	5795	12.67	92.98	0.32	12.99	≤30.00	≤30.00	15.82	---	PASS
	total	5795	---	---	---	15.55	≤30.00	≤30.00	18.52	---	PASS
11AX80 MIMO	Ant1	5210	11.44	90.63	0.43	11.87	≤23.98	---	14.84	≤23.00	PASS
	Ant2	5210	12.06	90.63	0.43	12.49	≤23.98	---	15.32	≤23.00	PASS
	total	5210	---	---	---	15.2	≤23.98	---	18.17	≤23.00	PASS
	Ant1	5290	11.65	90.63	0.43	12.08	≤23.98	≤23.98	15.05	≤30.00	PASS
	Ant2	5290	12.21	87.5	0.58	12.79	≤23.98	≤23.98	15.62	≤30.00	PASS
	total	5290	---	---	---	15.46	≤23.98	≤23.98	18.43	≤30.00	PASS
	Ant1	5530	11.28	87.5	0.58	11.86	≤23.98	≤23.98	14.83	≤30.00	PASS
	Ant2	5530	10.51	87.5	0.58	11.09	≤23.98	≤23.98	13.92	≤30.00	PASS
	total	5530	---	---	---	14.5	≤23.98	≤23.98	17.47	≤30.00	PASS
	Ant1	5610	11.64	87.5	0.58	12.22	≤23.98	≤23.98	15.19	≤30.00	PASS
	Ant2	5610	11.99	87.5	0.58	12.57	≤23.98	≤23.98	15.4	≤30.00	PASS
	total	5610	---	---	---	15.41	≤23.98	≤23.98	18.38	≤30.00	PASS
	Ant1	5690	10.69	87.5	0.58	11.27	≤23.98	≤23.98	14.24	≤30.00	PASS
	Ant2	5690	11.09	90.63	0.43	11.52	≤23.98	≤23.98	14.35	≤30.00	PASS
	total	5690	---	---	---	14.41	≤23.98	≤23.98	17.38	≤30.00	PASS
	Ant1	5775	10.48	90.63	0.43	10.91	≤30.00	≤30.00	13.88	---	PASS
	Ant2	5775	11.09	87.88	0.56	11.65	≤30.00	≤30.00	14.48	---	PASS
	total	5775	---	---	---	14.31	≤30.00	≤30.00	17.28	---	PASS

Test Engineer:	Wayne Huang	Test Site:	RF Measurement System 4#
Ambient Condition:	24.3-27.2°C,39.2-44.2%RH	Test Date:	2026.03.07-2026.04.17
Test Power Supply:	100 - 240 V AC, ~ 50 / 60 Hz	Sample Number:	S26020804-005


Test Mode	Ant.	Freq. [MHz]	Ru Size	Ru Index	Duty Cycle [%]	Result [dBm]	FCC Limit [dBm]	ISED Limit [dBm]	EIRP [dBm]	ISED EIRP Limit [dBm]	Verdict
11AX20 MIMO	Ant1	5180	26Tone	RU0	46.03	5.77	≤23.98	---	8.74	≤22.78	PASS
			52Tone	RU37	34.04	6.15	≤23.98	---	9.12	≤22.78	PASS
			106Tone	RU53	23.75	6.64	≤23.98	---	9.61	≤22.78	PASS
	Ant2	5180	26Tone	RU0	48.33	4.64	≤23.98	---	7.47	≤22.78	PASS
			52Tone	RU37	34.04	5.29	≤23.98	---	8.12	≤22.78	PASS
			106Tone	RU53	23.75	5.4	≤23.98	---	8.23	≤22.78	PASS
	total	5180	26Tone	RU0	---	8.25	≤23.98	---	11.22	≤22.78	PASS
			52Tone	RU37	---	8.75	≤23.98	---	11.72	≤22.78	PASS
			106Tone	RU53	---	9.07	≤23.98	---	12.04	≤22.78	PASS
	Ant1	5320	26Tone	RU8	48.33	8.69	≤23.98	≤23.78	11.66	≤29.78	PASS
			52Tone	RU40	34.41	9.18	≤23.98	≤23.78	12.15	≤29.78	PASS
			106Tone	RU54	23.75	9.45	≤23.98	≤23.78	12.42	≤29.78	PASS
	Ant2	5320	26Tone	RU8	48.33	9.31	≤23.98	≤23.78	12.14	≤29.78	PASS
			52Tone	RU40	34.04	9.85	≤23.98	≤23.78	12.68	≤29.78	PASS
			106Tone	RU54	23.75	10.01	≤23.98	≤23.78	12.84	≤29.78	PASS
	total	5320	26Tone	RU8	---	12.02	≤23.98	≤23.78	14.99	≤29.78	PASS
			52Tone	RU40	---	12.54	≤23.98	≤23.78	15.51	≤29.78	PASS
			106Tone	RU54	---	12.75	≤23.98	≤23.78	15.72	≤29.78	PASS
	Ant1	5500	26Tone	RU0	48.33	8.69	≤23.98	≤23.78	11.66	≤29.78	PASS
			52Tone	RU37	35.11	9.2	≤23.98	≤23.78	12.17	≤29.78	PASS
			106Tone	RU53	23.75	9.63	≤23.98	≤23.78	12.6	≤29.78	PASS
	Ant2	5500	26Tone	RU0	48.33	8.41	≤23.98	≤23.78	11.24	≤29.78	PASS
			52Tone	RU37	34.04	8.85	≤23.98	≤23.78	11.68	≤29.78	PASS
			106Tone	RU53	23.75	8.96	≤23.98	≤23.78	11.79	≤29.78	PASS
	total	5500	26Tone	RU0	---	11.56	≤23.98	≤23.78	14.53	≤29.78	PASS
			52Tone	RU37	---	12.04	≤23.98	≤23.78	15.01	≤29.78	PASS
			106Tone	RU53	---	12.32	≤23.98	≤23.78	15.29	≤29.78	PASS
	Ant1	5700	26Tone	RU8	48.33	9.24	≤23.98	≤23.78	12.21	≤29.78	PASS
			52Tone	RU40	35.11	9.6	≤23.98	≤23.78	12.57	≤29.78	PASS
			106Tone	RU54	23.75	10.01	≤23.98	≤23.78	12.98	≤29.78	PASS
	Ant2	5700	26Tone	RU8	48.33	9.54	≤23.98	≤23.78	12.37	≤29.78	PASS
			52Tone	RU40	34.78	9.77	≤23.98	≤23.78	12.6	≤29.78	PASS
			106Tone	RU54	23.75	10.1	≤23.98	≤23.78	12.93	≤29.78	PASS
	total	5700	26Tone	RU8	---	12.4	≤23.98	≤23.78	15.37	≤29.78	PASS
			52Tone	RU40	---	12.7	≤23.98	≤23.78	15.67	≤29.78	PASS
			106Tone	RU54	---	13.07	≤23.98	≤23.78	16.04	≤29.78	PASS
	Ant1	5745	26Tone	RU0	48.74	9.59	≤30.00	≤30.00	12.56	---	PASS
			52Tone	RU37	34.41	10.91	≤30.00	≤30.00	13.88	---	PASS
			106Tone	RU53	23.75	11.18	≤30.00	≤30.00	14.15	---	PASS
	Ant2	5745	26Tone	RU0	48.33	10.39	≤30.00	≤30.00	13.22	---	PASS
			52Tone	RU37	34.04	10.69	≤30.00	≤30.00	13.52	---	PASS
			106Tone	RU53	23.75	11.15	≤30.00	≤30.00	13.98	---	PASS

	total	5745	e								
			26Tone	RU0	---	13.02	≤30.00	≤30.00	15.99	---	PASS
			52Tone	RU37	---	13.81	≤30.00	≤30.00	16.78	---	PASS
	Ant1	5825	106Tone	RU53	---	14.18	≤30.00	≤30.00	17.15	---	PASS
			26Tone	RU8	48.74	9.86	≤30.00	≤30.00	12.83	---	PASS
			52Tone	RU40	34.74	10.36	≤30.00	≤30.00	13.33	---	PASS
	Ant2	5825	106Tone	RU54	23.46	10.84	≤30.00	≤30.00	13.81	---	PASS
			26Tone	RU8	46.4	11	≤30.00	≤30.00	13.83	---	PASS
			52Tone	RU40	34.74	11.11	≤30.00	≤30.00	13.94	---	PASS
	total	5825	106Tone	RU54	23.75	11.46	≤30.00	≤30.00	14.29	---	PASS
			26Tone	RU8	---	13.48	≤30.00	≤30.00	16.45	---	PASS
			52Tone	RU40	---	13.76	≤30.00	≤30.00	16.73	---	PASS
			106Tone	RU54	---	14.17	≤30.00	≤30.00	17.14	---	PASS

Note: The Duty Cycle Factor is compensated in the graph.

9. Power Spectral Density

9.1. Block diagram of test setup



9.2. Limits

FCC Part15, Subpart E/ RSS-247		
Test Item	Limit	Frequency Range (MHz)
Power Spectral Density	For FCC: Other than Mobile and portable:17 dBm/MHz Mobile and portable client devices:11 dBm/MHz	5150-5250
	For RSS eirp: 10 dBm/MHz	
	11 dBm/MHz	5250-5350
	11 dBm/MHz	5470 - 5725
	30 dBm/500 kHz	5725-5850

9.3. Test procedure

The transmitter output was connected to a spectrum analyzer. Power density was measured by spectrum analyzer with 1MHz RBW and 3MHz VBW.

Connect the UUT to the spectrum analyser and use the following settings:

5150 MHz~5250 MHz, 5250 MHz~5350 MHz, 5470 MHz~5725 MHz

Center Frequency	The centre frequency of the channel under test
------------------	--

Detector	RMS
RBW	1MHz
VBW	$\geq 3 \times \text{RBW}$
Span	Encompass the entire emissions bandwidth (EBW) of the signal
Trace	Max hold
Sweep time	Auto

5725 MHz-5850 MHz

Center Frequency	The centre frequency of the channel under test
Detector	RMS
RBW	500 kHz
VBW	$\geq 3 \times \text{RBW}$
Span	Encompass the entire emissions bandwidth (EBW) of the signal
Trace	Max hold
Sweep time	Auto

9.4. Test result

Test Engineer:	Wayne Huang	Test Site:	RF Measurement System 5#
Ambient Condition:	24.3-27.2℃,39.2-44.2%RH	Test Date:	2026.03.07-2026.04.17
Test Power Supply:	100 - 240 V AC, ~ 50 / 60 Hz	Sample Number:	S26020804-005

Test Mode	Antenna	Frequency[MHz]	Result [dBm/MHz]	Limit [dBm/MHz]	EIRP PSD [dBm/MHz]	EIRP PSD Limit [dBm/MHz]	Verdict
11A	Ant1	5180	4.62	≤11.00	7.59	≤10.00	PASS
	Ant2	5180	4.39	≤11.00	7.22	≤10.00	PASS
	Ant1	5200	4.24	≤11.00	7.21	≤10.00	PASS
	Ant2	5200	4.46	≤11.00	7.29	≤10.00	PASS
	Ant1	5240	5.01	≤11.00	7.98	≤10.00	PASS
	Ant2	5240	5.21	≤11.00	8.04	≤10.00	PASS
	Ant1	5260	6.26	≤11.00	9.23	---	PASS
	Ant2	5260	7.20	≤11.00	10.03	---	PASS
	Ant1	5280	6.80	≤11.00	9.77	---	PASS
	Ant2	5280	7.66	≤11.00	10.49	---	PASS
	Ant1	5320	7.83	≤11.00	10.80	---	PASS
	Ant2	5320	7.45	≤11.00	10.28	---	PASS
	Ant1	5500	6.87	≤11.00	9.84	---	PASS
	Ant2	5500	6.61	≤11.00	9.44	---	PASS
	Ant1	5580	6.35	≤11.00	9.32	---	PASS
	Ant2	5580	6.95	≤11.00	9.78	---	PASS
	Ant1	5700	5.69	≤11.00	8.66	---	PASS
	Ant2	5700	5.53	≤11.00	8.36	---	PASS
	Ant1	5720_UNII-2C	4.64	≤11.00	7.61	---	PASS
	Ant2	5720_UNII-2C	4.79	≤11.00	7.62	---	PASS
	Ant1	5720_UNII-3	0.27	≤30.00	3.24	---	PASS
	Ant2	5720_UNII-3	0.57	≤30.00	3.40	---	PASS
	Ant1	5745	1.86	≤30.00	4.83	---	PASS
	Ant2	5745	2.17	≤30.00	5.00	---	PASS
	Ant1	5785	2.24	≤30.00	5.21	---	PASS
	Ant2	5785	2.77	≤30.00	5.60	---	PASS
	Ant1	5825	2.70	≤30.00	5.67	---	PASS
	Ant2	5825	3.62	≤30.00	6.45	---	PASS
11N20MIMO	Ant1	5180	1.40	≤11.00	4.37	≤10.00	PASS
	Ant2	5180	1.62	≤11.00	4.45	≤10.00	PASS
	total	5180	4.52	≤11.00	7.42	≤10.00	PASS
	Ant1	5200	1.35	≤11.00	4.32	≤10.00	PASS
	Ant2	5200	1.72	≤11.00	4.55	≤10.00	PASS
	total	5200	4.55	≤11.00	7.45	≤10.00	PASS
	Ant1	5240	1.74	≤11.00	4.71	≤10.00	PASS
	Ant2	5240	2.62	≤11.00	5.45	≤10.00	PASS
	total	5240	5.21	≤11.00	8.11	≤10.00	PASS
	Ant1	5260	5.80	≤11.00	8.77	---	PASS
	Ant2	5260	6.85	≤11.00	9.68	---	PASS
	total	5260	9.37	≤11.00	12.26	---	PASS
	Ant1	5280	6.24	≤11.00	9.21	---	PASS
	Ant2	5280	7.47	≤11.00	10.30	---	PASS
	total	5280	9.91	≤11.00	12.80	---	PASS
	Ant1	5320	7.12	≤11.00	10.09	---	PASS
	Ant2	5320	6.88	≤11.00	9.71	---	PASS
	total	5320	10.01	≤11.00	12.91	---	PASS
	Ant1	5500	6.55	≤11.00	9.52	---	PASS
	Ant2	5500	5.99	≤11.00	8.82	---	PASS
	total	5500	9.29	≤11.00	12.19	---	PASS
	Ant1	5580	6.10	≤11.00	9.07	---	PASS
	Ant2	5580	6.80	≤11.00	9.63	---	PASS
	total	5580	9.47	≤11.00	12.37	---	PASS
	Ant1	5700	5.17	≤11.00	8.14	---	PASS
	Ant2	5700	5.14	≤11.00	7.97	---	PASS

	total	5700	8.17	≤11.00	11.07	---	PASS
	Ant1	5720 UNII-2C	4.21	≤11.00	7.18	---	PASS
	Ant2	5720 UNII-2C	4.71	≤11.00	7.54	---	PASS
	total	5720 UNII-2C	7.48	≤11.00	10.37	---	PASS
	Ant1	5720 UNII-3	-0.29	≤30.00	2.68	---	PASS
	Ant2	5720 UNII-3	0.48	≤30.00	3.31	---	PASS
	total	5720 UNII-3	3.12	≤30.00	6.02	---	PASS
	Ant1	5745	1.70	≤30.00	4.67	---	PASS
	Ant2	5745	1.81	≤30.00	4.64	---	PASS
	total	5745	4.77	≤30.00	7.67	---	PASS
	Ant1	5785	2.03	≤30.00	5.00	---	PASS
	Ant2	5785	2.51	≤30.00	5.34	---	PASS
	total	5785	5.29	≤30.00	8.18	---	PASS
	Ant1	5825	2.26	≤30.00	5.23	---	PASS
	Ant2	5825	3.42	≤30.00	6.25	---	PASS
	total	5825	5.89	≤30.00	8.78	---	PASS
11N40MIMO	Ant1	5190	0.69	≤11.00	3.66	≤10.00	PASS
	Ant2	5190	1.72	≤11.00	4.55	≤10.00	PASS
	total	5190	4.25	≤11.00	7.14	≤10.00	PASS
	Ant1	5230	0.12	≤11.00	3.09	≤10.00	PASS
	Ant2	5230	1.90	≤11.00	4.73	≤10.00	PASS
	total	5230	4.11	≤11.00	7.00	≤10.00	PASS
	Ant1	5270	3.22	≤11.00	6.19	---	PASS
	Ant2	5270	5.12	≤11.00	7.95	---	PASS
	total	5270	7.28	≤11.00	10.17	---	PASS
	Ant1	5310	4.00	≤11.00	6.97	---	PASS
	Ant2	5310	4.86	≤11.00	7.69	---	PASS
	total	5310	7.46	≤11.00	10.36	---	PASS
	Ant1	5510	3.86	≤11.00	6.83	---	PASS
	Ant2	5510	3.79	≤11.00	6.62	---	PASS
	total	5510	6.84	≤11.00	9.74	---	PASS
	Ant1	5550	4.04	≤11.00	7.01	---	PASS
	Ant2	5550	4.52	≤11.00	7.35	---	PASS
	total	5550	7.30	≤11.00	10.19	---	PASS
	Ant1	5670	2.34	≤11.00	5.31	---	PASS
	Ant2	5670	3.12	≤11.00	5.95	---	PASS
	total	5670	5.76	≤11.00	8.65	---	PASS
	Ant1	5710 UNII-2C	1.73	≤11.00	4.70	---	PASS
	Ant2	5710 UNII-2C	3.16	≤11.00	5.99	---	PASS
	total	5710 UNII-2C	5.51	≤11.00	8.40	---	PASS
	Ant1	5710 UNII-3	-5.48	≤30.00	-2.51	---	PASS
	Ant2	5710 UNII-3	-3.78	≤30.00	-0.95	---	PASS
	total	5710 UNII-3	-1.54	≤30.00	1.35	---	PASS
	Ant1	5755	-0.99	≤30.00	1.98	---	PASS
	Ant2	5755	-0.09	≤30.00	2.74	---	PASS
	total	5755	2.49	≤30.00	5.39	---	PASS
	Ant1	5795	-0.51	≤30.00	2.46	---	PASS
	Ant2	5795	0.77	≤30.00	3.60	---	PASS
	total	5795	3.19	≤30.00	6.08	---	PASS
11AC20MIMO	Ant1	5180	1.42	≤11.00	4.39	≤10.00	PASS
	Ant2	5180	1.99	≤11.00	4.82	≤10.00	PASS
	total	5180	4.72	≤11.00	7.62	≤10.00	PASS
	Ant1	5200	1.49	≤11.00	4.46	≤10.00	PASS
	Ant2	5200	2.08	≤11.00	4.91	≤10.00	PASS
	total	5200	4.81	≤11.00	7.70	≤10.00	PASS
	Ant1	5240	1.91	≤11.00	4.88	≤10.00	PASS
	Ant2	5240	3.01	≤11.00	5.84	≤10.00	PASS
	total	5240	5.51	≤11.00	8.40	≤10.00	PASS
	Ant1	5260	5.78	≤11.00	8.75	---	PASS
	Ant2	5260	7.04	≤11.00	9.87	---	PASS
	total	5260	9.47	≤11.00	12.36	---	PASS
	Ant1	5280	6.16	≤11.00	9.13	---	PASS
	Ant2	5280	7.37	≤11.00	10.20	---	PASS
	total	5280	9.82	≤11.00	12.71	---	PASS

	Ant1	5320	6.99	≤11.00	9.96	---	PASS
	Ant2	5320	7.37	≤11.00	10.20	---	PASS
	total	5320	10.19	≤11.00	13.09	---	PASS
	Ant1	5500	6.52	≤11.00	9.49	---	PASS
	Ant2	5500	6.25	≤11.00	9.08	---	PASS
	total	5500	9.40	≤11.00	12.30	---	PASS
	Ant1	5580	5.94	≤11.00	8.91	---	PASS
	Ant2	5580	6.76	≤11.00	9.59	---	PASS
	total	5580	9.38	≤11.00	12.27	---	PASS
	Ant1	5700	5.08	≤11.00	8.05	---	PASS
	Ant2	5700	5.28	≤11.00	8.11	---	PASS
	total	5700	8.19	≤11.00	11.09	---	PASS
	Ant1	5720_UNII-2C	4.18	≤11.00	7.15	---	PASS
	Ant2	5720_UNII-2C	4.87	≤11.00	7.70	---	PASS
	total	5720_UNII-2C	7.55	≤11.00	10.44	---	PASS
	Ant1	5720_UNII-3	-0.16	≤30.00	2.81	---	PASS
	Ant2	5720_UNII-3	0.42	≤30.00	3.25	---	PASS
	total	5720_UNII-3	3.15	≤30.00	6.05	---	PASS
	Ant1	5745	1.68	≤30.00	4.65	---	PASS
	Ant2	5745	1.96	≤30.00	4.79	---	PASS
	total	5745	4.83	≤30.00	7.73	---	PASS
	Ant1	5785	2.05	≤30.00	5.02	---	PASS
	Ant2	5785	2.52	≤30.00	5.35	---	PASS
	total	5785	5.30	≤30.00	8.20	---	PASS
	Ant1	5825	2.27	≤30.00	5.24	---	PASS
	Ant2	5825	3.62	≤30.00	6.45	---	PASS
	total	5825	6.01	≤30.00	8.90	---	PASS
11AC40MIMO	Ant1	5190	0.87	≤11.00	3.84	≤10.00	PASS
	Ant2	5190	1.56	≤11.00	4.39	≤10.00	PASS
	total	5190	4.24	≤11.00	7.13	≤10.00	PASS
	Ant1	5230	0.21	≤11.00	3.18	≤10.00	PASS
	Ant2	5230	1.84	≤11.00	4.67	≤10.00	PASS
	total	5230	4.11	≤11.00	7.00	≤10.00	PASS
	Ant1	5270	2.05	≤11.00	5.02	---	PASS
	Ant2	5270	4.04	≤11.00	6.87	---	PASS
	total	5270	6.17	≤11.00	9.05	---	PASS
	Ant1	5310	3.58	≤11.00	6.55	---	PASS
	Ant2	5310	3.75	≤11.00	6.58	---	PASS
	total	5310	6.68	≤11.00	9.58	---	PASS
	Ant1	5510	2.89	≤11.00	5.86	---	PASS
	Ant2	5510	3.05	≤11.00	5.88	---	PASS
	total	5510	5.98	≤11.00	8.88	---	PASS
	Ant1	5550	2.76	≤11.00	5.73	---	PASS
	Ant2	5550	3.06	≤11.00	5.89	---	PASS
	total	5550	5.92	≤11.00	8.82	---	PASS
	Ant1	5670	1.41	≤11.00	4.38	---	PASS
	Ant2	5670	2.15	≤11.00	4.98	---	PASS
	total	5670	4.81	≤11.00	7.70	---	PASS
	Ant1	5710_UNII-2C	0.74	≤11.00	3.71	---	PASS
	Ant2	5710_UNII-2C	1.81	≤11.00	4.64	---	PASS
	total	5710_UNII-2C	4.32	≤11.00	7.21	---	PASS
	Ant1	5710_UNII-3	-6.86	≤30.00	-3.89	---	PASS
	Ant2	5710_UNII-3	-5.57	≤30.00	-2.74	---	PASS
	total	5710_UNII-3	-3.16	≤30.00	-0.27	---	PASS
	Ant1	5755	-1.92	≤30.00	1.05	---	PASS
	Ant2	5755	-1.23	≤30.00	1.60	---	PASS
	total	5755	1.45	≤30.00	4.34	---	PASS
	Ant1	5795	-1.76	≤30.00	1.21	---	PASS
	Ant2	5795	-0.42	≤30.00	2.41	---	PASS
	total	5795	1.97	≤30.00	4.86	---	PASS
11AC80MIMO	Ant1	5210	-3.90	≤11.00	-0.93	≤10.00	PASS
	Ant2	5210	-2.93	≤11.00	-0.10	≤10.00	PASS
	total	5210	-0.38	≤11.00	2.52	≤10.00	PASS
	Ant1	5290	-2.61	≤11.00	0.36	---	PASS

	Ant2	5290	-1.50	≤11.00	1.33	---	PASS
	total	5290	0.99	≤11.00	3.88	---	PASS
	Ant1	5530	-2.43	≤11.00	0.54	---	PASS
	Ant2	5530	-2.48	≤11.00	0.35	---	PASS
	total	5530	0.56	≤11.00	3.46	---	PASS
	Ant1	5610	-3.25	≤11.00	-0.28	---	PASS
	Ant2	5610	-2.72	≤11.00	0.11	---	PASS
	total	5610	0.03	≤11.00	2.93	---	PASS
	Ant1	5690 UNII-2C	-4.58	≤11.00	-1.61	---	PASS
	Ant2	5690 UNII-2C	-4.02	≤11.00	-1.19	---	PASS
	total	5690 UNII-2C	-1.28	≤11.00	1.62	---	PASS
	Ant1	5690 UNII-3	-11.77	≤30.00	-8.80	---	PASS
	Ant2	5690 UNII-3	-11.01	≤30.00	-8.18	---	PASS
	total	5690 UNII-3	-8.36	≤30.00	-5.47	---	PASS
	Ant1	5775	-7.33	≤30.00	-4.36	---	PASS
	Ant2	5775	-6.41	≤30.00	-3.58	---	PASS
	total	5775	-3.84	≤30.00	-0.94	---	PASS
11AX20MIMO	Ant1	5180	2.07	≤11.00	5.04	≤10.00	PASS
	Ant2	5180	2.94	≤11.00	5.77	≤10.00	PASS
	total	5180	5.54	≤11.00	8.43	≤10.00	PASS
	Ant1	5200	2.24	≤11.00	5.21	≤10.00	PASS
	Ant2	5200	2.93	≤11.00	5.76	≤10.00	PASS
	total	5200	5.61	≤11.00	8.50	≤10.00	PASS
	Ant1	5240	2.57	≤11.00	5.54	≤10.00	PASS
	Ant2	5240	3.16	≤11.00	5.99	≤10.00	PASS
	total	5240	5.89	≤11.00	8.78	≤10.00	PASS
	Ant1	5260	2.28	≤11.00	5.25	---	PASS
	Ant2	5260	2.84	≤11.00	5.67	---	PASS
	total	5260	5.58	≤11.00	8.48	---	PASS
	Ant1	5280	2.46	≤11.00	5.43	---	PASS
	Ant2	5280	3.27	≤11.00	6.10	---	PASS
	total	5280	5.89	≤11.00	8.79	---	PASS
	Ant1	5320	2.25	≤11.00	5.22	---	PASS
	Ant2	5320	3.13	≤11.00	5.96	---	PASS
	total	5320	5.72	≤11.00	8.62	---	PASS
	Ant1	5500	1.74	≤11.00	4.71	---	PASS
	Ant2	5500	1.16	≤11.00	3.99	---	PASS
	total	5500	4.47	≤11.00	7.38	---	PASS
	Ant1	5580	1.72	≤11.00	4.69	---	PASS
	Ant2	5580	2.28	≤11.00	5.11	---	PASS
	total	5580	5.02	≤11.00	7.92	---	PASS
	Ant1	5700	1.16	≤11.00	4.13	---	PASS
	Ant2	5700	1.64	≤11.00	4.47	---	PASS
	total	5700	4.42	≤11.00	7.31	---	PASS
	Ant1	5720 UNII-2C	0.88	≤11.00	3.85	---	PASS
	Ant2	5720 UNII-2C	1.20	≤11.00	4.03	---	PASS
	total	5720 UNII-2C	4.05	≤11.00	6.95	---	PASS
	Ant1	5720 UNII-3	-3.09	≤30.00	-0.12	---	PASS
	Ant2	5720 UNII-3	-2.71	≤30.00	0.12	---	PASS
	total	5720 UNII-3	0.11	≤30.00	3.01	---	PASS
	Ant1	5745	-1.68	≤30.00	1.29	---	PASS
	Ant2	5745	-1.01	≤30.00	1.82	---	PASS
	total	5745	1.68	≤30.00	4.57	---	PASS
	Ant1	5785	-1.78	≤30.00	1.19	---	PASS
	Ant2	5785	-0.90	≤30.00	1.93	---	PASS
	total	5785	1.69	≤30.00	4.59	---	PASS
	Ant1	5825	-1.89	≤30.00	1.08	---	PASS
	Ant2	5825	-1.01	≤30.00	1.82	---	PASS
	total	5825	1.58	≤30.00	4.48	---	PASS
11AX40MIMO	Ant1	5190	-1.02	≤11.00	1.95	≤10.00	PASS
	Ant2	5190	-0.06	≤11.00	2.77	≤10.00	PASS
	total	5190	2.50	≤11.00	5.39	≤10.00	PASS
	Ant1	5230	-0.77	≤11.00	2.20	≤10.00	PASS
	Ant2	5230	0.27	≤11.00	3.10	≤10.00	PASS

	total	5230	2.79	≤11.00	5.68	≤10.00	PASS
	Ant1	5270	-0.44	≤11.00	2.53	---	PASS
	Ant2	5270	0.52	≤11.00	3.35	---	PASS
	total	5270	3.08	≤11.00	5.97	---	PASS
	Ant1	5310	-0.80	≤11.00	2.17	---	PASS
	Ant2	5310	0.21	≤11.00	3.04	---	PASS
	total	5310	2.74	≤11.00	5.64	---	PASS
	Ant1	5510	-1.25	≤11.00	1.72	---	PASS
	Ant2	5510	-1.64	≤11.00	1.19	---	PASS
	total	5510	1.57	≤11.00	4.47	---	PASS
	Ant1	5550	-0.56	≤11.00	2.41	---	PASS
	Ant2	5550	-0.89	≤11.00	1.94	---	PASS
	total	5550	2.29	≤11.00	5.19	---	PASS
	Ant1	5670	-1.97	≤11.00	1.00	---	PASS
	Ant2	5670	-1.17	≤11.00	1.66	---	PASS
	total	5670	1.46	≤11.00	4.35	---	PASS
	Ant1	5710_UNII-2C	-1.87	≤11.00	1.10	---	PASS
	Ant2	5710_UNII-2C	-1.23	≤11.00	1.60	---	PASS
	total	5710_UNII-2C	1.47	≤11.00	4.37	---	PASS
	Ant1	5710_UNII-3	-8.00	≤30.00	-5.03	---	PASS
	Ant2	5710_UNII-3	-7.35	≤30.00	-4.52	---	PASS
	total	5710_UNII-3	-4.65	≤30.00	-1.76	---	PASS
	Ant1	5755	-4.73	≤30.00	-1.76	---	PASS
	Ant2	5755	-3.75	≤30.00	-0.92	---	PASS
	total	5755	-1.20	≤30.00	1.69	---	PASS
	Ant1	5795	-4.58	≤30.00	-1.61	---	PASS
	Ant2	5795	-3.35	≤30.00	-0.52	---	PASS
	total	5795	-0.91	≤30.00	1.98	---	PASS
11AX80MIMO	Ant1	5210	-4.80	≤11.00	-1.83	≤10.00	PASS
	Ant2	5210	-4.15	≤11.00	-1.32	≤10.00	PASS
	total	5210	-1.45	≤11.00	1.44	≤10.00	PASS
	Ant1	5290	-4.69	≤11.00	-1.72	---	PASS
	Ant2	5290	-3.54	≤11.00	-0.71	---	PASS
	total	5290	-1.07	≤11.00	1.82	---	PASS
	Ant1	5530	-5.05	≤11.00	-2.08	---	PASS
	Ant2	5530	-5.37	≤11.00	-2.54	---	PASS
	total	5530	-2.20	≤11.00	0.71	---	PASS
	Ant1	5610	-4.84	≤11.00	-1.87	---	PASS
	Ant2	5610	-4.15	≤11.00	-1.32	---	PASS
	total	5610	-1.47	≤11.00	1.42	---	PASS
	Ant1	5690_UNII-2C	-5.99	≤11.00	-3.02	---	PASS
	Ant2	5690_UNII-2C	-5.52	≤11.00	-2.69	---	PASS
	total	5690_UNII-2C	-2.74	≤11.00	0.16	---	PASS
	Ant1	5690_UNII-3	-12.87	≤30.00	-9.90	---	PASS
	Ant2	5690_UNII-3	-12.31	≤30.00	-9.48	---	PASS
	total	5690_UNII-3	-9.57	≤30.00	-6.67	---	PASS
	Ant1	5775	-8.84	≤30.00	-5.87	---	PASS
	Ant2	5775	-7.87	≤30.00	-5.04	---	PASS
	total	5775	-5.32	≤30.00	-2.42	---	PASS

Test Engineer:	Wayne Huang	Test Site:	RF Measurement System 5#
Ambient Condition:	24.3-27.2°C,39.2-44.2%RH	Test Date:	2026.03.07-2026.04.17
Test Power Supply:	100 - 240 V AC, ~ 50 / 60 Hz	Sample Number:	S26020804-005


Test Mode	Ant.	Freq. [MHz]	Ru Size	Ru Index	Result [dBm /MHz]	FCC Limit [dBm /MHz]	EIRP [dBm /MHz]	ISED EIRP Limit [dBm/MHz]	Verdict
11AX20MIMO	Ant1	5180	26Tone	RU0	2.35	≤11.00	5.32	≤10.00	PASS
			52Tone	RU37	0.84	≤11.00	3.81	≤10.00	PASS
			106Tone	RU53	-2.67	≤11.00	0.30	≤10.00	PASS
	Ant2	5180	26Tone	RU0	1.97	≤11.00	4.80	≤10.00	PASS
			52Tone	RU37	-0.88	≤11.00	1.95	≤10.00	PASS
			106Tone	RU53	-3.23	≤11.00	-0.40	≤10.00	PASS
	total	5180	26Tone	RU0	5.17	≤11.00	8.08	≤10.00	PASS
			52Tone	RU37	3.07	≤11.00	5.99	≤10.00	PASS
			106Tone	RU53	0.07	≤11.00	2.97	≤10.00	PASS
	Ant1	5320	26Tone	RU8	5.01	≤11.00	7.98	---	PASS
			52Tone	RU40	2.98	≤11.00	5.95	---	PASS
			106Tone	RU54	0.52	≤11.00	3.49	---	PASS
	Ant2	5320	26Tone	RU8	6.41	≤11.00	9.24	---	PASS
			52Tone	RU40	3.82	≤11.00	6.65	---	PASS
			106Tone	RU54	1.23	≤11.00	4.06	---	PASS
	total	5320	26Tone	RU8	8.78	≤11.00	11.67	---	PASS
			52Tone	RU40	6.43	≤11.00	9.32	---	PASS
			106Tone	RU54	3.90	≤11.00	6.79	---	PASS
	Ant1	5500	26Tone	RU0	6.66	≤11.00	9.63	---	PASS
			52Tone	RU37	3.87	≤11.00	6.84	---	PASS
			106Tone	RU53	1.79	≤11.00	4.76	---	PASS
	Ant2	5500	26Tone	RU0	5.16	≤11.00	7.99	---	PASS
			52Tone	RU37	2.45	≤11.00	5.28	---	PASS
			106Tone	RU53	-0.40	≤11.00	2.43	---	PASS
	total	5500	26Tone	RU0	8.98	≤11.00	11.90	---	PASS
			52Tone	RU37	6.23	≤11.00	9.14	---	PASS
			106Tone	RU53	3.84	≤11.00	6.76	---	PASS
	Ant1	5700	26Tone	RU8	6.15	≤11.00	9.12	---	PASS
			52Tone	RU40	3.43	≤11.00	6.40	---	PASS
			106Tone	RU54	0.78	≤11.00	3.75	---	PASS
	Ant2	5700	26Tone	RU8	6.48	≤11.00	9.31	---	PASS
			52Tone	RU40	4.10	≤11.00	6.93	---	PASS
			106Tone	RU54	1.42	≤11.00	4.25	---	PASS
	total	5700	26Tone	RU8	9.33	≤11.00	12.23	---	PASS
			52Tone	RU40	6.79	≤11.00	9.68	---	PASS
			106Tone	RU54	4.12	≤11.00	7.02	---	PASS
	Ant1	5745	26Tone	RU0	4.48	≤30.00	7.45	---	PASS
			52Tone	RU37	2.30	≤30.00	5.27	---	PASS
			106Tone	RU53	-0.48	≤30.00	2.49	---	PASS
	Ant2	5745	26Tone	RU0	4.45	≤30.00	7.28	---	PASS
			52Tone	RU37	1.91	≤30.00	4.74	---	PASS
			106Tone	RU53	-0.85	≤30.00	1.98	---	PASS

	total	5745	26Tone	RU0	7.48	≤30.00	10.38	---	PASS
			52Tone	RU37	5.12	≤30.00	8.02	---	PASS
			106Tone	RU53	2.35	≤30.00	5.25	---	PASS
	Ant1	5825	26Tone	RU8	4.00	≤30.00	6.97	---	PASS
			52Tone	RU40	1.74	≤30.00	4.71	---	PASS
			106Tone	RU54	-1.18	≤30.00	1.79	---	PASS
	Ant2	5825	26Tone	RU8	5.37	≤30.00	8.20	---	PASS
			52Tone	RU40	2.61	≤30.00	5.44	---	PASS
			106Tone	RU54	-0.17	≤30.00	2.66	---	PASS
	total	5825	26Tone	RU8	7.75	≤30.00	10.64	---	PASS
			52Tone	RU40	5.21	≤30.00	8.10	---	PASS
			106Tone	RU54	2.36	≤30.00	5.26	---	PASS


Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor is compensated in the graph.

9.5. Test graphs









11A Ant2 5200




11A Ant1 5240




11A Ant2 5240









11A Ant2 5280









11A Ant1 5320







11A Ant2 5320
















11A Ant2 5825



11N20MIMO Ant1 5180



11N20MIMO Ant2 5180

