





Plot 7-484. Radiated Spurious Emissions 1-18GHz TxBF Diversity (LE1M ePA – 5203MHz)



Plot 7-485. Radiated Spurious Emissions Above 18GHz (LE1M ePA – 5203MHz)

Mode: LE

Data Rate: 1Mbps

Power Scheme: ePA

Distance of Measurements: 3 Meters


Operating Frequency: 5203MHz

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
10406.00	Peak	H	-	-	-70.13	14.92	0.00	51.79	68.23	-16.44
* 15609.00	Average	V	-	-	-84.03	23.17	0.00	46.14	53.98	-7.84
* 15609.00	Peak	V	-	-	-72.86	23.17	0.00	57.31	73.98	-16.67
* 20812.00	Average	V	-	-	-62.05	-6.55	-9.54	28.86	53.98	-25.12
* 20812.00	Peak	V	-	-	-50.71	-6.55	-9.54	40.20	73.98	-33.78
26015.00	Peak	V	-	-	-49.94	-6.41	-9.54	41.11	68.23	-27.12

Table 7-60. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 308 of 416

V 11.0 06/2025



Plot 7-486. Radiated Spurious Emissions 1-18GHz TxBF Diversity (LE1M ePA – 5245MHz)

Mode: LE

Data Rate: 1Mbps

Power Scheme: ePA

Distance of Measurements: 3 Meters


Operating Frequency: 5245MHz

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
	10490.00	Peak	V	-	-	-70.33	14.67	51.34	68.23	-16.89
*	15735.00	Average	V	-	-	-83.98	23.99	47.02	53.98	-6.96
*	15735.00	Peak	V	-	-	-73.24	23.99	57.76	73.98	-16.22

Table 7-61. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 309 of 416

V 11.0 06/2025



Plot 7-487. Radiated Spurious Emissions 1-18GHz TxBF Diversity (LE1M ePA – 5733MHz)

Mode: LE

Data Rate: 1Mbps

Power Scheme: ePA

Distance of Measurements: 3 Meters


Operating Frequency: 5733MHz

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11466.00	Average	V	-	-	-82.20	16.44	41.24	53.98	-12.74
*	11466.00	Peak	V	-	-	-70.86	16.44	52.59	73.98	-21.39
	17199.00	Peak	V	-	-	-71.21	23.84	59.63	68.23	-8.60


Table 7-62. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 310 of 416

V 11.0 06/2025



Plot 7-488. Radiated Spurious Emissions 1-18GHz TxBF Diversity (LE1M ePA – 5788MHz)



Plot 7-489. Radiated Spurious Emissions Above 18GHz (LE1M ePA – 5788MHz)

Mode: LE

Data Rate: 1Mbps

Power Scheme: ePA

Distance of Measurements: 3 Meters


Operating Frequency: 5788MHz

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Distance Correction Factor [dB]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11576.00	Average	H	-	-	-81.39	16.77	0.00	42.39	53.98	-11.59
*	11576.00	Peak	H	-	-	-70.41	16.77	0.00	53.36	73.98	-20.62
	17364.00	Peak	V	-	-	-71.88	23.13	0.00	58.25	68.23	-9.98
	23152.00	Peak	V	-	-	-50.33	-6.94	-9.54	40.19	68.23	-28.04
	28940.00	Peak	H	-	-	-51.71	-4.89	-9.54	40.86	68.23	-27.37
	34728.00	Peak	H	-	-	-51.71	-4.90	-9.54	40.85	68.23	-27.38

Table 7-63. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 311 of 416

V 11.0 06/2025



Plot 7-490. Radiated Spurious Emissions 1-18GHz TxBF Diversity (LE1M ePA – 5844MHz)

Mode: LE

Data Rate: 1Mbps

Power Scheme: ePA

Distance of Measurements: 3 Meters

Operating Frequency: 5844MHz

	Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
*	11688.00	Average	H	-	-	-81.27	17.03	42.76	53.98	-11.22
*	11688.00	Peak	H	-	-	-70.29	17.03	53.74	73.98	-20.24
	17532.00	Peak	V	-	-	-72.87	24.73	58.86	68.23	-9.37


Table 7-64. Radiated Spurious Emissions Measurements TxBF Diversity

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 312 of 416

V 11.0 06/2025


7.6.3 Antenna WF5B Radiated Band Edge Measurements (U-NII-1)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-491 Radiated Lower Band Edge Measurement Antenna WF5B

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-492 Radiated Lower Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 313 of 416


V 11.0 06/2025

Mode	LE2M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-493 Radiated Lower Band Edge Measurement Antenna WF5B

Mode	HDR4
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-494 Radiated Lower Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 314 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	HDR8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-495 Radiated Lower Band Edge Measurement Antenna WF5B

Mode	XHDRPS2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-496 Radiated Lower Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 315 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	XHDRPM8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-497 Radiated Lower Band Edge Measurement Antenna WF5B

Mode	XHDRPM16
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-498 Radiated Lower Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 316 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-499 Radiated Lower Band Edge Measurement Antenna WF5B

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-500 Radiated Lower Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 317 of 416


V 11.0 06/2025

Mode	HDT2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-501 Radiated Lower Band Edge Measurement Antenna WF5B

Mode	HDT8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-502 Radiated Lower Band Edge Measurement Antenna WF5B


FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 318 of 416

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.4 Antenna WF5B Radiated Band Edge Measurements (U-NII-3)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-503 Radiated Lower Band Edge Measurement Antenna WF5B

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-504 Radiated Lower Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 319 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	LE2M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-505 Radiated Lower Band Edge Measurement Antenna WF5B

Mode	HDR4
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-506 Radiated Lower Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 320 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	HDR8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-507 Radiated Lower Band Edge Measurement Antenna WF5B

Mode	XHDRPS2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-508 Radiated Lower Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 321 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	XHDRPM8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-509 Radiated Lower Band Edge Measurement Antenna WF5B

Mode	XHDRPM16
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-510 Radiated Lower Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 322 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-511 Radiated Lower Band Edge Measurement Antenna WF5B

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-512 Radiated Lower Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 323 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	HDT2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-513 Radiated Lower Band Edge Measurement Antenna WF5B

Mode	HDT8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-514 Radiated Lower Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 324 of 416


V 11.0 06/2025

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-515 Radiated Upper Band Edge Measurement Antenna WF5B

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz




Plot 7-516 Radiated Upper Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 325 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	LE2M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-517 Radiated Upper Band Edge Measurement Antenna WF5B

Mode	HDR4
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz




Plot 7-518 Radiated Upper Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 326 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	HDR8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-519 Radiated Upper Band Edge Measurement Antenna WF5B

Mode	XHDRPS2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz




Plot 7-520 Radiated Upper Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 327 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-521 Radiated Upper Band Edge Measurement Antenna WF5B

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-522 Radiated Upper Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 328 of 416


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-523 Radiated Upper Band Edge Measurement Antenna WF5B

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-524 Radiated Upper Band Edge Measurement Antenna WF5B

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 329 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	HDT2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-525 Radiated Upper Band Edge Measurement Antenna WF5B

Mode	HDT8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-526 Radiated Upper Band Edge Measurement Antenna WF5B


FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 330 of 416

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.5 Antenna WF8 Radiated Band Edge Measurements (U-NII-1)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-527 Radiated Lower Band Edge Measurement Antenna WF8

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-528 Radiated Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 331 of 416


V 11.0 06/2025

Mode	LE2M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-529 Radiated Lower Band Edge Measurement Antenna WF8

Mode	HDR4
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-530 Radiated Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 332 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-531 Radiated Lower Band Edge Measurement Antenna WF8

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-532 Radiated Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 333 of 416


V 11.0 06/2025

Mode	XHDRPM8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-533 Radiated Lower Band Edge Measurement Antenna WF8

Mode	XHDRPM16
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-534 Radiated Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 334 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz



Plot 7-535 Radiated Lower Band Edge Measurement Antenna WF8

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz




Plot 7-536 Radiated Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 335 of 416


V 11.0 06/2025

Mode	HDT2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-537 Radiated Lower Band Edge Measurement Antenna WF8

Mode	HDT8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-538 Radiated Lower Band Edge Measurement Antenna WF8


FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 336 of 416

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.6 Antenna WF8 Radiated Band Edge Measurements (U-NII-3)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-539 Radiated Lower Band Edge Measurement Antenna WF8

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-540 Radiated Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 337 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	LE2M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-541 Radiated Lower Band Edge Measurement Antenna WF8

Mode	HDR4
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-542 Radiated Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 338 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	HDR8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-543 Radiated Lower Band Edge Measurement Antenna WF8

Mode	XHDRPS2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-544 Radiated Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 339 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	XHDRPM8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-545 Radiated Lower Band Edge Measurement Antenna WF8

Mode	XHDRPM16
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-546 Radiated Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 340 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	XHDRPL16
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-547 Radiated Lower Band Edge Measurement Antenna WF8

Mode	XHDRPL32
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-548 Radiated Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 341 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	HDT2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-549 Radiated Lower Band Edge Measurement Antenna WF8

Mode	HDT8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-550 Radiated Lower Band Edge Measurement Antenna WF8

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 342 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-551 Radiated Upper Band Edge Measurement Antenna WF8

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz




Plot 7-552 Radiated Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 343 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	LE2M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-553 Radiated Upper Band Edge Measurement Antenna WF8

Mode	HDR4
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz




Plot 7-554 Radiated Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 344 of 416


V 11.0 06/2025

Mode	HDR8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-555 Radiated Upper Band Edge Measurement Antenna WF8

Mode	XHDRPS2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz




Plot 7-556 Radiated Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 345 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-557 Radiated Upper Band Edge Measurement Antenna WF8

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-558 Radiated Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 346 of 416


V 11.0 06/2025

Mode	XHDRPL16
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-559 Radiated Upper Band Edge Measurement Antenna WF8

Mode	XHDRPL32
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz




Plot 7-560 Radiated Upper Band Edge Measurement Antenna WF8

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 347 of 416


V 11.0 06/2025

Mode	HDT2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-561 Radiated Upper Band Edge Measurement Antenna WF8

Mode	HDT8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-562 Radiated Upper Band Edge Measurement Antenna WF8


FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 348 of 416

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.7 Antenna WF7 Radiated Band Edge Measurements (U-NII-1)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-563 Radiated Lower Band Edge Measurement Antenna WF7

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-564 Radiated Lower Band Edge Measurement Antenna WF7

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 349 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-565 Radiated Lower Band Edge Measurement Antenna WF7

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-566 Radiated Lower Band Edge Measurement Antenna WF7

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 350 of 416


V 11.0 06/2025

Mode	HDR8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-567 Radiated Lower Band Edge Measurement Antenna WF7

Mode	XHDRPS2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-568 Radiated Lower Band Edge Measurement Antenna WF7

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 351 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	XHDRPM8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-569 Radiated Lower Band Edge Measurement Antenna WF7

Mode	XHDRPM16
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-570 Radiated Lower Band Edge Measurement Antenna WF7

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 352 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	XHDRPL16
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5164MHz



Plot 7-571 Radiated Lower Band Edge Measurement Antenna WF7

Mode	XHDRPL32
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5164MHz




Plot 7-572 Radiated Lower Band Edge Measurement Antenna WF7

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 353 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode HDT2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-573 Radiated Lower Band Edge Measurement Antenna WF7

Mode HDT8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-574 Radiated Lower Band Edge Measurement Antenna WF7

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 354 of 416

V 11.0 06/2025


7.6.8 Antenna WF7 Radiated Band Edge Measurements (U-NII-3)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-575 Radiated Lower Band Edge Measurement Antenna WF7

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-576 Radiated Lower Band Edge Measurement Antenna WF7

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 355 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	LE2M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-577 Radiated Lower Band Edge Measurement Antenna WF7

Mode	HDR4
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-578 Radiated Lower Band Edge Measurement Antenna WF7

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 356 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	HDR8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-579 Radiated Lower Band Edge Measurement Antenna WF7

Mode	XHDRPS2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-580 Radiated Lower Band Edge Measurement Antenna WF7

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 357 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	XHDRPM8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-581 Radiated Lower Band Edge Measurement Antenna WF7

Mode	XHDRPM16
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-582 Radiated Lower Band Edge Measurement Antenna WF7

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 358 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz



Plot 7-583 Radiated Lower Band Edge Measurement Antenna WF7

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5733MHz




Plot 7-584 Radiated Lower Band Edge Measurement Antenna WF7

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 359 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	HDT2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-585 Radiated Lower Band Edge Measurement Antenna WF7

Mode	HDT8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-586 Radiated Lower Band Edge Measurement Antenna WF7

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 360 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-587 Radiated Upper Band Edge Measurement Antenna WF7

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz




Plot 7-588 Radiated Upper Band Edge Measurement Antenna WF7

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 361 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	LE2M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-589 Radiated Upper Band Edge Measurement Antenna WF7

Mode	HDR4
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz




Plot 7-590 Radiated Upper Band Edge Measurement Antenna WF7

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 362 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	HDR8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-591 Radiated Upper Band Edge Measurement Antenna WF7

Mode	XHDRPS2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz




Plot 7-592 Radiated Upper Band Edge Measurement Antenna WF7

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 363 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	XHDRPM8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-593 Radiated Upper Band Edge Measurement Antenna WF7

Mode	XHDRPM16
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz




Plot 7-594 Radiated Upper Band Edge Measurement Antenna WF7

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 364 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz



Plot 7-595 Radiated Upper Band Edge Measurement Antenna WF7

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5844MHz




Plot 7-596 Radiated Upper Band Edge Measurement Antenna WF7

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 365 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	HDT2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-597 Radiated Upper Band Edge Measurement Antenna WF7

Mode	HDT8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5844MHz



Plot 7-598 Radiated Upper Band Edge Measurement Antenna WF7


FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 366 of 416

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.9 TxBF Primary Radiated Band Edge Measurements (U-NII-1)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-599 Radiated Lower Band Edge Measurement TxBF Primary

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz




Plot 7-600 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 367 of 416


V 11.0 06/2025

Mode LE2M
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-601 Radiated Lower Band Edge Measurement TxBF Primary

Mode HDR4
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-602 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 368 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode HDR8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-603 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPS2
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-604 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 369 of 416


V 11.0 06/2025

Mode XHDRPM8
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-605 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPM16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz




Plot 7-606 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 370 of 416


V 11.0 06/2025

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-607 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPL16
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz




Plot 7-608 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 371 of 416


V 11.0 06/2025

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5162MHz



Plot 7-609 Radiated Lower Band Edge Measurement TxBF Primary

Mode XHDRPL32
Power Scheme ePA
Distance of Measurement 3 Meters
Operating Frequency 5164MHz




Plot 7-610 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 372 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	HDT2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-611 Radiated Lower Band Edge Measurement TxBF Primary

Mode	HDT8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5162MHz



Plot 7-612 Radiated Lower Band Edge Measurement TxBF Primary


FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 373 of 416

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.10 TxBF Primary Radiated Band Edge Measurements (U-NII-3)

Mode	BDR
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-613 Radiated Lower Band Edge Measurement TxBF Primary

Mode	LE1M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-614 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 374 of 416


V 11.0 06/2025

Mode	LE2M
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-615 Radiated Lower Band Edge Measurement TxBF Primary

Mode	HDR4
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-616 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 375 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	HDR8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-617 Radiated Lower Band Edge Measurement TxBF Primary

Mode	XHDRPS2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-618 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 376 of 416

V 11.0 06/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

Mode	XHDRPM8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-619 Radiated Lower Band Edge Measurement TxBF Primary

Mode	XHDRPM16
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-620 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 377 of 416


V 11.0 06/2025

Mode	XHDRPL16
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-621 Radiated Lower Band Edge Measurement TxBF Primary

Mode	XHDRPL32
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz




Plot 7-622 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 378 of 416


V 11.0 06/2025

Mode	HDT2
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-623 Radiated Lower Band Edge Measurement TxBF Primary

Mode	HDT8
Power Scheme	ePA
Distance of Measurement	3 Meters
Operating Frequency	5733MHz



Plot 7-624 Radiated Lower Band Edge Measurement TxBF Primary

FCC ID: BCGA3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-10-R3.BCG	Test Dates: 05/12/2025 - 08/13/2025	EUT Type: Tablet Device	Page 379 of 416

V 11.0 06/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.