




7.6.15 Antenna WF7 Radiated Band Edge Measurements (160MHz BW)




Plot 7-357. Antenna WF7 (Peak & Average, Ch.50, 802.11ac, MCS9)




Plot 7-360. Antenna WF7 (Peak, Ch.114 (FCC ONLY), 802.11ac, MCS9)




Plot 7-358. Antenna WF7 (Peak & Average, Ch.50, 802.11ac, MCS9)



Plot 7-361. Antenna WF7 (Peak & Average, Ch.50, 802.11be(SU), MCS11)



Plot 7-359. Antenna WF7 (Peak & Average, Ch.114 (FCC ONLY), 802.11ac, MCS9)




Plot 7-362. Antenna WF7 (Peak & Average, Ch.50, 802.11be(SU), MCS11)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 212 of 259

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-363. Antenna WF7 (Peak & Average, Ch.114 (FCC ONLY), 802.11be(SU), MCS11)




Plot 7-364. Antenna WF7 (Peak, Ch.114 (FCC ONLY), 802.11be(SU), MCS11)


FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 213 of 259

V 11.0 05/2025


7.6.16 CDD Primary Radiated Band Edge Measurements (20MHz BW)




Plot 7-365. CDD Primary (Peak & Average, Ch.36, 802.11n, MCS7)




Plot 7-368. CDD Primary (Peak & Average, Ch.64, 802.11n, MCS7)




Plot 7-366. CDD Primary (Peak & Average, Ch.40, 802.11n, MCS7)



Plot 7-369. CDD Primary (Peak & Average, Ch.100, 802.11n, MCS7)



Plot 7-367. CDD Primary (Peak & Average, Ch.60, 802.11n, MCS7)




Plot 7-370. CDD Primary (Peak & Average, Ch.104, 802.11n, MCS7)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 214 of 259

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-371. CDD Primary (Peak, Ch.136, 802.11n, MCS7)




Plot 7-374. CDD Primary (Peak, Ch.165, 802.11n, MCS7)




Plot 7-372. CDD Primary (Peak, Ch.140, 802.11n, MCS7)



Plot 7-375. CDD Primary (Peak & Average, Ch.36, 802.11be(SU), MCS11)




Plot 7-373. CDD Primary (Peak, Ch.149, 802.11n, MCS7)




Plot 7-376. CDD Primary (Peak & Average, Ch.40, 802.11be(SU), MCS11)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 215 of 259




Plot 7-377. CDD Primary (Peak & Average, Ch.60, 802.11be(SU), MCS11)




Plot 7-380. CDD Primary (Peak & Average, Ch.104, 802.11be(SU), MCS11)




Plot 7-378. CDD Primary (Peak & Average, Ch.64, 802.11be(SU), MCS11)



Plot 7-381. CDD Primary (Peak & Average, Ch.108, 802.11be(SU), MCS11)




Plot 7-379. CDD Primary (Peak & Average, Ch.100, 802.11be(SU), MCS11)




Plot 7-382. CDD Primary (Peak, Ch.136, 802.11be(SU), MCS11)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 216 of 259



Plot 7-383. CDD Primary (Peak, Ch.140, 802.11be(SU), MCS11)



Plot 7-385. CDD Primary (Peak, Ch.165, 802.11be(SU), MCS11)




Plot 7-384. CDD Primary (Peak, Ch.149, 802.11be(SU), MCS11)


FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 217 of 259

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-392. CDD Primary (Peak & Average, Ch.118 (FCC ONLY), 802.11n, MCS7)




Plot 7-395. CDD Primary (Peak, Ch.151, 802.11n, MCS7)




Plot 7-393. CDD Primary (Peak, Ch.126 (FCC ONLY), 802.11n, MCS7)



Plot 7-396. CDD Primary (Peak, Ch.159, 802.11n, MCS7)



Plot 7-394. CDD Primary (Peak, Ch.134, 802.11n, MCS7)




Plot 7-397. CDD Primary (Peak & Average, Ch.38, 802.11be(SU), MCS11)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 219 of 259

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-398. CDD Primary (Peak & Average, Ch.46, 802.11be(SU), MCS11)




Plot 7-401. CDD Primary (Peak & Average, Ch.102, 802.11be(SU), MCS11)




Plot 7-399. CDD Primary (Peak & Average, Ch.54, 802.11be(SU), MCS11)



Plot 7-402. CDD Primary (Peak & Average, Ch.110, 802.11be(SU), MCS11)




Plot 7-400. CDD Primary (Peak & Average, Ch.62, 802.11be(SU), MCS11)




Plot 7-403. CDD Primary (Peak & Average, Ch.118 (FCC ONLY), 802.11be(SU), MCS11)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 220 of 259




Plot 7-404. CDD Primary (Peak, Ch.118 (FCC ONLY), 802.11be(SU), MCS11)




Plot 7-407. CDD Primary (Peak, Ch.151, 802.11be(SU), MCS11)



Plot 7-405. CDD Primary (Peak, Ch.126 (FCC ONLY), 802.11be(SU), MCS11)



Plot 7-408. CDD Primary (Peak, Ch.159, 802.11be(SU), MCS11)




Plot 7-406. CDD Primary (Peak, Ch.134, 802.11be(SU), MCS11)

FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 221 of 259


V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.


7.6.18 CDD Primary Radiated Band Edge Measurements (80MHz BW)




Plot 7-409. CDD Primary (Peak & Average, Ch.42, 802.11ac, MCS9)




Plot 7-412. CDD Primary (Peak & Average, Ch.122 (FCC ONLY), 802.11ac, MCS9)




Plot 7-410. CDD Primary (Peak & Average, Ch.58, 802.11ac, MCS9)



Plot 7-413. CDD Primary (Peak, Ch.122 (FCC ONLY), 802.11ac, MCS9)



Plot 7-411. CDD Primary (Peak & Average, Ch.106, 802.11ac, MCS9)




Plot 7-414. CDD Primary (Peak, Ch.155, 802.11ac, MCS9)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 222 of 259

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-415. CDD Primary (Peak, Ch.155, 802.11ac, MCS9)




Plot 7-418. CDD Primary (Peak & Average, Ch.106, 802.11be(SU), MCS11)




Plot 7-416. CDD Primary (Peak & Average, Ch.42, 802.11be(SU), MCS11)



Plot 7-419. CDD Primary (Peak & Average, Ch.122 (FCC ONLY), 802.11be(SU), MCS11)




Plot 7-417. CDD Primary (Peak & Average, Ch.58, 802.11be(SU), MCS11)




Plot 7-420. CDD Primary (Peak, Ch.122 (FCC ONLY), 802.11be(SU), MCS11)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG			Page 223 of 259
Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		




Plot 7-421. CDD Primary (Peak, Ch.155, 802.11be(SU), MCS11)




Plot 7-422. CDD Primary (Peak, Ch.155, 802.11be(SU), MCS11)

FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 224 of 259

V 11.0 05/2025




Plot 7-429. CDD Primary (Peak & Average, Ch.114 (FCC ONLY), 802.11be(SU), MCS11)




Plot 7-430. CDD Primary (Peak, Ch.114 (FCC ONLY), 802.11be(SU), MCS11)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 226 of 259


7.6.20 CDD Diversity Radiated Band Edge Measurements (20MHz BW)




Plot 7-431. CDD Diversity (Peak & Average, Ch.36, 802.11n, MCS7)




Plot 7-434. CDD Diversity (Peak & Average, Ch.64, 802.11n, MCS7)




Plot 7-432. CDD Diversity (Peak & Average, Ch.40, 802.11n, MCS7)



Plot 7-435. CDD Diversity (Peak & Average, Ch.100, 802.11n, MCS7)




Plot 7-433. CDD Diversity (Peak & Average, Ch.60, 802.11n, MCS7)




Plot 7-436. CDD Diversity (Peak & Average, Ch.104, 802.11n, MCS7)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 227 of 259




Plot 7-437. CDD Diversity (Peak, Ch.136, 802.11n, MCS7)




Plot 7-440. CDD Diversity (Peak, Ch.165, 802.11n, MCS7)




Plot 7-438. CDD Diversity (Peak, Ch.140, 802.11n, MCS7)



Plot 7-441. CDD Diversity (Peak & Average, Ch.36, 802.11be(SU), MCS11)




Plot 7-439. CDD Diversity (Peak, Ch.149, 802.11n, MCS7)




Plot 7-442. CDD Diversity (Peak & Average, Ch.40, 802.11be(SU), MCS11)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 228 of 259




Plot 7-443. CDD Diversity (Peak & Average, Ch.60, 802.11be(SU), MCS11)




Plot 7-446. CDD Diversity (Peak & Average, Ch.104, 802.11be(SU), MCS11)




Plot 7-444. CDD Diversity (Peak & Average, Ch.64, 802.11be(SU), MCS11)



Plot 7-447. CDD Diversity (Peak & Average, Ch.108, 802.11be(SU), MCS11)




Plot 7-445. CDD Diversity (Peak & Average, Ch.100, 802.11be(SU), MCS11)




Plot 7-448. CDD Diversity (Peak, Ch.136, 802.11be(SU), MCS11)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 229 of 259



Plot 7-449. CDD Diversity (Peak, Ch.140, 802.11be(SU), MCS11)



Plot 7-451. CDD Diversity (Peak, Ch.165, 802.11be(SU), MCS11)




Plot 7-450. CDD Diversity (Peak, Ch.149, 802.11be(SU), MCS11)


FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 230 of 259

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-458. CDD Diversity (Peak & Average, Ch.110, 802.11n, MCS7)




Plot 7-461. CDD Diversity (Peak, Ch.126 (FCC ONLY), 802.11n, MCS7)




Plot 7-459. CDD Diversity (Peak & Average, Ch.118 (FCC ONLY), 802.11n, MCS7)



Plot 7-462. CDD Diversity (Peak, Ch.134, 802.11n, MCS7)




Plot 7-460. CDD Diversity (Peak, Ch.118 (FCC ONLY), 802.11n, MCS7)




Plot 7-463. CDD Diversity (Peak, Ch.151, 802.11n, MCS7)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 232 of 259




Plot 7-464. CDD Diversity (Peak, Ch.159, 802.11n, MCS7)




Plot 7-467. CDD Diversity (Peak & Average, Ch.54, 802.11be(SU), MCS11)




Plot 7-465. CDD Diversity (Peak & Average, Ch.38, 802.11be(SU), MCS11)



Plot 7-468. CDD Diversity (Peak & Average, Ch.62, 802.11be(SU), MCS11)




Plot 7-466. CDD Diversity (Peak & Average, Ch.46, 802.11be(SU), MCS11)




Plot 7-469. CDD Diversity (Peak & Average, Ch.102, 802.11be(SU), MCS11)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 233 of 259




Plot 7-470. CDD Diversity (Peak & Average, Ch.110, 802.11be(SU), MCS11)




Plot 7-473. CDD Diversity (Peak, Ch.126 (FCC ONLY), 802.11be(SU), MCS11)




Plot 7-471. CDD Diversity (Peak & Average, Ch.118 (FCC ONLY), 802.11be(SU), MCS11)



Plot 7-474. CDD Diversity (Peak, Ch.134, 802.11be(SU), MCS11)



Plot 7-472. CDD Diversity (Peak, Ch.118 (FCC ONLY), 802.11be(SU), MCS11)




Plot 7-475. CDD Diversity (Peak, Ch.151, 802.11be(SU), MCS11)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 234 of 259

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-476. CDD Diversity (Peak, Ch.159, 802.11be(SU), MCS11)


FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 235 of 259

V 11.0 05/2025


7.6.22 CDD Diversity Radiated Band Edge Measurements (80MHz BW)




Plot 7-477. CDD Diversity (Peak & Average, Ch.42, 802.11ac, MCS9)




Plot 7-480. CDD Diversity (Peak & Average, Ch.122 (FCC ONLY), 802.11ac, MCS9)




Plot 7-478. CDD Diversity (Peak & Average, Ch.58, 802.11ac, MCS9)



Plot 7-481. CDD Diversity (Peak, Ch.122 (FCC ONLY), 802.11ac, MCS9)



Plot 7-479. CDD Diversity (Peak & Average, Ch.106, 802.11ac, MCS9)




Plot 7-482. CDD Diversity (Peak, Ch.155, 802.11ac, MCS9)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 236 of 259

V 11.0 05/2025


Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-483. CDD Diversity (Peak, Ch.155, 802.11ac, MCS9)




Plot 7-486. CDD Diversity (Peak & Average, Ch.106, 802.11be(SU), MCS11)




Plot 7-484. CDD Diversity (Peak & Average, Ch.42, 802.11be(SU), MCS11)



Plot 7-487. CDD Diversity (Peak & Average, Ch.122 (FCC ONLY), 802.11be(SU), MCS11)




Plot 7-485. CDD Diversity (Peak & Average, Ch.58, 802.11be(SU), MCS11)




Plot 7-488. CDD Diversity (Peak, Ch.122 (FCC ONLY), 802.11be(SU), MCS11)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device		Page 237 of 259




Plot 7-489. CDD Diversity (Peak, Ch.155, 802.11be(SU), MCS11)




Plot 7-490. CDD Diversity (Peak, Ch.155, 802.11be(SU), MCS11)

FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 238 of 259


7.6.23 CDD Diversity Radiated Band Edge Measurements (160MHz BW)




Plot 7-491. CDD Diversity (Peak & Average, Ch.50, 802.11ac, MCS9)




Plot 7-494. CDD Diversity (Peak, Ch.114 (FCC ONLY), 802.11ac, MCS9)




Plot 7-492. CDD Diversity (Peak & Average, Ch.50, 802.11ac, MCS9)



Plot 7-495. CDD Diversity (Peak & Average, Ch.50, 802.11be(SU), MCS11)



Plot 7-493. CDD Diversity (Peak & Average, Ch.114 (FCC ONLY), 802.11ac, MCS9)




Plot 7-496. CDD Diversity (Peak & Average, Ch.50, 802.11be(SU), MCS11)


FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 239 of 259

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-497. CDD Diversity (Peak & Average, Ch.114 (FCC ONLY), 802.11be(SU), MCS11)



Plot 7-498. CDD Diversity (Peak, Ch.114 (FCC ONLY), 802.11be(SU), MCS11)

FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 240 of 259

7.7 Radiated Spurious Emissions – Below 1GHz

§15.209; RSS-Gen [8.9]

Test Overview and Limit

All out of band radiated spurious emissions are measured with a spectrum analyzer connected to a receive antenna while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for radiated spurious emissions. Only the radiated emissions of the configuration that produced the worst case emissions are reported in this section.

All out of band emissions appearing in a restricted band as specified in Section 15.205 of the Title 47 CFR and Table 7 of RSS-Gen (8.10) must not exceed the limits shown in Table 7-165 per Section 15.209 and RSS-Gen (8.9).

Frequency	Field Strength [μV/m]	Measured Distance [Meters]
0.009 – 0.490 MHz	2400/F (kHz)	300
0.490 – 1.705 MHz	24000/F (kHz)	30
1.705 – 30.00 MHz	30	30
30.00 – 88.00 MHz	100	3
88.00 – 216.0 MHz	150	3
216.0 – 960.0 MHz	200	3
Above 960.0 MHz	500	3

Table 7-165. Radiated Limits

Test Procedures Used

ANSI C63.10-2020

Test Settings

Quasi-Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Peak Field Strength Measurements

1. Analyzer center frequency was set to the frequency of the radiated spurious emission of interest
2. RBW = 120kHz (for emissions from 30MHz – 1GHz)
3. VBW = 300kHz
4. Detector = quasi-peak
5. Sweep time = auto couple
6. Trace mode = max hold
7. Trace was allowed to stabilize

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 241 of 259

V 11.0 05/2025

Test Setup

The EUT and measurement equipment were set up as shown in the diagrams below.




Figure 7-6. Radiated Test Setup < 30MHz




Figure 7-7. Radiated Test Setup < 1GHz

FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 242 of 259

V 11.0 05/2025

Test Notes

1. All emissions lying in restricted bands specified in §15.205 and RSS-Gen (8.10) are below the limit shown in Table 7-165.
2. The broadband receive antenna is manipulated through vertical and horizontal polarizations during the tests. The EUT is manipulated through three orthogonal planes. For below 30MHz the loop antenna was positioned in 3 orthogonal planes (X front, Y side, Z top) to determine the orientation resulting in the worst case emissions.
3. This unit was tested with its standard battery.
4. The spectrum is investigated using a peak detector and final measurements are recorded using CISPR quasi peak detector on emissions that were within 6dB of the limit.
5. Emissions were measured at a 3 meter test distance.
6. Emissions are investigated while operating on the center channel of the mode, band, and modulation that produced the worst case results during the transmitter spurious emissions testing.
7. No spurious emissions were detected within 20dB of the limit below 30MHz.
8. The results recorded using the broadband antenna is known to correlate with the results obtained by using a tuned dipole with an acceptable degree of accuracy. The VSWR for the measurement antenna was found to be less than 2:1.
9. Both configurations below were investigated, and the worst case has been reported.
 - a. EUT powered by AC/DC adaptor via USB-C cable with wire charger
 - b. EUT powered by host PC via USB-C cable with wire charger
10. All antenna configurations were investigated and only the worst case is reported.
11. The unit was tested with all possible modes and only the highest emission is reported.

Sample Calculations


Determining Spurious Emissions Levels

- Field Strength Level $_{[dB\mu V/m]} = \text{Analyzer Level }_{[dBm]} + 107 + \text{AFCL }_{[dB/m]}$
- $\text{AFCL }_{[dB/m]} = \text{Antenna Factor }_{[dB/m]} + \text{Cable Loss }_{[dB]} - \text{Preamp Gain }_{[dB]}$
- $\text{Margin }_{[dB]} = \text{Field Strength Level }_{[dB\mu V/m]} - \text{Limit }_{[dB\mu V/m]}$

FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 243 of 259

V 11.0 05/2025

7.7.1 CDD Primary Radiated Spurious Emissions Measurements (Below 1GHz)




Plot 7-499. Radiated Spurious Emissions below 1GHz CDD Primary, 802.11n, Ch.40 with AC/DC Adapter

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
45.23	Max Peak	V	100	188	-60.57	-14.53	31.90	40.00	-8.10
54.30	Max Peak	V	100	55	-66.49	-14.57	25.94	40.00	-14.06
126.90	Max Peak	V	100	347	-64.06	-19.36	23.58	43.52	-19.94
189.57	Max Peak	H	200	129	-60.52	-16.77	29.71	43.52	-13.81
296.02	Max Peak	H	100	223	-68.15	-13.43	25.42	46.02	-20.60
679.90	Max Peak	H	100	301	-71.51	-5.52	29.97	46.02	-16.05

Table 7-166. Radiated Spurious Emissions below 1GHz CDD Primary, 802.11n, Ch.40 with AC/DC Adapter

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 244 of 259

V 11.0 05/2025



Plot 7-500. Radiated Spurious Emissions below 1GHz CDD Primary, 802.11be (SU), Ch.40 with AC/DC Adapter


Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
34.85	Max Peak	V	100	229	-65.07	-17.69	24.24	40.00	-15.76
45.37	Max Peak	V	200	132	-61.00	-14.52	31.48	40.00	-8.52
129.96	Max Peak	H	200	147	-62.44	-19.58	24.98	43.52	-18.54
188.64	Max Peak	H	200	142	-61.03	-16.94	29.03	43.52	-14.49
271.92	Max Peak	H	100	70	-68.54	-14.02	24.44	46.02	-21.58
968.23	Max Peak	H	100	240	-76.14	-1.50	29.36	53.98	-24.62

Table 7-167. Radiated Spurious Emissions below 1GHz CDD Primary, 802.11be (SU), Ch.40 with AC/DC Adapter

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 245 of 259

V 11.0 05/2025

7.7.2 CDD Diversity Radiated Spurious Emissions Measurements (Below 1GHz)




Plot 7-501. Radiated Spurious Emissions below 1GHz CDD Diversity, 802.11n, Ch.40 with AC/DC Adapter

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
31.89	Max Peak	V	100	0	-56.68	-19.47	30.85	40.00	-9.15
44.58	Max Peak	V	100	6	-55.89	-17.59	33.52	40.00	-6.48
102.33	Max Peak	H	200	273	-63.18	-21.47	22.35	43.52	-21.17
127.84	Max Peak	H	200	259	-62.88	-20.35	23.77	43.52	-19.75
192.49	Max Peak	H	100	305	-61.75	-16.23	29.02	43.52	-14.50
705.77	Max Peak	H	100	74	-63.35	-14.51	29.14	46.02	-16.88

Table 7-168. Radiated Spurious Emissions below 1GHz CDD Diversity, 802.11n, Ch.40 with AC/DC Adapter

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 246 of 259

V 11.0 05/2025



Plot 7-502. Radiated Spurious Emissions below 1GHz CDD Diversity, 802.11be (SU), Ch.40 with AC/DC Adapter

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBµV/m]	Limit [dBµV/m]	Margin [dB]
46.39	Max Peak	V	100	312	-60.59	-14.43	31.98	40.00	-8.02
65.89	Max Peak	V	100	231	-65.01	-17.60	24.39	40.00	-15.61
93.49	Max Peak	V	100	106	-62.62	-17.66	26.72	43.52	-16.80
180.59	Max Peak	H	200	88	-60.30	-17.73	28.97	43.52	-14.55
228.90	Max Peak	H	100	249	-65.82	-15.21	25.97	46.02	-20.05
301.31	Max Peak	H	100	124	-71.42	-13.30	22.28	46.02	-23.74

Table 7-169. Radiated Spurious Emissions below 1GHz CDD Diversity, 802.11be (SU), Ch.40 with AC/DC Adapter


FCC ID: BCGA3357 IC: 579C-A3357	 MEASUREMENT REPORT (CERTIFICATION)		Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 247 of 259

V 11.0 05/2025

7.7.3 Simultaneous TX Radiated Spurious Emissions Measurements (Below 1GHz)

Description	Bluetooth	UNII
Antenna	Antenna WF7	Antenna WF7
Channel	78	36
Operating Frequency (MHz)	2480	5180
Mode/Modulation	GFSK ePA	802.11n

Table 7-170. Worst Case Simultaneous Transmission Configuration



Plot 7-503. Radiated Spurious Emissions – Simultaneous Transmission 30MHz – 1GHz, with AC/DC Adapter)

Frequency [MHz]	Detector	Ant. Pol. [H/V]	Antenna Height [cm]	Turntable Azimuth [degree]	Analyzer Level [dBm]	AFCL [dB/m]	Field Strength [dBuV/m]	Limit [dBuV/m]	Margin [dB]
42.60	Max-Peak	V	200	-	-62.81	-15.92	28.27	40.00	-11.73
58.32	Max-Peak	V	100	-	-61.42	-16.37	29.21	40.00	-10.79
151.69	Max-Peak	H	200	-	-64.00	-20.96	22.04	43.50	-21.46
180.55	Max-Peak	H	100	-	-59.36	-19.44	28.21	43.50	-15.29
288.79	Max-Peak	H	100	-	-63.61	-15.59	27.80	46.00	-18.20
479.54	Max-Peak	H	300	-	-73.48	-11.32	22.20	46.00	-23.80

Table 7-171. Radiated Spurious Emissions – Simultaneous Transmission 30MHz – 1GHz, with AC/DC Adapter)

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 248 of 259

V 11.0 05/2025

7.8 AC Line-Conducted Emissions Measurement

§15.407; RSS-Gen [8.8]

Test Overview and Limit

All AC line conducted spurious emissions are measured with a receiver connected to a grounded LISN while the EUT is operating at its maximum duty cycle, at maximum power, and at the appropriate frequencies. All data rates and modes were investigated for AC Line conducted spurious emissions. Only the conducted emissions of the configuration that produced the worst case emissions are reported in this section.

All conducted emissions must not exceed the limits shown in the table below, per Section 15.207 and RSS-Gen (8.8).

Frequency of emission (MHz)	Conducted Limit (dBμV)	
	Quasi-peak	Average
0.15 – 0.5	66 to 56*	56 to 46*
0.5 – 5	56	46
5 – 30	60	50

Table 7-172. Conducted Limits

*Decreases with the logarithm of the frequency.

Test Procedures Used

ANSI C63.10-2020, Section 6.2

Test Settings

Quasi-Peak Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = quasi-peak
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

Average Measurements

1. Analyzer center frequency was set to the frequency of the spurious emission of interest
2. RBW = 9kHz (for emissions from 150kHz – 30MHz)
3. Detector = RMS
4. Sweep time = auto couple
5. Trace mode = max hold
6. Trace was allowed to stabilize

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 249 of 259

V 11.0 05/2025

Test Setup

The EUT and measurement equipment were set up as shown in the diagram below.




Figure 7-8. Test Instrument & Measurement Setup


Test Notes

- All modes of operation were investigated and the worst-case emissions are reported. The emissions found were not affected by the choice of channel used during testing.
- Both configurations below were investigated, and the worst case has been reported.
 - EUT powered by AC/DC adaptor via USB-C cable with wire charger
 - EUT powered by host PC via USB-C cable with wire charger
- The limit for an intentional radiator from 150kHz to 30MHz are specified in 15.207 and RSS-Gen (8.8).
- $\text{Corr. (dB)} = \text{Cable loss (dB)} + \text{LISN insertion factor (dB)}$
- $\text{QP/AV Level (dB}\mu\text{V)} = \text{QP/AV Analyzer/Receiver Level (dB}\mu\text{V)} + \text{Correction Factor (dB)}$
- $\text{Margin (dB)} = \text{QP/AV Level (dB}\mu\text{V)} - \text{QP/AV Limit (dB}\mu\text{V)}$
- Traces shown in plots are made using quasi-peak and average detectors.
- Deviations to the Specifications: None.
- The unit was tested with all possible modes and only the highest emission is reported.

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 250 of 259

V 11.0 05/2025

7.8.1 CDD Primary AC Line-Conducted Emissions Measurement



Plot 7-504. AC Line Conducted Plot with 802.11n CDD Primary – Ch.40 (L1), with AC/DC adapter


Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.168	FINAL	54.98	---	65.06	-10.08	L1	GND
0.170	FINAL	---	41.98	54.95	-12.97	L1	GND
0.251	FINAL	48.66	---	61.72	-13.06	L1	GND
0.254	FINAL	---	33.62	51.64	-18.02	L1	GND
0.503	FINAL	---	24.53	46.00	-21.47	L1	GND
0.503	FINAL	39.80	---	56.00	-16.20	L1	GND
1.343	FINAL	32.10	---	56.00	-23.90	L1	GND
1.343	FINAL	---	16.06	46.00	-29.94	L1	GND
5.231	FINAL	24.64	---	60.00	-35.36	L1	GND
5.233	FINAL	---	15.83	50.00	-34.17	L1	GND
16.532	FINAL	---	11.01	50.00	-38.99	L1	GND
16.532	FINAL	16.74	---	60.00	-43.26	L1	GND

Table 7-173. AC Line Conducted Data with 802.11n CDD Primary – Ch.40 (L1) with AC/DC adapter

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 251 of 259

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-505. AC Line Conducted Plot with 802.11n CDD Primary – Ch.40 (N), with AC/DC adapter


Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.168	FINAL	53.26	---	65.06	-11.80	N	GND
0.170	FINAL	---	40.36	54.95	-14.59	N	GND
0.337	FINAL	---	26.45	49.28	-22.83	N	GND
0.337	FINAL	42.12	---	59.28	-17.16	N	GND
0.589	FINAL	35.61	---	56.00	-20.39	N	GND
0.591	FINAL	---	20.34	46.00	-25.66	N	GND
1.343	FINAL	29.99	---	56.00	-26.01	N	GND
1.343	FINAL	---	15.52	46.00	-30.48	N	GND
5.093	FINAL	19.63	---	60.00	-40.37	N	GND
5.093	FINAL	---	9.52	50.00	-40.48	N	GND
16.530	FINAL	---	7.53	50.00	-42.47	N	GND
16.530	FINAL	13.95	---	60.00	-46.05	N	GND

Table 7-174. AC Line Conducted Data with 802.11n CDD Primary – Ch.40 (N), with AC/DC adapter

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 252 of 259

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-506. AC Line Conducted Plot with 802.11be(SU) CDD Primary – Ch.40 (L1), with AC/DC adapter


Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.197	FINAL	50.93	---	63.73	-12.80	L1	GND
0.200	FINAL	---	40.28	53.63	-13.35	L1	GND
0.294	FINAL	45.10	---	60.41	-15.31	L1	GND
0.296	FINAL	---	31.80	50.35	-18.55	L1	GND
0.713	FINAL	---	28.20	46.00	-17.80	L1	GND
0.713	FINAL	40.46	---	56.00	-15.54	L1	GND
1.455	FINAL	27.46	---	56.00	-28.54	L1	GND
1.455	FINAL	---	16.45	46.00	-29.55	L1	GND
8.381	FINAL	27.41	---	60.00	-32.59	L1	GND
8.381	FINAL	---	20.91	50.00	-29.09	L1	GND
16.532	FINAL	---	16.77	50.00	-33.23	L1	GND
16.532	FINAL	22.89	---	60.00	-37.11	L1	GND

Table 7-175. AC Line Conducted Data with 802.11be(SU) CDD Primary – Ch.40 (L1) with AC/DC adapter

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 253 of 259

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-507. AC Line Conducted Plot with 802.11be(SU) CDD Primary – Ch.40 (N), with AC/DC adapter


Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.164	FINAL	---	40.47	55.28	-14.81	N	GND
0.164	FINAL	52.70	---	65.28	-12.58	N	GND
0.245	FINAL	---	33.62	51.94	-18.32	N	GND
0.245	FINAL	47.72	---	61.94	-14.22	N	GND
0.899	FINAL	---	20.89	46.00	-25.11	N	GND
0.899	FINAL	35.83	---	56.00	-20.17	N	GND
4.445	FINAL	35.19	---	56.00	-20.81	N	GND
4.445	FINAL	---	21.92	46.00	-24.08	N	GND
16.026	FINAL	17.69	---	60.00	-42.31	N	GND
16.026	FINAL	---	12.04	50.00	-37.96	N	GND
24.041	FINAL	---	2.16	50.00	-47.84	N	GND
24.041	FINAL	8.07	---	60.00	-51.93	N	GND

Table 7-176. AC Line Conducted Data with 802.11be(SU) CDD Primary – Ch.40 (N), with AC/DC adapter

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 254 of 259

V 11.0 05/2025

7.8.2 CDD Diversity AC Line-Conducted Emissions Measurement



Plot 7-508. AC Line Conducted Plot with 802.11n CDD Diversity – Ch.40 (L1), with AC/DC adapter


Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.197	FINAL	53.50	---	63.73	-10.23	L1	GND
0.200	FINAL	---	42.94	53.63	-10.69	L1	GND
0.294	FINAL	46.88	---	60.41	-13.53	L1	GND
0.296	FINAL	---	33.53	50.35	-16.82	L1	GND
0.713	FINAL	---	28.14	46.00	-17.86	L1	GND
0.715	FINAL	40.29	---	56.00	-15.71	L1	GND
1.457	FINAL	27.54	---	56.00	-28.46	L1	GND
1.457	FINAL	---	16.77	46.00	-29.23	L1	GND
8.646	FINAL	---	21.64	50.00	-28.36	L1	GND
8.648	FINAL	27.85	---	60.00	-32.15	L1	GND
16.535	FINAL	---	17.10	50.00	-32.90	L1	GND
16.535	FINAL	23.22	---	60.00	-36.78	L1	GND

Table 7-177. AC Line Conducted Data with 802.11n CDD Diversity – Ch.40 (L1) with AC/DC adapter

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 255 of 259

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.




Plot 7-509. AC Line Conducted Plot with 802.11n CDD Diversity – Ch.40 (N), with AC/DC adapter

Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.166	FINAL	---	39.98	55.17	-15.19	N	GND
0.166	FINAL	50.71	---	65.17	-14.46	N	GND
0.652	FINAL	---	21.38	46.00	-24.62	N	GND
0.652	FINAL	37.49	---	56.00	-18.51	N	GND
1.964	FINAL	---	13.23	46.00	-32.77	N	GND
1.964	FINAL	26.19	---	56.00	-29.81	N	GND
4.452	FINAL	35.43	---	56.00	-20.57	N	GND
4.452	FINAL	---	22.34	46.00	-23.66	N	GND
16.019	FINAL	18.19	---	60.00	-41.81	N	GND
16.019	FINAL	---	12.56	50.00	-37.44	N	GND
24.032	FINAL	---	1.36	50.00	-48.64	N	GND
24.032	FINAL	7.23	---	60.00	-52.77	N	GND

Table 7-178. AC Line Conducted Data with 802.11n CDD Diversity – Ch.40 (N), with AC/DC adapter

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 256 of 259

V 11.0 05/2025



Plot 7-510. AC Line Conducted Plot with 802.11be(SU) CDD Diversity – Ch.40 (L1), with AC/DC adapter


Frequency [MHz]	Process State	QuasiPeak [dBµV]	Average [dBµV]	Limit [dBµV]	Margin [dB]	Line	PE
0.197	FINAL	50.61	---	63.73	-13.12	L1	GND
0.200	FINAL	---	39.88	53.63	-13.75	L1	GND
0.292	FINAL	44.85	---	60.47	-15.62	L1	GND
0.294	FINAL	---	30.92	50.41	-19.49	L1	GND
0.713	FINAL	40.36	---	56.00	-15.64	L1	GND
0.713	FINAL	---	28.06	46.00	-17.94	L1	GND
1.455	FINAL	27.51	---	56.00	-28.49	L1	GND
1.455	FINAL	---	16.41	46.00	-29.59	L1	GND
8.376	FINAL	---	20.95	50.00	-29.05	L1	GND
8.381	FINAL	27.21	---	60.00	-32.79	L1	GND
16.535	FINAL	---	16.92	50.00	-33.08	L1	GND
16.535	FINAL	23.00	---	60.00	-37.00	L1	GND

Table 7-179. AC Line Conducted Data with 802.11be(SU) CDD Diversity – Ch.40 (L1) with AC/DC adapter

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 257 of 259

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.



Plot 7-511. AC Line Conducted Plot with 802.11be(SU) CDD Diversity – Ch.40 (N), with AC/DC adapter

Frequency [MHz]	Process State	QuasiPeak [dBμV]	Average [dBμV]	Limit [dBμV]	Margin [dB]	Line	PE
0.164	FINAL	---	39.13	55.28	-16.15	N	GND
0.164	FINAL	51.38	---	65.28	-13.90	N	GND
0.490	FINAL	---	24.98	46.17	-21.19	N	GND
0.490	FINAL	39.88	---	56.17	-16.29	N	GND
1.095	FINAL	---	18.94	46.00	-27.06	N	GND
1.095	FINAL	34.58	---	56.00	-21.42	N	GND
4.450	FINAL	35.14	---	56.00	-20.86	N	GND
4.450	FINAL	---	21.96	46.00	-24.04	N	GND
16.019	FINAL	18.02	---	60.00	-41.98	N	GND
16.019	FINAL	---	12.39	50.00	-37.61	N	GND
24.029	FINAL	---	1.57	50.00	-48.43	N	GND
24.029	FINAL	7.62	---	60.00	-52.38	N	GND

Table 7-180. AC Line Conducted Data with 802.11be(SU) CDD Diversity – Ch.40 (N), with AC/DC adapter

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 258 of 259

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.

8.0 CONCLUSION

The data collected relate only the item(s) tested and show that the **Apple Tablet Device FCC ID: BCGA3357** and **IC: 579C-A3357** is in compliance with Part 15 Subpart E (15.407) of the FCC Rules and RSS-247 of the Innovation, Science and Economic Development Canada Rules.

FCC ID: BCGA3357 IC: 579C-A3357		MEASUREMENT REPORT (CERTIFICATION)	Approved by: Technical Manager
Test Report S/N: 1C2504170038-13-R1.BCG	Test Dates: 05/12/2025 - 07/04/2025	EUT Type: Tablet Device	Page 259 of 259

V 11.0 05/2025

Unless otherwise specified, no part of this report may be reproduced or utilized in any part, form or by any means, electronic or mechanical, including photocopying and microfilm, without permission in writing from Element Materials Technology. If you have any questions about this or have an enquiry about obtaining additional rights to this report or assembly of contents thereof, please contact ct.info@element.com.