


Photographs of EUT Setup and Antenna Location


The photographs of EUT and setup for SAR testing are shown as follows.

<Front Face View> Laptop Mode (180°)




Antenna	To Top Side	To Baseline	To Left Side	To Right Side	Support Band
	(mm)	(mm)	(mm)	(mm)	
RFID	60.00	85.00	163.00	59.00	RFID

<Right Side View> Laptop Mode(90°)




Antenna	Rear Face	Support Band
	(mm)	
RFID	85.00	RFID

<Front Face View> Tablet




Antenna	To Top Side	To Bottom Side	To Left Side	To Right Side	Support Band
	(mm)	(mm)	(mm)	(mm)	
RFID	60.00	85.00	163.00	59.00	RFID

<Rear Face View> Tablet




Antenna	To Front Side	To Rear Side	Support Band
	(mm)	(mm)	
RFID	18.00	2.15	RFID

<Photographs of Body SAR Test Setup>



Bottom of Laptop Tested at 0 mm

<Photographs of Body SAR Test Setup>



Front Face of Tablet Tested at 0 mm




Rear Face of Tablet Tested at 0 mm



Left Side of Tablet Tested at 0 mm



Right Side of Tablet Tested at 0 mm



Top Side of Tablet Tested at 0 mm



Bottom Side of Tablet Tested at 0 mm

<Photographs of Body SAR Test Setup>



Rear Face of Tablet Handle w/ Tested at 0 mm