


Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7457.50	30.02	17.81	47.83	54.00	6.17	Horizontal	PASS
2	11531.33	34.69	6.53	41.22	54.00	12.78	Horizontal	PASS
3	17988.67	29.69	16.77	46.46	54.00	7.54	Horizontal	PASS
4	5743.90	98.16	13.81	111.97	-	-	Horizontal	NA
5	7610.45	40.11	17.05	57.16	74.00	16.84	Horizontal	PASS
6	12221.00	41.88	7.64	49.52	74.00	24.48	Horizontal	PASS
7	17988.33	36.94	16.77	53.71	74.00	20.29	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	149
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7383.30	30.41	17.41	47.82	54.00	6.18	Vertical	PASS
2	12339.33	33.37	7.51	40.88	54.00	13.12	Vertical	PASS
3	17971.33	30.51	16.65	47.16	54.00	6.84	Vertical	PASS
4	5745.65	93.97	13.82	107.79	-	-	Vertical	NA
5	7697.25	39.62	17.50	57.12	74.00	16.88	Vertical	PASS
6	12227.00	41.36	7.62	48.98	74.00	25.02	Vertical	PASS
7	17952.33	37.76	16.50	54.26	74.00	19.74	Vertical	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7268.85	30.67	17.19	47.86	54.00	6.14	Horizontal	PASS
2	12219.67	33.59	7.64	41.23	54.00	12.77	Horizontal	PASS
3	17892.67	30.41	16.06	46.47	54.00	7.53	Horizontal	PASS
4	5784.15	97.21	14.20	111.41	-	-	Horizontal	NA
5	7456.10	39.30	17.82	57.12	74.00	16.88	Horizontal	PASS
6	12265.67	41.02	7.51	48.53	74.00	25.47	Horizontal	PASS
7	17908.33	37.93	16.16	54.09	74.00	19.91	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	157
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7262.20	30.63	17.20	47.83	54.00	6.17	Vertical	PASS
2	12207.00	33.31	7.68	40.99	54.00	13.01	Vertical	PASS
3	17972.67	30.07	16.65	46.72	54.00	7.28	Vertical	PASS
4	5784.15	94.10	14.20	108.30	-	-	Vertical	NA
5	7696.90	39.47	17.50	56.97	74.00	17.03	Vertical	PASS
6	12280.33	41.54	7.48	49.02	74.00	24.98	Vertical	PASS
7	17955.33	38.12	16.52	54.64	74.00	19.36	Vertical	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7530.65	30.28	17.62	47.90	54.00	6.10	Horizontal	PASS
2	11573.00	34.22	6.55	40.77	54.00	13.23	Horizontal	PASS
3	17958.33	29.65	16.54	46.19	54.00	7.81	Horizontal	PASS
4	5824.05	96.84	14.30	111.14	-	-	Horizontal	NA
5	7883.80	39.49	17.86	57.35	68.20	10.85	Horizontal	PASS
6	9565.67	44.82	3.28	48.10	68.20	20.10	Horizontal	PASS
7	17993.67	38.02	16.81	54.83	74.00	19.17	Horizontal	PASS

Project Information			
Mode:	802.11a	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7436.15	29.75	17.69	47.44	54.00	6.56	Vertical	PASS
2	12221.67	33.61	7.64	41.25	54.00	12.75	Vertical	PASS
3	17917.00	30.48	16.23	46.71	54.00	7.29	Vertical	PASS
4	5824.05	94.41	14.30	108.71	-	-	Vertical	NA
5	7617.10	40.14	17.08	57.22	74.00	16.78	Vertical	PASS
6	16429.33	40.06	12.49	52.55	68.20	15.65	Vertical	PASS
7	17996.00	37.41	16.83	54.24	74.00	19.76	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7442.10	29.87	17.74	47.61	54.00	6.39	Horizontal	PASS
2	12230.67	33.28	7.61	40.89	54.00	13.11	Horizontal	PASS
3	17936.67	29.84	16.38	46.22	54.00	7.78	Horizontal	PASS
4	5823.35	97.07	14.30	111.37	-	-	Horizontal	NA
5	7867.00	39.49	17.88	57.37	68.20	10.83	Horizontal	PASS
6	15359.33	39.67	11.92	51.59	74.00	22.41	Horizontal	PASS
7	17917.00	38.05	16.23	54.28	74.00	19.72	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	U-NII-3
Bandwidth	20MHz	Channel	165
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7408.85	30.43	17.46	47.89	54.00	6.11	Vertical	PASS
2	11683.67	33.97	6.48	40.45	54.00	13.55	Vertical	PASS
3	17894.33	30.89	16.07	46.96	54.00	7.04	Vertical	PASS
4	5826.50	93.26	14.29	107.55	-	-	Vertical	NA
5	7440.70	39.52	17.73	57.25	74.00	16.75	Vertical	PASS
6	11714.00	42.16	6.46	48.62	74.00	25.38	Vertical	PASS
7	17902.33	38.78	16.12	54.90	74.00	19.10	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7454.70	29.85	17.81	47.66	54.00	6.34	Horizontal	PASS
2	12286.00	33.67	7.46	41.13	54.00	12.87	Horizontal	PASS
3	17934.67	30.73	16.36	47.09	54.00	6.91	Horizontal	PASS
4	5757.90	93.92	13.95	107.87	-	-	Horizontal	NA
5	7511.05	38.90	17.76	56.66	74.00	17.34	Horizontal	PASS
6	12230.67	40.57	7.61	48.18	74.00	25.82	Horizontal	PASS
7	17982.67	37.84	16.73	54.57	74.00	19.43	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	U-NII-3
Bandwidth	40MHz	Channel	151
IMEI:	S10ANLJRNBA156	Engineer:	Tian Shuo
Remark:	X; Power 15		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	7365.45	30.11	17.45	47.56	54.00	6.44	Vertical	PASS
2	12231.33	32.95	7.61	40.56	54.00	13.44	Vertical	PASS
3	17958.67	29.54	16.54	46.08	54.00	7.92	Vertical	PASS
4	5756.50	90.17	13.93	104.10	-	-	Vertical	NA
5	7434.05	39.31	17.68	56.99	74.00	17.01	Vertical	PASS
6	11551.67	42.31	6.54	48.85	74.00	25.15	Vertical	PASS
7	17973.00	37.72	16.65	54.37	74.00	19.63	Vertical	PASS

Radiated Band Edge

Test Result

Project Information			
Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	36
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 17		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5132.80	36.21	9.90	46.11	54.00	7.89	Horizontal	PASS
2	5141.75	36.39	9.92	46.31	54.00	7.69	Horizontal	PASS
3	5147.66	38.18	9.93	48.11	54.00	5.89	Horizontal	PASS
4	5131.73	48.67	9.90	58.57	74.00	15.43	Horizontal	PASS
5	5141.68	50.16	9.92	60.08	74.00	13.92	Horizontal	PASS
6	5148.64	50.20	9.94	60.14	74.00	13.86	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	36
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5136.22	34.81	9.91	44.72	54.00	9.28	Vertical	PASS
2	5143.96	34.91	9.93	44.84	54.00	9.16	Vertical	PASS
3	5148.83	35.40	9.94	45.34	54.00	8.66	Vertical	PASS
4	5136.71	46.46	9.91	56.37	74.00	17.63	Vertical	PASS
5	5143.79	47.79	9.93	57.72	74.00	16.28	Vertical	PASS
6	5147.53	48.33	9.93	58.26	74.00	15.74	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	36
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5144.44	35.35	9.93	45.28	54.00	8.72	Horizontal	PASS
2	5147.70	35.27	9.93	45.20	54.00	8.80	Horizontal	PASS
3	5149.16	35.29	9.94	45.23	54.00	8.77	Horizontal	PASS
4	5145.29	49.94	9.93	59.87	74.00	14.13	Horizontal	PASS
5	5148.28	51.18	9.94	61.12	74.00	12.88	Horizontal	PASS
6	5149.32	50.01	9.94	59.95	74.00	14.05	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	36
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5142.56	34.15	9.92	44.07	54.00	9.93	Vertical	PASS
2	5147.18	34.24	9.93	44.17	54.00	9.83	Vertical	PASS
3	5149.84	34.17	9.94	44.11	54.00	9.89	Vertical	PASS
4	5144.77	47.48	9.93	57.41	74.00	16.59	Vertical	PASS
5	5149.19	46.24	9.94	56.18	74.00	17.82	Vertical	PASS
6	5149.74	47.79	9.94	57.73	74.00	16.27	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	48
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5145.75	39.18	9.93	49.11	54.00	4.89	Horizontal	PASS
2	5147.49	39.84	9.93	49.77	54.00	4.23	Horizontal	PASS
3	5148.94	40.32	9.94	50.26	54.00	3.74	Horizontal	PASS
4	5146.69	51.12	9.93	61.05	74.00	12.95	Horizontal	PASS
5	5148.51	52.00	9.94	61.94	74.00	12.06	Horizontal	PASS
6	5149.75	51.55	9.94	61.49	74.00	12.51	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	48
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5145.07	36.18	9.93	46.11	54.00	7.89	Vertical	PASS
2	5148.09	37.01	9.94	46.95	54.00	7.05	Vertical	PASS
3	5148.90	37.43	9.94	47.37	54.00	6.63	Vertical	PASS
4	5145.54	48.33	9.93	58.26	74.00	15.74	Vertical	PASS
5	5148.98	48.74	9.94	58.68	74.00	15.32	Vertical	PASS
6	5149.70	49.04	9.94	58.98	74.00	15.02	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	-
Bandwidth	80MHz	Channel	42
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 14.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5139.32	42.08	9.91	51.99	54.00	2.01	Horizontal	PASS
2	5145.95	43.04	9.93	52.97	54.00	1.03	Horizontal	PASS
3	5147.45	42.86	9.93	52.79	54.00	1.21	Horizontal	PASS
4	5138.88	53.06	9.91	62.97	74.00	11.03	Horizontal	PASS
5	5145.07	53.88	9.93	63.81	74.00	10.19	Horizontal	PASS
6	5148.57	54.22	9.94	64.16	74.00	9.84	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	-
Bandwidth	80MHz	Channel	42
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 14.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5145.70	39.59	9.93	49.52	54.00	4.48	Vertical	PASS
2	5147.64	39.55	9.93	49.48	54.00	4.52	Vertical	PASS
3	5149.39	39.43	9.94	49.37	54.00	4.63	Vertical	PASS
4	5144.88	50.52	9.93	60.45	74.00	13.55	Vertical	PASS
5	5146.95	50.70	9.93	60.63	74.00	13.37	Vertical	PASS
6	5148.39	50.30	9.94	60.24	74.00	13.76	Vertical	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	64
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.32	42.17	10.80	52.97	54.00	1.03	Horizontal	PASS
2	5351.10	41.42	10.80	52.22	54.00	1.78	Horizontal	PASS
3	5352.34	40.48	10.82	51.30	54.00	2.70	Horizontal	PASS
4	5350.81	55.21	10.80	66.01	74.00	7.99	Horizontal	PASS
5	5352.63	54.05	10.82	64.87	74.00	9.13	Horizontal	PASS
6	5353.44	53.00	10.82	63.82	74.00	10.18	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	64
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.19	40.26	10.80	51.06	54.00	2.94	Vertical	PASS
2	5352.43	38.71	10.82	49.53	54.00	4.47	Vertical	PASS
3	5354.64	37.61	10.83	48.44	54.00	5.56	Vertical	PASS
4	5350.81	52.12	10.80	62.92	74.00	11.08	Vertical	PASS
5	5352.76	52.16	10.82	62.98	74.00	11.02	Vertical	PASS
6	5354.71	49.67	10.83	60.50	74.00	13.50	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	64
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5351.13	38.25	10.80	49.05	54.00	4.95	Horizontal	PASS
2	5351.91	37.83	10.81	48.64	54.00	5.36	Horizontal	PASS
3	5353.60	37.49	10.82	48.31	54.00	5.69	Horizontal	PASS
4	5350.74	52.46	10.80	63.26	74.00	10.74	Horizontal	PASS
5	5351.98	54.38	10.81	65.19	74.00	8.81	Horizontal	PASS
6	5353.90	52.46	10.83	63.29	74.00	10.71	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	64
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.91	37.07	10.80	47.87	54.00	6.13	Vertical	PASS
2	5352.50	36.52	10.82	47.34	54.00	6.66	Vertical	PASS
3	5357.96	35.88	10.85	46.73	54.00	7.27	Vertical	PASS
4	5350.65	51.08	10.80	61.88	74.00	12.12	Vertical	PASS
5	5351.78	51.01	10.81	61.82	74.00	12.18	Vertical	PASS
6	5354.64	50.53	10.83	61.36	74.00	12.64	Vertical	PASS

Project Information			
Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	62
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 13.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	41.36	10.80	52.16	54.00	1.84	Horizontal	PASS
2	5351.27	40.85	10.81	51.66	54.00	2.34	Horizontal	PASS
3	5352.97	40.01	10.82	50.83	54.00	3.17	Horizontal	PASS
4	5351.23	54.45	10.80	65.25	74.00	8.75	Horizontal	PASS
5	5353.44	52.30	10.82	63.12	74.00	10.88	Horizontal	PASS
6	5354.46	52.14	10.83	62.97	74.00	11.03	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	62
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 13.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.55	39.49	10.80	50.29	54.00	3.71	Vertical	PASS
2	5352.93	38.16	10.82	48.98	54.00	5.02	Vertical	PASS
3	5355.91	37.96	10.83	48.79	54.00	5.21	Vertical	PASS
4	5351.10	50.39	10.80	61.19	74.00	12.81	Vertical	PASS
5	5351.95	49.56	10.81	60.37	74.00	13.63	Vertical	PASS
6	5354.29	51.83	10.83	62.66	74.00	11.34	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	-
Bandwidth	80MHz	Channel	58
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.24	42.19	10.80	52.99	54.00	1.01	Horizontal	PASS
2	5353.05	41.20	10.82	52.02	54.00	1.98	Horizontal	PASS
3	5355.37	41.30	10.83	52.13	54.00	1.87	Horizontal	PASS
4	5350.55	51.97	10.80	62.77	74.00	11.23	Horizontal	PASS
5	5353.49	52.49	10.82	63.31	74.00	10.69	Horizontal	PASS
6	5356.49	53.12	10.85	63.97	74.00	10.03	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	-
Bandwidth	80MHz	Channel	58
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5350.36	39.06	10.80	49.86	54.00	4.14	Vertical	PASS
2	5352.68	38.71	10.82	49.53	54.00	4.47	Vertical	PASS
3	5356.49	38.46	10.85	49.31	54.00	4.69	Vertical	PASS
4	5351.43	50.47	10.81	61.28	74.00	12.72	Vertical	PASS
5	5352.86	50.59	10.82	61.41	74.00	12.59	Vertical	PASS
6	5358.49	50.64	10.85	61.49	74.00	12.51	Vertical	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	100
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5458.01	37.43	11.55	48.98	54.00	5.02	Horizontal	PASS
2	5459.00	37.89	11.56	49.45	54.00	4.55	Horizontal	PASS
3	5459.42	37.37	11.56	48.93	54.00	5.07	Horizontal	PASS
4	5467.77	54.75	11.58	66.33	68.20	1.87	Horizontal	PASS
5	5469.39	54.97	11.58	66.55	68.20	1.65	Horizontal	PASS
6	5469.84	55.10	11.58	66.68	68.20	1.52	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	100
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5456.15	35.58	11.55	47.13	54.00	6.87	Vertical	PASS
2	5458.67	35.53	11.55	47.08	54.00	6.92	Vertical	PASS
3	5459.39	35.61	11.56	47.17	54.00	6.83	Vertical	PASS
4	5466.60	50.94	11.57	62.51	68.20	5.69	Vertical	PASS
5	5467.65	52.76	11.58	64.34	68.20	3.86	Vertical	PASS
6	5469.78	52.41	11.58	63.99	68.20	4.21	Vertical	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	144
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5853.05	45.50	13.48	58.98	68.20	9.22	Horizontal	PASS
2	5884.65	45.54	13.34	58.88	68.20	9.32	Horizontal	PASS
3	5924.09	44.98	13.25	58.23	68.20	9.97	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	144
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5882.76	45.10	13.35	58.45	68.20	9.75	Vertical	PASS
2	5921.93	45.15	13.26	58.41	68.20	9.79	Vertical	PASS
3	5959.48	45.13	13.23	58.36	68.20	9.84	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	100
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.65	35.88	11.55	47.43	54.00	6.57	Horizontal	PASS
2	5457.65	35.98	11.55	47.53	54.00	6.47	Horizontal	PASS
3	5459.06	35.89	11.56	47.45	54.00	6.55	Horizontal	PASS
4	5466.84	53.67	11.57	65.24	68.20	2.96	Horizontal	PASS
5	5468.43	52.76	11.58	64.34	68.20	3.86	Horizontal	PASS
6	5469.39	53.07	11.58	64.65	68.20	3.55	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	100
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.31	34.81	11.55	46.36	54.00	7.64	Vertical	PASS
2	5457.38	34.64	11.55	46.19	54.00	7.81	Vertical	PASS
3	5459.33	34.76	11.56	46.32	54.00	7.68	Vertical	PASS
4	5465.52	48.88	11.57	60.45	68.20	7.75	Vertical	PASS
5	5466.48	48.95	11.57	60.52	68.20	7.68	Vertical	PASS
6	5468.94	48.89	11.58	60.47	68.20	7.73	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	144
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5861.15	45.05	13.44	58.49	68.20	9.71	Horizontal	PASS
2	5879.79	45.30	13.36	58.66	68.20	9.54	Horizontal	PASS
3	5898.16	45.31	13.28	58.59	68.20	9.61	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	144
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5853.32	45.36	13.48	58.84	68.20	9.36	Vertical	PASS
2	5865.74	45.90	13.42	59.32	68.20	8.88	Vertical	PASS
3	5905.18	46.44	13.27	59.71	68.20	8.49	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	102
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5453.92	37.51	11.54	49.05	54.00	4.95	Horizontal	PASS
2	5458.16	38.90	11.55	50.45	54.00	3.55	Horizontal	PASS
3	5459.72	39.58	11.56	51.14	54.00	2.86	Horizontal	PASS
4	5466.33	53.70	11.57	65.27	68.20	2.93	Horizontal	PASS
5	5468.57	53.48	11.58	65.06	68.20	3.14	Horizontal	PASS
6	5469.45	54.92	11.58	66.50	68.20	1.70	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	102
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 14		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.20	35.97	11.55	47.52	54.00	6.48	Vertical	PASS
2	5457.76	36.37	11.55	47.92	54.00	6.08	Vertical	PASS
3	5459.56	37.32	11.56	48.88	54.00	5.12	Vertical	PASS
4	5465.77	50.46	11.57	62.03	68.20	6.17	Vertical	PASS
5	5467.21	51.32	11.57	62.89	68.20	5.31	Vertical	PASS
6	5469.65	52.37	11.58	63.95	68.20	4.25	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	142
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5860.88	45.24	13.45	58.69	68.20	9.51	Horizontal	PASS
2	5874.93	45.48	13.38	58.86	68.20	9.34	Horizontal	PASS
3	5904.37	45.25	13.27	58.52	68.20	9.68	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	142
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		


Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5852.24	45.59	13.48	59.07	68.20	9.13	Vertical	PASS
2	5884.38	46.07	13.34	59.41	68.20	8.79	Vertical	PASS
3	5923.82	45.52	13.25	58.77	68.20	9.43	Vertical	PASS

Project Information			
Mode:	802.11ac80	Band:	-
Bandwidth	80MHz	Channel	106
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 1.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5454.74	39.76	11.55	51.31	54.00	2.69	Horizontal	PASS
2	5457.56	40.30	11.55	51.85	54.00	2.15	Horizontal	PASS
3	5458.70	40.36	11.56	51.92	54.00	2.08	Horizontal	PASS
4	5465.37	51.28	11.57	62.85	68.20	5.35	Horizontal	PASS
5	5467.89	51.60	11.58	63.18	68.20	5.02	Horizontal	PASS
6	5469.87	51.77	11.58	63.35	68.20	4.85	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	-
Bandwidth	80MHz	Channel	106
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 12.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5455.46	37.57	11.55	49.12	54.00	4.88	Vertical	PASS
2	5457.56	37.82	11.55	49.37	54.00	4.63	Vertical	PASS
3	5459.18	37.79	11.56	49.35	54.00	4.65	Vertical	PASS
4	5462.55	49.36	11.56	60.92	68.20	7.28	Vertical	PASS
5	5466.87	49.52	11.57	61.09	68.20	7.11	Vertical	PASS
6	5468.91	49.04	11.58	60.62	68.20	7.58	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	-
Bandwidth	80MHz	Channel	138
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5867.63	45.84	13.42	59.26	68.20	8.94	Horizontal	PASS
2	5935.44	45.51	13.25	58.76	68.20	9.44	Horizontal	PASS
3	5991.36	45.27	13.22	58.49	68.20	9.71	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	-
Bandwidth	80MHz	Channel	138
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5875.20	45.91	13.38	59.29	68.20	8.91	Vertical	PASS
2	5923.28	45.80	13.25	59.05	68.20	9.15	Vertical	PASS
3	5987.03	45.38	13.22	58.60	68.20	9.60	Vertical	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	149
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5641.58	45.62	12.96	58.58	68.20	9.62	Horizontal	PASS
2	5935.69	45.82	14.05	59.87	68.20	8.33	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	149
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5643.86	45.77	12.97	58.74	68.20	9.46	Vertical	PASS
2	5935.53	44.98	14.05	59.03	68.20	9.17	Vertical	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	165
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5640.93	45.49	12.96	58.45	68.20	9.75	Horizontal	PASS
2	5946.10	45.55	14.04	59.59	68.20	8.61	Horizontal	PASS

Project Information

Mode:	802.11a	Band:	-
Bandwidth	20MHz	Channel	165
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5629.71	45.54	12.90	58.44	68.20	9.76	Vertical	PASS
2	5931.14	45.65	14.06	59.71	68.20	8.49	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	149
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5648.74	45.55	13.00	58.55	68.20	9.65	Horizontal	PASS
2	5932.44	45.68	14.06	59.74	68.20	8.46	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	149
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5638.01	45.79	12.95	58.74	68.20	9.46	Vertical	PASS
2	5929.51	46.16	14.06	60.22	68.20	7.98	Vertical	PASS

Project Information

Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	165
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5640.77	46.08	12.95	59.03	68.20	9.17	Horizontal	PASS
2	5936.67	45.45	14.05	59.50	68.20	8.70	Horizontal	PASS

Project Information

Mode:	802.11ac20	Band:	-
Bandwidth	20MHz	Channel	165
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5634.92	45.76	12.93	58.69	68.20	9.51	Vertical	PASS
2	5935.69	45.54	14.05	59.59	68.20	8.61	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	151
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5645.65	46.29	12.98	59.27	68.20	8.93	Horizontal	PASS
2	5941.87	46.00	14.05	60.05	68.20	8.15	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	151
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5639.47	46.80	12.95	59.75	68.20	8.45	Vertical	PASS
2	5933.74	45.59	14.05	59.64	68.20	8.56	Vertical	PASS

Project Information

Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	159
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5643.53	45.53	12.97	58.50	68.20	9.70	Horizontal	PASS
2	5924.96	45.52	14.06	59.58	68.23	8.65	Horizontal	PASS

Project Information

Mode:	802.11ac40	Band:	-
Bandwidth	40MHz	Channel	159
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5640.28	45.72	12.95	58.67	68.20	9.53	Vertical	PASS
2	5927.08	45.82	14.07	59.89	68.20	8.31	Vertical	PASS

Project Information

Mode:	802.11ac80	Band:	-
Bandwidth	80MHz	Channel	155
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5650.20	47.10	13.01	60.11	68.35	8.24	Horizontal	PASS
2	5929.03	47.34	14.06	61.40	68.20	6.80	Horizontal	PASS

Project Information

Mode:	802.11ac80	Band:	-
Bandwidth	80MHz	Channel	155
SN:	S10ANLJRNBA156	Engineer:	Oushuyan
Remark:	X; Power 15		

Test Graph



Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB/m]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	5647.76	45.86	13.00	58.86	68.20	9.34	Vertical	PASS
2	5942.68	45.57	14.04	59.61	68.20	8.59	Vertical	PASS

~The End~