



Project Information			
Mode:	2.4G 11g	Band:	-
Bandwidth	20M	Channel	1
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2460.50	50.64	2.33	52.97	-	-	Vertical	NA
2	4924.50	41.46	-7.76	33.70	54.00	20.30	Vertical	PASS
3	9065.00	36.14	2.18	38.32	54.00	15.68	Vertical	PASS
4	17340.00	32.12	12.40	44.52	54.00	9.48	Vertical	PASS
5	2461.00	52.77	2.33	55.10	-	-	Vertical	NA
6	4924.00	47.88	-7.76	40.12	74.00	33.88	Vertical	PASS
7	8925.00	44.74	1.55	46.29	74.00	27.71	Vertical	PASS
8	17376.50	40.89	11.82	52.71	74.00	21.29	Vertical	PASS

Project Information			
Mode:	2.4G 11g	Band:	-
Bandwidth	20M	Channel	1
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2407.00	38.51	2.23	40.74	-	-	Horizontal	NA
2	5154.00	38.31	-6.71	31.60	54.00	22.40	Horizontal	PASS
3	8999.50	36.53	2.02	38.55	54.00	15.45	Horizontal	PASS
4	17888.50	33.35	12.35	45.70	54.00	8.30	Horizontal	PASS
5	2407.90	45.67	2.23	47.90	-	-	Horizontal	NA
6	5302.50	45.54	-6.23	39.31	74.00	34.69	Horizontal	PASS
7	9697.50	44.19	3.42	47.61	74.00	26.39	Horizontal	PASS
8	17347.00	39.61	12.73	52.34	74.00	21.66	Horizontal	PASS

Project Information			
Mode:	2.4G 11g	Band:	-
Bandwidth	20M	Channel	1
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2406.90	46.96	2.23	49.19	-	-	Vertical	NA
2	4800.50	38.78	-7.54	31.24	54.00	22.76	Vertical	PASS
3	7232.50	40.53	-1.47	39.06	54.00	14.94	Vertical	PASS
4	17349.50	32.01	12.84	44.85	54.00	9.15	Vertical	PASS
5	2407.90	54.58	2.23	56.81	-	-	Vertical	NA
6	4615.00	45.92	-8.55	37.37	74.00	36.63	Vertical	PASS
7	7237.50	48.33	-1.49	46.84	74.00	27.16	Vertical	PASS
8	17343.00	40.43	12.54	52.97	74.00	21.03	Vertical	PASS

Project Information			
Mode:	2.4G 11g	Band:	-
Bandwidth	20M	Channel	6
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	47.20	2.27	49.47	-	-	Horizontal	NA
2	4789.00	38.36	-7.63	30.73	54.00	23.27	Horizontal	PASS
3	9144.50	36.02	3.11	39.13	54.00	14.87	Horizontal	PASS
4	17861.50	32.18	12.66	44.84	54.00	9.16	Horizontal	PASS
5	2429.50	53.58	2.27	55.85	-	-	Horizontal	NA
6	4889.00	46.18	-8.01	38.17	74.00	35.83	Horizontal	PASS
7	8827.50	43.59	2.48	46.07	74.00	27.93	Horizontal	PASS
8	17354.00	40.10	12.70	52.80	74.00	21.20	Horizontal	PASS

Project Information			
Mode:	2.4G 11g	Band:	-
Bandwidth	20M	Channel	6
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	55.89	2.27	58.16	-	-	Vertical	NA
2	4795.50	38.77	-7.57	31.20	54.00	22.80	Vertical	PASS
3	7310.50	38.40	-1.26	37.14	54.00	16.86	Vertical	PASS
4	17353.50	32.60	12.72	45.32	54.00	8.68	Vertical	PASS
5	2429.40	61.48	2.27	63.75	-	-	Vertical	NA
6	4939.00	45.26	-7.63	37.63	74.00	36.37	Vertical	PASS
7	7312.50	47.37	-1.28	46.09	74.00	27.91	Vertical	PASS
8	17343.50	40.57	12.56	53.13	74.00	20.87	Vertical	PASS

Project Information

Mode:	2.4G 11g	Band:	-
Bandwidth	20M	Channel	11
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2460.80	40.62	2.33	42.95	-	-	Horizontal	NA
2	4784.50	38.70	-7.67	31.03	54.00	22.97	Horizontal	PASS
3	8102.50	36.64	0.35	36.99	54.00	17.01	Horizontal	PASS
4	17361.50	32.85	12.41	45.26	54.00	8.74	Horizontal	PASS
5	2461.10	47.49	2.33	49.82	-	-	Horizontal	NA
6	5157.00	45.41	-6.72	38.69	74.00	35.31	Horizontal	PASS
7	8875.00	44.10	2.26	46.36	74.00	27.64	Horizontal	PASS
8	17845.00	40.16	12.73	52.89	74.00	21.11	Horizontal	PASS

Project Information			
Mode:	2.4G 11g	Band:	-
Bandwidth	20M	Channel	11
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		

Test Graph


Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2460.70	48.11	2.33	50.44	-	-	Vertical	NA
2	4798.50	38.38	-7.54	30.84	54.00	23.16	Vertical	PASS
3	7383.50	38.73	-1.19	37.54	54.00	16.46	Vertical	PASS
4	17362.00	33.90	12.39	46.29	54.00	7.71	Vertical	PASS
5	2454.90	53.76	2.32	56.08	-	-	Vertical	NA
6	4921.00	45.97	-7.79	38.18	74.00	35.82	Vertical	PASS
7	7391.00	47.35	-1.11	46.24	74.00	27.76	Vertical	PASS
8	17361.50	40.39	12.41	52.80	74.00	21.20	Vertical	PASS

Project Information			
Mode:	2.4G 11ax	Band:	-
Bandwidth	20M	Channel	1
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2407.40	37.49	2.23	39.72	-	-	Horizontal	NA
2	5212.50	37.63	-6.92	30.71	54.00	23.29	Horizontal	PASS
3	7461.00	37.32	-1.73	35.59	54.00	18.41	Horizontal	PASS
4	17348.00	32.78	12.77	45.55	54.00	8.45	Horizontal	PASS
5	2407.10	47.81	2.23	50.04	-	-	Horizontal	NA
6	5438.00	45.40	-6.39	39.01	74.00	34.99	Horizontal	PASS
7	7227.00	49.56	-1.46	48.10	74.00	25.90	Horizontal	PASS
8	17350.00	40.09	12.86	52.95	74.00	21.05	Horizontal	PASS

Project Information			
Mode:	2.4G 11ax	Band:	-
Bandwidth	20M	Channel	1
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2408.10	46.76	2.23	48.99	-	-	Vertical	NA
2	4800.00	38.91	-7.53	31.38	54.00	22.62	Vertical	PASS
3	7234.50	39.88	-1.48	38.40	54.00	15.60	Vertical	PASS
4	17344.50	32.67	12.60	45.27	54.00	8.73	Vertical	PASS
5	2406.70	57.69	2.23	59.92	-	-	Vertical	NA
6	4787.00	46.08	-7.64	38.44	74.00	35.56	Vertical	PASS
7	7229.00	50.31	-1.46	48.85	74.00	25.15	Vertical	PASS
8	17357.00	40.33	12.59	52.92	74.00	21.08	Vertical	PASS

Project Information			
Mode:	2.4G 11ax	Band:	-
Bandwidth	20M	Channel	6
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.70	47.87	2.27	50.14	-	-	Horizontal	NA
2	4787.00	38.58	-7.64	30.94	54.00	23.06	Horizontal	PASS
3	8118.50	36.34	0.47	36.81	54.00	17.19	Horizontal	PASS
4	17351.50	33.21	12.80	46.01	54.00	7.99	Horizontal	PASS
5	2429.00	54.96	2.27	57.23	-	-	Horizontal	NA
6	5156.00	45.27	-6.72	38.55	74.00	35.45	Horizontal	PASS
7	7997.50	44.76	-0.14	44.62	74.00	29.38	Horizontal	PASS
8	17340.50	40.72	12.42	53.14	74.00	20.86	Horizontal	PASS

Project Information

Mode:	2.4G 11ax	Band:	-
Bandwidth	20M	Channel	6
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	55.00	2.27	57.27	-	-	Vertical	NA
2	4796.00	39.15	-7.57	31.58	54.00	22.42	Vertical	PASS
3	7309.00	38.69	-1.26	37.43	54.00	16.57	Vertical	PASS
4	17351.50	32.35	12.80	45.15	54.00	8.85	Vertical	PASS
5	2429.10	64.43	2.27	66.70	-	-	Vertical	NA
6	4602.00	46.02	-8.61	37.41	74.00	36.59	Vertical	PASS
7	7308.00	45.89	-1.25	44.64	74.00	29.36	Vertical	PASS
8	17520.50	40.77	11.58	52.35	74.00	21.65	Vertical	PASS

Project Information			
Mode:	2.4G 11ax	Band:	-
Bandwidth	20M	Channel	11
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.80	39.06	2.32	41.38	-	-	Horizontal	NA
2	4804.00	37.88	-7.58	30.30	54.00	23.70	Horizontal	PASS
3	7394.50	36.56	-1.07	35.49	54.00	18.51	Horizontal	PASS
4	17358.50	32.44	12.53	44.97	54.00	9.03	Horizontal	PASS
5	2461.20	50.24	2.33	52.57	-	-	Horizontal	NA
6	4801.50	46.11	-7.55	38.56	74.00	35.44	Horizontal	PASS
7	7374.50	45.64	-1.29	44.35	74.00	29.65	Horizontal	PASS
8	17365.00	39.95	12.28	52.23	74.00	21.77	Horizontal	PASS

Project Information			
Mode:	2.4G 11ax	Band:	-
Bandwidth	20M	Channel	11
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2460.70	47.58	2.33	49.91	-	-	Vertical	NA
2	4796.00	39.27	-7.57	31.70	54.00	22.30	Vertical	PASS
3	7395.50	38.54	-1.06	37.48	54.00	16.52	Vertical	PASS
4	17353.50	31.97	12.72	44.69	54.00	9.31	Vertical	PASS
5	2461.00	58.30	2.33	60.63	-	-	Vertical	NA
6	4781.00	46.61	-7.70	38.91	74.00	35.09	Vertical	PASS
7	7391.50	47.26	-1.10	46.16	74.00	27.84	Vertical	PASS
8	17347.50	40.19	12.75	52.94	74.00	21.06	Vertical	PASS

Project Information			
Mode:	2.4G 11ax	Band:	-
Bandwidth	40M	Channel	3
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	44.17	2.27	46.44	-	-	Horizontal	NA
2	4797.50	38.44	-7.55	30.89	54.00	23.11	Horizontal	PASS
3	9615.50	35.88	2.85	38.73	54.00	15.27	Horizontal	PASS
4	17344.00	32.92	12.58	45.50	54.00	8.50	Horizontal	PASS
5	2429.00	52.28	2.27	54.55	-	-	Horizontal	NA
6	5273.00	45.13	-6.57	38.56	74.00	35.44	Horizontal	PASS
7	9527.00	44.36	2.59	46.95	74.00	27.05	Horizontal	PASS
8	17357.00	39.96	12.59	52.55	74.00	21.45	Horizontal	PASS

Project Information

Mode:	2.4G 11ax	Band:	-
Bandwidth	40M	Channel	3
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.70	52.35	2.27	54.62	-	-	Vertical	NA
2	4796.50	38.34	-7.56	30.78	54.00	23.22	Vertical	PASS
3	9524.50	37.07	2.60	39.67	54.00	14.33	Vertical	PASS
4	17338.50	32.88	12.33	45.21	54.00	8.79	Vertical	PASS
5	2429.40	61.40	2.27	63.67	-	-	Vertical	NA
6	4786.50	47.05	-7.65	39.40	74.00	34.60	Vertical	PASS
7	9478.00	44.11	2.25	46.36	74.00	27.64	Vertical	PASS
8	17366.00	40.37	12.24	52.61	74.00	21.39	Vertical	PASS

Project Information			
Mode:	2.4G 11ax	Band:	-
Bandwidth	40M	Channel	6
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.40	44.18	2.27	46.45	-	-	Horizontal	NA
2	4797.00	38.03	-7.56	30.47	54.00	23.53	Horizontal	PASS
3	8923.00	36.74	1.57	38.31	54.00	15.69	Horizontal	PASS
4	17342.50	33.22	12.51	45.73	54.00	8.27	Horizontal	PASS
5	2429.20	52.42	2.27	54.69	-	-	Horizontal	NA
6	4943.50	46.06	-7.59	38.47	74.00	35.53	Horizontal	PASS
7	8878.50	43.74	2.19	45.93	74.00	28.07	Horizontal	PASS
8	17336.50	40.33	12.25	52.58	74.00	21.42	Horizontal	PASS

Project Information			
Mode:	2.4G 11ax	Band:	-
Bandwidth	40M	Channel	6
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2429.60	52.26	2.27	54.53	-	-	Vertical	NA
2	4783.50	38.53	-7.68	30.85	54.00	23.15	Vertical	PASS
3	8055.00	36.67	-0.01	36.66	54.00	17.34	Vertical	PASS
4	17315.50	31.71	11.28	42.99	54.00	11.01	Vertical	PASS
5	2428.70	60.81	2.26	63.07	-	-	Vertical	NA
6	4795.00	46.22	-7.57	38.65	74.00	35.35	Vertical	PASS
7	8334.50	44.10	0.91	45.01	74.00	28.99	Vertical	PASS
8	17325.00	41.11	11.72	52.83	74.00	21.17	Vertical	PASS

Project Information

Mode:	2.4G 11ax	Band:	-
Bandwidth	40M	Channel	9
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2461.20	37.16	2.33	39.49	-	-	Horizontal	NA
2	4798.50	38.20	-7.54	30.66	54.00	23.34	Horizontal	PASS
3	9175.00	35.47	3.03	38.50	54.00	15.50	Horizontal	PASS
4	17379.00	33.62	11.72	45.34	54.00	8.66	Horizontal	PASS
5	2460.90	47.15	2.33	49.48	-	-	Horizontal	NA
6	4788.50	46.56	-7.63	38.93	74.00	35.07	Horizontal	PASS
7	8887.00	43.80	2.05	45.85	74.00	28.15	Horizontal	PASS
8	17863.50	40.59	12.64	53.23	74.00	20.77	Horizontal	PASS

Project Information

Mode:	2.4G 11ax	Band:	-
Bandwidth	40M	Channel	9
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2454.90	43.97	2.32	46.29	-	-	Vertical	NA
2	4966.50	38.33	-7.56	30.77	54.00	23.23	Vertical	PASS
3	8853.50	35.78	2.63	38.41	54.00	15.59	Vertical	PASS
4	17358.50	32.31	12.53	44.84	54.00	9.16	Vertical	PASS
5	2437.70	53.23	2.29	55.52	-	-	Vertical	NA
6	4799.00	45.99	-7.54	38.45	74.00	35.55	Vertical	PASS
7	8853.00	43.84	2.65	46.49	74.00	27.51	Vertical	PASS
8	17857.50	39.75	12.72	52.47	74.00	21.53	Vertical	PASS

Radiated Band Edge

Test Result


Project Information			
Mode:	802. 11b	Band:	-
Bandwidth	20M	Channel	1
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph




Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2374.68	37.59	1.44	39.03	54.00	14.97	Horizontal	PASS
2	2386.11	37.58	1.43	39.01	54.00	14.99	Horizontal	PASS
3	2388.24	37.55	1.43	38.98	54.00	15.02	Horizontal	PASS
4	2375.65	49.14	1.43	50.57	74.00	23.43	Horizontal	PASS
5	2387.64	49.26	1.43	50.69	74.00	23.31	Horizontal	PASS
6	2388.99	48.74	1.43	50.17	74.00	23.83	Horizontal	PASS

Project Information			
Mode:	802. 11b	Band:	-
Bandwidth	20M	Channel	1
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2374.79	40.91	1.44	42.35	54.00	11.65	Vertical	PASS
2	2386.89	42.23	1.42	43.65	54.00	10.35	Vertical	PASS
3	2388.31	42.72	1.43	44.15	54.00	9.85	Vertical	PASS
4	2374.72	51.20	1.44	52.64	74.00	21.36	Vertical	PASS
5	2387.04	52.76	1.42	54.18	74.00	19.82	Vertical	PASS
6	2389.77	55.54	1.43	56.97	74.00	17.03	Vertical	PASS

Project Information			
Mode:	802. 11b	Band:	-
Bandwidth	20M	Channel	11
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.70	37.21	1.86	39.07	54.00	14.93	Horizontal	PASS
2	2484.68	37.14	1.87	39.01	54.00	14.99	Horizontal	PASS
3	2485.54	37.38	1.88	39.26	54.00	14.74	Horizontal	PASS
4	2483.82	52.83	1.87	54.70	74.00	19.30	Horizontal	PASS
5	2484.70	52.67	1.87	54.54	74.00	19.46	Horizontal	PASS
6	2485.62	52.08	1.88	53.96	74.00	20.04	Horizontal	PASS

Project Information

Mode:	802. 11b	Band:	-
Bandwidth	20M	Channel	11
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.67	40.76	1.86	42.62	54.00	11.38	Vertical	PASS
2	2484.92	41.07	1.87	42.94	54.00	11.06	Vertical	PASS
3	2486.84	41.78	1.90	43.68	54.00	10.32	Vertical	PASS
4	2483.70	57.60	1.86	59.46	74.00	14.54	Vertical	PASS
5	2484.85	58.05	1.87	59.92	74.00	14.08	Vertical	PASS
6	2486.58	58.23	1.89	60.12	74.00	13.88	Vertical	PASS

Project Information			
Mode:	802. 11g	Band:	-
Bandwidth	20M	Channel	1
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2383.94	41.65	1.43	43.08	54.00	10.92	Horizontal	PASS
2	2387.64	42.07	1.43	43.50	54.00	10.50	Horizontal	PASS
3	2389.58	42.18	1.43	43.61	54.00	10.39	Horizontal	PASS
4	2384.36	53.82	1.43	55.25	74.00	18.75	Horizontal	PASS
5	2387.90	52.70	1.43	54.13	74.00	19.87	Horizontal	PASS
6	2389.85	53.70	1.43	55.13	74.00	18.87	Horizontal	PASS

Project Information			
Mode:	802. 11g	Band:	-
Bandwidth	20M	Channel	1
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2383.87	44.16	1.43	45.59	54.00	8.41	Vertical	PASS
2	2386.93	44.71	1.42	46.13	54.00	7.87	Vertical	PASS
3	2389.10	45.96	1.43	47.39	54.00	6.61	Vertical	PASS
4	2384.17	57.44	1.43	58.87	74.00	15.13	Vertical	PASS
5	2387.64	56.99	1.43	58.42	74.00	15.58	Vertical	PASS
6	2389.73	58.55	1.43	59.98	74.00	14.02	Vertical	PASS

Project Information			
Mode:	802. 11g	Band:	-
Bandwidth	20M	Channel	11
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.98	42.01	1.87	43.88	54.00	10.12	Horizontal	PASS
2	2484.63	41.25	1.87	43.12	54.00	10.88	Horizontal	PASS
3	2485.33	40.81	1.88	42.69	54.00	11.31	Horizontal	PASS
4	2483.67	53.35	1.86	55.21	74.00	18.79	Horizontal	PASS
5	2484.66	52.81	1.87	54.68	74.00	19.32	Horizontal	PASS
6	2485.59	53.12	1.88	55.00	74.00	19.00	Horizontal	PASS

Project Information			
Mode:	802. 11g	Band:	-
Bandwidth	20M	Channel	11
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		

Test Graph**Data List**


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.01	47.76	1.87	49.63	54.00	4.37	Vertical	PASS
2	2485.76	46.19	1.88	48.07	54.00	5.93	Vertical	PASS
3	2488.45	45.52	1.91	47.43	54.00	6.57	Vertical	PASS
4	2483.91	59.06	1.87	60.93	74.00	13.07	Vertical	PASS
5	2486.19	58.41	1.88	60.29	74.00	13.71	Vertical	PASS
6	2490.40	56.93	1.93	58.86	74.00	15.14	Vertical	PASS

Project Information			
Mode:	802. 11ax	Band:	-
Bandwidth	20M	Channel	1
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2383.53	42.23	1.43	43.66	54.00	10.34	Horizontal	PASS
2	2387.57	43.26	1.43	44.69	54.00	9.31	Horizontal	PASS
3	2389.70	44.49	1.43	45.92	54.00	8.08	Horizontal	PASS
4	2384.21	56.91	1.43	58.34	74.00	15.66	Horizontal	PASS
5	2387.57	57.20	1.43	58.63	74.00	15.37	Horizontal	PASS
6	2389.62	56.99	1.43	58.42	74.00	15.58	Horizontal	PASS

Project Information			
Mode:	802. 11ax	Band:	-
Bandwidth	20M	Channel	1
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		


Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2387.27	47.72	1.42	49.14	54.00	4.86	Vertical	PASS
2	2388.61	48.85	1.43	50.28	54.00	3.72	Vertical	PASS
3	2389.70	49.34	1.43	50.77	54.00	3.23	Vertical	PASS
4	2386.52	63.55	1.43	64.98	74.00	9.02	Vertical	PASS
5	2387.90	63.81	1.43	65.24	74.00	8.76	Vertical	PASS
6	2389.88	63.37	1.43	64.80	74.00	9.20	Vertical	PASS

Project Information

Mode:	802. 11ax	Band:	-
Bandwidth	20M	Channel	11
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		

Test Graph




Data List

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.46	44.07	1.87	45.94	54.00	8.06	Horizontal	PASS
2	2486.19	42.98	1.88	44.86	54.00	9.14	Horizontal	PASS
3	2487.23	41.96	1.90	43.86	54.00	10.14	Horizontal	PASS
4	2484.06	56.66	1.87	58.53	74.00	15.47	Horizontal	PASS
5	2486.10	57.73	1.88	59.61	74.00	14.39	Horizontal	PASS
6	2487.44	56.70	1.90	58.60	74.00	15.40	Horizontal	PASS

Project Information

Mode:	802. 11ax	Band:	-
Bandwidth	20M	Channel	11
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 17		


Test Graph



Data List


NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.77	50.03	1.87	51.90	54.00	2.10	Vertical	PASS
2	2485.69	48.65	1.88	50.53	54.00	3.47	Vertical	PASS
3	2489.94	45.57	1.93	47.50	54.00	6.50	Vertical	PASS
4	2484.56	62.94	1.87	64.81	74.00	9.19	Vertical	PASS
5	2486.27	63.98	1.89	65.87	74.00	8.13	Vertical	PASS
6	2489.60	58.84	1.92	60.76	74.00	13.24	Vertical	PASS

Project Information			
Mode:	802. 11ax	Band:	-
Bandwidth	40M	Channel	3
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2372.19	41.94	1.43	43.37	54.00	10.63	Horizontal	PASS
2	2380.69	42.07	1.43	43.50	54.00	10.50	Horizontal	PASS
3	2389.71	42.36	1.43	43.79	54.00	10.21	Horizontal	PASS
4	2370.78	52.41	1.44	53.85	74.00	20.15	Horizontal	PASS
5	2382.40	52.55	1.43	53.98	74.00	20.02	Horizontal	PASS
6	2389.40	54.04	1.43	55.47	74.00	18.53	Horizontal	PASS


Project Information			
Mode:	802. 11ax	Band:	-
Bandwidth	40M	Channel	3
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph**Data List**

NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2373.12	43.59	1.44	45.03	54.00	8.97	Vertical	PASS
2	2382.76	44.83	1.43	46.26	54.00	7.74	Vertical	PASS
3	2389.09	45.83	1.43	47.26	54.00	6.74	Vertical	PASS
4	2374.04	55.52	1.44	56.96	74.00	17.04	Vertical	PASS
5	2382.93	57.16	1.43	58.59	74.00	15.41	Vertical	PASS
6	2389.75	60.41	1.43	61.84	74.00	12.16	Vertical	PASS


Project Information			
Mode:	802. 11ax	Band:	-
Bandwidth	40M	Channel	9
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph



Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2484.45	43.62	1.87	45.49	54.00	8.51	Horizontal	PASS
2	2488.03	44.30	1.90	46.20	54.00	7.80	Horizontal	PASS
3	2491.97	44.58	1.95	46.53	54.00	7.47	Horizontal	PASS
4	2484.42	54.84	1.87	56.71	74.00	17.29	Horizontal	PASS
5	2486.67	55.87	1.89	57.76	74.00	16.24	Horizontal	PASS
6	2491.70	55.80	1.95	57.75	74.00	16.25	Horizontal	PASS

Project Information			
Mode:	802. 11ax	Band:	-
Bandwidth	40M	Channel	9
SN:	D1M24KC0F000110	Engineer:	Tian Shuo
Remark:	EUT(M01)+Power: 16.5		

Test Graph

Data List								
NO.	Freq. [MHz]	Reading [dBμV]	Factor [dB]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.77	48.30	1.87	50.17	54.00	3.83	Vertical	PASS
2	2488.06	49.08	1.90	50.98	54.00	3.02	Vertical	PASS
3	2491.60	49.75	1.95	51.70	54.00	2.30	Vertical	PASS
4	2483.84	60.05	1.87	61.92	74.00	12.08	Vertical	PASS
5	2487.14	60.83	1.90	62.73	74.00	11.27	Vertical	PASS
6	2491.43	61.73	1.95	63.68	74.00	10.32	Vertical	PASS

~The End~