











Mode	31																																																					
	Band Edge - R																																																					
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																					
ANT	CDD																																																					
Pol.	Horizontal					Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5352.30</td><td>59.84</td><td>74.00</td><td>-14.16</td><td>51.21</td><td>34.40</td><td>11.07</td><td>36.84</td><td>0.00</td><td>100 322 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.30	59.84	74.00	-14.16	51.21	34.40	11.07	36.84	0.00	100 322 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5352.30	59.84	74.00	-14.16	51.21	34.40	11.07	36.84	0.00	100 322 PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>52.12</td><td>54.00</td><td>-1.88</td><td>43.50</td><td>34.40</td><td>11.07</td><td>36.85</td><td>0.00</td><td>100 322 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	52.12	54.00	-1.88	43.50	34.40	11.07	36.85	0.00	100 322 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.00	52.12	54.00	-1.88	43.50	34.40	11.07	36.85	0.00	100 322 AVERAGE																																												





Mode	31																																																																																														
	Band Edge - L																																																																																														
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																																														
ANT	CDD																																																																																														
Pol.	Vertical					Fundamental																																																																																									
Peak																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5100.16</td><td>49.80</td><td>74.00</td><td>-24.20</td><td>41.81</td><td>34.10</td><td>10.83</td><td>36.94</td><td>0.00</td><td>400</td><td>254</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5100.16	49.80	74.00	-24.20	41.81	34.10	10.83	36.94	0.00	400	254	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5310.00</td><td>97.13</td><td>-----</td><td>-----</td><td>88.59</td><td>34.40</td><td>11.05</td><td>36.91</td><td>0.00</td><td>400</td><td>254</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5310.00	97.13	-----	-----	88.59	34.40	11.05	36.91	0.00	400	254
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5100.16	49.80	74.00	-24.20	41.81	34.10	10.83	36.94	0.00	400	254	PEAK																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5310.00	97.13	-----	-----	88.59	34.40	11.05	36.91	0.00	400	254	PEAK																																																																																				
Avg																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5113.60</td><td>39.06</td><td>54.00</td><td>-14.94</td><td>31.07</td><td>34.10</td><td>10.84</td><td>36.95</td><td>0.00</td><td>400</td><td>254</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5113.60	39.06	54.00	-14.94	31.07	34.10	10.84	36.95	0.00	400	254	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5310.00</td><td>87.50</td><td>-----</td><td>-----</td><td>79.03</td><td>34.40</td><td>11.03</td><td>36.96</td><td>0.00</td><td>400</td><td>254</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5310.00	87.50	-----	-----	79.03	34.40	11.03	36.96	0.00	400	254
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5113.60	39.06	54.00	-14.94	31.07	34.10	10.84	36.95	0.00	400	254	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																						
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																					
1 5310.00	87.50	-----	-----	79.03	34.40	11.03	36.96	0.00	400	254	AVERAGE																																																																																				







Mode	31																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																						
ANT	CDD																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.50</td><td>54.93</td><td>74.00</td><td>-19.07</td><td>46.31</td><td>34.40</td><td>11.07</td><td>36.85</td><td>0.00</td><td>400</td><td>254</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.50	54.93	74.00	-19.07	46.31	34.40	11.07	36.85	0.00	400	254	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.50	54.93	74.00	-19.07	46.31	34.40	11.07	36.85	0.00	400	254	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.40</td><td>46.07</td><td>54.00</td><td>-7.93</td><td>37.45</td><td>34.40</td><td>11.07</td><td>36.85</td><td>0.00</td><td>400</td><td>254</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.40	46.07	54.00	-7.93	37.45	34.40	11.07	36.85	0.00	400	254	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5350.40	46.07	54.00	-7.93	37.45	34.40	11.07	36.85	0.00	400	254	AVERAGE																																											




Mode	31																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2A_5.25-5.35_802.11be EHT40_CH62_Full_5310MHz																																																																																																																																
ANT	CDD																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9976.60</td><td>51.01</td><td>68.20</td><td>-17.19</td><td>65.23</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10620.00</td><td>44.16</td><td>74.00</td><td>-29.84</td><td>56.26</td><td>37.60</td><td>16.63</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9976.60	51.01	68.20	-17.19	65.23	37.10	15.69	67.01	0.00	---	Peak	2	10620.00	44.16	74.00	-29.84	56.26	37.60	16.63	66.33	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9976.60</td><td>53.30</td><td>68.20</td><td>-14.90</td><td>67.52</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>10620.00</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>55.89</td><td>37.60</td><td>16.63</td><td>66.33</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9976.60	53.30	68.20	-14.90	67.52	37.10	15.69	67.01	0.00	---	Peak	2	10620.00	43.79	74.00	-30.21	55.89	37.60	16.63	66.33	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	9976.60	51.01	68.20	-17.19	65.23	37.10	15.69	67.01	0.00	---	Peak																																																																																																																						
2	10620.00	44.16	74.00	-29.84	56.26	37.60	16.63	66.33	0.00	---	PEAK																																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	9976.60	53.30	68.20	-14.90	67.52	37.10	15.69	67.01	0.00	---	Peak																																																																																																																						
2	10620.00	43.79	74.00	-30.21	55.89	37.60	16.63	66.33	0.00	---	PEAK																																																																																																																						







Mode	32																																																																																																																	
	Band Edge - L																																																																																																																	
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																																																	
ANT	CDD																																																																																																																	
Pol.	Horizontal						Fundamental																																																																																																											
Peak																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.80</td><td>54.34</td><td>74.00</td><td>-19.66</td><td>45.52</td><td>34.42</td><td>11.14</td><td>36.74</td><td>0.00</td><td>128</td><td>190 PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>66.31</td><td>68.20</td><td>-1.89</td><td>57.47</td><td>34.44</td><td>11.15</td><td>36.75</td><td>0.00</td><td>128</td><td>190 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.80	54.34	74.00	-19.66	45.52	34.42	11.14	36.74	0.00	128	190 PEAK	2	5469.68	66.31	68.20	-1.89	57.47	34.44	11.15	36.75	0.00	128	190 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>104.78</td><td>-----</td><td>-----</td><td>95.91</td><td>34.49</td><td>11.16</td><td>36.78</td><td>0.00</td><td>128</td><td>190 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	104.78	-----	-----	95.91	34.49	11.16	36.78	0.00	128	190 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5458.80	54.34	74.00	-19.66	45.52	34.42	11.14	36.74	0.00	128	190 PEAK																																																																																																							
2	5469.68	66.31	68.20	-1.89	57.47	34.44	11.15	36.75	0.00	128	190 PEAK																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5510.00	104.78	-----	-----	95.91	34.49	11.16	36.78	0.00	128	190 PEAK																																																																																																							
Avg																																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.80</td><td>44.95</td><td>54.00</td><td>-9.05</td><td>36.13</td><td>34.42</td><td>11.14</td><td>36.74</td><td>0.00</td><td>128</td><td>190 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.80	44.95	54.00	-9.05	36.13	34.42	11.14	36.74	0.00	128	190 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>95.50</td><td>-----</td><td>-----</td><td>86.63</td><td>34.49</td><td>11.16</td><td>36.78</td><td>0.00</td><td>128</td><td>190 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	95.50	-----	-----	86.63	34.49	11.16	36.78	0.00	128	190 AVERAGE												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5458.80	44.95	54.00	-9.05	36.13	34.42	11.14	36.74	0.00	128	190 AVERAGE																																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																								
1	5510.00	95.50	-----	-----	86.63	34.49	11.16	36.78	0.00	128	190 AVERAGE																																																																																																							




Mode	32																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																						
ANT	CDD																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5745.32</td><td>49.50</td><td>68.20</td><td>-18.70</td><td>40.43</td><td>34.50</td><td>11.35</td><td>36.78</td><td>0.00</td><td>128 190 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.32	49.50	68.20	-18.70	40.43	34.50	11.35	36.78	0.00	128 190 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5745.32	49.50	68.20	-18.70	40.43	34.50	11.35	36.78	0.00	128 190 PEAK																																													





Mode	32																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																																																			
ANT	CDD																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.80</td><td>50.12</td><td>74.00</td><td>-23.88</td><td>41.30</td><td>34.42</td><td>11.14</td><td>36.74</td><td>0.00</td><td>390</td><td>244</td><td>PEAK</td></tr><tr><td>2</td><td>5467.92</td><td>57.19</td><td>68.20</td><td>-11.01</td><td>48.35</td><td>34.44</td><td>11.15</td><td>36.75</td><td>0.00</td><td>390</td><td>244</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.80	50.12	74.00	-23.88	41.30	34.42	11.14	36.74	0.00	390	244	PEAK	2	5467.92	57.19	68.20	-11.01	48.35	34.44	11.15	36.75	0.00	390	244	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>98.63</td><td>-----</td><td>-----</td><td>89.76</td><td>34.49</td><td>11.16</td><td>36.78</td><td>0.00</td><td>390</td><td>244</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	98.63	-----	-----	89.76	34.49	11.16	36.78	0.00	390	244
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5458.80	50.12	74.00	-23.88	41.30	34.42	11.14	36.74	0.00	390	244	PEAK																																																																																																								
2	5467.92	57.19	68.20	-11.01	48.35	34.44	11.15	36.75	0.00	390	244	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5510.00	98.63	-----	-----	89.76	34.49	11.16	36.78	0.00	390	244	PEAK																																																																																																								
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>40.55</td><td>54.00</td><td>-13.45</td><td>31.73</td><td>34.42</td><td>11.14</td><td>36.74</td><td>0.00</td><td>390</td><td>244</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	40.55	54.00	-13.45	31.73	34.42	11.14	36.74	0.00	390	244	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5510.00</td><td>90.43</td><td>-----</td><td>-----</td><td>81.56</td><td>34.49</td><td>11.16</td><td>36.78</td><td>0.00</td><td>390</td><td>244</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5510.00	90.43	-----	-----	81.56	34.49	11.16	36.78	0.00	390	244	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5459.92	40.55	54.00	-13.45	31.73	34.42	11.14	36.74	0.00	390	244	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5510.00	90.43	-----	-----	81.56	34.49	11.16	36.78	0.00	390	244	AVERAGE																																																																																																								





Mode	32																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																						
ANT	CDD																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5740.92</td><td>48.93</td><td>68.20</td><td>-19.27</td><td>39.87</td><td>34.50</td><td>11.34</td><td>36.78</td><td>0.00</td><td>390 244 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5740.92	48.93	68.20	-19.27	39.87	34.50	11.34	36.78	0.00	390 244 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5740.92	48.93	68.20	-19.27	39.87	34.50	11.34	36.78	0.00	390 244 PEAK																																													







Mode	32																																																																																																															
	Harmonic																																																																																																															
	U-NII-2C_5.47-5.725_802.11be EHT40_CH102_Full_5510MHz																																																																																																															
ANT	CDD																																																																																																															
Pol.	Horizontal						Vertical																																																																																																									
Peak Avg																																																																																																																
	<table><thead><tr><th></th><th>Freq</th><th>Limit Level</th><th>Over Line</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9978.00</td><td>51.67</td><td>68.20</td><td>-16.53</td><td>65.89</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11020.00</td><td>46.05</td><td>74.00</td><td>-27.95</td><td>56.86</td><td>37.80</td><td>17.20</td><td>65.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9978.00	51.67	68.20	-16.53	65.89	37.10	15.69	67.01	0.00	---	---	Peak	2	11020.00	46.05	74.00	-27.95	56.86	37.80	17.20	65.81	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Freq</th><th>Limit Level</th><th>Over Line</th><th>Read Level</th><th>Ant Factor</th><th>Cable Loss</th><th>Preamp Factor</th><th>Aux Factor</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9977.70</td><td>54.24</td><td>68.20</td><td>-13.96</td><td>68.46</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11020.00</td><td>46.07</td><td>74.00</td><td>-27.93</td><td>56.88</td><td>37.80</td><td>17.20</td><td>65.81</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9977.70	54.24	68.20	-13.96	68.46	37.10	15.69	67.01	0.00	---	---	Peak	2	11020.00	46.07	74.00	-27.93	56.88	37.80	17.20	65.81	0.00	---	---	PEAK
		Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	9978.00	51.67	68.20	-16.53	65.89	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																				
2	11020.00	46.05	74.00	-27.95	56.86	37.80	17.20	65.81	0.00	---	---	PEAK																																																																																																				
	Freq	Limit Level	Over Line	Read Level	Ant Factor	Cable Loss	Preamp Factor	Aux Factor	APos	TPos	Remark																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																					
1	9977.70	54.24	68.20	-13.96	68.46	37.10	15.69	67.01	0.00	---	---	Peak																																																																																																				
2	11020.00	46.07	74.00	-27.93	56.88	37.80	17.20	65.81	0.00	---	---	PEAK																																																																																																				




Mode	33																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-2C_5.47-5.85_802.11be EHT40_CH110_Full_5550MHz																																																																																																																											
ANT	CDD																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9977.70</td><td>52.29</td><td>68.20</td><td>-15.91</td><td>66.51</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11100.00</td><td>44.79</td><td>74.00</td><td>-29.21</td><td>55.61</td><td>37.00</td><td>17.22</td><td>65.84</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9977.70	52.29	68.20	-15.91	66.51	37.10	15.69	67.01	0.00	---	Peak	2	11100.00	44.79	74.00	-29.21	55.61	37.00	17.22	65.84	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9973.30</td><td>55.52</td><td>68.20</td><td>-12.68</td><td>69.75</td><td>37.10</td><td>15.69</td><td>67.02</td><td>0.00</td><td>---</td><td>Peak</td></tr><tr><td>2</td><td>11100.00</td><td>45.26</td><td>74.00</td><td>-28.74</td><td>56.08</td><td>37.00</td><td>17.22</td><td>65.84</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9973.30	55.52	68.20	-12.68	69.75	37.10	15.69	67.02	0.00	---	Peak	2	11100.00	45.26	74.00	-28.74	56.08	37.00	17.22	65.84	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	9977.70	52.29	68.20	-15.91	66.51	37.10	15.69	67.01	0.00	---	Peak																																																																																																																	
2	11100.00	44.79	74.00	-29.21	55.61	37.00	17.22	65.84	0.00	---	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	9973.30	55.52	68.20	-12.68	69.75	37.10	15.69	67.02	0.00	---	Peak																																																																																																																	
2	11100.00	45.26	74.00	-28.74	56.08	37.00	17.22	65.84	0.00	---	PEAK																																																																																																																	







Mode	34																																																																																																																
	Band Edge - L																																																																																																																
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																																
ANT	CDD																																																																																																																
Pol.	Horizontal						Fundamental																																																																																																										
Peak																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5369.52</td><td>48.03</td><td>74.00</td><td>-25.97</td><td>39.34</td><td>34.40</td><td>11.09</td><td>36.00</td><td>0.00</td><td>100</td><td>188 PEAK</td></tr><tr><td>2</td><td>5468.24</td><td>47.43</td><td>68.20</td><td>-20.77</td><td>38.59</td><td>34.44</td><td>11.15</td><td>36.75</td><td>0.00</td><td>100</td><td>188 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5369.52	48.03	74.00	-25.97	39.34	34.40	11.09	36.00	0.00	100	188 PEAK	2	5468.24	47.43	68.20	-20.77	38.59	34.44	11.15	36.75	0.00	100	188 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>105.31</td><td>-----</td><td>-----</td><td>96.47</td><td>34.50</td><td>11.26</td><td>36.92</td><td>0.00</td><td>100</td><td>188 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	105.31	-----	-----	96.47	34.50	11.26	36.92	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5369.52	48.03	74.00	-25.97	39.34	34.40	11.09	36.00	0.00	100	188 PEAK																																																																																																						
2	5468.24	47.43	68.20	-20.77	38.59	34.44	11.15	36.75	0.00	100	188 PEAK																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	105.31	-----	-----	96.47	34.50	11.26	36.92	0.00	100	188 PEAK																																																																																																						
Avg																																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.48</td><td>37.75</td><td>54.00</td><td>-16.25</td><td>28.93</td><td>34.42</td><td>11.14</td><td>36.74</td><td>0.00</td><td>100</td><td>188 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.48	37.75	54.00	-16.25	28.93	34.42	11.14	36.74	0.00	100	188 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>97.25</td><td>-----</td><td>-----</td><td>88.37</td><td>34.50</td><td>11.27</td><td>36.89</td><td>0.00</td><td>100</td><td>188 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	97.25	-----	-----	88.37	34.50	11.27	36.89	0.00	100	188 AVERAGE											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5458.48	37.75	54.00	-16.25	28.93	34.42	11.14	36.74	0.00	100	188 AVERAGE																																																																																																						
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																							
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																							
1	5670.00	97.25	-----	-----	88.37	34.50	11.27	36.89	0.00	100	188 AVERAGE																																																																																																						




Mode	34																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																							
ANT	CDD																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5726.92</td><td>63.83</td><td>68.20</td><td>-4.37</td><td>54.80</td><td>34.50</td><td>11.33</td><td>36.80</td><td>0.00</td><td>100</td><td>188</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5726.92	63.83	68.20	-4.37	54.80	34.50	11.33	36.80	0.00	100	188	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5726.92	63.83	68.20	-4.37	54.80	34.50	11.33	36.80	0.00	100	188	PEAK																																												





Mode	34																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																																			
ANT	CDD																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5390.00</td><td>49.20</td><td>74.00</td><td>-24.80</td><td>40.44</td><td>34.40</td><td>11.11</td><td>36.75</td><td>0.00</td><td>387</td><td>259</td><td>PEAK</td></tr><tr><td>2</td><td>5464.72</td><td>47.20</td><td>68.20</td><td>-21.00</td><td>38.37</td><td>34.43</td><td>11.15</td><td>36.75</td><td>0.00</td><td>387</td><td>259</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5390.00	49.20	74.00	-24.80	40.44	34.40	11.11	36.75	0.00	387	259	PEAK	2	5464.72	47.20	68.20	-21.00	38.37	34.43	11.15	36.75	0.00	387	259	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>102.16</td><td>-----</td><td>-----</td><td>93.30</td><td>34.50</td><td>11.27</td><td>36.91</td><td>0.00</td><td>387</td><td>259</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	102.16	-----	-----	93.30	34.50	11.27	36.91	0.00	387	259
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5390.00	49.20	74.00	-24.80	40.44	34.40	11.11	36.75	0.00	387	259	PEAK																																																																																																								
2	5464.72	47.20	68.20	-21.00	38.37	34.43	11.15	36.75	0.00	387	259	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5670.00	102.16	-----	-----	93.30	34.50	11.27	36.91	0.00	387	259	PEAK																																																																																																								
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.00</td><td>37.99</td><td>54.00</td><td>-16.01</td><td>29.19</td><td>34.40</td><td>11.14</td><td>36.74</td><td>0.00</td><td>387</td><td>259</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.00	37.99	54.00	-16.01	29.19	34.40	11.14	36.74	0.00	387	259	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5670.00</td><td>94.05</td><td>-----</td><td>-----</td><td>85.21</td><td>34.50</td><td>11.26</td><td>36.92</td><td>0.00</td><td>387</td><td>259</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5670.00	94.05	-----	-----	85.21	34.50	11.26	36.92	0.00	387	259	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5450.00	37.99	54.00	-16.01	29.19	34.40	11.14	36.74	0.00	387	259	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5670.00	94.05	-----	-----	85.21	34.50	11.26	36.92	0.00	387	259	AVERAGE																																																																																																								







Mode	34																																																							
	Band Edge - R																																																							
	U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																							
ANT	CDD																																																							
Pol.	Vertical						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5725.40</td><td>57.92</td><td>68.20</td><td>-10.28</td><td>48.89</td><td>34.50</td><td>11.33</td><td>36.80</td><td>0.00</td><td>387</td><td>259</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5725.40	57.92	68.20	-10.28	48.89	34.50	11.33	36.80	0.00	387	259	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5725.40	57.92	68.20	-10.28	48.89	34.50	11.33	36.80	0.00	387	259	PEAK																																												





		34																																																																																																																																													
Mode		Harmonic																																																																																																																																													
		U-NII-2C_5.47-5.725_802.11be EHT40_CH134_Full_5670MHz																																																																																																																																													
ANT		CDD																																																																																																																																													
Pol.		Horizontal						Vertical																																																																																																																																							
Peak Avg																																																																																																																																															
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9974.40</td><td>53.56</td><td>68.20</td><td>-14.64</td><td>67.79</td><td>37.10</td><td>15.69</td><td>67.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>43.57</td><td>74.00</td><td>-30.43</td><td>54.23</td><td>38.00</td><td>17.28</td><td>65.94</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9974.40	53.56	68.20	-14.64	67.79	37.10	15.69	67.02	0.00	---	---	PEAK	2	11340.00	43.57	74.00	-30.43	54.23	38.00	17.28	65.94	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9978.00</td><td>54.95</td><td>68.20</td><td>-13.25</td><td>69.17</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11340.00</td><td>44.04</td><td>74.00</td><td>-29.96</td><td>54.70</td><td>38.00</td><td>17.28</td><td>65.94</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9978.00	54.95	68.20	-13.25	69.17	37.10	15.69	67.01	0.00	---	---	PEAK	2	11340.00	44.04	74.00	-29.96	54.70	38.00	17.28	65.94	0.00	---	---
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	9974.40	53.56	68.20	-14.64	67.79	37.10	15.69	67.02	0.00	---	---	PEAK																																																																																																																																			
2	11340.00	43.57	74.00	-30.43	54.23	38.00	17.28	65.94	0.00	---	---	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	9978.00	54.95	68.20	-13.25	69.17	37.10	15.69	67.01	0.00	---	---	PEAK																																																																																																																																			
2	11340.00	44.04	74.00	-29.96	54.70	38.00	17.28	65.94	0.00	---	---	PEAK																																																																																																																																			







Mode	35																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																																	
ANT	CDD																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5144.00</td><td>63.28</td><td>74.00</td><td>-10.72</td><td>55.28</td><td>34.10</td><td>10.87</td><td>36.97</td><td>0.00</td><td>136 189 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5144.00	63.28	74.00	-10.72	55.28	34.10	10.87	36.97	0.00	136 189 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>100.81</td><td>-----</td><td>-----</td><td>92.69</td><td>34.20</td><td>10.93</td><td>37.01</td><td>0.00</td><td>136 189 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	100.81	-----	-----	92.69	34.20	10.93	37.01	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5144.00	63.28	74.00	-10.72	55.28	34.10	10.87	36.97	0.00	136 189 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5210.00	100.81	-----	-----	92.69	34.20	10.93	37.01	0.00	136 189 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.48</td><td>52.69</td><td>54.00</td><td>-1.31</td><td>44.68</td><td>34.10</td><td>10.88</td><td>36.97</td><td>0.00</td><td>136 189 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.48	52.69	54.00	-1.31	44.68	34.10	10.88	36.97	0.00	136 189 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5210.00</td><td>92.32</td><td>-----</td><td>-----</td><td>84.19</td><td>34.20</td><td>10.94</td><td>37.01</td><td>0.00</td><td>136 189 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5210.00	92.32	-----	-----	84.19	34.20	10.94	37.01	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5148.48	52.69	54.00	-1.31	44.68	34.10	10.88	36.97	0.00	136 189 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5210.00	92.32	-----	-----	84.19	34.20	10.94	37.01	0.00	136 189 AVERAGE																																																																																								





Mode	35																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																					
ANT	CDD																																																					
Pol.	Horizontal					Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5367.78</td><td>51.42</td><td>74.00</td><td>-22.58</td><td>42.73</td><td>34.40</td><td>11.09</td><td>36.80</td><td>0.00</td><td>136 189 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5367.78	51.42	74.00	-22.58	42.73	34.40	11.09	36.80	0.00	136 189 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5367.78	51.42	74.00	-22.58	42.73	34.40	11.09	36.80	0.00	136 189 PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.14</td><td>42.01</td><td>54.00</td><td>-11.99</td><td>33.39</td><td>34.40</td><td>11.07</td><td>36.85</td><td>0.00</td><td>136 189 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.14	42.01	54.00	-11.99	33.39	34.40	11.07	36.85	0.00	136 189 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.14	42.01	54.00	-11.99	33.39	34.40	11.07	36.85	0.00	136 189 AVERAGE																																												





Mode	35																																																																																																								
	Band Edge - L																																																																																																								
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																																																								
ANT	CDD																																																																																																								
Pol.	Vertical						Fundamental																																																																																																		
Peak																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5117.12</td><td>51.07</td><td>74.00</td><td>-22.93</td><td>43.07</td><td>34.10</td><td>10.85</td><td>36.95</td><td>0.00</td><td>353</td><td>292</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5117.12	51.07	74.00	-22.93	43.07	34.10	10.85	36.95	0.00	353	292	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>94.69</td><td>-----</td><td>-----</td><td>86.53</td><td>34.20</td><td>10.96</td><td>37.00</td><td>0.00</td><td>353</td><td>292</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	94.69	-----	-----	86.53	34.20	10.96	37.00	0.00	353	292
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5117.12	51.07	74.00	-22.93	43.07	34.10	10.85	36.95	0.00	353	292	PEAK																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5210.00	94.69	-----	-----	86.53	34.20	10.96	37.00	0.00	353	292	PEAK																																																																																													
Avg																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.00</td><td>42.40</td><td>54.00</td><td>-11.60</td><td>34.39</td><td>34.10</td><td>10.88</td><td>36.97</td><td>0.00</td><td>353</td><td>292</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.00	42.40	54.00	-11.60	34.39	34.10	10.88	36.97	0.00	353	292	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>87.05</td><td>-----</td><td>-----</td><td>78.90</td><td>34.20</td><td>10.95</td><td>37.00</td><td>0.00</td><td>353</td><td>292</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	87.05	-----	-----	78.90	34.20	10.95	37.00	0.00	353	292
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5148.00	42.40	54.00	-11.60	34.39	34.10	10.88	36.97	0.00	353	292	AVERAGE																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																														
1	5210.00	87.05	-----	-----	78.90	34.20	10.95	37.00	0.00	353	292	AVERAGE																																																																																													







Mode	35																																																					
	Band Edge - R																																																					
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																					
ANT	CDD																																																					
Pol.	Vertical					Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.82</td><td>50.21</td><td>74.00</td><td>-23.79</td><td>41.57</td><td>34.40</td><td>11.08</td><td>36.84</td><td>0.00</td><td>353 292 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.82	50.21	74.00	-23.79	41.57	34.40	11.08	36.84	0.00	353 292 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5354.82	50.21	74.00	-23.79	41.57	34.40	11.08	36.84	0.00	353 292 PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.14</td><td>39.42</td><td>54.00</td><td>-14.58</td><td>30.80</td><td>34.40</td><td>11.07</td><td>36.85</td><td>0.00</td><td>353 292 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.14	39.42	54.00	-14.58	30.80	34.40	11.07	36.85	0.00	353 292 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																												
1	5350.14	39.42	54.00	-14.58	30.80	34.40	11.07	36.85	0.00	353 292 AVERAGE																																												





Mode	35																																																																										
	Harmonic																																																																										
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Full_5210MHz																																																																										
ANT	CDD																																																																										
Pol.	Horizontal											Vertical																																																															
Peak Avg																																																																											
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9974.40</td><td>50.10</td><td>68.20</td><td>-18.10</td><td>64.33</td><td>37.10</td><td>15.69</td><td>67.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10420.00</td><td>43.83</td><td>68.20</td><td>-24.37</td><td>56.80</td><td>37.38</td><td>16.27</td><td>66.62</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9974.40	50.10	68.20	-18.10	64.33	37.10	15.69	67.02	0.00	---	---	PEAK	2	10420.00	43.83	68.20	-24.37	56.80	37.38	16.27	66.62	0.00	---	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	9974.40	50.10	68.20	-18.10	64.33	37.10	15.69	67.02	0.00	---	---	PEAK																																																															
2	10420.00	43.83	68.20	-24.37	56.80	37.38	16.27	66.62	0.00	---	---	PEAK																																																															
																																																																											
<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9975.50</td><td>54.33</td><td>68.20</td><td>-13.87</td><td>68.55</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10420.00</td><td>44.54</td><td>68.20</td><td>-23.66</td><td>57.34</td><td>37.43</td><td>16.34</td><td>66.57</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9975.50	54.33	68.20	-13.87	68.55	37.10	15.69	67.01	0.00	---	---	PEAK	2	10420.00	44.54	68.20	-23.66	57.34	37.43	16.34	66.57	0.00	---	---	PEAK	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																			
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																															
1	9975.50	54.33	68.20	-13.87	68.55	37.10	15.69	67.01	0.00	---	---	PEAK																																																															
2	10420.00	44.54	68.20	-23.66	57.34	37.43	16.34	66.57	0.00	---	---	PEAK																																																															







Mode	36																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																		
ANT	CDD																																																																																																		
Pol.	Horizontal										Fundamental																																																																																								
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5139.04</td><td>54.42</td><td>74.00</td><td>-19.58</td><td>46.42</td><td>34.10</td><td>10.87</td><td>36.97</td><td>0.00</td><td>101 186 PEAK</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5139.04	54.42	74.00	-19.58	46.42	34.10	10.87	36.97	0.00	101 186 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>99.25</td><td>-----</td><td>-----</td><td>90.74</td><td>34.40</td><td>11.04</td><td>36.93</td><td>0.00</td><td>101 186 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.25	-----	-----	90.74	34.40	11.04	36.93	0.00	101 186 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5139.04	54.42	74.00	-19.58	46.42	34.10	10.87	36.97	0.00	101 186 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	99.25	-----	-----	90.74	34.40	11.04	36.93	0.00	101 186 PEAK																																																																																									
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.64</td><td>42.39</td><td>54.00</td><td>-11.61</td><td>34.38</td><td>34.10</td><td>10.88</td><td>36.97</td><td>0.00</td><td>101 186 AVERAGE</td></tr></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.64	42.39	54.00	-11.61	34.38	34.10	10.88	36.97	0.00	101 186 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>91.48</td><td>-----</td><td>-----</td><td>82.97</td><td>34.40</td><td>11.04</td><td>36.93</td><td>0.00</td><td>101 186 AVERAGE</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	91.48	-----	-----	82.97	34.40	11.04	36.93	0.00	101 186 AVERAGE
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.64	42.39	54.00	-11.61	34.38	34.10	10.88	36.97	0.00	101 186 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	91.48	-----	-----	82.97	34.40	11.04	36.93	0.00	101 186 AVERAGE																																																																																									





Mode	36																																																			
	Band Edge - R																																																			
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																			
ANT	CDD																																																			
Pol.	Horizontal					Fundamental																																														
Peak	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>60.37</td><td>74.00</td><td>-13.63</td><td>51.75</td><td>34.40</td><td>11.07</td><td>36.85</td><td>0.00</td><td>101 186 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	60.37	74.00	-13.63	51.75	34.40	11.07	36.85	0.00	101 186 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5350.00	60.37	74.00	-13.63	51.75	34.40	11.07	36.85	0.00	101 186 PEAK																																										
Avg	 <table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5352.90</td><td>52.73</td><td>54.00</td><td>-1.27</td><td>44.09</td><td>34.40</td><td>11.00</td><td>36.84</td><td>0.00</td><td>101 186 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5352.90	52.73	54.00	-1.27	44.09	34.40	11.00	36.84	0.00	101 186 AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																										
1	5352.90	52.73	54.00	-1.27	44.09	34.40	11.00	36.84	0.00	101 186 AVERAGE																																										





Mode	36																																																																																																		
	Band Edge - L																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																		
ANT	CDD																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.16</td><td>50.17</td><td>74.00</td><td>-23.83</td><td>42.16</td><td>34.10</td><td>10.88</td><td>36.97</td><td>0.00</td><td>362</td><td>247</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.16	50.17	74.00	-23.83	42.16	34.10	10.88	36.97	0.00	362	247	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>95.79</td><td>-----</td><td>-----</td><td>87.42</td><td>34.34</td><td>11.01</td><td>36.98</td><td>0.00</td><td>362</td><td>247</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	95.79	-----	-----	87.42	34.34	11.01	36.98	0.00	362	247
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5148.16	50.17	74.00	-23.83	42.16	34.10	10.88	36.97	0.00	362	247	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	95.79	-----	-----	87.42	34.34	11.01	36.98	0.00	362	247	PEAK																																																																																							
Avg																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5147.84</td><td>40.12</td><td>54.00</td><td>-13.88</td><td>32.11</td><td>34.10</td><td>10.88</td><td>36.97</td><td>0.00</td><td>362</td><td>247</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5147.84	40.12	54.00	-13.88	32.11	34.10	10.88	36.97	0.00	362	247	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5290.00</td><td>87.14</td><td>-----</td><td>-----</td><td>78.82</td><td>34.31</td><td>11.00</td><td>36.99</td><td>0.00</td><td>362</td><td>247</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	87.14	-----	-----	78.82	34.31	11.00	36.99	0.00	362	247
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5147.84	40.12	54.00	-13.88	32.11	34.10	10.88	36.97	0.00	362	247	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5290.00	87.14	-----	-----	78.82	34.31	11.00	36.99	0.00	362	247	AVERAGE																																																																																							







Mode	36																																																						
	Band Edge - R																																																						
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																						
ANT	CDD																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5372.00</td><td>55.41</td><td>74.00</td><td>-18.59</td><td>46.71</td><td>34.40</td><td>11.09</td><td>36.79</td><td>0.00</td><td>362</td><td>247</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5372.00	55.41	74.00	-18.59	46.71	34.40	11.09	36.79	0.00	362	247	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5372.00	55.41	74.00	-18.59	46.71	34.40	11.09	36.79	0.00	362	247	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.10</td><td>45.03</td><td>54.00</td><td>-8.97</td><td>36.39</td><td>34.40</td><td>11.00</td><td>36.84</td><td>0.00</td><td>362</td><td>247</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.10	45.03	54.00	-8.97	36.39	34.40	11.00	36.84	0.00	362	247	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5354.10	45.03	54.00	-8.97	36.39	34.40	11.00	36.84	0.00	362	247	AVERAGE																																											




Mode	36																																																																																																																																
	Harmonic																																																																																																																																
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Full_5290MHz																																																																																																																																
ANT	CDD																																																																																																																																
Pol.	Horizontal						Vertical																																																																																																																										
Peak Avg																																																																																																																																	
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9974.40</td><td>50.17</td><td>68.20</td><td>-18.03</td><td>64.40</td><td>37.10</td><td>15.69</td><td>67.02</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>44.33</td><td>68.20</td><td>-23.87</td><td>56.52</td><td>37.59</td><td>16.59</td><td>66.37</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9974.40	50.17	68.20	-18.03	64.40	37.10	15.69	67.02	0.00	---	PEAK	2	10580.00	44.33	68.20	-23.87	56.52	37.59	16.59	66.37	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9977.70</td><td>52.96</td><td>68.20</td><td>-15.24</td><td>67.18</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>10580.00</td><td>43.61</td><td>74.00</td><td>-30.39</td><td>55.73</td><td>37.60</td><td>16.62</td><td>66.34</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9977.70	52.96	68.20	-15.24	67.18	37.10	15.69	67.01	0.00	---	PEAK	2	10580.00	43.61	74.00	-30.39	55.73	37.60	16.62	66.34	0.00	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	9974.40	50.17	68.20	-18.03	64.40	37.10	15.69	67.02	0.00	---	PEAK																																																																																																																						
2	10580.00	44.33	68.20	-23.87	56.52	37.59	16.59	66.37	0.00	---	PEAK																																																																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																							
1	9977.70	52.96	68.20	-15.24	67.18	37.10	15.69	67.01	0.00	---	PEAK																																																																																																																						
2	10580.00	43.61	74.00	-30.39	55.73	37.60	16.62	66.34	0.00	---	PEAK																																																																																																																						







Mode	37																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																																				
ANT	CDD																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5439.60</td><td>57.57</td><td>74.00</td><td>-16.43</td><td>48.77</td><td>34.40</td><td>11.14</td><td>36.74</td><td>0.00</td><td>101</td><td>191</td><td>PEAK</td></tr><tr><td>2</td><td>5469.36</td><td>59.21</td><td>68.20</td><td>-8.99</td><td>50.37</td><td>34.44</td><td>11.15</td><td>36.75</td><td>0.00</td><td>101</td><td>191</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5439.60	57.57	74.00	-16.43	48.77	34.40	11.14	36.74	0.00	101	191	PEAK	2	5469.36	59.21	68.20	-8.99	50.37	34.44	11.15	36.75	0.00	101	191	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>101.08</td><td>-----</td><td>-----</td><td>92.41</td><td>34.40</td><td>11.18</td><td>36.91</td><td>0.00</td><td>101</td><td>191</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	101.08	-----	-----	92.41	34.40	11.18	36.91	0.00	101	191	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5439.60	57.57	74.00	-16.43	48.77	34.40	11.14	36.74	0.00	101	191	PEAK																																																																																																									
2	5469.36	59.21	68.20	-8.99	50.37	34.44	11.15	36.75	0.00	101	191	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5530.00	101.08	-----	-----	92.41	34.40	11.18	36.91	0.00	101	191	PEAK																																																																																																									
Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.92</td><td>51.24</td><td>54.00</td><td>-2.76</td><td>42.42</td><td>34.42</td><td>11.14</td><td>36.74</td><td>0.00</td><td>101</td><td>191</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.92	51.24	54.00	-2.76	42.42	34.42	11.14	36.74	0.00	101	191	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>91.98</td><td>-----</td><td>-----</td><td>83.35</td><td>34.40</td><td>11.18</td><td>36.95</td><td>0.00</td><td>101</td><td>191</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	91.98	-----	-----	83.35	34.40	11.18	36.95	0.00	101	191	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5459.92	51.24	54.00	-2.76	42.42	34.42	11.14	36.74	0.00	101	191	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5530.00	91.98	-----	-----	83.35	34.40	11.18	36.95	0.00	101	191	AVERAGE																																																																																																									




Mode	37																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																													
ANT	CDD																																													
Pol.	Horizontal	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5754.12</td><td>49.96</td><td>68.20</td><td>-18.24</td><td>40.86</td><td>34.52</td><td>11.35</td><td>36.77</td><td>0.00</td><td>101 191 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5754.12	49.96	68.20	-18.24	40.86	34.52	11.35	36.77	0.00	101 191 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5754.12	49.96	68.20	-18.24	40.86	34.52	11.35	36.77	0.00	101 191 PEAK																																				





Mode	37																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																																			
ANT	CDD																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5436.24</td><td>53.95</td><td>74.00</td><td>-20.05</td><td>45.15</td><td>34.40</td><td>11.13</td><td>36.73</td><td>0.00</td><td>385</td><td>289</td><td>PEAK</td></tr><tr><td>2</td><td>5469.20</td><td>53.78</td><td>68.20</td><td>-14.42</td><td>44.94</td><td>34.44</td><td>11.15</td><td>36.75</td><td>0.00</td><td>385</td><td>289</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5436.24	53.95	74.00	-20.05	45.15	34.40	11.13	36.73	0.00	385	289	PEAK	2	5469.20	53.78	68.20	-14.42	44.94	34.44	11.15	36.75	0.00	385	289	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>97.46</td><td>-----</td><td>-----</td><td>88.83</td><td>34.40</td><td>11.18</td><td>36.95</td><td>0.00</td><td>385</td><td>289</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	97.46	-----	-----	88.83	34.40	11.18	36.95	0.00	385	289
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5436.24	53.95	74.00	-20.05	45.15	34.40	11.13	36.73	0.00	385	289	PEAK																																																																																																								
2	5469.20	53.78	68.20	-14.42	44.94	34.44	11.15	36.75	0.00	385	289	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5530.00	97.46	-----	-----	88.83	34.40	11.18	36.95	0.00	385	289	PEAK																																																																																																								
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5449.36</td><td>44.05</td><td>54.00</td><td>-9.95</td><td>35.25</td><td>34.40</td><td>11.14</td><td>36.74</td><td>0.00</td><td>385</td><td>289</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5449.36	44.05	54.00	-9.95	35.25	34.40	11.14	36.74	0.00	385	289	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5530.00</td><td>89.34</td><td>-----</td><td>-----</td><td>80.71</td><td>34.40</td><td>11.18</td><td>36.95</td><td>0.00</td><td>385</td><td>289</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5530.00	89.34	-----	-----	80.71	34.40	11.18	36.95	0.00	385	289	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5449.36	44.05	54.00	-9.95	35.25	34.40	11.14	36.74	0.00	385	289	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5530.00	89.34	-----	-----	80.71	34.40	11.18	36.95	0.00	385	289	AVERAGE																																																																																																								







Mode	37																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																													
ANT	CDD																																													
Pol.	Vertical	Fundamental																																												
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5747.96</td><td>50.15</td><td>68.20</td><td>-18.05</td><td>41.08</td><td>34.50</td><td>11.35</td><td>36.78</td><td>0.00</td><td>385 289 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5747.96	50.15	68.20	-18.05	41.08	34.50	11.35	36.78	0.00	385 289 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5747.96	50.15	68.20	-18.05	41.08	34.50	11.35	36.78	0.00	385 289 PEAK																																				




Mode	37																																																																																																																													
	Harmonic																																																																																																																													
	U-NII-2C_5.47-5.725_802.11be EHT80_CH106_Full_5530MHz																																																																																																																													
ANT	CDD																																																																																																																													
Pol.	Horizontal						Vertical																																																																																																																							
Peak Avg																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>9978.00</td><td>50.71</td><td>68.20</td><td>-17.49</td><td>64.93</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>44.44</td><td>74.00</td><td>-29.56</td><td>55.25</td><td>37.00</td><td>17.21</td><td>65.82</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9978.00	50.71	68.20	-17.49	64.93	37.10	15.69	67.01	0.00	---	PEAK	2	11060.00	44.44	74.00	-29.56	55.25	37.00	17.21	65.82	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>9974.40</td><td>53.37</td><td>68.20</td><td>-14.83</td><td>67.60</td><td>37.10</td><td>15.69</td><td>67.02</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11060.00</td><td>45.26</td><td>74.00</td><td>-28.74</td><td>56.07</td><td>37.00</td><td>17.21</td><td>65.82</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9974.40	53.37	68.20	-14.83	67.60	37.10	15.69	67.02	0.00	---	PEAK	2	11060.00	45.26	74.00	-28.74	56.07	37.00	17.21	65.82	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	9978.00	50.71	68.20	-17.49	64.93	37.10	15.69	67.01	0.00	---	PEAK																																																																																																																			
2	11060.00	44.44	74.00	-29.56	55.25	37.00	17.21	65.82	0.00	---	PEAK																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																				
1	9974.40	53.37	68.20	-14.83	67.60	37.10	15.69	67.02	0.00	---	PEAK																																																																																																																			
2	11060.00	45.26	74.00	-28.74	56.07	37.00	17.21	65.82	0.00	---	PEAK																																																																																																																			







Mode	38																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																																				
ANT	CDD																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5453.84</td><td>53.47</td><td>74.00</td><td>-20.53</td><td>44.66</td><td>34.41</td><td>11.14</td><td>36.74</td><td>0.00</td><td>101</td><td>340</td><td>PEAK</td></tr><tr><td>2</td><td>5466.64</td><td>55.76</td><td>68.20</td><td>-12.44</td><td>46.93</td><td>34.43</td><td>11.15</td><td>36.75</td><td>0.00</td><td>101</td><td>340</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5453.84	53.47	74.00	-20.53	44.66	34.41	11.14	36.74	0.00	101	340	PEAK	2	5466.64	55.76	68.20	-12.44	46.93	34.43	11.15	36.75	0.00	101	340	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>102.52</td><td>-----</td><td>-----</td><td>93.95</td><td>34.40</td><td>11.19</td><td>37.02</td><td>0.00</td><td>101</td><td>340</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	102.52	-----	-----	93.95	34.40	11.19	37.02	0.00	101	340	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5453.84	53.47	74.00	-20.53	44.66	34.41	11.14	36.74	0.00	101	340	PEAK																																																																																																									
2	5466.64	55.76	68.20	-12.44	46.93	34.43	11.15	36.75	0.00	101	340	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5610.00	102.52	-----	-----	93.95	34.40	11.19	37.02	0.00	101	340	PEAK																																																																																																									
Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.96</td><td>44.92</td><td>54.00</td><td>-9.08</td><td>36.10</td><td>34.42</td><td>11.14</td><td>36.74</td><td>0.00</td><td>101</td><td>340</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.96	44.92	54.00	-9.08	36.10	34.42	11.14	36.74	0.00	101	340	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>93.92</td><td>-----</td><td>-----</td><td>85.32</td><td>34.43</td><td>11.21</td><td>37.04</td><td>0.00</td><td>101</td><td>340</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.92	-----	-----	85.32	34.43	11.21	37.04	0.00	101	340	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5458.96	44.92	54.00	-9.08	36.10	34.42	11.14	36.74	0.00	101	340	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5610.00	93.92	-----	-----	85.32	34.43	11.21	37.04	0.00	101	340	AVERAGE																																																																																																									



Mode	38																																																						
	Band Edge - R																																																						
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																						
ANT	CDD																																																						
Pol.	Horizontal						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5731.32</td><td>60.54</td><td>68.20</td><td>-7.66</td><td>51.51</td><td>34.50</td><td>11.33</td><td>36.00</td><td>0.00</td><td>101 340 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5731.32	60.54	68.20	-7.66	51.51	34.50	11.33	36.00	0.00	101 340 PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5731.32	60.54	68.20	-7.66	51.51	34.50	11.33	36.00	0.00	101 340 PEAK																																													





Mode	38																																																																																																																				
	Band Edge - L																																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																																				
ANT	CDD																																																																																																																				
Pol.	Vertical						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5447.76</td><td>53.24</td><td>74.00</td><td>-20.76</td><td>44.44</td><td>34.40</td><td>11.14</td><td>36.74</td><td>0.00</td><td>391</td><td>264</td><td>PEAK</td></tr><tr><td>2</td><td>5466.96</td><td>52.49</td><td>68.20</td><td>-15.71</td><td>43.66</td><td>34.43</td><td>11.15</td><td>36.75</td><td>0.00</td><td>391</td><td>264</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5447.76	53.24	74.00	-20.76	44.44	34.40	11.14	36.74	0.00	391	264	PEAK	2	5466.96	52.49	68.20	-15.71	43.66	34.43	11.15	36.75	0.00	391	264	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>103.30</td><td>-----</td><td>-----</td><td>94.66</td><td>34.44</td><td>11.22</td><td>37.02</td><td>0.00</td><td>391</td><td>264</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	103.30	-----	-----	94.66	34.44	11.22	37.02	0.00	391	264	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5447.76	53.24	74.00	-20.76	44.44	34.40	11.14	36.74	0.00	391	264	PEAK																																																																																																									
2	5466.96	52.49	68.20	-15.71	43.66	34.43	11.15	36.75	0.00	391	264	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5610.00	103.30	-----	-----	94.66	34.44	11.22	37.02	0.00	391	264	PEAK																																																																																																									
Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5458.64</td><td>43.25</td><td>54.00</td><td>-10.75</td><td>34.43</td><td>34.42</td><td>11.14</td><td>36.74</td><td>0.00</td><td>391</td><td>264</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.64	43.25	54.00	-10.75	34.43	34.42	11.14	36.74	0.00	391	264	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5610.00</td><td>93.64</td><td>-----</td><td>-----</td><td>85.00</td><td>34.44</td><td>11.22</td><td>37.02</td><td>0.00</td><td>391</td><td>264</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5610.00	93.64	-----	-----	85.00	34.44	11.22	37.02	0.00	391	264	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5458.64	43.25	54.00	-10.75	34.43	34.42	11.14	36.74	0.00	391	264	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5610.00	93.64	-----	-----	85.00	34.44	11.22	37.02	0.00	391	264	AVERAGE																																																																																																									






Mode	38																																													
	Band Edge - R																																													
	U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																													
ANT	CDD																																													
Pol.	Vertical	Fundamental																																												
Peak	Level (dBuV/m) Frequency (MHz) U-NII-1-U-NII-2A-U-NII-2C <table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.00</td><td>56.04</td><td>68.20</td><td>-12.16</td><td>46.98</td><td>34.50</td><td>11.34</td><td>36.78</td><td>0.00</td><td>391 264 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5741.00	56.04	68.20	-12.16	46.98	34.50	11.34	36.78	0.00	391 264 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																				
1	5741.00	56.04	68.20	-12.16	46.98	34.50	11.34	36.78	0.00	391 264 PEAK																																				







		38																																																																																																																																														
Mode		Harmonic																																																																																																																																														
		U-NII-2C_5.47-5.725_802.11be EHT80_CH122_Full_5610MHz																																																																																																																																														
ANT		CDD																																																																																																																																														
Pol.		Horizontal						Vertical																																																																																																																																								
Peak Avg																																																																																																																																																
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9977.70</td><td>49.32</td><td>68.20</td><td>-18.88</td><td>63.54</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>43.56</td><td>74.00</td><td>-30.44</td><td>54.28</td><td>37.92</td><td>17.25</td><td>65.89</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9977.70	49.32	68.20	-18.88	63.54	37.10	15.69	67.01	0.00	---	PEAK	2	11220.00	43.56	74.00	-30.44	54.28	37.92	17.25	65.89	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9975.50</td><td>54.41</td><td>68.20</td><td>-13.79</td><td>68.63</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11220.00</td><td>43.54</td><td>74.00</td><td>-30.46</td><td>54.26</td><td>37.92</td><td>17.25</td><td>65.89</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>															Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9975.50	54.41	68.20	-13.79	68.63	37.10	15.69	67.01	0.00	---	PEAK	2	11220.00	43.54	74.00	-30.46	54.26	37.92	17.25	65.89	0.00	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	9977.70	49.32	68.20	-18.88	63.54	37.10	15.69	67.01	0.00	---	PEAK																																																																																																																																					
2	11220.00	43.56	74.00	-30.44	54.28	37.92	17.25	65.89	0.00	---	PEAK																																																																																																																																					
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																						
1	9975.50	54.41	68.20	-13.79	68.63	37.10	15.69	67.01	0.00	---	PEAK																																																																																																																																					
2	11220.00	43.54	74.00	-30.46	54.26	37.92	17.25	65.89	0.00	---	PEAK																																																																																																																																					





Mode	39																																																																																																																																						
	Band Edge																																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																						
ANT	1																																																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																																																
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5634.00</td><td>48.92</td><td>68.20</td><td>-19.28</td><td>40.21</td><td>34.47</td><td>11.23</td><td>36.99</td><td>0.00</td><td>100</td><td>228 PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>46.84</td><td>68.50</td><td>-21.66</td><td>38.04</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>100</td><td>228 PEAK</td></tr><tr><td>3</td><td>5718.00</td><td>55.86</td><td>110.34</td><td>-54.48</td><td>46.85</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>100</td><td>228 PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>60.70</td><td>114.55</td><td>-53.85</td><td>51.69</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>100</td><td>228 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5634.00	48.92	68.20	-19.28	40.21	34.47	11.23	36.99	0.00	100	228 PEAK	2	5650.40	46.84	68.50	-21.66	38.04	34.50	11.25	36.95	0.00	100	228 PEAK	3	5718.00	55.86	110.34	-54.48	46.85	34.50	11.32	36.81	0.00	100	228 PEAK	4	5721.60	60.70	114.55	-53.85	51.69	34.50	11.32	36.81	0.00	100	228 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>103.25</td><td>-----</td><td>94.18</td><td>34.50</td><td>11.35</td><td>36.78</td><td>0.00</td><td>100</td><td>228 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	103.25	-----	94.18	34.50	11.35	36.78	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5634.00	48.92	68.20	-19.28	40.21	34.47	11.23	36.99	0.00	100	228 PEAK																																																																																																																												
2	5650.40	46.84	68.50	-21.66	38.04	34.50	11.25	36.95	0.00	100	228 PEAK																																																																																																																												
3	5718.00	55.86	110.34	-54.48	46.85	34.50	11.32	36.81	0.00	100	228 PEAK																																																																																																																												
4	5721.60	60.70	114.55	-53.85	51.69	34.50	11.32	36.81	0.00	100	228 PEAK																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5745.00	103.25	-----	94.18	34.50	11.35	36.78	0.00	100	228 PEAK																																																																																																																													
Avg	Blank																																																																																																																																						
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.46</td><td>-----</td><td>87.39</td><td>34.50</td><td>11.35</td><td>36.78</td><td>0.00</td><td>100</td><td>228 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	96.46	-----	87.39	34.50	11.35	36.78	0.00	100	228 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5745.00	96.46	-----	87.39	34.50	11.35	36.78	0.00	100	228 AVERAGE																																																																																																																													





Mode	39																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																								
ANT	1																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5630.00</td><td>48.29</td><td>68.20</td><td>-19.91</td><td>39.60</td><td>34.46</td><td>11.23</td><td>37.00</td><td>0.00</td><td>289</td><td>264 PEAK</td></tr><tr><td>2</td><td>5652.00</td><td>49.00</td><td>70.29</td><td>-21.21</td><td>40.27</td><td>34.50</td><td>11.25</td><td>36.94</td><td>0.00</td><td>289</td><td>264 PEAK</td></tr><tr><td>3</td><td>5702.00</td><td>48.05</td><td>105.86</td><td>-57.81</td><td>39.08</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>289</td><td>264 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>51.95</td><td>111.81</td><td>-59.86</td><td>42.94</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>289</td><td>264 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5630.00	48.29	68.20	-19.91	39.60	34.46	11.23	37.00	0.00	289	264 PEAK	2	5652.00	49.00	70.29	-21.21	40.27	34.50	11.25	36.94	0.00	289	264 PEAK	3	5702.00	48.05	105.86	-57.81	39.08	34.50	11.30	36.83	0.00	289	264 PEAK	4	5720.40	51.95	111.81	-59.86	42.94	34.50	11.32	36.81	0.00	289	264 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.98</td><td>-----</td><td>-----</td><td>91.91</td><td>34.50</td><td>11.35</td><td>36.78</td><td>0.00</td><td>289</td><td>264 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	100.98	-----	-----	91.91	34.50	11.35	36.78	0.00	289	264 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5630.00	48.29	68.20	-19.91	39.60	34.46	11.23	37.00	0.00	289	264 PEAK																																																																																																																														
2	5652.00	49.00	70.29	-21.21	40.27	34.50	11.25	36.94	0.00	289	264 PEAK																																																																																																																														
3	5702.00	48.05	105.86	-57.81	39.08	34.50	11.30	36.83	0.00	289	264 PEAK																																																																																																																														
4	5720.40	51.95	111.81	-59.86	42.94	34.50	11.32	36.81	0.00	289	264 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	100.98	-----	-----	91.91	34.50	11.35	36.78	0.00	289	264 PEAK																																																																																																																														
Avg																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.41</td><td>-----</td><td>-----</td><td>85.34</td><td>34.50</td><td>11.35</td><td>36.78</td><td>0.00</td><td>289</td><td>264 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	94.41	-----	-----	85.34	34.50	11.35	36.78	0.00	289	264 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>94.41</td><td>-----</td><td>-----</td><td>85.34</td><td>34.50</td><td>11.35</td><td>36.78</td><td>0.00</td><td>289</td><td>264 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5745.00	94.41	-----	-----	85.34	34.50	11.35	36.78	0.00	289	264 AVERAGE																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	94.41	-----	-----	85.34	34.50	11.35	36.78	0.00	289	264 AVERAGE																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5745.00	94.41	-----	-----	85.34	34.50	11.35	36.78	0.00	289	264 AVERAGE																																																																																																																														
Blank																																																																																																																																									






Mode	39																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9977.70</td><td>50.15</td><td>68.20</td><td>-18.05</td><td>64.37</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>43.84</td><td>74.00</td><td>-30.16</td><td>54.43</td><td>38.09</td><td>17.32</td><td>66.00</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9977.70	50.15	68.20	-18.05	64.37	37.10	15.69	67.01	0.00	---	---	PEAK	2	11490.00	43.84	74.00	-30.16	54.43	38.09	17.32	66.00	0.00	---	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9975.50</td><td>53.50</td><td>68.20</td><td>-14.70</td><td>67.72</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.13</td><td>74.00</td><td>-29.87</td><td>54.72</td><td>38.09</td><td>17.32</td><td>66.00</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9975.50	53.50	68.20	-14.70	67.72	37.10	15.69	67.01	0.00	---	---	PEAK	2	11490.00	44.13	74.00	-29.87	54.72	38.09	17.32	66.00	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	9977.70	50.15	68.20	-18.05	64.37	37.10	15.69	67.01	0.00	---	---	PEAK																																																																																																																								
2	11490.00	43.84	74.00	-30.16	54.43	38.09	17.32	66.00	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	9975.50	53.50	68.20	-14.70	67.72	37.10	15.69	67.01	0.00	---	---	PEAK																																																																																																																								
2	11490.00	44.13	74.00	-29.87	54.72	38.09	17.32	66.00	0.00	---	---	PEAK																																																																																																																								






Mode	40																																																																																																																																			
	Harmonic																																																																																																																																			
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																																																																																			
ANT	1																																																																																																																																			
Pol.	Horizontal						Vertical																																																																																																																													
Peak Avg																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>9976.00</td><td>49.89</td><td>68.20</td><td>-18.31</td><td>64.11</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>46.30</td><td>74.00</td><td>-27.70</td><td>56.68</td><td>38.17</td><td>17.34</td><td>65.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9976.00	49.89	68.20	-18.31	64.11	37.10	15.69	67.01	0.00	---	---	PEAK	2	11570.00	46.30	74.00	-27.70	56.68	38.17	17.34	65.89	0.00	---	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>9982.10</td><td>55.66</td><td>68.20</td><td>-12.54</td><td>69.87</td><td>37.10</td><td>15.70</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.69</td><td>74.00</td><td>-28.31</td><td>56.07</td><td>38.17</td><td>17.34</td><td>65.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9982.10	55.66	68.20	-12.54	69.87	37.10	15.70	67.01	0.00	---	---	PEAK	2	11570.00	45.69	74.00	-28.31	56.07	38.17	17.34	65.89	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	9976.00	49.89	68.20	-18.31	64.11	37.10	15.69	67.01	0.00	---	---	PEAK																																																																																																																								
2	11570.00	46.30	74.00	-27.70	56.68	38.17	17.34	65.89	0.00	---	---	PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1	9982.10	55.66	68.20	-12.54	69.87	37.10	15.70	67.01	0.00	---	---	PEAK																																																																																																																								
2	11570.00	45.69	74.00	-28.31	56.07	38.17	17.34	65.89	0.00	---	---	PEAK																																																																																																																								





Mode	41																																																																																																																																		
	Band Edge																																																																																																																																		
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																		
ANT	1																																																																																																																																		
Pol.	Horizontal					Fundamental																																																																																																																													
Peak	 Level (dBuV/m) Frequency (MHz) U-NII-3 <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1 5854.40</td><td>52.28</td><td>112.27</td><td>-59.99</td><td>42.84</td><td>34.83</td><td>11.50</td><td>36.89</td><td>0.00</td><td>125</td><td>182 PEAK</td></tr> <tr> <td>2 5872.00</td><td>51.23</td><td>106.14</td><td>-54.91</td><td>41.72</td><td>34.93</td><td>11.53</td><td>36.95</td><td>0.00</td><td>125</td><td>182 PEAK</td></tr> <tr> <td>3 5924.80</td><td>47.21</td><td>68.35</td><td>-21.14</td><td>37.47</td><td>35.10</td><td>11.63</td><td>36.99</td><td>0.00</td><td>125</td><td>182 PEAK</td></tr> <tr> <td>4 5943.60</td><td>50.20</td><td>68.20</td><td>-18.00</td><td>40.38</td><td>35.10</td><td>11.67</td><td>36.95</td><td>0.00</td><td>125</td><td>182 PEAK</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.40	52.28	112.27	-59.99	42.84	34.83	11.50	36.89	0.00	125	182 PEAK	2 5872.00	51.23	106.14	-54.91	41.72	34.93	11.53	36.95	0.00	125	182 PEAK	3 5924.80	47.21	68.35	-21.14	37.47	35.10	11.63	36.99	0.00	125	182 PEAK	4 5943.60	50.20	68.20	-18.00	40.38	35.10	11.67	36.95	0.00	125	182 PEAK	 Level (dBuV/m) Frequency (MHz) U-NII-3 <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1 5825.00</td><td>105.29</td><td>-----</td><td>-----</td><td>95.90</td><td>34.75</td><td>11.44</td><td>36.80</td><td>0.00</td><td>125</td><td>182 PEAK</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	105.29	-----	-----	95.90	34.75	11.44	36.80	0.00	125	182 PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5854.40	52.28	112.27	-59.99	42.84	34.83	11.50	36.89	0.00	125	182 PEAK																																																																																																																									
2 5872.00	51.23	106.14	-54.91	41.72	34.93	11.53	36.95	0.00	125	182 PEAK																																																																																																																									
3 5924.80	47.21	68.35	-21.14	37.47	35.10	11.63	36.99	0.00	125	182 PEAK																																																																																																																									
4 5943.60	50.20	68.20	-18.00	40.38	35.10	11.67	36.95	0.00	125	182 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	105.29	-----	-----	95.90	34.75	11.44	36.80	0.00	125	182 PEAK																																																																																																																									
Avg	Blank					 Level (dBuV/m) Frequency (MHz) U-NII-3(AVG) <table border="1"> <thead> <tr> <th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr> <tr> <th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr> <tr> <th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr> </thead> <tbody> <tr> <td>1 5825.00</td><td>98.11</td><td>-----</td><td>-----</td><td>88.72</td><td>34.75</td><td>11.44</td><td>36.80</td><td>0.00</td><td>125</td><td>182 AVERAGE</td></tr> </tbody> </table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	98.11	-----	-----	88.72	34.75	11.44	36.80	0.00	125	182 AVERAGE																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5825.00	98.11	-----	-----	88.72	34.75	11.44	36.80	0.00	125	182 AVERAGE																																																																																																																									






		41																																																																																																																																												
Mode	Band Edge																																																																																																																																													
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																													
ANT	1																																																																																																																																													
Pol.	Vertical						Fundamental																																																																																																																																							
Peak																																																																																																																																														
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>52.68</td><td>111.36</td><td>-58.68</td><td>43.25</td><td>34.83</td><td>11.50</td><td>36.90</td><td>0.00</td><td>300</td><td>270</td><td>PEAK</td></tr><tr><td>2</td><td>5871.60</td><td>49.91</td><td>106.25</td><td>-56.34</td><td>40.40</td><td>34.93</td><td>11.53</td><td>36.95</td><td>0.00</td><td>300</td><td>270</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>48.29</td><td>69.53</td><td>-21.24</td><td>38.55</td><td>35.10</td><td>11.63</td><td>36.99</td><td>0.00</td><td>300</td><td>270</td><td>PEAK</td></tr><tr><td>4</td><td>5961.60</td><td>49.30</td><td>68.20</td><td>-18.90</td><td>39.39</td><td>35.12</td><td>11.70</td><td>36.91</td><td>0.00</td><td>300</td><td>270</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	52.68	111.36	-58.68	43.25	34.83	11.50	36.90	0.00	300	270	PEAK	2	5871.60	49.91	106.25	-56.34	40.40	34.93	11.53	36.95	0.00	300	270	PEAK	3	5923.20	48.29	69.53	-21.24	38.55	35.10	11.63	36.99	0.00	300	270	PEAK	4	5961.60	49.30	68.20	-18.90	39.39	35.12	11.70	36.91	0.00	300	270	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.85</td><td>-----</td><td>-----</td><td>94.46</td><td>34.75</td><td>11.44</td><td>36.80</td><td>0.00</td><td>300</td><td>270</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	103.85	-----	-----	94.46	34.75	11.44	36.80	0.00	300	270
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5854.00	52.68	111.36	-58.68	43.25	34.83	11.50	36.90	0.00	300	270	PEAK																																																																																																																																		
2	5871.60	49.91	106.25	-56.34	40.40	34.93	11.53	36.95	0.00	300	270	PEAK																																																																																																																																		
3	5923.20	48.29	69.53	-21.24	38.55	35.10	11.63	36.99	0.00	300	270	PEAK																																																																																																																																		
4	5961.60	49.30	68.20	-18.90	39.39	35.12	11.70	36.91	0.00	300	270	PEAK																																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5825.00	103.85	-----	-----	94.46	34.75	11.44	36.80	0.00	300	270	PEAK																																																																																																																																		
Avg	Blank																																																																																																																																													
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.13</td><td>-----</td><td>-----</td><td>87.74</td><td>34.75</td><td>11.44</td><td>36.80</td><td>0.00</td><td>300</td><td>270</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.13	-----	-----	87.74	34.75	11.44	36.80	0.00	300	270	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																					
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																				
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																				
1	5825.00	97.13	-----	-----	87.74	34.75	11.44	36.80	0.00	300	270	AVERAGE																																																																																																																																		






Mode	41																																																																							
	Harmonic																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																							
ANT	1																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9972.20</td><td>49.46</td><td>68.20</td><td>-18.74</td><td>63.69</td><td>37.10</td><td>15.69</td><td>67.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.47</td><td>74.00</td><td>-29.53</td><td>54.57</td><td>38.30</td><td>17.36</td><td>65.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9972.20	49.46	68.20	-18.74	63.69	37.10	15.69	67.02	0.00	---	---	PEAK	2	11650.00	44.47	74.00	-29.53	54.57	38.30	17.36	65.76	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	9972.20	49.46	68.20	-18.74	63.69	37.10	15.69	67.02	0.00	---	---	PEAK																																																												
2	11650.00	44.47	74.00	-29.53	54.57	38.30	17.36	65.76	0.00	---	---	PEAK																																																												
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9979.90</td><td>54.75</td><td>68.20</td><td>-13.45</td><td>68.97</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>45.31</td><td>74.00</td><td>-28.69</td><td>55.41</td><td>38.30</td><td>17.36</td><td>65.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9979.90	54.75	68.20	-13.45	68.97	37.10	15.69	67.01	0.00	---	---	PEAK	2	11650.00	45.31	74.00	-28.69	55.41	38.30	17.36	65.76	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	9979.90	54.75	68.20	-13.45	68.97	37.10	15.69	67.01	0.00	---	---	PEAK																																																												
2	11650.00	45.31	74.00	-28.69	55.41	38.30	17.36	65.76	0.00	---	---	PEAK																																																												





Mode	42																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																																	
ANT	2																																																																																																																																	
Pol.	Horizontal					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5618.00</td><td>48.25</td><td>68.20</td><td>-19.95</td><td>39.61</td><td>34.44</td><td>11.22</td><td>37.02</td><td>0.00</td><td>100</td><td>33 PEAK</td></tr><tr><td>2 5650.00</td><td>46.28</td><td>68.20</td><td>-21.92</td><td>37.48</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>100</td><td>33 PEAK</td></tr><tr><td>3 5718.00</td><td>53.97</td><td>110.34</td><td>-56.37</td><td>44.96</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>100</td><td>33 PEAK</td></tr><tr><td>4 5721.20</td><td>52.29</td><td>113.64</td><td>-61.35</td><td>43.28</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>100</td><td>33 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5618.00	48.25	68.20	-19.95	39.61	34.44	11.22	37.02	0.00	100	33 PEAK	2 5650.00	46.28	68.20	-21.92	37.48	34.50	11.25	36.95	0.00	100	33 PEAK	3 5718.00	53.97	110.34	-56.37	44.96	34.50	11.32	36.81	0.00	100	33 PEAK	4 5721.20	52.29	113.64	-61.35	43.28	34.50	11.32	36.81	0.00	100	33 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>96.35</td><td>-----</td><td>-----</td><td>87.30</td><td>34.50</td><td>11.34</td><td>36.79</td><td>0.00</td><td>100</td><td>33 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	96.35	-----	-----	87.30	34.50	11.34	36.79	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5618.00	48.25	68.20	-19.95	39.61	34.44	11.22	37.02	0.00	100	33 PEAK																																																																																																																								
2 5650.00	46.28	68.20	-21.92	37.48	34.50	11.25	36.95	0.00	100	33 PEAK																																																																																																																								
3 5718.00	53.97	110.34	-56.37	44.96	34.50	11.32	36.81	0.00	100	33 PEAK																																																																																																																								
4 5721.20	52.29	113.64	-61.35	43.28	34.50	11.32	36.81	0.00	100	33 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5745.00	96.35	-----	-----	87.30	34.50	11.34	36.79	0.00	100	33 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>89.67</td><td>-----</td><td>-----</td><td>80.60</td><td>34.50</td><td>11.35</td><td>36.78</td><td>0.00</td><td>100</td><td>33 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	89.67	-----	-----	80.60	34.50	11.35	36.78	0.00	100	33 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5745.00	89.67	-----	-----	80.60	34.50	11.35	36.78	0.00	100	33 AVERAGE																																																																																																																								




Mode	42																																																																																																																							
	Band Edge																																																																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																																																																							
ANT	2																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																	
Peak																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5624.00</td><td>50.18</td><td>68.20</td><td>-18.02</td><td>41.52</td><td>34.45</td><td>11.22</td><td>37.01</td><td>0.00</td><td>300</td><td>303</td><td>PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>48.27</td><td>68.20</td><td>-19.93</td><td>39.47</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>300</td><td>303</td><td>PEAK</td></tr><tr><td>3</td><td>5717.20</td><td>63.75</td><td>110.12</td><td>-46.37</td><td>54.74</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>300</td><td>303</td><td>PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>62.94</td><td>110.90</td><td>-47.96</td><td>53.93</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>300</td><td>303</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5624.00	50.18	68.20	-18.02	41.52	34.45	11.22	37.01	0.00	300	303	PEAK	2	5650.00	48.27	68.20	-19.93	39.47	34.50	11.25	36.95	0.00	300	303	PEAK	3	5717.20	63.75	110.12	-46.37	54.74	34.50	11.32	36.81	0.00	300	303	PEAK	4	5720.00	62.94	110.90	-47.96	53.93	34.50	11.32	36.81	0.00	300	303	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.66</td><td>-----</td><td>-----</td><td>97.59</td><td>34.50</td><td>11.35</td><td>36.78</td><td>0.00</td><td>300</td><td>303</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	106.66	-----	-----	97.59	34.50	11.35	36.78	0.00	300	303
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5624.00	50.18	68.20	-18.02	41.52	34.45	11.22	37.01	0.00	300	303	PEAK																																																																																																												
2	5650.00	48.27	68.20	-19.93	39.47	34.50	11.25	36.95	0.00	300	303	PEAK																																																																																																												
3	5717.20	63.75	110.12	-46.37	54.74	34.50	11.32	36.81	0.00	300	303	PEAK																																																																																																												
4	5720.00	62.94	110.90	-47.96	53.93	34.50	11.32	36.81	0.00	300	303	PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5745.00	106.66	-----	-----	97.59	34.50	11.35	36.78	0.00	300	303	PEAK																																																																																																												
Avg	Blank																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.58</td><td>-----</td><td>-----</td><td>91.51</td><td>34.50</td><td>11.35</td><td>36.78</td><td>0.00</td><td>300</td><td>303</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	100.58	-----	-----	91.51	34.50	11.35	36.78	0.00	300	303	AVERAGE																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																														
1	5745.00	100.58	-----	-----	91.51	34.50	11.35	36.78	0.00	300	303	AVERAGE																																																																																																												



Mode	42																																																																							
	Harmonic																																																																							
	U-NII-3_5.725-5.85_802.11a_CH149_5745MHz																																																																							
ANT	2																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9974.40</td><td>51.13</td><td>68.20</td><td>-17.07</td><td>65.36</td><td>37.10</td><td>15.69</td><td>67.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.54</td><td>74.00</td><td>-29.46</td><td>55.13</td><td>38.09</td><td>17.32</td><td>66.00</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9974.40	51.13	68.20	-17.07	65.36	37.10	15.69	67.02	0.00	---	---	PEAK	2	11490.00	44.54	74.00	-29.46	55.13	38.09	17.32	66.00	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	9974.40	51.13	68.20	-17.07	65.36	37.10	15.69	67.02	0.00	---	---	PEAK																																																												
2	11490.00	44.54	74.00	-29.46	55.13	38.09	17.32	66.00	0.00	---	---	PEAK																																																												
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9977.70</td><td>56.20</td><td>68.20</td><td>-12.00</td><td>70.42</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.92</td><td>74.00</td><td>-29.08</td><td>55.51</td><td>38.09</td><td>17.32</td><td>66.00</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9977.70	56.20	68.20	-12.00	70.42	37.10	15.69	67.01	0.00	---	---	PEAK	2	11490.00	44.92	74.00	-29.08	55.51	38.09	17.32	66.00	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	9977.70	56.20	68.20	-12.00	70.42	37.10	15.69	67.01	0.00	---	---	PEAK																																																												
2	11490.00	44.92	74.00	-29.08	55.51	38.09	17.32	66.00	0.00	---	---	PEAK																																																												






Mode	43																																																																								
	Harmonic																																																																								
	U-NII-3_5.725-5.85_802.11a_CH157_5785MHz																																																																								
ANT	2																																																																								
Pol.	Horizontal											Vertical																																																													
Peak Avg																																																																									
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9976.60</td><td>52.12</td><td>68.20</td><td>-16.08</td><td>66.34</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.51</td><td>74.00</td><td>-28.49</td><td>55.89</td><td>38.17</td><td>17.34</td><td>65.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9976.60	52.12	68.20	-16.08	66.34	37.10	15.69	67.01	0.00	---	---	PEAK	2	11570.00	45.51	74.00	-28.49	55.89	38.17	17.34	65.89	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	9976.60	52.12	68.20	-16.08	66.34	37.10	15.69	67.01	0.00	---	---	PEAK																																																													
2	11570.00	45.51	74.00	-28.49	55.89	38.17	17.34	65.89	0.00	---	---	PEAK																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9968.90</td><td>55.32</td><td>68.20</td><td>-12.88</td><td>69.55</td><td>37.10</td><td>15.69</td><td>67.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.23</td><td>74.00</td><td>-28.77</td><td>55.61</td><td>38.17</td><td>17.34</td><td>65.89</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9968.90	55.32	68.20	-12.88	69.55	37.10	15.69	67.02	0.00	---	---	PEAK	2	11570.00	45.23	74.00	-28.77	55.61	38.17	17.34	65.89	0.00	---	---	PEAK
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																														
1	9968.90	55.32	68.20	-12.88	69.55	37.10	15.69	67.02	0.00	---	---	PEAK																																																													
2	11570.00	45.23	74.00	-28.77	55.61	38.17	17.34	65.89	0.00	---	---	PEAK																																																													





Mode	44																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																								
ANT	2																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>49.50</td><td>112.27</td><td>-62.77</td><td>40.06</td><td>34.83</td><td>11.50</td><td>36.89</td><td>0.00</td><td>100</td><td>33 PEAK</td></tr><tr><td>2</td><td>5873.60</td><td>48.10</td><td>105.69</td><td>-57.59</td><td>38.58</td><td>34.94</td><td>11.54</td><td>36.96</td><td>0.00</td><td>100</td><td>33 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>46.85</td><td>68.94</td><td>-22.09</td><td>37.11</td><td>35.10</td><td>11.63</td><td>36.99</td><td>0.00</td><td>100</td><td>33 PEAK</td></tr><tr><td>4</td><td>5937.20</td><td>50.21</td><td>68.20</td><td>-17.99</td><td>40.42</td><td>35.10</td><td>11.65</td><td>36.96</td><td>0.00</td><td>100</td><td>33 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	49.50	112.27	-62.77	40.06	34.83	11.50	36.89	0.00	100	33 PEAK	2	5873.60	48.10	105.69	-57.59	38.58	34.94	11.54	36.96	0.00	100	33 PEAK	3	5924.00	46.85	68.94	-22.09	37.11	35.10	11.63	36.99	0.00	100	33 PEAK	4	5937.20	50.21	68.20	-17.99	40.42	35.10	11.65	36.96	0.00	100	33 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>97.24</td><td>-----</td><td>-----</td><td>87.85</td><td>34.75</td><td>11.44</td><td>36.80</td><td>0.00</td><td>100</td><td>33 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.24	-----	-----	87.85	34.75	11.44	36.80	0.00	100	33 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.40	49.50	112.27	-62.77	40.06	34.83	11.50	36.89	0.00	100	33 PEAK																																																																																																																														
2	5873.60	48.10	105.69	-57.59	38.58	34.94	11.54	36.96	0.00	100	33 PEAK																																																																																																																														
3	5924.00	46.85	68.94	-22.09	37.11	35.10	11.63	36.99	0.00	100	33 PEAK																																																																																																																														
4	5937.20	50.21	68.20	-17.99	40.42	35.10	11.65	36.96	0.00	100	33 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	97.24	-----	-----	87.85	34.75	11.44	36.80	0.00	100	33 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>90.13</td><td>-----</td><td>-----</td><td>80.74</td><td>34.75</td><td>11.44</td><td>36.80</td><td>0.00</td><td>100</td><td>33 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor				MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	90.13	-----	-----	80.74	34.75	11.44	36.80	0.00	100	33 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																	
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	90.13	-----	-----	80.74	34.75	11.44	36.80	0.00	100	33 AVERAGE																																																																																																																														






Mode	44																																																																																																																																						
	Band Edge																																																																																																																																						
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																																																																																						
ANT	2																																																																																																																																						
Pol.	Vertical					Fundamental																																																																																																																																	
Peak																																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>60.34</td><td>111.36</td><td>-51.02</td><td>50.91</td><td>34.83</td><td>11.50</td><td>36.90</td><td>0.00</td><td>293</td><td>301 PEAK</td></tr><tr><td>2</td><td>5855.20</td><td>63.59</td><td>110.84</td><td>-47.25</td><td>54.16</td><td>34.83</td><td>11.50</td><td>36.90</td><td>0.00</td><td>293</td><td>301 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>49.00</td><td>68.35</td><td>-19.35</td><td>39.26</td><td>35.10</td><td>11.63</td><td>36.99</td><td>0.00</td><td>293</td><td>301 PEAK</td></tr><tr><td>4</td><td>5934.40</td><td>49.76</td><td>68.20</td><td>-18.44</td><td>39.98</td><td>35.10</td><td>11.65</td><td>36.97</td><td>0.00</td><td>293</td><td>301 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	60.34	111.36	-51.02	50.91	34.83	11.50	36.90	0.00	293	301 PEAK	2	5855.20	63.59	110.84	-47.25	54.16	34.83	11.50	36.90	0.00	293	301 PEAK	3	5924.00	49.00	68.35	-19.35	39.26	35.10	11.63	36.99	0.00	293	301 PEAK	4	5934.40	49.76	68.20	-18.44	39.98	35.10	11.65	36.97	0.00	293	301 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.66</td><td>-----</td><td>-----</td><td>97.27</td><td>34.75</td><td>11.44</td><td>36.80</td><td>0.00</td><td>293</td><td>301 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.66	-----	-----	97.27	34.75	11.44	36.80	0.00	293
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5854.00	60.34	111.36	-51.02	50.91	34.83	11.50	36.90	0.00	293	301 PEAK																																																																																																																												
2	5855.20	63.59	110.84	-47.25	54.16	34.83	11.50	36.90	0.00	293	301 PEAK																																																																																																																												
3	5924.00	49.00	68.35	-19.35	39.26	35.10	11.63	36.99	0.00	293	301 PEAK																																																																																																																												
4	5934.40	49.76	68.20	-18.44	39.98	35.10	11.65	36.97	0.00	293	301 PEAK																																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5825.00	106.66	-----	-----	97.27	34.75	11.44	36.80	0.00	293	301 PEAK																																																																																																																												
Avg	Blank																																																																																																																																						
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th></th><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.95</td><td>-----</td><td>-----</td><td>90.56</td><td>34.75</td><td>11.44</td><td>36.80</td><td>0.00</td><td>293</td><td>301 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.95	-----	-----	90.56	34.75	11.44	36.80	0.00	293	301 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																													
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																													
1	5825.00	99.95	-----	-----	90.56	34.75	11.44	36.80	0.00	293	301 AVERAGE																																																																																																																												






Mode	44																																																																							
	Harmonic																																																																							
	U-NII-3_5.725-5.85_802.11a_CH165_5825MHz																																																																							
ANT	2																																																																							
Pol.	Horizontal						Vertical																																																																	
Peak Avg																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9977.70</td><td>51.86</td><td>68.20</td><td>-16.34</td><td>66.08</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.49</td><td>74.00</td><td>-29.51</td><td>54.59</td><td>38.30</td><td>17.36</td><td>65.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9977.70	51.86	68.20	-16.34	66.08	37.10	15.69	67.01	0.00	---	---	PEAK	2	11650.00	44.49	74.00	-29.51	54.59	38.30	17.36	65.76	0.00	---	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	9977.70	51.86	68.20	-16.34	66.08	37.10	15.69	67.01	0.00	---	---	PEAK																																																												
2	11650.00	44.49	74.00	-29.51	54.59	38.30	17.36	65.76	0.00	---	---	PEAK																																																												
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9977.70</td><td>57.02</td><td>68.20</td><td>-11.18</td><td>71.24</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.69</td><td>74.00</td><td>-29.31</td><td>54.79</td><td>38.30</td><td>17.36</td><td>65.76</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9977.70	57.02	68.20	-11.18	71.24	37.10	15.69	67.01	0.00	---	---	PEAK	2	11650.00	44.69	74.00	-29.31	54.79	38.30	17.36	65.76	0.00	---	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	9977.70	57.02	68.20	-11.18	71.24	37.10	15.69	67.01	0.00	---	---	PEAK																																																												
2	11650.00	44.69	74.00	-29.31	54.79	38.30	17.36	65.76	0.00	---	---	PEAK																																																												



Mode	45																																																																																																																																			
	Band Edge																																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																			
ANT	CDD																																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																																													
Peak																																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5645.60</td><td>49.97</td><td>68.20</td><td>-18.23</td><td>41.19</td><td>34.49</td><td>11.25</td><td>36.96</td><td>0.00</td><td>101 341 PEAK</td></tr><tr><td>2</td><td>5651.60</td><td>49.72</td><td>69.39</td><td>-19.67</td><td>40.92</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>101 341 PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>66.47</td><td>110.90</td><td>-44.43</td><td>57.46</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>101 341 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>68.30</td><td>111.81</td><td>-43.51</td><td>59.29</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>101 341 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5645.60	49.97	68.20	-18.23	41.19	34.49	11.25	36.96	0.00	101 341 PEAK	2	5651.60	49.72	69.39	-19.67	40.92	34.50	11.25	36.95	0.00	101 341 PEAK	3	5720.00	66.47	110.90	-44.43	57.46	34.50	11.32	36.81	0.00	101 341 PEAK	4	5720.40	68.30	111.81	-43.51	59.29	34.50	11.32	36.81	0.00	101 341 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>109.91</td><td>-----</td><td>-----</td><td>100.86</td><td>34.50</td><td>11.34</td><td>36.79</td><td>0.00</td><td>101 341 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	109.91	-----	-----	100.86	34.50	11.34	36.79	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5645.60	49.97	68.20	-18.23	41.19	34.49	11.25	36.96	0.00	101 341 PEAK																																																																																																																										
2	5651.60	49.72	69.39	-19.67	40.92	34.50	11.25	36.95	0.00	101 341 PEAK																																																																																																																										
3	5720.00	66.47	110.90	-44.43	57.46	34.50	11.32	36.81	0.00	101 341 PEAK																																																																																																																										
4	5720.40	68.30	111.81	-43.51	59.29	34.50	11.32	36.81	0.00	101 341 PEAK																																																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5745.00	109.91	-----	-----	100.86	34.50	11.34	36.79	0.00	101 341 PEAK																																																																																																																										
Avg	Blank																																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>99.03</td><td>-----</td><td>-----</td><td>89.98</td><td>34.50</td><td>11.34</td><td>36.79</td><td>0.00</td><td>101 341 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	99.03	-----	-----	89.98	34.50	11.34	36.79	0.00	101 341 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																										
1	5745.00	99.03	-----	-----	89.98	34.50	11.34	36.79	0.00	101 341 AVERAGE																																																																																																																										





Mode	45																																																																																																																																														
	Band Edge																																																																																																																																														
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																																																																																														
ANT	CDD																																																																																																																																														
Pol.	Vertical						Fundamental																																																																																																																																								
Peak																																																																																																																																															
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5612.00</td><td>48.26</td><td>68.20</td><td>-19.94</td><td>39.66</td><td>34.43</td><td>11.21</td><td>37.04</td><td>0.00</td><td>285</td><td>275</td><td>PEAK</td></tr><tr><td>2</td><td>5650.40</td><td>46.92</td><td>68.50</td><td>-21.58</td><td>38.12</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>285</td><td>275</td><td>PEAK</td></tr><tr><td>3</td><td>5720.00</td><td>64.31</td><td>110.90</td><td>-46.59</td><td>55.30</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>285</td><td>275</td><td>PEAK</td></tr><tr><td>4</td><td>5720.10</td><td>64.31</td><td>110.90</td><td>-46.59</td><td>55.30</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>285</td><td>275</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5612.00	48.26	68.20	-19.94	39.66	34.43	11.21	37.04	0.00	285	275	PEAK	2	5650.40	46.92	68.50	-21.58	38.12	34.50	11.25	36.95	0.00	285	275	PEAK	3	5720.00	64.31	110.90	-46.59	55.30	34.50	11.32	36.81	0.00	285	275	PEAK	4	5720.10	64.31	110.90	-46.59	55.30	34.50	11.32	36.81	0.00	285	275	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>106.66</td><td>-----</td><td>-----</td><td>97.59</td><td>34.50</td><td>11.35</td><td>36.78</td><td>0.00</td><td>285</td><td>275</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	106.66	-----	-----	97.59	34.50	11.35	36.78	0.00	285	275
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																					
1	5612.00	48.26	68.20	-19.94	39.66	34.43	11.21	37.04	0.00	285	275	PEAK																																																																																																																																			
2	5650.40	46.92	68.50	-21.58	38.12	34.50	11.25	36.95	0.00	285	275	PEAK																																																																																																																																			
3	5720.00	64.31	110.90	-46.59	55.30	34.50	11.32	36.81	0.00	285	275	PEAK																																																																																																																																			
4	5720.10	64.31	110.90	-46.59	55.30	34.50	11.32	36.81	0.00	285	275	PEAK																																																																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	106.66	-----	-----	97.59	34.50	11.35	36.78	0.00	285	275	PEAK																																																																																																																																			
Avg	Blank																																																																																																																																														
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>98.87</td><td>-----</td><td>-----</td><td>89.82</td><td>34.50</td><td>11.34</td><td>36.79</td><td>0.00</td><td>285</td><td>275</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5745.00	98.87	-----	-----	89.82	34.50	11.34	36.79	0.00	285	275	AVERAGE																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																					
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																				
1	5745.00	98.87	-----	-----	89.82	34.50	11.34	36.79	0.00	285	275	AVERAGE																																																																																																																																			






		45																																																																			
Mode		Harmonic																																																																			
		U-NII-3_5.725-5.85_802.11be EHT20_CH149_Full_5745MHz																																																																			
ANT		CDD																																																																			
Pol.		Horizontal																																																																			
Peak Avg																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9973.30</td><td>48.95</td><td>68.20</td><td>-19.25</td><td>63.18</td><td>37.10</td><td>15.69</td><td>67.02</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>44.05</td><td>74.00</td><td>-29.95</td><td>54.64</td><td>38.09</td><td>17.32</td><td>66.00</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9973.30	48.95	68.20	-19.25	63.18	37.10	15.69	67.02	0.00	---	PEAK	2	11490.00	44.05	74.00	-29.95	54.64	38.09	17.32	66.00	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	9973.30	48.95	68.20	-19.25	63.18	37.10	15.69	67.02	0.00	---	PEAK																																																										
2	11490.00	44.05	74.00	-29.95	54.64	38.09	17.32	66.00	0.00	---	PEAK																																																										
<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9976.60</td><td>53.41</td><td>68.20</td><td>-14.79</td><td>67.63</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11490.00</td><td>43.63</td><td>74.00</td><td>-30.37</td><td>54.22</td><td>38.09</td><td>17.32</td><td>66.00</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9976.60	53.41	68.20	-14.79	67.63	37.10	15.69	67.01	0.00	---	PEAK	2	11490.00	43.63	74.00	-30.37	54.22	38.09	17.32	66.00	0.00	---	PEAK	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																											
1	9976.60	53.41	68.20	-14.79	67.63	37.10	15.69	67.01	0.00	---	PEAK																																																										
2	11490.00	43.63	74.00	-30.37	54.22	38.09	17.32	66.00	0.00	---	PEAK																																																										






Mode	46																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH157_Full_5785MHz																																																																																																																																	
ANT	CDD																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9989.00</td><td>48.90</td><td>68.20</td><td>-19.30</td><td>63.11</td><td>37.10</td><td>15.70</td><td>67.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>45.61</td><td>74.00</td><td>-28.39</td><td>55.99</td><td>38.17</td><td>17.34</td><td>65.89</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9989.00	48.90	68.20	-19.30	63.11	37.10	15.70	67.01	0.00	---	PEAK	2	11570.00	45.61	74.00	-28.39	55.99	38.17	17.34	65.89	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9975.50</td><td>53.40</td><td>68.20</td><td>-14.80</td><td>67.62</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11570.00</td><td>44.91</td><td>74.00</td><td>-29.09</td><td>55.29</td><td>38.17</td><td>17.34</td><td>65.89</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9975.50	53.40	68.20	-14.80	67.62	37.10	15.69	67.01	0.00	---	PEAK	2	11570.00	44.91	74.00	-29.09	55.29	38.17	17.34	65.89	0.00	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	9989.00	48.90	68.20	-19.30	63.11	37.10	15.70	67.01	0.00	---	PEAK																																																																																																																							
2	11570.00	45.61	74.00	-28.39	55.99	38.17	17.34	65.89	0.00	---	PEAK																																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	9975.50	53.40	68.20	-14.80	67.62	37.10	15.69	67.01	0.00	---	PEAK																																																																																																																							
2	11570.00	44.91	74.00	-29.09	55.29	38.17	17.34	65.89	0.00	---	PEAK																																																																																																																							





Mode	47																																																																																							
	Band Edge																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																							
ANT	CDD																																																																																							
Pol.	Horizontal																																																																																							
Peak																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>63.57</td><td>111.36</td><td>-47.79</td><td>54.14</td><td>34.83</td><td>11.50</td><td>36.90</td><td>0.00</td><td>101 242 PEAK</td></tr><tr><td>2</td><td>5856.40</td><td>61.60</td><td>110.51</td><td>-48.91</td><td>52.16</td><td>34.84</td><td>11.50</td><td>36.90</td><td>0.00</td><td>101 242 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>47.73</td><td>68.35</td><td>-20.62</td><td>37.99</td><td>35.10</td><td>11.63</td><td>36.99</td><td>0.00</td><td>101 242 PEAK</td></tr><tr><td>4</td><td>5953.60</td><td>50.78</td><td>68.20</td><td>-17.42</td><td>40.92</td><td>35.11</td><td>11.68</td><td>36.93</td><td>0.00</td><td>101 242 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	63.57	111.36	-47.79	54.14	34.83	11.50	36.90	0.00	101 242 PEAK	2	5856.40	61.60	110.51	-48.91	52.16	34.84	11.50	36.90	0.00	101 242 PEAK	3	5924.00	47.73	68.35	-20.62	37.99	35.10	11.63	36.99	0.00	101 242 PEAK	4	5953.60	50.78	68.20	-17.42	40.92	35.11	11.68	36.93	0.00	101 242 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5854.00	63.57	111.36	-47.79	54.14	34.83	11.50	36.90	0.00	101 242 PEAK																																																																														
2	5856.40	61.60	110.51	-48.91	52.16	34.84	11.50	36.90	0.00	101 242 PEAK																																																																														
3	5924.00	47.73	68.35	-20.62	37.99	35.10	11.63	36.99	0.00	101 242 PEAK																																																																														
4	5953.60	50.78	68.20	-17.42	40.92	35.11	11.68	36.93	0.00	101 242 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>108.15</td><td>-----</td><td>-----</td><td>98.76</td><td>34.75</td><td>11.44</td><td>36.80</td><td>0.00</td><td>101 242 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	108.15	-----	-----	98.76	34.75	11.44	36.80	0.00	101 242 PEAK																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5825.00	108.15	-----	-----	98.76	34.75	11.44	36.80	0.00	101 242 PEAK																																																																														
Avg	Blank																																																																																							
																																																																																								
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>99.23</td><td>-----</td><td>-----</td><td>89.84</td><td>34.74</td><td>11.43</td><td>36.78</td><td>0.00</td><td>101 242 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.23	-----	-----	89.84	34.74	11.43	36.78	0.00	101 242 AVERAGE																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																														
1	5825.00	99.23	-----	-----	89.84	34.74	11.43	36.78	0.00	101 242 AVERAGE																																																																														






Mode	47																																																																																																																																	
	Band Edge																																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																	
ANT	CDD																																																																																																																																	
Pol.	Vertical					Fundamental																																																																																																																												
Peak																																																																																																																																		
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5854.00</td><td>65.98</td><td>111.36</td><td>-45.38</td><td>56.55</td><td>34.83</td><td>11.50</td><td>36.90</td><td>0.00</td><td>308</td><td>272 PEAK</td></tr><tr><td>2 5856.00</td><td>63.55</td><td>110.62</td><td>-47.07</td><td>54.11</td><td>34.84</td><td>11.50</td><td>36.90</td><td>0.00</td><td>308</td><td>272 PEAK</td></tr><tr><td>3 5924.00</td><td>48.73</td><td>68.94</td><td>-20.21</td><td>38.99</td><td>35.10</td><td>11.63</td><td>36.99</td><td>0.00</td><td>308</td><td>272 PEAK</td></tr><tr><td>4 5984.00</td><td>50.31</td><td>68.20</td><td>-17.89</td><td>40.26</td><td>35.17</td><td>11.74</td><td>36.86</td><td>0.00</td><td>308</td><td>272 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5854.00	65.98	111.36	-45.38	56.55	34.83	11.50	36.90	0.00	308	272 PEAK	2 5856.00	63.55	110.62	-47.07	54.11	34.84	11.50	36.90	0.00	308	272 PEAK	3 5924.00	48.73	68.94	-20.21	38.99	35.10	11.63	36.99	0.00	308	272 PEAK	4 5984.00	50.31	68.20	-17.89	40.26	35.17	11.74	36.86	0.00	308	272 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>107.61</td><td>-----</td><td>-----</td><td>98.22</td><td>34.74</td><td>11.43</td><td>36.78</td><td>0.00</td><td>308</td><td>272 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	107.61	-----	-----	98.22	34.74	11.43	36.78	0.00	308
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5854.00	65.98	111.36	-45.38	56.55	34.83	11.50	36.90	0.00	308	272 PEAK																																																																																																																								
2 5856.00	63.55	110.62	-47.07	54.11	34.84	11.50	36.90	0.00	308	272 PEAK																																																																																																																								
3 5924.00	48.73	68.94	-20.21	38.99	35.10	11.63	36.99	0.00	308	272 PEAK																																																																																																																								
4 5984.00	50.31	68.20	-17.89	40.26	35.17	11.74	36.86	0.00	308	272 PEAK																																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	107.61	-----	-----	98.22	34.74	11.43	36.78	0.00	308	272 PEAK																																																																																																																								
Avg	Blank																																																																																																																																	
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5825.00</td><td>99.62</td><td>-----</td><td>-----</td><td>90.22</td><td>34.76</td><td>11.46</td><td>36.82</td><td>0.00</td><td>308</td><td>272 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5825.00	99.62	-----	-----	90.22	34.76	11.46	36.82	0.00	308	272 AVERAGE																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1 5825.00	99.62	-----	-----	90.22	34.76	11.46	36.82	0.00	308	272 AVERAGE																																																																																																																								




Mode	47																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Full_5825MHz																																																																																																																																	
ANT	CDD																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9976.60</td><td>48.68</td><td>68.20</td><td>-19.52</td><td>62.90</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.40</td><td>74.00</td><td>-29.60</td><td>54.50</td><td>38.30</td><td>17.36</td><td>65.76</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9976.60	48.68	68.20	-19.52	62.90	37.10	15.69	67.01	0.00	---	PEAK	2	11650.00	44.40	74.00	-29.60	54.50	38.30	17.36	65.76	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9974.40</td><td>53.10</td><td>68.20</td><td>-15.10</td><td>67.33</td><td>37.10</td><td>15.69</td><td>67.02</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11650.00</td><td>44.09</td><td>74.00</td><td>-29.91</td><td>54.19</td><td>38.30</td><td>17.36</td><td>65.76</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9974.40	53.10	68.20	-15.10	67.33	37.10	15.69	67.02	0.00	---	PEAK	2	11650.00	44.09	74.00	-29.91	54.19	38.30	17.36	65.76	0.00	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	9976.60	48.68	68.20	-19.52	62.90	37.10	15.69	67.01	0.00	---	PEAK																																																																																																																							
2	11650.00	44.40	74.00	-29.60	54.50	38.30	17.36	65.76	0.00	---	PEAK																																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	9974.40	53.10	68.20	-15.10	67.33	37.10	15.69	67.02	0.00	---	PEAK																																																																																																																							
2	11650.00	44.09	74.00	-29.91	54.19	38.30	17.36	65.76	0.00	---	PEAK																																																																																																																							



Mode	48																																																																																																																			
	Band Edge - L																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																			
ANT	CDD																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5646.35</td><td>52.48</td><td>68.20</td><td>-15.72</td><td>43.70</td><td>34.49</td><td>11.25</td><td>36.96</td><td>0.00</td><td>104</td><td>335 PEAK</td></tr><tr><td>2</td><td>5651.77</td><td>52.60</td><td>69.52</td><td>-16.92</td><td>43.80</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>104</td><td>335 PEAK</td></tr><tr><td>3</td><td>5713.15</td><td>75.41</td><td>108.98</td><td>-33.57</td><td>66.42</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>104</td><td>335 PEAK</td></tr><tr><td>4</td><td>5721.21</td><td>79.42</td><td>113.66</td><td>-34.24</td><td>70.41</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>104</td><td>335 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5646.35	52.48	68.20	-15.72	43.70	34.49	11.25	36.96	0.00	104	335 PEAK	2	5651.77	52.60	69.52	-16.92	43.80	34.50	11.25	36.95	0.00	104	335 PEAK	3	5713.15	75.41	108.98	-33.57	66.42	34.50	11.31	36.82	0.00	104	335 PEAK	4	5721.21	79.42	113.66	-34.24	70.41	34.50	11.32	36.81	0.00	104	335 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>107.25</td><td>-----</td><td>-----</td><td>98.09</td><td>34.56</td><td>11.36</td><td>36.76</td><td>0.00</td><td>104</td><td>335 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5755.00	107.25	-----	-----	98.09	34.56	11.36	36.76	0.00	104	335 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
1	5646.35	52.48	68.20	-15.72	43.70	34.49	11.25	36.96	0.00	104	335 PEAK																																																																																																									
2	5651.77	52.60	69.52	-16.92	43.80	34.50	11.25	36.95	0.00	104	335 PEAK																																																																																																									
3	5713.15	75.41	108.98	-33.57	66.42	34.50	11.31	36.82	0.00	104	335 PEAK																																																																																																									
4	5721.21	79.42	113.66	-34.24	70.41	34.50	11.32	36.81	0.00	104	335 PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
1	5755.00	107.25	-----	-----	98.09	34.56	11.36	36.76	0.00	104	335 PEAK																																																																																																									
Avg	Blank																																																																																																																			
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>97.34</td><td>-----</td><td>-----</td><td>88.22</td><td>34.53</td><td>11.36</td><td>36.77</td><td>0.00</td><td>104</td><td>335 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5755.00	97.34	-----	-----	88.22	34.53	11.36	36.77	0.00	104	335 AVERAGE																																																																						
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
1	5755.00	97.34	-----	-----	88.22	34.53	11.36	36.77	0.00	104	335 AVERAGE																																																																																																									




Mode	48																																																																
	Band Edge - R																																																																
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																
ANT	CDD																																																																
Pol.	Horizontal	Fundamental																																																															
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th></tr><tr><td>1</td><td>5854.45</td><td>50.93</td><td>112.15</td><td>-61.22</td><td>41.49</td><td>34.83</td><td>11.50</td><td>36.89</td></tr><tr><td>2</td><td>5873.56</td><td>48.91</td><td>105.70</td><td>-56.79</td><td>39.39</td><td>34.94</td><td>11.54</td><td>36.96</td></tr><tr><td>3</td><td>5923.87</td><td>50.12</td><td>69.03</td><td>-18.91</td><td>40.38</td><td>35.10</td><td>11.63</td><td>36.99</td></tr><tr><td>4</td><td>5934.21</td><td>51.13</td><td>68.20</td><td>-17.07</td><td>41.35</td><td>35.10</td><td>11.65</td><td>36.97</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	1	5854.45	50.93	112.15	-61.22	41.49	34.83	11.50	36.89	2	5873.56	48.91	105.70	-56.79	39.39	34.94	11.54	36.96	3	5923.87	50.12	69.03	-18.91	40.38	35.10	11.63	36.99	4	5934.21	51.13	68.20	-17.07	41.35	35.10	11.65	36.97	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm																																																									
1	5854.45	50.93	112.15	-61.22	41.49	34.83	11.50	36.89																																																									
2	5873.56	48.91	105.70	-56.79	39.39	34.94	11.54	36.96																																																									
3	5923.87	50.12	69.03	-18.91	40.38	35.10	11.63	36.99																																																									
4	5934.21	51.13	68.20	-17.07	41.35	35.10	11.65	36.97																																																									





Mode	48																																																																																																																																									
	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																																									
ANT	CDD																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5644.95</td><td>49.66</td><td>68.20</td><td>-18.54</td><td>40.89</td><td>34.49</td><td>11.24</td><td>36.96</td><td>0.00</td><td>320</td><td>274 PEAK</td></tr><tr><td>2</td><td>5650.22</td><td>48.96</td><td>68.36</td><td>-19.40</td><td>40.16</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>320</td><td>274 PEAK</td></tr><tr><td>3</td><td>5715.79</td><td>69.89</td><td>109.72</td><td>-39.83</td><td>60.88</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>320</td><td>274 PEAK</td></tr><tr><td>4</td><td>5720.13</td><td>70.37</td><td>111.19</td><td>-40.82</td><td>61.36</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>320</td><td>274 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5644.95	49.66	68.20	-18.54	40.89	34.49	11.24	36.96	0.00	320	274 PEAK	2	5650.22	48.96	68.36	-19.40	40.16	34.50	11.25	36.95	0.00	320	274 PEAK	3	5715.79	69.89	109.72	-39.83	60.88	34.50	11.32	36.81	0.00	320	274 PEAK	4	5720.13	70.37	111.19	-40.82	61.36	34.50	11.32	36.81	0.00	320	274 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>106.12</td><td>-----</td><td>-----</td><td>96.96</td><td>34.56</td><td>11.36</td><td>36.76</td><td>0.00</td><td>320</td><td>274 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	106.12	-----	-----	96.96	34.56	11.36	36.76	0.00	320	274 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5644.95	49.66	68.20	-18.54	40.89	34.49	11.24	36.96	0.00	320	274 PEAK																																																																																																																															
2	5650.22	48.96	68.36	-19.40	40.16	34.50	11.25	36.95	0.00	320	274 PEAK																																																																																																																															
3	5715.79	69.89	109.72	-39.83	60.88	34.50	11.32	36.81	0.00	320	274 PEAK																																																																																																																															
4	5720.13	70.37	111.19	-40.82	61.36	34.50	11.32	36.81	0.00	320	274 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	106.12	-----	-----	96.96	34.56	11.36	36.76	0.00	320	274 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5755.00</td><td>96.18</td><td>-----</td><td>-----</td><td>87.09</td><td>34.51</td><td>11.35</td><td>36.77</td><td>0.00</td><td>320</td><td>274 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5755.00	96.18	-----	-----	87.09	34.51	11.35	36.77	0.00	320	274 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																		
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																
1	5755.00	96.18	-----	-----	87.09	34.51	11.35	36.77	0.00	320	274 AVERAGE																																																																																																																															







Mode	48																																																																
	Band Edge - R																																																																
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																
ANT	CDD																																																																
Pol.	Vertical	Fundamental																																																															
Peak	<table><tr><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th></tr><tr><td>1</td><td>5854.65</td><td>47.97</td><td>111.71</td><td>-63.74</td><td>38.53</td><td>34.83</td><td>11.50</td><td>36.89</td></tr><tr><td>2</td><td>5868.69</td><td>51.74</td><td>107.07</td><td>-55.33</td><td>42.24</td><td>34.91</td><td>11.53</td><td>36.94</td></tr><tr><td>3</td><td>5922.12</td><td>50.74</td><td>70.33</td><td>-19.59</td><td>41.00</td><td>35.10</td><td>11.63</td><td>36.99</td></tr><tr><td>4</td><td>5930.70</td><td>49.96</td><td>68.20</td><td>-18.24</td><td>40.20</td><td>35.10</td><td>11.64</td><td>36.98</td></tr></table>	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	1	5854.65	47.97	111.71	-63.74	38.53	34.83	11.50	36.89	2	5868.69	51.74	107.07	-55.33	42.24	34.91	11.53	36.94	3	5922.12	50.74	70.33	-19.59	41.00	35.10	11.63	36.99	4	5930.70	49.96	68.20	-18.24	40.20	35.10	11.64	36.98	Blank
Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																									
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																									
1	5854.65	47.97	111.71	-63.74	38.53	34.83	11.50	36.89																																																									
2	5868.69	51.74	107.07	-55.33	42.24	34.91	11.53	36.94																																																									
3	5922.12	50.74	70.33	-19.59	41.00	35.10	11.63	36.99																																																									
4	5930.70	49.96	68.20	-18.24	40.20	35.10	11.64	36.98																																																									




Mode	48																																																																																																																											
	Harmonic																																																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT40_CH151_Full_5755MHz																																																																																																																											
ANT	CDD																																																																																																																											
Pol.	Horizontal						Vertical																																																																																																																					
Peak Avg																																																																																																																												
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9970.00</td><td>48.40</td><td>68.20</td><td>-19.80</td><td>62.63</td><td>37.10</td><td>15.69</td><td>67.02</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>43.42</td><td>74.00</td><td>-30.58</td><td>53.97</td><td>38.11</td><td>17.32</td><td>65.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9970.00	48.40	68.20	-19.80	62.63	37.10	15.69	67.02	0.00	---	PEAK	2	11510.00	43.42	74.00	-30.58	53.97	38.11	17.32	65.98	0.00	---	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>9976.60</td><td>52.56</td><td>68.20</td><td>-15.64</td><td>66.78</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11510.00</td><td>43.63</td><td>74.00</td><td>-30.37</td><td>54.18</td><td>38.11</td><td>17.32</td><td>65.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9976.60	52.56	68.20	-15.64	66.78	37.10	15.69	67.01	0.00	---	PEAK	2	11510.00	43.63	74.00	-30.37	54.18	38.11	17.32	65.98	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	9970.00	48.40	68.20	-19.80	62.63	37.10	15.69	67.02	0.00	---	PEAK																																																																																																																	
2	11510.00	43.42	74.00	-30.58	53.97	38.11	17.32	65.98	0.00	---	PEAK																																																																																																																	
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																		
1	9976.60	52.56	68.20	-15.64	66.78	37.10	15.69	67.01	0.00	---	PEAK																																																																																																																	
2	11510.00	43.63	74.00	-30.37	54.18	38.11	17.32	65.98	0.00	---	PEAK																																																																																																																	






		49																																																																																																																					
Mode		Band Edge - L																																																																																																																					
		U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																					
ANT		CDD																																																																																																																					
Pol.		Horizontal						Fundamental																																																																																																															
Peak																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5646.40</td><td>50.60</td><td>68.20</td><td>-17.60</td><td>41.82</td><td>34.49</td><td>11.25</td><td>36.96</td><td>0.00</td><td>101</td><td>242</td></tr><tr><td>2</td><td>5650.00</td><td>48.96</td><td>68.20</td><td>-19.24</td><td>40.16</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>101</td><td>242</td></tr><tr><td>3</td><td>5700.40</td><td>54.72</td><td>107.65</td><td>-52.93</td><td>45.73</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>101</td><td>242</td></tr><tr><td>4</td><td>5720.40</td><td>54.53</td><td>111.81</td><td>-57.28</td><td>45.52</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>101</td><td>242</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5646.40	50.60	68.20	-17.60	41.82	34.49	11.25	36.96	0.00	101	242	2	5650.00	48.96	68.20	-19.24	40.16	34.50	11.25	36.95	0.00	101	242	3	5700.40	54.72	107.65	-52.93	45.73	34.50	11.31	36.82	0.00	101	242	4	5720.40	54.53	111.81	-57.28	45.52	34.50	11.32	36.81	0.00	101	242	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.01</td><td>-----</td><td>-----</td><td>95.67</td><td>34.68</td><td>11.39</td><td>36.73</td><td>0.00</td><td>101</td><td>242</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5795.00	105.01	-----	-----	95.67	34.68	11.39	36.73	0.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5646.40	50.60	68.20	-17.60	41.82	34.49	11.25	36.96	0.00	101	242																																																																																																												
2	5650.00	48.96	68.20	-19.24	40.16	34.50	11.25	36.95	0.00	101	242																																																																																																												
3	5700.40	54.72	107.65	-52.93	45.73	34.50	11.31	36.82	0.00	101	242																																																																																																												
4	5720.40	54.53	111.81	-57.28	45.52	34.50	11.32	36.81	0.00	101	242																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5795.00	105.01	-----	-----	95.67	34.68	11.39	36.73	0.00	101	242																																																																																																												
Avg																																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>96.23</td><td>-----</td><td>-----</td><td>86.92</td><td>34.65</td><td>11.39</td><td>36.73</td><td>0.00</td><td>101</td><td>242</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5795.00	96.23	-----	-----	86.92	34.65	11.39	36.73	0.00	101	242	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.01</td><td>-----</td><td>-----</td><td>95.67</td><td>34.68</td><td>11.39</td><td>36.73</td><td>0.00</td><td>101</td><td>242</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg	1	5795.00	105.01	-----	-----	95.67	34.68	11.39	36.73	0.00	101	242																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5795.00	96.23	-----	-----	86.92	34.65	11.39	36.73	0.00	101	242																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
1	5795.00	105.01	-----	-----	95.67	34.68	11.39	36.73	0.00	101	242																																																																																																												




Mode	49																																																																																						
	Band Edge - R																																																																																						
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																						
ANT	CDD																																																																																						
Pol.	Horizontal	Fundamental																																																																																					
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>58.34</td><td>113.18</td><td>-54.84</td><td>48.91</td><td>34.82</td><td>11.50</td><td>36.89</td><td>0.00</td><td>101</td><td>242</td><td>PEAK</td></tr><tr><td>2</td><td>5872.40</td><td>54.73</td><td>106.03</td><td>-51.30</td><td>45.22</td><td>34.93</td><td>11.53</td><td>36.95</td><td>0.00</td><td>101</td><td>242</td><td>PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>50.43</td><td>69.53</td><td>-19.10</td><td>40.69</td><td>35.10</td><td>11.63</td><td>36.99</td><td>0.00</td><td>101</td><td>242</td><td>PEAK</td></tr><tr><td>4</td><td>5938.00</td><td>50.22</td><td>68.20</td><td>-17.98</td><td>40.42</td><td>35.10</td><td>11.66</td><td>36.96</td><td>0.00</td><td>101</td><td>242</td><td>PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	58.34	113.18	-54.84	48.91	34.82	11.50	36.89	0.00	101	242	PEAK	2	5872.40	54.73	106.03	-51.30	45.22	34.93	11.53	36.95	0.00	101	242	PEAK	3	5923.20	50.43	69.53	-19.10	40.69	35.10	11.63	36.99	0.00	101	242	PEAK	4	5938.00	50.22	68.20	-17.98	40.42	35.10	11.66	36.96	0.00	101	242	PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																													
1	5854.00	58.34	113.18	-54.84	48.91	34.82	11.50	36.89	0.00	101	242	PEAK																																																																											
2	5872.40	54.73	106.03	-51.30	45.22	34.93	11.53	36.95	0.00	101	242	PEAK																																																																											
3	5923.20	50.43	69.53	-19.10	40.69	35.10	11.63	36.99	0.00	101	242	PEAK																																																																											
4	5938.00	50.22	68.20	-17.98	40.42	35.10	11.66	36.96	0.00	101	242	PEAK																																																																											



		49																																																																																																																																								
Mode	Band Edge - L																																																																																																																																									
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																																																																									
ANT	CDD																																																																																																																																									
Pol.	Vertical						Fundamental																																																																																																																																			
Peak																																																																																																																																										
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5649.20</td><td>48.74</td><td>68.20</td><td>-19.46</td><td>39.94</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>300</td><td>273 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>47.92</td><td>68.20</td><td>-20.28</td><td>39.12</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>300</td><td>273 PEAK</td></tr><tr><td>3</td><td>5708.80</td><td>53.62</td><td>107.77</td><td>-54.15</td><td>44.63</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>300</td><td>273 PEAK</td></tr><tr><td>4</td><td>5721.60</td><td>56.37</td><td>114.55</td><td>-58.18</td><td>47.36</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>300</td><td>273 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5649.20	48.74	68.20	-19.46	39.94	34.50	11.25	36.95	0.00	300	273 PEAK	2	5650.00	47.92	68.20	-20.28	39.12	34.50	11.25	36.95	0.00	300	273 PEAK	3	5708.80	53.62	107.77	-54.15	44.63	34.50	11.31	36.82	0.00	300	273 PEAK	4	5721.60	56.37	114.55	-58.18	47.36	34.50	11.32	36.81	0.00	300	273 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>105.89</td><td>-----</td><td>-----</td><td>96.51</td><td>34.70</td><td>11.40</td><td>36.72</td><td>0.00</td><td>300</td><td>273 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	105.89	-----	-----	96.51	34.70	11.40	36.72	0.00	300	273 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5649.20	48.74	68.20	-19.46	39.94	34.50	11.25	36.95	0.00	300	273 PEAK																																																																																																																															
2	5650.00	47.92	68.20	-20.28	39.12	34.50	11.25	36.95	0.00	300	273 PEAK																																																																																																																															
3	5708.80	53.62	107.77	-54.15	44.63	34.50	11.31	36.82	0.00	300	273 PEAK																																																																																																																															
4	5721.60	56.37	114.55	-58.18	47.36	34.50	11.32	36.81	0.00	300	273 PEAK																																																																																																																															
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																																
1	5795.00	105.89	-----	-----	96.51	34.70	11.40	36.72	0.00	300	273 PEAK																																																																																																																															
Avg	Blank																																																																																																																																									
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5795.00</td><td>96.32</td><td>-----</td><td>-----</td><td>87.01</td><td>34.65</td><td>11.39</td><td>36.73</td><td>0.00</td><td>300</td><td>273 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5795.00	96.32	-----	-----	87.01	34.65	11.39	36.73	0.00	300	273 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5795.00	96.32	-----	-----	87.01	34.65	11.39	36.73	0.00	300	273 AVERAGE																																																																																																																															






Mode	49																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																																		
ANT	CDD																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>55.41</td><td>111.36</td><td>-55.95</td><td>45.90</td><td>34.83</td><td>11.50</td><td>36.90</td><td>0.00</td><td>300</td><td>273 PEAK</td></tr><tr><td>2</td><td>5872.00</td><td>54.06</td><td>105.92</td><td>-51.06</td><td>45.34</td><td>34.94</td><td>11.53</td><td>36.95</td><td>0.00</td><td>300</td><td>273 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>49.33</td><td>69.53</td><td>-20.20</td><td>39.59</td><td>35.10</td><td>11.63</td><td>36.99</td><td>0.00</td><td>300</td><td>273 PEAK</td></tr><tr><td>4</td><td>5950.00</td><td>50.29</td><td>68.20</td><td>-17.91</td><td>40.45</td><td>35.10</td><td>11.68</td><td>36.94</td><td>0.00</td><td>300</td><td>273 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	55.41	111.36	-55.95	45.90	34.83	11.50	36.90	0.00	300	273 PEAK	2	5872.00	54.06	105.92	-51.06	45.34	34.94	11.53	36.95	0.00	300	273 PEAK	3	5923.20	49.33	69.53	-20.20	39.59	35.10	11.63	36.99	0.00	300	273 PEAK	4	5950.00	50.29	68.20	-17.91	40.45	35.10	11.68	36.94	0.00	300	273 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.00	55.41	111.36	-55.95	45.90	34.83	11.50	36.90	0.00	300	273 PEAK																																																																								
2	5872.00	54.06	105.92	-51.06	45.34	34.94	11.53	36.95	0.00	300	273 PEAK																																																																								
3	5923.20	49.33	69.53	-20.20	39.59	35.10	11.63	36.99	0.00	300	273 PEAK																																																																								
4	5950.00	50.29	68.20	-17.91	40.45	35.10	11.68	36.94	0.00	300	273 PEAK																																																																								




Mode	49																																																																				
	Harmonic																																																																				
	U-NII-3_5.725-5.85_802.11be EHT40_CH159_Full_5795MHz																																																																				
ANT	CDD																																																																				
Pol.	Horizontal																																																																				
Peak Avg																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>9968.90</td><td>48.40</td><td>68.20</td><td>-19.80</td><td>62.63</td><td>37.10</td><td>15.69</td><td>67.02</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>44.99</td><td>74.00</td><td>-29.01</td><td>55.32</td><td>38.19</td><td>17.34</td><td>65.86</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9968.90	48.40	68.20	-19.80	62.63	37.10	15.69	67.02	0.00	---	PEAK	2	11590.00	44.99	74.00	-29.01	55.32	38.19	17.34	65.86	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	9968.90	48.40	68.20	-19.80	62.63	37.10	15.69	67.02	0.00	---	PEAK																																																										
2	11590.00	44.99	74.00	-29.01	55.32	38.19	17.34	65.86	0.00	---	PEAK																																																										
Peak Avg																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td></td><td>MHz</td><td>dBuV/m</td><td>dBuV/m</td><td>dB</td><td>dBuV</td><td>dB/m</td><td>dB</td><td>dB</td><td>dB</td><td>cm</td><td>deg</td></tr><tr><td>1</td><td>9976.60</td><td>52.53</td><td>68.20</td><td>-15.67</td><td>66.75</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11590.00</td><td>44.72</td><td>74.00</td><td>-29.28</td><td>55.05</td><td>38.19</td><td>17.34</td><td>65.86</td><td>0.00</td><td>---</td><td>PEAK</td></tr></tbody></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9976.60	52.53	68.20	-15.67	66.75	37.10	15.69	67.01	0.00	---	PEAK	2	11590.00	44.72	74.00	-29.28	55.05	38.19	17.34	65.86	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																											
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																										
1	9976.60	52.53	68.20	-15.67	66.75	37.10	15.69	67.01	0.00	---	PEAK																																																										
2	11590.00	44.72	74.00	-29.28	55.05	38.19	17.34	65.86	0.00	---	PEAK																																																										






Mode	50																																																																																																																																		
	Band Edge - L																																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																		
ANT	CDD																																																																																																																																		
Pol.	Horizontal					Fundamental																																																																																																																													
Peak																																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5648.80</td><td>59.03</td><td>68.20</td><td>-9.17</td><td>50.23</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr><tr><td>2 5652.80</td><td>58.45</td><td>70.29</td><td>-11.84</td><td>49.64</td><td>34.50</td><td>11.25</td><td>36.94</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr><tr><td>3 5700.00</td><td>69.99</td><td>105.30</td><td>-35.31</td><td>61.02</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr><tr><td>4 5720.40</td><td>71.05</td><td>111.81</td><td>-40.76</td><td>62.04</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5648.80	59.03	68.20	-9.17	50.23	34.50	11.25	36.95	0.00	100	242 PEAK	2 5652.80	58.45	70.29	-11.84	49.64	34.50	11.25	36.94	0.00	100	242 PEAK	3 5700.00	69.99	105.30	-35.31	61.02	34.50	11.30	36.83	0.00	100	242 PEAK	4 5720.40	71.05	111.81	-40.76	62.04	34.50	11.32	36.81	0.00	100	242 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>102.11</td><td>-----</td><td>-----</td><td>92.77</td><td>34.68</td><td>11.39</td><td>36.73</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	102.11	-----	-----	92.77	34.68	11.39	36.73	0.00	100	242 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5648.80	59.03	68.20	-9.17	50.23	34.50	11.25	36.95	0.00	100	242 PEAK																																																																																																																									
2 5652.80	58.45	70.29	-11.84	49.64	34.50	11.25	36.94	0.00	100	242 PEAK																																																																																																																									
3 5700.00	69.99	105.30	-35.31	61.02	34.50	11.30	36.83	0.00	100	242 PEAK																																																																																																																									
4 5720.40	71.05	111.81	-40.76	62.04	34.50	11.32	36.81	0.00	100	242 PEAK																																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	102.11	-----	-----	92.77	34.68	11.39	36.73	0.00	100	242 PEAK																																																																																																																									
Avg	Blank																																																																																																																																		
						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th>Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5775.00</td><td>93.18</td><td>-----</td><td>-----</td><td>83.87</td><td>34.65</td><td>11.39</td><td>36.73</td><td>0.00</td><td>100</td><td>242 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5775.00	93.18	-----	-----	83.87	34.65	11.39	36.73	0.00	100	242 AVERAGE																																																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																									
1 5775.00	93.18	-----	-----	83.87	34.65	11.39	36.73	0.00	100	242 AVERAGE																																																																																																																									




Mode	50																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																		
ANT	CDD																																																																																		
Pol.	Horizontal	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.80</td><td>70.21</td><td>111.36</td><td>-41.15</td><td>60.78</td><td>34.83</td><td>11.50</td><td>36.90</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr><tr><td>2</td><td>5865.20</td><td>70.72</td><td>108.04</td><td>-37.32</td><td>61.24</td><td>34.89</td><td>11.52</td><td>36.93</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr><tr><td>3</td><td>5924.80</td><td>52.57</td><td>68.35</td><td>-15.78</td><td>42.83</td><td>35.10</td><td>11.63</td><td>36.99</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr><tr><td>4</td><td>5926.40</td><td>54.64</td><td>68.20</td><td>-13.56</td><td>44.89</td><td>35.10</td><td>11.63</td><td>36.98</td><td>0.00</td><td>100</td><td>242 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.80	70.21	111.36	-41.15	60.78	34.83	11.50	36.90	0.00	100	242 PEAK	2	5865.20	70.72	108.04	-37.32	61.24	34.89	11.52	36.93	0.00	100	242 PEAK	3	5924.80	52.57	68.35	-15.78	42.83	35.10	11.63	36.99	0.00	100	242 PEAK	4	5926.40	54.64	68.20	-13.56	44.89	35.10	11.63	36.98	0.00	100	242 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.80	70.21	111.36	-41.15	60.78	34.83	11.50	36.90	0.00	100	242 PEAK																																																																								
2	5865.20	70.72	108.04	-37.32	61.24	34.89	11.52	36.93	0.00	100	242 PEAK																																																																								
3	5924.80	52.57	68.35	-15.78	42.83	35.10	11.63	36.99	0.00	100	242 PEAK																																																																								
4	5926.40	54.64	68.20	-13.56	44.89	35.10	11.63	36.98	0.00	100	242 PEAK																																																																								





Mode	50																																																																																																																																							
	Band Edge - L																																																																																																																																							
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																							
ANT	CDD																																																																																																																																							
Pol.	Vertical						Fundamental																																																																																																																																	
Peak																																																																																																																																								
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5650.00</td><td>55.93</td><td>68.20</td><td>-12.27</td><td>47.13</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>300</td><td>272 PEAK</td></tr><tr><td>2</td><td>5650.10</td><td>55.93</td><td>68.20</td><td>-12.27</td><td>47.13</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>300</td><td>272 PEAK</td></tr><tr><td>3</td><td>5715.20</td><td>71.67</td><td>109.56</td><td>-37.89</td><td>62.66</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>300</td><td>272 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>70.46</td><td>110.90</td><td>-40.44</td><td>61.45</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>300</td><td>272 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5650.00	55.93	68.20	-12.27	47.13	34.50	11.25	36.95	0.00	300	272 PEAK	2	5650.10	55.93	68.20	-12.27	47.13	34.50	11.25	36.95	0.00	300	272 PEAK	3	5715.20	71.67	109.56	-37.89	62.66	34.50	11.32	36.81	0.00	300	272 PEAK	4	5720.00	70.46	110.90	-40.44	61.45	34.50	11.32	36.81	0.00	300	272 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>102.49</td><td>-----</td><td>-----</td><td>93.15</td><td>34.68</td><td>11.39</td><td>36.73</td><td>0.00</td><td>300</td><td>272 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	102.49	-----	-----	93.15	34.68	11.39	36.73	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5650.00	55.93	68.20	-12.27	47.13	34.50	11.25	36.95	0.00	300	272 PEAK																																																																																																																													
2	5650.10	55.93	68.20	-12.27	47.13	34.50	11.25	36.95	0.00	300	272 PEAK																																																																																																																													
3	5715.20	71.67	109.56	-37.89	62.66	34.50	11.32	36.81	0.00	300	272 PEAK																																																																																																																													
4	5720.00	70.46	110.90	-40.44	61.45	34.50	11.32	36.81	0.00	300	272 PEAK																																																																																																																													
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5775.00	102.49	-----	-----	93.15	34.68	11.39	36.73	0.00	300	272 PEAK																																																																																																																													
Avg	Blank																																																																																																																																							
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5775.00</td><td>93.44</td><td>-----</td><td>-----</td><td>84.13</td><td>34.65</td><td>11.39</td><td>36.73</td><td>0.00</td><td>300</td><td>272 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5775.00	93.44	-----	-----	84.13	34.65	11.39	36.73	0.00	300	272 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																														
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																														
1	5775.00	93.44	-----	-----	84.13	34.65	11.39	36.73	0.00	300	272 AVERAGE																																																																																																																													







Mode	50																																																																																		
	Band Edge - R																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																		
ANT	CDD																																																																																		
Pol.	Vertical	Fundamental																																																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>67.00</td><td>113.18</td><td>-46.18</td><td>57.57</td><td>34.82</td><td>11.50</td><td>36.89</td><td>0.00</td><td>300</td><td>272 PEAK</td></tr><tr><td>2</td><td>5866.40</td><td>67.73</td><td>107.71</td><td>-39.98</td><td>58.24</td><td>34.90</td><td>11.52</td><td>36.93</td><td>0.00</td><td>300</td><td>272 PEAK</td></tr><tr><td>3</td><td>5923.20</td><td>54.76</td><td>69.53</td><td>-14.77</td><td>45.02</td><td>35.10</td><td>11.63</td><td>36.99</td><td>0.00</td><td>300</td><td>272 PEAK</td></tr><tr><td>4</td><td>5931.60</td><td>55.00</td><td>68.20</td><td>-13.20</td><td>45.23</td><td>35.10</td><td>11.64</td><td>36.97</td><td>0.00</td><td>300</td><td>272 PEAK</td></tr></table>		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	67.00	113.18	-46.18	57.57	34.82	11.50	36.89	0.00	300	272 PEAK	2	5866.40	67.73	107.71	-39.98	58.24	34.90	11.52	36.93	0.00	300	272 PEAK	3	5923.20	54.76	69.53	-14.77	45.02	35.10	11.63	36.99	0.00	300	272 PEAK	4	5931.60	55.00	68.20	-13.20	45.23	35.10	11.64	36.97	0.00	300	272 PEAK	Blank
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																									
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																									
1	5854.00	67.00	113.18	-46.18	57.57	34.82	11.50	36.89	0.00	300	272 PEAK																																																																								
2	5866.40	67.73	107.71	-39.98	58.24	34.90	11.52	36.93	0.00	300	272 PEAK																																																																								
3	5923.20	54.76	69.53	-14.77	45.02	35.10	11.63	36.99	0.00	300	272 PEAK																																																																								
4	5931.60	55.00	68.20	-13.20	45.23	35.10	11.64	36.97	0.00	300	272 PEAK																																																																								





Mode	50																																																																																																																																	
	Harmonic																																																																																																																																	
	U-NII-3_5.725-5.85_802.11be EHT80_CH155_Full_5775MHz																																																																																																																																	
ANT	CDD																																																																																																																																	
Pol.	Horizontal						Vertical																																																																																																																											
Peak Avg																																																																																																																																		
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9978.00</td><td>48.11</td><td>68.20</td><td>-20.09</td><td>62.33</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>42.41</td><td>74.00</td><td>-31.59</td><td>52.85</td><td>38.15</td><td>17.33</td><td>65.92</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9978.00	48.11	68.20	-20.09	62.33	37.10	15.69	67.01	0.00	---	PEAK	2	11550.00	42.41	74.00	-31.59	52.85	38.15	17.33	65.92	0.00	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9978.00</td><td>51.69</td><td>68.20</td><td>-16.51</td><td>65.91</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11550.00</td><td>41.71</td><td>74.00</td><td>-32.29</td><td>52.15</td><td>38.15</td><td>17.33</td><td>65.92</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9978.00	51.69	68.20	-16.51	65.91	37.10	15.69	67.01	0.00	---	PEAK	2	11550.00	41.71	74.00	-32.29	52.15	38.15	17.33	65.92	0.00	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																						
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	9978.00	48.11	68.20	-20.09	62.33	37.10	15.69	67.01	0.00	---	PEAK																																																																																																																							
2	11550.00	42.41	74.00	-31.59	52.85	38.15	17.33	65.92	0.00	---	PEAK																																																																																																																							
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																								
1	9978.00	51.69	68.20	-16.51	65.91	37.10	15.69	67.01	0.00	---	PEAK																																																																																																																							
2	11550.00	41.71	74.00	-32.29	52.15	38.15	17.33	65.92	0.00	---	PEAK																																																																																																																							





Mode	56																																																																																																			
	Band Edge																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 52/37_5180MHz																																																																																																			
ANT	CDD																																																																																																			
Pol.	Horizontal						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5138.60</td><td>55.59</td><td>74.00</td><td>-18.41</td><td>47.59</td><td>34.10</td><td>10.87</td><td>36.97</td><td>0.00</td><td>100</td><td>193 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5138.60	55.59	74.00	-18.41	47.59	34.10	10.87	36.97	0.00	100	193 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>106.96</td><td>-----</td><td>-----</td><td>98.91</td><td>34.14</td><td>10.90</td><td>36.99</td><td>0.00</td><td>100</td><td>193 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	106.96	-----	-----	98.91	34.14	10.90	36.99	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5138.60	55.59	74.00	-18.41	47.59	34.10	10.87	36.97	0.00	100	193 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	106.96	-----	-----	98.91	34.14	10.90	36.99	0.00	100	193 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.00</td><td>41.29</td><td>54.00</td><td>-12.71</td><td>33.28</td><td>34.10</td><td>10.88</td><td>36.97</td><td>0.00</td><td>100</td><td>193 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5149.00	41.29	54.00	-12.71	33.28	34.10	10.88	36.97	0.00	100	193 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>100.28</td><td>-----</td><td>-----</td><td>92.21</td><td>34.15</td><td>10.91</td><td>36.99</td><td>0.00</td><td>100</td><td>193 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5180.00	100.28	-----	-----	92.21	34.15	10.91	36.99	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5149.00	41.29	54.00	-12.71	33.28	34.10	10.88	36.97	0.00	100	193 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																										
1	5180.00	100.28	-----	-----	92.21	34.15	10.91	36.99	0.00	100	193 AVERAGE																																																																																									




Mode	51																																																																																																																												
	Harmonic																																																																																																																												
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																												
ANT	1																																																																																																																												
Pol.	Horizontal						Vertical																																																																																																																						
Peak Avg																																																																																																																													
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9973.30</td><td>48.57</td><td>68.20</td><td>-19.63</td><td>62.80</td><td>37.10</td><td>15.69</td><td>67.02</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>43.79</td><td>74.00</td><td>-30.21</td><td>54.43</td><td>38.04</td><td>17.30</td><td>65.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9973.30	48.57	68.20	-19.63	62.80	37.10	15.69	67.02	0.00	---	PEAK	2	11440.00	43.79	74.00	-30.21	54.43	38.04	17.30	65.98	0.00	---	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9978.00</td><td>52.70</td><td>68.20</td><td>-15.50</td><td>66.92</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>44.18</td><td>74.00</td><td>-29.82</td><td>54.82</td><td>38.04</td><td>17.30</td><td>65.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	9978.00	52.70	68.20	-15.50	66.92	37.10	15.69	67.01	0.00	---	PEAK	2	11440.00	44.18	74.00	-29.82	54.82	38.04	17.30	65.98	0.00	---	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																			
	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	9973.30	48.57	68.20	-19.63	62.80	37.10	15.69	67.02	0.00	---	PEAK																																																																																																																		
2	11440.00	43.79	74.00	-30.21	54.43	38.04	17.30	65.98	0.00	---	PEAK																																																																																																																		
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																			
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																			
1	9978.00	52.70	68.20	-15.50	66.92	37.10	15.69	67.01	0.00	---	PEAK																																																																																																																		
2	11440.00	44.18	74.00	-29.82	54.82	38.04	17.30	65.98	0.00	---	PEAK																																																																																																																		





Mode	52																																																																																																																																				
	Harmonic																																																																																																																																				
	U-NII-2C_5.47-5.85_802.11a_CH144_5720MHz																																																																																																																																				
ANT	2																																																																																																																																				
Pol.	Horizontal						Vertical																																																																																																																														
Peak Avg																																																																																																																																					
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9978.00</td><td>50.18</td><td>68.20</td><td>-18.02</td><td>64.40</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>45.36</td><td>74.00</td><td>-28.64</td><td>56.00</td><td>38.04</td><td>17.30</td><td>65.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	9978.00	50.18	68.20	-18.02	64.40	37.10	15.69	67.01	0.00	---	---	PEAK	2	11440.00	45.36	74.00	-28.64	56.00	38.04	17.30	65.98	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9982.10</td><td>55.08</td><td>68.20</td><td>-13.12</td><td>69.29</td><td>37.10</td><td>15.70</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>45.15</td><td>74.00</td><td>-28.85</td><td>55.79</td><td>38.04</td><td>17.30</td><td>65.98</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg	1	9982.10	55.08	68.20	-13.12	69.29	37.10	15.70	67.01	0.00	---	---	PEAK	2	11440.00	45.15	74.00	-28.85	55.79	38.04	17.30	65.98	0.00	---	---
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																										
1	9978.00	50.18	68.20	-18.02	64.40	37.10	15.69	67.01	0.00	---	---	PEAK																																																																																																																									
2	11440.00	45.36	74.00	-28.64	56.00	38.04	17.30	65.98	0.00	---	---	PEAK																																																																																																																									
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																										
1	9982.10	55.08	68.20	-13.12	69.29	37.10	15.70	67.01	0.00	---	---	PEAK																																																																																																																									
2	11440.00	45.15	74.00	-28.85	55.79	38.04	17.30	65.98	0.00	---	---	PEAK																																																																																																																									





		53																																																																					
Mode		Harmonic																																																																					
		U-NII-2C_5.47-5.85_802.11be EHT20_CH144_Full_5720MHz																																																																					
ANT		CDD																																																																					
Pol.		Horizontal																																																																					
Peak Avg																																																																							
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9977.70</td><td>48.70</td><td>68.20</td><td>-19.50</td><td>62.92</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>44.31</td><td>74.00</td><td>-29.69</td><td>54.95</td><td>38.04</td><td>17.30</td><td>65.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9977.70	48.70	68.20	-19.50	62.92	37.10	15.69	67.01	0.00	---	PEAK	2	11440.00	44.31	74.00	-29.69	54.95	38.04	17.30	65.98	0.00	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	9977.70	48.70	68.20	-19.50	62.92	37.10	15.69	67.01	0.00	---	PEAK																																																												
2	11440.00	44.31	74.00	-29.69	54.95	38.04	17.30	65.98	0.00	---	PEAK																																																												
<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9977.70</td><td>48.70</td><td>68.20</td><td>-19.50</td><td>62.92</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11440.00</td><td>44.31</td><td>74.00</td><td>-29.69</td><td>54.95</td><td>38.04</td><td>17.30</td><td>65.98</td><td>0.00</td><td>---</td><td>PEAK</td></tr></table>														Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg		1	9977.70	48.70	68.20	-19.50	62.92	37.10	15.69	67.01	0.00	---	PEAK	2	11440.00	44.31	74.00	-29.69	54.95	38.04	17.30	65.98	0.00	---	PEAK	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																															
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																													
1	9977.70	48.70	68.20	-19.50	62.92	37.10	15.69	67.01	0.00	---	PEAK																																																												
2	11440.00	44.31	74.00	-29.69	54.95	38.04	17.30	65.98	0.00	---	PEAK																																																												







		54																																																																																																																																																						
Mode		Harmonic																																																																																																																																																						
		U-NII-2C_5.47-5.85_802.11be EHT40_CH142_Full_5710MHz																																																																																																																																																						
ANT		CDD																																																																																																																																																						
Pol.		Horizontal						Vertical																																																																																																																																																
Peak Avg																																																																																																																																																								
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9976.60</td><td>47.83</td><td>68.20</td><td>-20.37</td><td>62.05</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>43.52</td><td>74.00</td><td>-30.48</td><td>54.17</td><td>38.02</td><td>17.30</td><td>65.97</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9976.60	47.83	68.20	-20.37	62.05	37.10	15.69	67.01	0.00	---	---	PEAK	2	11420.00	43.52	74.00	-30.48	54.17	38.02	17.30	65.97	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th colspan="2"></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>9974.40</td><td>51.89</td><td>68.20</td><td>-16.31</td><td>66.12</td><td>37.10</td><td>15.69</td><td>67.02</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11420.00</td><td>44.09</td><td>74.00</td><td>-29.91</td><td>54.74</td><td>38.02</td><td>17.30</td><td>65.97</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor					MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	9974.40	51.89	68.20	-16.31	66.12	37.10	15.69	67.02	0.00	---	---	PEAK	2	11420.00	44.09	74.00	-29.91	54.74	38.02	17.30	65.97	0.00	---	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	9976.60	47.83	68.20	-20.37	62.05	37.10	15.69	67.01	0.00	---	---	PEAK																																																																																																																																												
2	11420.00	43.52	74.00	-30.48	54.17	38.02	17.30	65.97	0.00	---	---	PEAK																																																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																
		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																												
1	9974.40	51.89	68.20	-16.31	66.12	37.10	15.69	67.02	0.00	---	---	PEAK																																																																																																																																												
2	11420.00	44.09	74.00	-29.91	54.74	38.02	17.30	65.97	0.00	---	---	PEAK																																																																																																																																												







		55																																																																																																																																																																						
Mode		Harmonic																																																																																																																																																																						
		U-NII-2C_5.47-5.85_802.11be EHT80_CH138_Full_5690MHz																																																																																																																																																																						
ANT		CDD																																																																																																																																																																						
Pol.		Horizontal											Vertical																																																																																																																																																											
Peak Avg																																																																																																																																																																								
	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9976.60</td><td>48.47</td><td>68.20</td><td>-19.73</td><td>62.69</td><td>37.10</td><td>15.69</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>42.34</td><td>74.00</td><td>-31.66</td><td>53.00</td><td>38.00</td><td>17.29</td><td>65.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	9976.60	48.47	68.20	-19.73	62.69	37.10	15.69	67.01	0.00	---	---	PEAK	2	11380.00	42.34	74.00	-31.66	53.00	38.00	17.29	65.95	0.00	---	---	PEAK	<table><tr><th colspan="2"></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th rowspan="2">Remark</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th></th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th><th></th></tr><tr><td>1</td><td>9985.40</td><td>52.00</td><td>68.20</td><td>-16.20</td><td>66.21</td><td>37.10</td><td>15.70</td><td>67.01</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr><tr><td>2</td><td>11380.00</td><td>42.62</td><td>74.00</td><td>-31.38</td><td>53.28</td><td>38.00</td><td>17.29</td><td>65.95</td><td>0.00</td><td>---</td><td>---</td><td>PEAK</td></tr></table>																								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor			MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg		1	9985.40	52.00	68.20	-16.20	66.21	37.10	15.70	67.01	0.00	---	---	PEAK	2	11380.00	42.62	74.00	-31.38	53.28	38.00	17.29	65.95	0.00	---	---	PEAK
			Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																													
1	9976.60	48.47	68.20	-19.73	62.69	37.10	15.69	67.01	0.00	---	---	PEAK																																																																																																																																																												
2	11380.00	42.34	74.00	-31.66	53.00	38.00	17.29	65.95	0.00	---	---	PEAK																																																																																																																																																												
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Remark																																																																																																																																																													
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor																																																																																																																																																																
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	dB	cm	deg																																																																																																																																																													
1	9985.40	52.00	68.20	-16.20	66.21	37.10	15.70	67.01	0.00	---	---	PEAK																																																																																																																																																												
2	11380.00	42.62	74.00	-31.38	53.28	38.00	17.29	65.95	0.00	---	---	PEAK																																																																																																																																																												







Mode	56																																																																																																																						
	Band Edge																																																																																																																						
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Single RU 52/37_5180MHz																																																																																																																						
ANT	CDD																																																																																																																						
Pol.	Vertical						Fundamental																																																																																																																
Peak																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5101.00</td><td>49.84</td><td>74.00</td><td>-24.16</td><td>41.85</td><td>34.10</td><td>10.83</td><td>36.94</td><td>0.00</td><td>314</td><td>298 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5101.00	49.84	74.00	-24.16	41.85	34.10	10.83	36.94	0.00	314	298 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5180.00</td><td>99.99</td><td>-----</td><td>-----</td><td>91.94</td><td>34.14</td><td>10.90</td><td>36.99</td><td>0.00</td><td>314</td><td>298 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5180.00	99.99	-----	-----	91.94	34.14	10.90	36.99	0.00	314
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5101.00	49.84	74.00	-24.16	41.85	34.10	10.83	36.94	0.00	314	298 PEAK																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5180.00	99.99	-----	-----	91.94	34.14	10.90	36.99	0.00	314	298 PEAK																																																																																																												
Avg																																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5101.50</td><td>40.11</td><td>54.00</td><td>-13.89</td><td>32.12</td><td>34.10</td><td>10.83</td><td>36.94</td><td>0.00</td><td>314</td><td>298 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5101.50	40.11	54.00	-13.89	32.12	34.10	10.83	36.94	0.00	314	298 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5180.00</td><td>92.39</td><td>-----</td><td>-----</td><td>84.34</td><td>34.14</td><td>10.90</td><td>36.99</td><td>0.00</td><td>314</td><td>298 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5180.00	92.39	-----	-----	84.34	34.14	10.90	36.99	0.00	314
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5101.50	40.11	54.00	-13.89	32.12	34.10	10.83	36.94	0.00	314	298 AVERAGE																																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																																																																												
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																																																																														
1	5180.00	92.39	-----	-----	84.34	34.14	10.90	36.99	0.00	314	298 AVERAGE																																																																																																												







Mode	57																																																																																																						
	Band Edge																																																																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Single RU 106/54_5320MHz																																																																																																						
ANT	CDD																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5354.80</td><td>54.14</td><td>74.00</td><td>-19.86</td><td>45.50</td><td>34.40</td><td>11.08</td><td>36.84</td><td>0.00</td><td>100</td><td>208</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5354.80	54.14	74.00	-19.86	45.50	34.40	11.08	36.84	0.00	100	208	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>106.98</td><td>-----</td><td>-----</td><td>98.44</td><td>34.40</td><td>11.05</td><td>36.91</td><td>0.00</td><td>100</td><td>208</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	106.98	-----	-----	98.44	34.40	11.05	36.91	0.00	100	208
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5354.80	54.14	74.00	-19.86	45.50	34.40	11.08	36.84	0.00	100	208	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	106.98	-----	-----	98.44	34.40	11.05	36.91	0.00	100	208	PEAK																																																																																											
Avg																																																																																																							
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>43.31</td><td>54.00</td><td>-10.69</td><td>34.69</td><td>34.40</td><td>11.07</td><td>36.85</td><td>0.00</td><td>100</td><td>208</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	43.31	54.00	-10.69	34.69	34.40	11.07	36.85	0.00	100	208	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>99.60</td><td>-----</td><td>-----</td><td>91.06</td><td>34.40</td><td>11.05</td><td>36.91</td><td>0.00</td><td>100</td><td>208</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	99.60	-----	-----	91.06	34.40	11.05	36.91	0.00	100	208
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5350.00	43.31	54.00	-10.69	34.69	34.40	11.07	36.85	0.00	100	208	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	99.60	-----	-----	91.06	34.40	11.05	36.91	0.00	100	208	AVERAGE																																																																																											







		57																																																																																																					
Mode	Band Edge																																																																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Single RU 106/54_5320MHz																																																																																																						
ANT	CDD																																																																																																						
Pol.	Vertical						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.10</td><td>50.29</td><td>74.00</td><td>-23.71</td><td>41.65</td><td>34.40</td><td>11.08</td><td>36.84</td><td>0.00</td><td>390</td><td>290 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5353.10	50.29	74.00	-23.71	41.65	34.40	11.08	36.84	0.00	390	290 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>102.10</td><td>-----</td><td>-----</td><td>93.56</td><td>34.40</td><td>11.05</td><td>36.91</td><td>0.00</td><td>390</td><td>290 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	102.10	-----	-----	93.56	34.40	11.05	36.91	0.00	390
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5353.10	50.29	74.00	-23.71	41.65	34.40	11.08	36.84	0.00	390	290 PEAK																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5320.00	102.10	-----	-----	93.56	34.40	11.05	36.91	0.00	390	290 PEAK																																																																																												
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5351.00</td><td>40.78</td><td>54.00</td><td>-13.22</td><td>32.16</td><td>34.40</td><td>11.07</td><td>36.85</td><td>0.00</td><td>390</td><td>290 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5351.00	40.78	54.00	-13.22	32.16	34.40	11.07	36.85	0.00	390	290 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>95.70</td><td>-----</td><td>-----</td><td>87.19</td><td>34.40</td><td>11.04</td><td>36.93</td><td>0.00</td><td>390</td><td>290 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5320.00	95.70	-----	-----	87.19	34.40	11.04	36.93	0.00	390
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5351.00	40.78	54.00	-13.22	32.16	34.40	11.07	36.85	0.00	390	290 AVERAGE																																																																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																												
1	5320.00	95.70	-----	-----	87.19	34.40	11.04	36.93	0.00	390	290 AVERAGE																																																																																												






Mode	58																																																																																																																				
	Band Edge																																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Single RU 26/0_5500MHz																																																																																																																				
ANT	CDD																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5361.20</td><td>48.00</td><td>74.00</td><td>-25.92</td><td>39.42</td><td>34.40</td><td>11.00</td><td>36.82</td><td>0.00</td><td>110</td><td>190</td><td>PEAK</td></tr><tr><td>2</td><td>5469.68</td><td>48.14</td><td>68.20</td><td>-20.06</td><td>39.30</td><td>34.44</td><td>11.15</td><td>36.75</td><td>0.00</td><td>110</td><td>190</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5361.20	48.00	74.00	-25.92	39.42	34.40	11.00	36.82	0.00	110	190	PEAK	2	5469.68	48.14	68.20	-20.06	39.30	34.44	11.15	36.75	0.00	110	190	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>108.76</td><td>-----</td><td>-----</td><td>99.87</td><td>34.49</td><td>11.16</td><td>36.76</td><td>0.00</td><td>110</td><td>190</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.76	-----	-----	99.87	34.49	11.16	36.76	0.00	110	190	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5361.20	48.00	74.00	-25.92	39.42	34.40	11.00	36.82	0.00	110	190	PEAK																																																																																																									
2	5469.68	48.14	68.20	-20.06	39.30	34.44	11.15	36.75	0.00	110	190	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5500.00	108.76	-----	-----	99.87	34.49	11.16	36.76	0.00	110	190	PEAK																																																																																																									
Avg																																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5411.12</td><td>39.43</td><td>54.00</td><td>-14.57</td><td>30.63</td><td>34.40</td><td>11.12</td><td>36.72</td><td>0.00</td><td>110</td><td>190</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5411.12	39.43	54.00	-14.57	30.63	34.40	11.12	36.72	0.00	110	190	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.11</td><td>-----</td><td>-----</td><td>93.22</td><td>34.49</td><td>11.16</td><td>36.76</td><td>0.00</td><td>110</td><td>190</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.11	-----	-----	93.22	34.49	11.16	36.76	0.00	110	190	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5411.12	39.43	54.00	-14.57	30.63	34.40	11.12	36.72	0.00	110	190	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5500.00	102.11	-----	-----	93.22	34.49	11.16	36.76	0.00	110	190	AVERAGE																																																																																																									



		58																																																																																																																		
Mode	Band Edge																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Single RU 26/0_5500MHz																																																																																																																			
ANT	CDD																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5366.32</td><td>48.19</td><td>74.00</td><td>-25.81</td><td>39.51</td><td>34.40</td><td>11.09</td><td>36.81</td><td>0.00</td><td>347</td><td>239</td><td>PEAK</td></tr><tr><td>2</td><td>5468.56</td><td>47.53</td><td>68.20</td><td>-20.67</td><td>38.69</td><td>34.44</td><td>11.15</td><td>36.75</td><td>0.00</td><td>347</td><td>239</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5366.32	48.19	74.00	-25.81	39.51	34.40	11.09	36.81	0.00	347	239	PEAK	2	5468.56	47.53	68.20	-20.67	38.69	34.44	11.15	36.75	0.00	347	239	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>102.75</td><td>-----</td><td>-----</td><td>93.86</td><td>34.49</td><td>11.16</td><td>36.76</td><td>0.00</td><td>347</td><td>239</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	102.75	-----	-----	93.86	34.49	11.16	36.76	0.00	347	239
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5366.32	48.19	74.00	-25.81	39.51	34.40	11.09	36.81	0.00	347	239	PEAK																																																																																																								
2	5468.56	47.53	68.20	-20.67	38.69	34.44	11.15	36.75	0.00	347	239	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5500.00	102.75	-----	-----	93.86	34.49	11.16	36.76	0.00	347	239	PEAK																																																																																																								
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5450.00</td><td>39.16</td><td>54.00</td><td>-14.84</td><td>30.36</td><td>34.40</td><td>11.14</td><td>36.74</td><td>0.00</td><td>347</td><td>239</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5450.00	39.16	54.00	-14.84	30.36	34.40	11.14	36.74	0.00	347	239	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5500.00</td><td>96.13</td><td>-----</td><td>-----</td><td>87.24</td><td>34.49</td><td>11.16</td><td>36.76</td><td>0.00</td><td>347</td><td>239</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	96.13	-----	-----	87.24	34.49	11.16	36.76	0.00	347	239	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5450.00	39.16	54.00	-14.84	30.36	34.40	11.14	36.74	0.00	347	239	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5500.00	96.13	-----	-----	87.24	34.49	11.16	36.76	0.00	347	239	AVERAGE																																																																																																								







		59																																																																																																			
Mode	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Single RU 26/8_5700MHz																																																																																																				
ANT	CDD																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5730.04</td><td>49.00</td><td>68.20</td><td>-19.20</td><td>39.97</td><td>34.50</td><td>11.33</td><td>36.00</td><td>0.00</td><td>101</td><td>212 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5730.04	49.00	68.20	-19.20	39.97	34.50	11.33	36.00	0.00	101	212 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>100.84</td><td>-----</td><td>-----</td><td>91.85</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>101</td><td>212 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	100.84	-----	-----	91.85	34.50	11.31	36.82	0.00	101
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5730.04	49.00	68.20	-19.20	39.97	34.50	11.33	36.00	0.00	101	212 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	100.84	-----	-----	91.85	34.50	11.31	36.82	0.00	101	212 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>95.99</td><td>-----</td><td>-----</td><td>87.00</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>101</td><td>212 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	95.99	-----	-----	87.00	34.50	11.31	36.82	0.00	101	212 AVERAGE																																												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																											
1	5700.00	95.99	-----	-----	87.00	34.50	11.31	36.82	0.00	101	212 AVERAGE																																																																																										






Mode	59																																																																																																									
	Band Edge																																																																																																									
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Single RU 26/8_5700MHz																																																																																																									
ANT	CDD																																																																																																									
Pol.	Vertical						Fundamental																																																																																																			
Peak	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5731.00</td><td>49.67</td><td>68.20</td><td>-18.53</td><td>40.64</td><td>34.50</td><td>11.33</td><td>36.80</td><td>0.00</td><td>354</td><td>260</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5731.00	49.67	68.20	-18.53	40.64	34.50	11.33	36.80	0.00	354	260	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>98.19</td><td>-----</td><td>-----</td><td>89.20</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>354</td><td>260</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	98.19	-----	-----	89.20	34.50	11.31	36.82	0.00	354	260	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5731.00	49.67	68.20	-18.53	40.64	34.50	11.33	36.80	0.00	354	260	PEAK																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																	
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5700.00	98.19	-----	-----	89.20	34.50	11.31	36.82	0.00	354	260	PEAK																																																																																														
Avg	Blank						<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5700.00</td><td>93.69</td><td>-----</td><td>-----</td><td>84.70</td><td>34.50</td><td>11.31</td><td>36.82</td><td>0.00</td><td>354</td><td>260</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5700.00	93.69	-----	-----	84.70	34.50	11.31	36.82	0.00	354	260	AVERAGE																																															
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																															
1	5700.00	93.69	-----	-----	84.70	34.50	11.31	36.82	0.00	354	260	AVERAGE																																																																																														






Mode	60																																																																																																																			
	Band Edge																																																																																																																			
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Single RU 26/0_5745MHz																																																																																																																			
ANT	CDD																																																																																																																			
Pol.	Horizontal						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5611.60</td><td>48.83</td><td>68.20</td><td>-19.37</td><td>40.24</td><td>34.42</td><td>11.21</td><td>37.04</td><td>0.00</td><td>106</td><td>334 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>48.48</td><td>68.00</td><td>-20.32</td><td>39.68</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>106</td><td>334 PEAK</td></tr><tr><td>3</td><td>5719.20</td><td>59.88</td><td>110.68</td><td>-50.80</td><td>50.87</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>106</td><td>334 PEAK</td></tr><tr><td>4</td><td>5720.40</td><td>52.73</td><td>111.81</td><td>-59.08</td><td>43.72</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>106</td><td>334 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5611.60	48.83	68.20	-19.37	40.24	34.42	11.21	37.04	0.00	106	334 PEAK	2	5650.00	48.48	68.00	-20.32	39.68	34.50	11.25	36.95	0.00	106	334 PEAK	3	5719.20	59.88	110.68	-50.80	50.87	34.50	11.32	36.81	0.00	106	334 PEAK	4	5720.40	52.73	111.81	-59.08	43.72	34.50	11.32	36.81	0.00	106	334 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.50</td><td>-----</td><td>-----</td><td>98.46</td><td>34.50</td><td>11.33</td><td>36.79</td><td>0.00</td><td>106</td><td>334 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	107.50	-----	-----	98.46	34.50	11.33	36.79	0.00	106	334 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
1	5611.60	48.83	68.20	-19.37	40.24	34.42	11.21	37.04	0.00	106	334 PEAK																																																																																																									
2	5650.00	48.48	68.00	-20.32	39.68	34.50	11.25	36.95	0.00	106	334 PEAK																																																																																																									
3	5719.20	59.88	110.68	-50.80	50.87	34.50	11.32	36.81	0.00	106	334 PEAK																																																																																																									
4	5720.40	52.73	111.81	-59.08	43.72	34.50	11.32	36.81	0.00	106	334 PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
1	5745.00	107.50	-----	-----	98.46	34.50	11.33	36.79	0.00	106	334 PEAK																																																																																																									
Avg																																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.11</td><td>-----</td><td>-----</td><td>91.06</td><td>34.50</td><td>11.34</td><td>36.79</td><td>0.00</td><td>106</td><td>334 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	100.11	-----	-----	91.06	34.50	11.34	36.79	0.00	106	334 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.50</td><td>-----</td><td>-----</td><td>98.46</td><td>34.50</td><td>11.33</td><td>36.79</td><td>0.00</td><td>106</td><td>334 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	107.50	-----	-----	98.46	34.50	11.33	36.79	0.00	106	334 PEAK																																				
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
1	5745.00	100.11	-----	-----	91.06	34.50	11.34	36.79	0.00	106	334 AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
1	5745.00	107.50	-----	-----	98.46	34.50	11.33	36.79	0.00	106	334 PEAK																																																																																																									
<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>100.11</td><td>-----</td><td>-----</td><td>91.06</td><td>34.50</td><td>11.34</td><td>36.79</td><td>0.00</td><td>106</td><td>334 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	100.11	-----	-----	91.06	34.50	11.34	36.79	0.00	106	334 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.50</td><td>-----</td><td>-----</td><td>98.46</td><td>34.50</td><td>11.33</td><td>36.79</td><td>0.00</td><td>106</td><td>334 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	107.50	-----	-----	98.46	34.50	11.33	36.79	0.00	106	334 PEAK																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
1	5745.00	100.11	-----	-----	91.06	34.50	11.34	36.79	0.00	106	334 AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
1	5745.00	107.50	-----	-----	98.46	34.50	11.33	36.79	0.00	106	334 PEAK																																																																																																									





Mode	60																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Single RU 26/0_5745MHz																																																																																																																		
ANT	CDD																																																																																																																		
Pol.	Vertical						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5624.00</td><td>48.24</td><td>68.20</td><td>-19.96</td><td>39.58</td><td>34.45</td><td>11.22</td><td>37.01</td><td>0.00</td><td>300</td><td>280 PEAK</td></tr><tr><td>2</td><td>5650.00</td><td>46.66</td><td>68.00</td><td>-22.14</td><td>37.86</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>300</td><td>280 PEAK</td></tr><tr><td>3</td><td>5704.00</td><td>48.62</td><td>106.42</td><td>-57.80</td><td>39.65</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>300</td><td>280 PEAK</td></tr><tr><td>4</td><td>5720.00</td><td>46.81</td><td>110.90</td><td>-64.09</td><td>37.80</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>300</td><td>280 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5624.00	48.24	68.20	-19.96	39.58	34.45	11.22	37.01	0.00	300	280 PEAK	2	5650.00	46.66	68.00	-22.14	37.86	34.50	11.25	36.95	0.00	300	280 PEAK	3	5704.00	48.62	106.42	-57.80	39.65	34.50	11.30	36.83	0.00	300	280 PEAK	4	5720.00	46.81	110.90	-64.09	37.80	34.50	11.32	36.81	0.00	300	280 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>104.23</td><td>-----</td><td>-----</td><td>95.18</td><td>34.50</td><td>11.34</td><td>36.79</td><td>0.00</td><td>300</td><td>280 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	104.23	-----	-----	95.18	34.50	11.34	36.79	0.00	300
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5624.00	48.24	68.20	-19.96	39.58	34.45	11.22	37.01	0.00	300	280 PEAK																																																																																																								
2	5650.00	46.66	68.00	-22.14	37.86	34.50	11.25	36.95	0.00	300	280 PEAK																																																																																																								
3	5704.00	48.62	106.42	-57.80	39.65	34.50	11.30	36.83	0.00	300	280 PEAK																																																																																																								
4	5720.00	46.81	110.90	-64.09	37.80	34.50	11.32	36.81	0.00	300	280 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	104.23	-----	-----	95.18	34.50	11.34	36.79	0.00	300	280 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>96.69</td><td>-----</td><td>-----</td><td>87.64</td><td>34.50</td><td>11.34</td><td>36.79</td><td>0.00</td><td>300</td><td>280 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	96.69	-----	-----	87.64	34.50	11.34	36.79	0.00	300	280 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	96.69	-----	-----	87.64	34.50	11.34	36.79	0.00	300	280 AVERAGE																																																																																																								







Mode	61																																																																																																																																															
	Band Edge																																																																																																																																															
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU 52/40_5825MHz																																																																																																																																															
ANT	CDD																																																																																																																																															
Pol.	Horizontal						Fundamental																																																																																																																																									
Peak																																																																																																																																																
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>49.37</td><td>111.36</td><td>-61.99</td><td>39.94</td><td>34.83</td><td>11.50</td><td>36.90</td><td>0.00</td><td>100</td><td>339</td><td>PEAK</td></tr><tr><td>2</td><td>5866.00</td><td>50.95</td><td>107.59</td><td>-56.64</td><td>41.46</td><td>34.90</td><td>11.52</td><td>36.93</td><td>0.00</td><td>100</td><td>339</td><td>PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>48.03</td><td>68.94</td><td>-20.91</td><td>38.29</td><td>35.10</td><td>11.63</td><td>36.99</td><td>0.00</td><td>100</td><td>339</td><td>PEAK</td></tr><tr><td>4</td><td>5973.20</td><td>50.15</td><td>68.20</td><td>-18.05</td><td>40.17</td><td>35.15</td><td>11.72</td><td>36.89</td><td>0.00</td><td>100</td><td>339</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5854.00	49.37	111.36	-61.99	39.94	34.83	11.50	36.90	0.00	100	339	PEAK	2	5866.00	50.95	107.59	-56.64	41.46	34.90	11.52	36.93	0.00	100	339	PEAK	3	5924.00	48.03	68.94	-20.91	38.29	35.10	11.63	36.99	0.00	100	339	PEAK	4	5973.20	50.15	68.20	-18.05	40.17	35.15	11.72	36.89	0.00	100	339	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>103.48</td><td>-----</td><td>-----</td><td>94.08</td><td>34.76</td><td>11.46</td><td>36.82</td><td>0.00</td><td>100</td><td>339</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	103.48	-----	-----	94.08	34.76	11.46	36.82	0.00	100	339
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5854.00	49.37	111.36	-61.99	39.94	34.83	11.50	36.90	0.00	100	339	PEAK																																																																																																																																				
2	5866.00	50.95	107.59	-56.64	41.46	34.90	11.52	36.93	0.00	100	339	PEAK																																																																																																																																				
3	5924.00	48.03	68.94	-20.91	38.29	35.10	11.63	36.99	0.00	100	339	PEAK																																																																																																																																				
4	5973.20	50.15	68.20	-18.05	40.17	35.15	11.72	36.89	0.00	100	339	PEAK																																																																																																																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5825.00	103.48	-----	-----	94.08	34.76	11.46	36.82	0.00	100	339	PEAK																																																																																																																																				
Avg	Blank																																																																																																																																															
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>96.57</td><td>-----</td><td>-----</td><td>87.17</td><td>34.76</td><td>11.46</td><td>36.82</td><td>0.00</td><td>100</td><td>339</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5825.00	96.57	-----	-----	87.17	34.76	11.46	36.82	0.00	100	339	AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																							
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Factor	Remark																																																																																																																																						
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																																																																					
1	5825.00	96.57	-----	-----	87.17	34.76	11.46	36.82	0.00	100	339	AVERAGE																																																																																																																																				







Mode	61																																																																																											
	Band Edge																																																																																											
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Single RU 52/40_5825MHz																																																																																											
ANT	CDD																																																																																											
Pol.	Vertical																																																																																											
Peak																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5854.00</td><td>47.49</td><td>111.36</td><td>-63.87</td><td>38.06</td><td>34.83</td><td>11.50</td><td>36.90</td><td>0.00</td><td>374</td><td>274 PEAK</td></tr><tr><td>2</td><td>5864.00</td><td>52.44</td><td>108.15</td><td>-55.71</td><td>42.96</td><td>34.89</td><td>11.52</td><td>36.93</td><td>0.00</td><td>374</td><td>274 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>47.53</td><td>68.64</td><td>-21.11</td><td>37.79</td><td>35.10</td><td>11.63</td><td>36.99</td><td>0.00</td><td>374</td><td>274 PEAK</td></tr><tr><td>4</td><td>5943.20</td><td>50.22</td><td>68.20</td><td>-17.98</td><td>40.41</td><td>35.10</td><td>11.66</td><td>36.95</td><td>0.00</td><td>374</td><td>274 PEAK</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	47.49	111.36	-63.87	38.06	34.83	11.50	36.90	0.00	374	274 PEAK	2	5864.00	52.44	108.15	-55.71	42.96	34.89	11.52	36.93	0.00	374	274 PEAK	3	5924.40	47.53	68.64	-21.11	37.79	35.10	11.63	36.99	0.00	374	274 PEAK	4	5943.20	50.22	68.20	-17.98	40.41	35.10	11.66	36.95	0.00	374	274 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5854.00	47.49	111.36	-63.87	38.06	34.83	11.50	36.90	0.00	374	274 PEAK																																																																																	
2	5864.00	52.44	108.15	-55.71	42.96	34.89	11.52	36.93	0.00	374	274 PEAK																																																																																	
3	5924.40	47.53	68.64	-21.11	37.79	35.10	11.63	36.99	0.00	374	274 PEAK																																																																																	
4	5943.20	50.22	68.20	-17.98	40.41	35.10	11.66	36.95	0.00	374	274 PEAK																																																																																	
Avg	Blank																																																																																											
																																																																																												
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5825.00</td><td>97.84</td><td>-----</td><td>-----</td><td>88.44</td><td>34.76</td><td>11.46</td><td>36.82</td><td>0.00</td><td>374</td><td>274 AVERAGE</td></tr></table>												Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	97.84	-----	-----	88.44	34.76	11.46	36.82	0.00	374	274 AVERAGE																																				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																			
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																		
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																		
1	5825.00	97.84	-----	-----	88.44	34.76	11.46	36.82	0.00	374	274 AVERAGE																																																																																	







Mode	62																																																																																																
	Band Edge																																																																																																
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Small RU 53+4_5180MHz																																																																																																
ANT	CDD																																																																																																
Pol.	Horizontal					Fundamental																																																																																											
Peak																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5140.20</td><td>59.93</td><td>74.00</td><td>-14.07</td><td>51.93</td><td>34.10</td><td>10.87</td><td>36.97</td><td>0.00</td><td>100</td><td>189</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5140.20	59.93	74.00	-14.07	51.93	34.10	10.87	36.97	0.00	100	189	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>108.04</td><td>-----</td><td>-----</td><td>99.97</td><td>34.15</td><td>10.91</td><td>36.99</td><td>0.00</td><td>100</td><td>189</td><td>PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	108.04	-----	-----	99.97	34.15	10.91	36.99	0.00	100	189
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5140.20	59.93	74.00	-14.07	51.93	34.10	10.87	36.97	0.00	100	189	PEAK																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5180.00	108.04	-----	-----	99.97	34.15	10.91	36.99	0.00	100	189	PEAK																																																																																					
Avg																																																																																																	
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.40</td><td>44.72</td><td>54.00</td><td>-9.28</td><td>36.71</td><td>34.10</td><td>10.88</td><td>36.97</td><td>0.00</td><td>100</td><td>189</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.40	44.72	54.00	-9.28	36.71	34.10	10.88	36.97	0.00	100	189	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5180.00</td><td>108.40</td><td>-----</td><td>-----</td><td>92.33</td><td>34.15</td><td>10.91</td><td>36.99</td><td>0.00</td><td>100</td><td>189</td><td>AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5180.00	108.40	-----	-----	92.33	34.15	10.91	36.99	0.00	100	189
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5149.40	44.72	54.00	-9.28	36.71	34.10	10.88	36.97	0.00	100	189	AVERAGE																																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																								
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																								
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																							
1	5180.00	108.40	-----	-----	92.33	34.15	10.91	36.99	0.00	100	189	AVERAGE																																																																																					







Mode	62																																																										
	Band Edge																																																										
	U-NII-1_5.15-5.25_802.11be EHT20_CH36_Small RU 53+4_5180MHz																																																										
ANT	CDD																																																										
Pol.	Vertical						Fundamental																																																				
Peak																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5146.30</td><td>51.94</td><td>74.00</td><td>-22.06</td><td>43.93</td><td>34.10</td><td>10.88</td><td>36.97</td><td>0.00</td><td>399</td><td>73 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5146.30	51.94	74.00	-22.06	43.93	34.10	10.88	36.97	0.00	399
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																		
1	5146.30	51.94	74.00	-22.06	43.93	34.10	10.88	36.97	0.00	399	73 PEAK																																																
Fundamental																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5180.00</td><td>103.38</td><td>-----</td><td>-----</td><td>95.31</td><td>34.15</td><td>10.91</td><td>36.99</td><td>0.00</td><td>399</td><td>73 PEAK</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5180.00	103.38	-----	-----	95.31	34.15	10.91	36.99	0.00	399
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																		
1	5180.00	103.38	-----	-----	95.31	34.15	10.91	36.99	0.00	399	73 PEAK																																																
Avg																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5150.00</td><td>41.00</td><td>54.00</td><td>-13.00</td><td>32.99</td><td>34.10</td><td>10.88</td><td>36.97</td><td>0.00</td><td>399</td><td>73 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5150.00	41.00	54.00	-13.00	32.99	34.10	10.88	36.97	0.00	399
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																		
1	5150.00	41.00	54.00	-13.00	32.99	34.10	10.88	36.97	0.00	399	73 AVERAGE																																																
Fundamental																																																											
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th colspan="2"></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>cm</th><th>deg</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th></th><th></th></tr><tr><td>1</td><td>5180.00</td><td>97.00</td><td>-----</td><td>-----</td><td>89.01</td><td>34.15</td><td>10.91</td><td>36.99</td><td>0.00</td><td>399</td><td>73 AVERAGE</td></tr></table>													Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos			Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB			1	5180.00	97.00	-----	-----	89.01	34.15	10.91	36.99	0.00	399
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																		
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		cm	deg																																																
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB																																																		
1	5180.00	97.00	-----	-----	89.01	34.15	10.91	36.99	0.00	399	73 AVERAGE																																																







Mode	63																																																																																																						
	Band Edge																																																																																																						
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Small RU 54+4_5320MHz																																																																																																						
ANT	CDD																																																																																																						
Pol.	Horizontal						Fundamental																																																																																																
Peak																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5353.40</td><td>60.28</td><td>74.00</td><td>-13.72</td><td>51.64</td><td>34.40</td><td>11.08</td><td>36.84</td><td>0.00</td><td>106</td><td>348</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5353.40	60.28	74.00	-13.72	51.64	34.40	11.08	36.84	0.00	106	348	PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>108.70</td><td>-----</td><td>-----</td><td>100.16</td><td>34.40</td><td>11.05</td><td>36.91</td><td>0.00</td><td>106</td><td>348</td><td>PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	108.70	-----	-----	100.16	34.40	11.05	36.91	0.00	106	348
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5353.40	60.28	74.00	-13.72	51.64	34.40	11.08	36.84	0.00	106	348	PEAK																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	108.70	-----	-----	100.16	34.40	11.05	36.91	0.00	106	348	PEAK																																																																																											
Avg																																																																																																							
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5350.00</td><td>45.46</td><td>54.00</td><td>-8.54</td><td>36.84</td><td>34.40</td><td>11.07</td><td>36.85</td><td>0.00</td><td>106</td><td>348</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	45.46	54.00	-8.54	36.84	34.40	11.07	36.85	0.00	106	348	AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5320.00</td><td>100.57</td><td>-----</td><td>-----</td><td>92.03</td><td>34.40</td><td>11.05</td><td>36.91</td><td>0.00</td><td>106</td><td>348</td><td>AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	100.57	-----	-----	92.03	34.40	11.05	36.91	0.00	106	348
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5350.00	45.46	54.00	-8.54	36.84	34.40	11.07	36.85	0.00	106	348	AVERAGE																																																																																											
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																													
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																													
1	5320.00	100.57	-----	-----	92.03	34.40	11.05	36.91	0.00	106	348	AVERAGE																																																																																											







Mode	63																																																																																																		
	Band Edge																																																																																																		
	U-NII-2A_5.25-5.35_802.11be EHT20_CH64_Small RU 54+4_5320MHz																																																																																																		
ANT	CDD																																																																																																		
Pol.	Vertical						Fundamental																																																																																												
Peak																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.90</td><td>60.33</td><td>74.00</td><td>-13.67</td><td>51.71</td><td>34.40</td><td>11.07</td><td>36.85</td><td>0.00</td><td>328</td><td>246</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.90	60.33	74.00	-13.67	51.71	34.40	11.07	36.85	0.00	328	246	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>103.46</td><td>-----</td><td>-----</td><td>94.92</td><td>34.40</td><td>11.05</td><td>36.91</td><td>0.00</td><td>328</td><td>246</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	103.46	-----	-----	94.92	34.40	11.05	36.91	0.00	328	246
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.90	60.33	74.00	-13.67	51.71	34.40	11.07	36.85	0.00	328	246	PEAK																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	103.46	-----	-----	94.92	34.40	11.05	36.91	0.00	328	246	PEAK																																																																																							
Avg																																																																																																			
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.50</td><td>41.78</td><td>54.00</td><td>-12.22</td><td>33.16</td><td>34.40</td><td>11.07</td><td>36.85</td><td>0.00</td><td>328</td><td>246</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.50	41.78	54.00	-12.22	33.16	34.40	11.07	36.85	0.00	328	246	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5320.00</td><td>96.35</td><td>-----</td><td>-----</td><td>87.81</td><td>34.40</td><td>11.05</td><td>36.91</td><td>0.00</td><td>328</td><td>246</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5320.00	96.35	-----	-----	87.81	34.40	11.05	36.91	0.00	328	246
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5350.50	41.78	54.00	-12.22	33.16	34.40	11.07	36.85	0.00	328	246	AVERAGE																																																																																							
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																									
1	5320.00	96.35	-----	-----	87.81	34.40	11.05	36.91	0.00	328	246	AVERAGE																																																																																							






Mode	64																																																																																																																				
	Band Edge																																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Small RU 53+4_5500MHz																																																																																																																				
ANT	CDD																																																																																																																				
Pol.	Horizontal						Fundamental																																																																																																														
Peak																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.76</td><td>52.34</td><td>74.00</td><td>-21.66</td><td>43.52</td><td>34.42</td><td>11.14</td><td>36.74</td><td>0.00</td><td>100</td><td>233</td><td>PEAK</td></tr><tr><td>2</td><td>5469.52</td><td>56.99</td><td>68.20</td><td>-11.21</td><td>48.15</td><td>34.44</td><td>11.15</td><td>36.75</td><td>0.00</td><td>100</td><td>233</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.76	52.34	74.00	-21.66	43.52	34.42	11.14	36.74	0.00	100	233	PEAK	2	5469.52	56.99	68.20	-11.21	48.15	34.44	11.15	36.75	0.00	100	233	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>108.46</td><td>-----</td><td>-----</td><td>99.57</td><td>34.49</td><td>11.16</td><td>36.76</td><td>0.00</td><td>100</td><td>233</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	108.46	-----	-----	99.57	34.49	11.16	36.76	0.00	100	233	PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5459.76	52.34	74.00	-21.66	43.52	34.42	11.14	36.74	0.00	100	233	PEAK																																																																																																									
2	5469.52	56.99	68.20	-11.21	48.15	34.44	11.15	36.75	0.00	100	233	PEAK																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5500.00	108.46	-----	-----	99.57	34.49	11.16	36.76	0.00	100	233	PEAK																																																																																																									
Avg																																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5458.00</td><td>42.00</td><td>54.00</td><td>-11.92</td><td>33.26</td><td>34.42</td><td>11.14</td><td>36.74</td><td>0.00</td><td>100</td><td>233</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5458.00	42.00	54.00	-11.92	33.26	34.42	11.14	36.74	0.00	100	233	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>101.73</td><td>-----</td><td>-----</td><td>92.83</td><td>34.50</td><td>11.16</td><td>36.76</td><td>0.00</td><td>100</td><td>233</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	101.73	-----	-----	92.83	34.50	11.16	36.76	0.00	100	233	AVERAGE													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5458.00	42.00	54.00	-11.92	33.26	34.42	11.14	36.74	0.00	100	233	AVERAGE																																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																											
1	5500.00	101.73	-----	-----	92.83	34.50	11.16	36.76	0.00	100	233	AVERAGE																																																																																																									






		64																																																																																																																		
Mode	Band Edge																																																																																																																			
	U-NII-2C_5.47-5.725_802.11be EHT20_CH100_Small RU 53+4_5500MHz																																																																																																																			
ANT	CDD																																																																																																																			
Pol.	Vertical						Fundamental																																																																																																													
Peak																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5378.48</td><td>47.95</td><td>74.00</td><td>-26.05</td><td>39.23</td><td>34.40</td><td>11.10</td><td>36.78</td><td>0.00</td><td>341</td><td>235</td><td>PEAK</td></tr><tr><td>2</td><td>5469.36</td><td>52.97</td><td>68.20</td><td>-15.23</td><td>44.13</td><td>34.44</td><td>11.15</td><td>36.75</td><td>0.00</td><td>341</td><td>235</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5378.48	47.95	74.00	-26.05	39.23	34.40	11.10	36.78	0.00	341	235	PEAK	2	5469.36	52.97	68.20	-15.23	44.13	34.44	11.15	36.75	0.00	341	235	PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>103.85</td><td>-----</td><td>-----</td><td>94.95</td><td>34.50</td><td>11.16</td><td>36.76</td><td>0.00</td><td>341</td><td>235</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	103.85	-----	-----	94.95	34.50	11.16	36.76	0.00	341	235
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5378.48	47.95	74.00	-26.05	39.23	34.40	11.10	36.78	0.00	341	235	PEAK																																																																																																								
2	5469.36	52.97	68.20	-15.23	44.13	34.44	11.15	36.75	0.00	341	235	PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5500.00	103.85	-----	-----	94.95	34.50	11.16	36.76	0.00	341	235	PEAK																																																																																																								
Avg																																																																																																																				
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5459.60</td><td>40.16</td><td>54.00</td><td>-13.84</td><td>31.34</td><td>34.42</td><td>11.14</td><td>36.74</td><td>0.00</td><td>341</td><td>235</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5459.60	40.16	54.00	-13.84	31.34	34.42	11.14	36.74	0.00	341	235	AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5500.00</td><td>98.10</td><td>-----</td><td>-----</td><td>89.20</td><td>34.50</td><td>11.16</td><td>36.76</td><td>0.00</td><td>341</td><td>235</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5500.00	98.10	-----	-----	89.20	34.50	11.16	36.76	0.00	341	235	AVERAGE												
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5459.60	40.16	54.00	-13.84	31.34	34.42	11.14	36.74	0.00	341	235	AVERAGE																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																										
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																										
1	5500.00	98.10	-----	-----	89.20	34.50	11.16	36.76	0.00	341	235	AVERAGE																																																																																																								






Mode	65																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Small RU 39+7_5700MHz																																																																																																				
ANT	CDD																																																																																																				
Pol.	Horizontal						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5741.64</td><td>49.65</td><td>68.20</td><td>-18.55</td><td>40.59</td><td>34.50</td><td>11.34</td><td>36.78</td><td>0.00</td><td>104</td><td>332 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5741.64	49.65	68.20	-18.55	40.59	34.50	11.34	36.78	0.00	104	332 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>104.29</td><td>-----</td><td>-----</td><td>95.32</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>104</td><td>332 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	104.29	-----	-----	95.32	34.50	11.30	36.83	0.00	104	332 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5741.64	49.65	68.20	-18.55	40.59	34.50	11.34	36.78	0.00	104	332 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	104.29	-----	-----	95.32	34.50	11.30	36.83	0.00	104	332 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>97.89</td><td>-----</td><td>-----</td><td>88.92</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>104</td><td>332 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	97.89	-----	-----	88.92	34.50	11.30	36.83	0.00	104	332 AVERAGE																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	97.89	-----	-----	88.92	34.50	11.30	36.83	0.00	104	332 AVERAGE																																																																																										





Mode	65																																																																																																				
	Band Edge																																																																																																				
	U-NII-2C_5.47-5.725_802.11be EHT20_CH140_Small RU 39+7_5700MHz																																																																																																				
ANT	CDD																																																																																																				
Pol.	Vertical						Fundamental																																																																																														
Peak																																																																																																					
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5756.28</td><td>48.90</td><td>68.20</td><td>-19.30</td><td>39.78</td><td>34.53</td><td>11.36</td><td>36.77</td><td>0.00</td><td>370</td><td>274 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5756.28	48.90	68.20	-19.30	39.78	34.53	11.36	36.77	0.00	370	274 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>101.60</td><td>-----</td><td>-----</td><td>92.63</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>370</td><td>274 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	101.60	-----	-----	92.63	34.50	11.30	36.83	0.00	370	274 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5756.28	48.90	68.20	-19.30	39.78	34.53	11.36	36.77	0.00	370	274 PEAK																																																																																										
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																												
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	101.60	-----	-----	92.63	34.50	11.30	36.83	0.00	370	274 PEAK																																																																																										
Avg	Blank																																																																																																				
							<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5700.00</td><td>94.59</td><td>-----</td><td>-----</td><td>85.62</td><td>34.50</td><td>11.30</td><td>36.83</td><td>0.00</td><td>370</td><td>274 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5700.00	94.59	-----	-----	85.62	34.50	11.30	36.83	0.00	370	274 AVERAGE																																													
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																											
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																											
1	5700.00	94.59	-----	-----	85.62	34.50	11.30	36.83	0.00	370	274 AVERAGE																																																																																										






Mode	66																																																																																																																		
	Band Edge																																																																																																																		
	U-NII-3_5.725-5.85_802.11be EHT20_CH149_Small RU 53+4_5745MHz																																																																																																																		
ANT	CDD																																																																																																																		
Pol.	Horizontal						Fundamental																																																																																																												
Peak																																																																																																																			
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5683.20</td><td>48.84</td><td>68.20</td><td>-19.36</td><td>40.29</td><td>34.41</td><td>11.20</td><td>37.06</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr><tr><td>2</td><td>5652.80</td><td>48.63</td><td>70.29</td><td>-21.66</td><td>39.82</td><td>34.50</td><td>11.25</td><td>36.94</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr><tr><td>3</td><td>5718.80</td><td>58.90</td><td>110.56</td><td>-51.66</td><td>49.89</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr><tr><td>4</td><td>5720.80</td><td>62.91</td><td>112.72</td><td>-49.81</td><td>53.90</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5683.20	48.84	68.20	-19.36	40.29	34.41	11.20	37.06	0.00	100	226 PEAK	2	5652.80	48.63	70.29	-21.66	39.82	34.50	11.25	36.94	0.00	100	226 PEAK	3	5718.80	58.90	110.56	-51.66	49.89	34.50	11.32	36.81	0.00	100	226 PEAK	4	5720.80	62.91	112.72	-49.81	53.90	34.50	11.32	36.81	0.00	100	226 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>107.05</td><td>-----</td><td>-----</td><td>98.01</td><td>34.50</td><td>11.33</td><td>36.79</td><td>0.00</td><td>100</td><td>226 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	107.05	-----	-----	98.01	34.50	11.33	36.79	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5683.20	48.84	68.20	-19.36	40.29	34.41	11.20	37.06	0.00	100	226 PEAK																																																																																																								
2	5652.80	48.63	70.29	-21.66	39.82	34.50	11.25	36.94	0.00	100	226 PEAK																																																																																																								
3	5718.80	58.90	110.56	-51.66	49.89	34.50	11.32	36.81	0.00	100	226 PEAK																																																																																																								
4	5720.80	62.91	112.72	-49.81	53.90	34.50	11.32	36.81	0.00	100	226 PEAK																																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	107.05	-----	-----	98.01	34.50	11.33	36.79	0.00	100	226 PEAK																																																																																																								
Avg	Blank																																																																																																																		
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr></thead><tbody><tr><td>1</td><td>5745.00</td><td>101.07</td><td>-----</td><td>-----</td><td>92.02</td><td>34.50</td><td>11.34</td><td>36.79</td><td>0.00</td><td>100</td><td>226 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	1	5745.00	101.07	-----	-----	92.02	34.50	11.34	36.79	0.00	100	226 AVERAGE																																																																					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																										
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																									
1	5745.00	101.07	-----	-----	92.02	34.50	11.34	36.79	0.00	100	226 AVERAGE																																																																																																								






		66																																																																																					
Mode		Band Edge																																																																																					
		U-NII-3_5.725-5.85_802.11be EHT20_CH149_Small RU 53+4_5745MHz																																																																																					
ANT		CDD																																																																																					
Pol.		Vertical					Fundamental																																																																																
Peak																																																																																							
		<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5645.20</td><td>48.48</td><td>68.20</td><td>-19.72</td><td>39.70</td><td>34.49</td><td>11.25</td><td>36.96</td><td>0.00</td><td>295</td><td>264 PEAK</td></tr><tr><td>2 5651.60</td><td>47.09</td><td>69.39</td><td>-22.30</td><td>38.29</td><td>34.50</td><td>11.25</td><td>36.95</td><td>0.00</td><td>295</td><td>264 PEAK</td></tr><tr><td>3 5719.20</td><td>61.72</td><td>110.68</td><td>-48.96</td><td>52.71</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>295</td><td>264 PEAK</td></tr><tr><td>4 5720.00</td><td>56.31</td><td>110.90</td><td>-54.59</td><td>47.30</td><td>34.50</td><td>11.32</td><td>36.81</td><td>0.00</td><td>295</td><td>264 PEAK</td></tr></tbody></table>											Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5645.20	48.48	68.20	-19.72	39.70	34.49	11.25	36.96	0.00	295	264 PEAK	2 5651.60	47.09	69.39	-22.30	38.29	34.50	11.25	36.95	0.00	295	264 PEAK	3 5719.20	61.72	110.68	-48.96	52.71	34.50	11.32	36.81	0.00	295	264 PEAK	4 5720.00	56.31	110.90	-54.59	47.30	34.50	11.32	36.81	0.00	295
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5645.20	48.48	68.20	-19.72	39.70	34.49	11.25	36.96	0.00	295	264 PEAK																																																																													
2 5651.60	47.09	69.39	-22.30	38.29	34.50	11.25	36.95	0.00	295	264 PEAK																																																																													
3 5719.20	61.72	110.68	-48.96	52.71	34.50	11.32	36.81	0.00	295	264 PEAK																																																																													
4 5720.00	56.31	110.90	-54.59	47.30	34.50	11.32	36.81	0.00	295	264 PEAK																																																																													
Avg		Blank																																																																																					
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5745.00</td><td>100.17</td><td>-----</td><td>-----</td><td>91.12</td><td>34.50</td><td>11.34</td><td>36.79</td><td>0.00</td><td>295</td><td>264 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5745.00	100.17	-----	-----	91.12	34.50	11.34	36.79	0.00	295	264 AVERAGE																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																													
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																													
1 5745.00	100.17	-----	-----	91.12	34.50	11.34	36.79	0.00	295	264 AVERAGE																																																																													







		67																																																																																																																																							
Mode	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU 39+7_5825MHz																																																																																																																																								
ANT	CDD																																																																																																																																								
Pol.	Horizontal						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.00</td><td>51.99</td><td>111.36</td><td>-59.37</td><td>42.56</td><td>34.83</td><td>11.50</td><td>36.90</td><td>0.00</td><td>100</td><td>250 PEAK</td></tr><tr><td>2</td><td>5874.00</td><td>50.20</td><td>105.58</td><td>-55.38</td><td>40.68</td><td>34.94</td><td>11.54</td><td>36.96</td><td>0.00</td><td>100</td><td>250 PEAK</td></tr><tr><td>3</td><td>5924.00</td><td>46.82</td><td>68.35</td><td>-21.53</td><td>37.08</td><td>35.10</td><td>11.63</td><td>36.99</td><td>0.00</td><td>100</td><td>250 PEAK</td></tr><tr><td>4</td><td>5936.40</td><td>49.26</td><td>68.20</td><td>-18.94</td><td>39.47</td><td>35.10</td><td>11.65</td><td>36.96</td><td>0.00</td><td>100</td><td>250 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.00	51.99	111.36	-59.37	42.56	34.83	11.50	36.90	0.00	100	250 PEAK	2	5874.00	50.20	105.58	-55.38	40.68	34.94	11.54	36.96	0.00	100	250 PEAK	3	5924.00	46.82	68.35	-21.53	37.08	35.10	11.63	36.99	0.00	100	250 PEAK	4	5936.40	49.26	68.20	-18.94	39.47	35.10	11.65	36.96	0.00	100	250 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>106.97</td><td>-----</td><td>-----</td><td>97.57</td><td>34.76</td><td>11.46</td><td>36.82</td><td>0.00</td><td>100</td><td>250 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	106.97	-----	-----	97.57	34.76	11.46	36.82	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.00	51.99	111.36	-59.37	42.56	34.83	11.50	36.90	0.00	100	250 PEAK																																																																																																																														
2	5874.00	50.20	105.58	-55.38	40.68	34.94	11.54	36.96	0.00	100	250 PEAK																																																																																																																														
3	5924.00	46.82	68.35	-21.53	37.08	35.10	11.63	36.99	0.00	100	250 PEAK																																																																																																																														
4	5936.40	49.26	68.20	-18.94	39.47	35.10	11.65	36.96	0.00	100	250 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	106.97	-----	-----	97.57	34.76	11.46	36.82	0.00	100	250 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>99.92</td><td>-----</td><td>-----</td><td>90.52</td><td>34.76</td><td>11.46</td><td>36.82</td><td>0.00</td><td>100</td><td>250 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	99.92	-----	-----	90.52	34.76	11.46	36.82	0.00	100	250 AVERAGE																																																																																
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	99.92	-----	-----	90.52	34.76	11.46	36.82	0.00	100	250 AVERAGE																																																																																																																														





Mode	67																																																																																																																																								
	Band Edge																																																																																																																																								
	U-NII-3_5.725-5.85_802.11be EHT20_CH165_Small RU 39+7_5825MHz																																																																																																																																								
ANT	CDD																																																																																																																																								
Pol.	Vertical						Fundamental																																																																																																																																		
Peak																																																																																																																																									
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5854.40</td><td>53.15</td><td>112.27</td><td>-59.12</td><td>43.71</td><td>34.83</td><td>11.50</td><td>36.89</td><td>0.00</td><td>303</td><td>258 PEAK</td></tr><tr><td>2</td><td>5857.60</td><td>56.44</td><td>110.17</td><td>-53.73</td><td>46.98</td><td>34.85</td><td>11.51</td><td>36.90</td><td>0.00</td><td>303</td><td>258 PEAK</td></tr><tr><td>3</td><td>5924.40</td><td>46.74</td><td>68.64</td><td>-21.90</td><td>37.00</td><td>35.10</td><td>11.63</td><td>36.99</td><td>0.00</td><td>303</td><td>258 PEAK</td></tr><tr><td>4</td><td>5978.40</td><td>50.37</td><td>68.20</td><td>-17.83</td><td>40.36</td><td>35.16</td><td>11.73</td><td>36.88</td><td>0.00</td><td>303</td><td>258 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5854.40	53.15	112.27	-59.12	43.71	34.83	11.50	36.89	0.00	303	258 PEAK	2	5857.60	56.44	110.17	-53.73	46.98	34.85	11.51	36.90	0.00	303	258 PEAK	3	5924.40	46.74	68.64	-21.90	37.00	35.10	11.63	36.99	0.00	303	258 PEAK	4	5978.40	50.37	68.20	-17.83	40.36	35.16	11.73	36.88	0.00	303	258 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>107.42</td><td>-----</td><td>-----</td><td>98.02</td><td>34.76</td><td>11.46</td><td>36.82</td><td>0.00</td><td>303</td><td>258 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	107.42	-----	-----	98.02	34.76	11.46	36.82	0.00	303	258 PEAK
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5854.40	53.15	112.27	-59.12	43.71	34.83	11.50	36.89	0.00	303	258 PEAK																																																																																																																														
2	5857.60	56.44	110.17	-53.73	46.98	34.85	11.51	36.90	0.00	303	258 PEAK																																																																																																																														
3	5924.40	46.74	68.64	-21.90	37.00	35.10	11.63	36.99	0.00	303	258 PEAK																																																																																																																														
4	5978.40	50.37	68.20	-17.83	40.36	35.16	11.73	36.88	0.00	303	258 PEAK																																																																																																																														
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																																
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	107.42	-----	-----	98.02	34.76	11.46	36.82	0.00	303	258 PEAK																																																																																																																														
Avg	Blank																																																																																																																																								
							<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5825.00</td><td>101.44</td><td>-----</td><td>-----</td><td>92.04</td><td>34.76</td><td>11.46</td><td>36.82</td><td>0.00</td><td>303</td><td>258 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5825.00	101.44	-----	-----	92.04	34.76	11.46	36.82	0.00	303	258 AVERAGE																																																																																	
		Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																																																															
1	5825.00	101.44	-----	-----	92.04	34.76	11.46	36.82	0.00	303	258 AVERAGE																																																																																																																														







Mode	68																																																																																												
	Band Edge - L																																																																																												
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242 ① 5210MHz																																																																																												
ANT	CDD																																																																																												
Pol.	Horizontal					Fundamental																																																																																							
Peak																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5140.00</td><td>63.34</td><td>74.00</td><td>-10.66</td><td>55.34</td><td>34.10</td><td>10.87</td><td>36.97</td><td>0.00</td><td>100</td><td>197 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5140.00	63.34	74.00	-10.66	55.34	34.10	10.87	36.97	0.00	100	197 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>99.51</td><td>-----</td><td>-----</td><td>91.44</td><td>34.16</td><td>10.91</td><td>37.00</td><td>0.00</td><td>100</td><td>197 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	99.51	-----	-----	91.44	34.16	10.91	37.00	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5140.00	63.34	74.00	-10.66	55.34	34.10	10.87	36.97	0.00	100	197 PEAK																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5210.00	99.51	-----	-----	91.44	34.16	10.91	37.00	0.00	100	197 PEAK																																																																																			
Avg																																																																																													
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5149.12</td><td>51.26</td><td>54.00</td><td>-2.74</td><td>43.25</td><td>34.10</td><td>10.88</td><td>36.97</td><td>0.00</td><td>100</td><td>197 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5149.12	51.26	54.00	-2.74	43.25	34.10	10.88	36.97	0.00	100	197 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1 5210.00</td><td>90.22</td><td>-----</td><td>-----</td><td>82.07</td><td>34.20</td><td>10.95</td><td>37.00</td><td>0.00</td><td>100</td><td>197 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1 5210.00	90.22	-----	-----	82.07	34.20	10.95	37.00	0.00	100
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5149.12	51.26	54.00	-2.74	43.25	34.10	10.88	36.97	0.00	100	197 AVERAGE																																																																																			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																				
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																																																																				
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																			
1 5210.00	90.22	-----	-----	82.07	34.20	10.95	37.00	0.00	100	197 AVERAGE																																																																																			



Mode	68																																																							
	Band Edge - R																																																							
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242_①_5210MHz																																																							
ANT	CDD																																																							
Pol.	Horizontal							Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5355.72</td><td>48.39</td><td>74.00</td><td>-25.61</td><td>39.75</td><td>34.40</td><td>11.08</td><td>36.84</td><td>0.00</td><td>100</td><td>197 PEAK</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5355.72	48.39	74.00	-25.61	39.75	34.40	11.08	36.84	0.00	100	197 PEAK	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5355.72	48.39	74.00	-25.61	39.75	34.40	11.08	36.84	0.00	100	197 PEAK																																													
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5387.76</td><td>38.94</td><td>54.00</td><td>-15.06</td><td>30.18</td><td>34.40</td><td>11.11</td><td>36.75</td><td>0.00</td><td>100</td><td>197 AVERAGE</td></tr></table>								Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5387.76	38.94	54.00	-15.06	30.18	34.40	11.11	36.75	0.00	100	197 AVERAGE	Blank			
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5387.76	38.94	54.00	-15.06	30.18	34.40	11.11	36.75	0.00	100	197 AVERAGE																																													







Mode	68																																																																																																			
	Band Edge - L																																																																																																			
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242_①_5210MHz																																																																																																			
ANT	CDD																																																																																																			
Pol.	Vertical						Fundamental																																																																																													
Peak																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5148.16</td><td>58.78</td><td>74.00</td><td>-15.22</td><td>50.77</td><td>34.10</td><td>10.88</td><td>36.97</td><td>0.00</td><td>385</td><td>272 PEAK</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5148.16	58.78	74.00	-15.22	50.77	34.10	10.88	36.97	0.00	385	272 PEAK	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>96.85</td><td>-----</td><td>-----</td><td>88.70</td><td>34.20</td><td>10.95</td><td>37.00</td><td>0.00</td><td>385</td><td>272 PEAK</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	96.85	-----	-----	88.70	34.20	10.95	37.00	0.00	385
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5148.16	58.78	74.00	-15.22	50.77	34.10	10.88	36.97	0.00	385	272 PEAK																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5210.00	96.85	-----	-----	88.70	34.20	10.95	37.00	0.00	385	272 PEAK																																																																																									
Avg																																																																																																				
	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5149.92</td><td>46.21</td><td>54.00</td><td>-7.79</td><td>38.20</td><td>34.10</td><td>10.88</td><td>36.97</td><td>0.00</td><td>385</td><td>272 AVERAGE</td></tr></tbody></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5149.92	46.21	54.00	-7.79	38.20	34.10	10.88	36.97	0.00	385	272 AVERAGE	<table><thead><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr></thead><tbody><tr><td>1</td><td>5210.00</td><td>87.24</td><td>-----</td><td>-----</td><td>79.11</td><td>34.20</td><td>10.94</td><td>37.01</td><td>0.00</td><td>385</td><td>272 AVERAGE</td></tr></tbody></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg	1	5210.00	87.24	-----	-----	79.11	34.20	10.94	37.01	0.00	385
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5149.92	46.21	54.00	-7.79	38.20	34.10	10.88	36.97	0.00	385	272 AVERAGE																																																																																									
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																											
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																										
MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	dB	cm	deg																																																																																										
1	5210.00	87.24	-----	-----	79.11	34.20	10.94	37.01	0.00	385	272 AVERAGE																																																																																									





Mode	68																																																						
	Band Edge - R																																																						
	U-NII-1_5.15-5.25_802.11be EHT80_CH42_Large RU 484+242_①_5210MHz																																																						
ANT	CDD																																																						
Pol.	Vertical						Fundamental																																																
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5393.52</td><td>48.29</td><td>74.00</td><td>-25.71</td><td>39.52</td><td>34.40</td><td>11.11</td><td>36.74</td><td>0.00</td><td>385</td><td>272</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5393.52	48.29	74.00	-25.71	39.52	34.40	11.11	36.74	0.00	385	272	PEAK	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5393.52	48.29	74.00	-25.71	39.52	34.40	11.11	36.74	0.00	385	272	PEAK																																											
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5300.92</td><td>38.58</td><td>54.00</td><td>-15.42</td><td>29.85</td><td>34.40</td><td>11.10</td><td>36.77</td><td>0.00</td><td>385</td><td>272</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5300.92	38.58	54.00	-15.42	29.85	34.40	11.10	36.77	0.00	385	272	AVERAGE	Blank				
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																														
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																														
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																													
1	5300.92	38.58	54.00	-15.42	29.85	34.40	11.10	36.77	0.00	385	272	AVERAGE																																											



Mode	69																																																																																																	
	Band Edge - L																																																																																																	
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M ①_5290MHz																																																																																																	
ANT	CDD																																																																																																	
Pol.	Horizontal						Fundamental																																																																																											
Peak																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5124.00</td><td>50.04</td><td>74.00</td><td>-23.96</td><td>42.05</td><td>34.10</td><td>10.85</td><td>36.96</td><td>0.00</td><td>121 189 PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5124.00	50.04	74.00	-23.96	42.05	34.10	10.85	36.96	0.00	121 189 PEAK	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>99.33</td><td>-----</td><td>-----</td><td>90.82</td><td>34.40</td><td>11.04</td><td>36.93</td><td>0.00</td><td>121 189 PEAK</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	99.33	-----	-----	90.82	34.40	11.04	36.93	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5124.00	50.04	74.00	-23.96	42.05	34.10	10.85	36.96	0.00	121 189 PEAK																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5290.00	99.33	-----	-----	90.82	34.40	11.04	36.93	0.00	121 189 PEAK																																																																																								
Avg																																																																																																		
	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5148.48</td><td>40.94</td><td>54.00</td><td>-13.06</td><td>32.93</td><td>34.10</td><td>10.88</td><td>36.97</td><td>0.00</td><td>121 189 AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5148.48	40.94	54.00	-13.06	32.93	34.10	10.88	36.97	0.00	121 189 AVERAGE	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th><th></th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th></th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5290.00</td><td>91.38</td><td>-----</td><td>-----</td><td>82.87</td><td>34.40</td><td>11.04</td><td>36.93</td><td>0.00</td><td>121 189 AVERAGE</td></tr></table>						Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos		Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5290.00	91.38	-----	-----	82.87	34.40	11.04	36.93	0.00
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5148.48	40.94	54.00	-13.06	32.93	34.10	10.88	36.97	0.00	121 189 AVERAGE																																																																																								
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																																																																									
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor		Remark																																																																																								
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																																																																								
1	5290.00	91.38	-----	-----	82.87	34.40	11.04	36.93	0.00	121 189 AVERAGE																																																																																								



Mode	69																																																							
	Band Edge - R																																																							
	U-NII-2A_5.25-5.35_802.11be EHT80_CH58_Puncturing 20M_①_5290MHz																																																							
ANT	CDD																																																							
Pol.	Horizontal						Fundamental																																																	
Peak	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5359.90</td><td>66.30</td><td>74.00</td><td>-7.70</td><td>57.64</td><td>34.40</td><td>11.08</td><td>36.82</td><td>0.00</td><td>121</td><td>189</td><td>PEAK</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5359.90	66.30	74.00	-7.70	57.64	34.40	11.08	36.82	0.00	121	189	PEAK	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5359.90	66.30	74.00	-7.70	57.64	34.40	11.08	36.82	0.00	121	189	PEAK																																												
Avg	<table><tr><th></th><th>Limit</th><th>Over</th><th>Read</th><th>Ant</th><th>Cable</th><th>Preamp</th><th>Aux</th><th>APos</th><th>TPos</th></tr><tr><th>Freq</th><th>Level</th><th>Line</th><th>Limit</th><th>Level</th><th>Factor</th><th>Loss</th><th>Factor</th><th>Factor</th><th>Remark</th></tr><tr><th></th><th>MHz</th><th>dBuV/m</th><th>dBuV/m</th><th>dB</th><th>dBuV</th><th>dB/m</th><th>dB</th><th>dB</th><th>cm</th><th>deg</th></tr><tr><td>1</td><td>5350.00</td><td>52.95</td><td>54.00</td><td>-1.05</td><td>44.33</td><td>34.40</td><td>11.07</td><td>36.85</td><td>0.00</td><td>121</td><td>189</td><td>AVERAGE</td></tr></table>							Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos	Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark		MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg	1	5350.00	52.95	54.00	-1.05	44.33	34.40	11.07	36.85	0.00	121	189	AVERAGE	Blank					
	Limit	Over	Read	Ant	Cable	Preamp	Aux	APos	TPos																																															
Freq	Level	Line	Limit	Level	Factor	Loss	Factor	Factor	Remark																																															
	MHz	dBuV/m	dBuV/m	dB	dBuV	dB/m	dB	dB	cm	deg																																														
1	5350.00	52.95	54.00	-1.05	44.33	34.40	11.07	36.85	0.00	121	189	AVERAGE																																												