


Report Number : TERF2512004155ER
 Operation Mode :802.11a
 Test Frequency :5220 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10440.00	Peak	39.62	7.35	46.97	68.20	-21.23
15660.00	Average	32.37	10.34	42.71	54.00	-11.29
15660.00	Peak	43.66	10.34	54.00	74.00	-20.00
39406.00	Average	28.25	23.37	51.62	54.00	-2.38
39406.00	Peak	39.14	23.37	62.51	68.20	-5.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11a
 Test Frequency :5220 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10440.00	Peak	39.55	7.35	46.90	68.20	-21.30
15660.00	Average	32.45	10.34	42.79	54.00	-11.21
15660.00	Peak	42.88	10.34	53.22	74.00	-20.78
39406.00	Average	28.17	23.37	51.54	54.00	-2.46
39406.00	Peak	39.80	23.37	63.17	68.20	-5.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11a
 Test Frequency :5240 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10480.00	Peak	39.43	7.31	46.74	68.20	-21.46
15720.00	Average	32.27	10.67	42.94	54.00	-11.06
15720.00	Peak	42.79	10.67	53.46	74.00	-20.54
39450.00	Average	28.09	23.39	51.48	54.00	-2.52
39450.00	Peak	39.66	23.39	63.05	68.20	-5.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11a
 Test Frequency :5240 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10480.00	Peak	41.29	7.31	48.60	68.20	-19.60
15720.00	Average	32.59	10.67	43.26	54.00	-10.74
15720.00	Peak	43.65	10.67	54.32	74.00	-19.68
39626.00	Average	28.33	23.63	51.96	54.00	-2.04
39626.00	Peak	38.96	23.63	62.59	68.20	-5.61

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5260 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10520.00	Peak	38.93	7.31	46.24	68.20	-21.96
15780.00	Average	32.52	11.02	43.54	54.00	-10.46
15780.00	Peak	42.86	11.02	53.88	74.00	-20.12
39318.00	Average	28.45	23.28	51.73	54.00	-2.27
39318.00	Peak	40.76	23.28	64.04	68.20	-4.16


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5260 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10520.00	Peak	40.84	7.31	48.15	68.20	-20.05
15780.00	Average	32.44	11.02	43.46	54.00	-10.54
15780.00	Peak	43.15	11.02	54.17	74.00	-19.83
39252.00	Average	28.16	23.08	51.24	54.00	-2.76
39252.00	Peak	39.48	23.08	62.56	68.20	-5.64

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5280 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10560.00	Peak	38.53	7.26	45.79	68.20	-22.41
15840.00	Average	32.52	10.91	43.43	54.00	-10.57
15840.00	Peak	44.14	10.91	55.05	74.00	-18.95
39846.00	Average	27.96	23.70	51.66	54.00	-2.34
39846.00	Peak	39.40	23.70	63.10	68.20	-5.10


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5280 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10560.00	Peak	39.87	7.26	47.13	68.20	-21.07
15840.00	Average	32.68	10.91	43.59	54.00	-10.41
15840.00	Peak	43.09	10.91	54.00	74.00	-20.00
39758.00	Average	28.32	23.73	52.05	54.00	-1.95
39758.00	Peak	38.43	23.73	62.16	68.20	-6.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5300 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10600.00	Average	30.63	7.16	37.79	54.00	-16.21
10600.00	Peak	41.06	7.16	48.22	74.00	-25.78
15900.00	Average	32.56	10.74	43.30	54.00	-10.70
15900.00	Peak	43.71	10.74	54.45	74.00	-19.55
39648.00	Average	27.89	23.63	51.52	54.00	-2.48
39648.00	Peak	39.29	23.63	62.92	68.20	-5.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5300 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10600.00	Average	30.74	7.16	37.90	54.00	-16.10
10600.00	Peak	40.90	7.16	48.06	74.00	-25.94
15900.00	Average	32.47	10.74	43.21	54.00	-10.79
15900.00	Peak	43.25	10.74	53.99	74.00	-20.01
39384.00	Average	28.36	23.34	51.70	54.00	-2.30
39384.00	Peak	39.93	23.34	63.27	68.20	-4.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5320 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10640.00	Average	30.40	7.28	37.68	54.00	-16.32
10640.00	Peak	41.08	7.28	48.36	74.00	-25.64
15960.00	Average	32.64	10.60	43.24	54.00	-10.76
15960.00	Peak	44.84	10.60	55.44	74.00	-18.56
38614.00	Average	28.47	22.46	50.93	54.00	-3.07
38614.00	Peak	40.40	22.46	62.86	68.20	-5.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5320 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10640.00	Average	33.10	7.28	40.38	54.00	-13.62
10640.00	Peak	43.72	7.28	51.00	74.00	-23.00
15960.00	Average	32.67	10.60	43.27	54.00	-10.73
15960.00	Peak	43.40	10.60	54.00	74.00	-20.00
39010.00	Average	28.14	22.47	50.61	54.00	-3.39
39010.00	Peak	39.65	22.47	62.12	68.20	-6.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5500 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11000.00	Average	31.54	8.04	39.58	54.00	-14.42
11000.00	Peak	41.29	8.04	49.33	74.00	-24.67
16500.00	Peak	42.07	9.91	51.98	68.20	-16.22
39516.00	Average	28.59	23.49	52.08	54.00	-1.92
39516.00	Peak	39.27	23.49	62.76	68.20	-5.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5500 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11000.00	Average	33.00	8.04	41.04	54.00	-12.96
11000.00	Peak	41.42	8.04	49.46	74.00	-24.54
16500.00	Peak	42.08	9.91	51.99	68.20	-16.21
39934.00	Average	28.44	23.83	52.27	54.00	-1.73
39934.00	Peak	38.82	23.83	62.65	68.20	-5.55

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5600 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11200.00	Average	32.54	8.14	40.68	54.00	-13.32
11200.00	Peak	44.62	8.14	52.76	74.00	-21.24
16800.00	Peak	44.15	9.30	53.45	68.20	-14.75
39582.00	Average	28.32	23.63	51.95	54.00	-2.05
39582.00	Peak	38.52	23.63	62.15	68.20	-6.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5600 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11200.00	Average	35.36	8.14	43.50	54.00	-10.50
11200.00	Peak	46.53	8.14	54.67	74.00	-19.33
16800.00	Peak	42.84	9.30	52.14	68.20	-16.06
39164.00	Average	28.05	22.70	50.75	54.00	-3.25
39164.00	Peak	39.75	22.70	62.45	68.20	-5.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5700 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11400.00	Average	30.66	8.31	38.97	54.00	-15.03
11400.00	Peak	41.51	8.31	49.82	74.00	-24.18
17100.00	Peak	44.44	9.25	53.69	68.20	-14.51
38702.00	Average	28.45	22.54	50.99	54.00	-3.01
38702.00	Peak	40.94	22.54	63.48	68.20	-4.72

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5700 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11400.00	Average	31.44	8.31	39.75	54.00	-14.25
11400.00	Peak	41.87	8.31	50.18	74.00	-23.82
17100.00	Peak	43.24	9.25	52.49	68.20	-15.71
39714.00	Average	28.09	23.73	51.82	54.00	-2.18
39714.00	Peak	38.81	23.73	62.54	68.20	-5.66


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5720 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11440.00	Average	33.71	8.37	42.08	54.00	-11.92
11440.00	Peak	41.78	8.37	50.15	74.00	-23.85
17160.00	Peak	43.91	9.25	53.16	68.20	-15.04
39032.00	Average	27.87	22.50	50.37	54.00	-3.63
39032.00	Peak	39.72	22.50	62.22	68.20	-5.98

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5720 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11440.00	Average	34.70	8.37	43.07	54.00	-10.93
11440.00	Peak	46.62	8.37	54.99	74.00	-19.01
17160.00	Peak	43.44	9.25	52.69	68.20	-15.51
39604.00	Average	28.25	23.63	51.88	54.00	-2.12
39604.00	Peak	39.49	23.63	63.12	68.20	-5.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5745 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11440.00	Average	30.56	8.37	38.93	54.00	-15.07
11440.00	Peak	41.29	8.37	49.66	74.00	-24.34
17160.00	Peak	42.86	9.25	52.11	68.20	-16.09
38856.00	Average	28.46	22.18	50.64	54.00	-3.36
38856.00	Peak	40.33	22.18	62.51	68.20	-5.69


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
Operation Mode :802.11a
Test Frequency :5745 MHz
Test Mode :Tx
EUT Pol :H Plane

Test Site :SAC G Chamber
Test Date :2026-01-05
Temp./Humi. :20.5°C/52%
Antenna Pol. :Horizontal
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11440.00	Average	30.61	8.37	38.98	54.00	-15.02
11440.00	Peak	41.63	8.37	50.00	74.00	-24.00
17160.00	Peak	43.47	9.25	52.72	68.20	-15.48
38680.00	Average	28.47	22.58	51.05	54.00	-2.95
38680.00	Peak	39.76	22.58	62.34	68.20	-5.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5785 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11570.00	Average	33.72	8.43	42.15	54.00	-11.85
11570.00	Peak	42.71	8.43	51.14	74.00	-22.86
17355.00	Peak	43.42	9.61	53.03	68.20	-15.17
39010.00	Average	28.48	22.47	50.95	54.00	-3.05
39010.00	Peak	40.48	22.47	62.95	68.20	-5.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5785 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11570.00	Average	33.68	8.43	42.11	54.00	-11.89
11570.00	Peak	43.18	8.43	51.61	74.00	-22.39
17355.00	Peak	43.31	9.61	52.92	68.20	-15.28
39582.00	Average	28.44	23.63	52.07	54.00	-1.93
39582.00	Peak	38.69	23.63	62.32	68.20	-5.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5825 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11650.00	Average	35.13	8.23	43.36	54.00	-10.64
11650.00	Peak	46.45	8.23	54.68	74.00	-19.32
17475.00	Peak	43.03	9.84	52.87	68.20	-15.33
39648.00	Average	28.28	23.63	51.91	54.00	-2.09
39648.00	Peak	40.13	23.63	63.76	68.20	-4.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5825 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11650.00	Average	32.76	8.23	40.99	54.00	-13.01
11650.00	Peak	42.81	8.23	51.04	74.00	-22.96
17475.00	Peak	43.17	9.84	53.01	68.20	-15.19
39670.00	Average	28.18	23.66	51.84	54.00	-2.16
39670.00	Peak	38.76	23.66	62.42	68.20	-5.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11n20
 Test Frequency :5180 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10360.00	Peak	39.79	7.52	47.31	68.20	-20.89
15540.00	Average	32.94	10.40	43.34	54.00	-10.66
15540.00	Peak	43.79	10.40	54.19	74.00	-19.81
38702.00	Average	27.98	22.54	50.52	54.00	-3.48
38702.00	Peak	41.09	22.54	63.63	68.20	-4.57

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11n20
 Test Frequency :5180 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10360.00	Peak	39.66	7.52	47.18	68.20	-21.02
15540.00	Average	32.92	10.40	43.32	54.00	-10.68
15540.00	Peak	43.49	10.40	53.89	74.00	-20.11
38702.00	Average	28.32	22.54	50.86	54.00	-3.14
38702.00	Peak	40.49	22.54	63.03	68.20	-5.17

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11n20
 Test Frequency :5200 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10400.00	Peak	40.33	7.49	47.82	68.20	-20.38
15600.00	Average	32.62	10.38	43.00	54.00	-11.00
15600.00	Peak	43.34	10.38	53.72	74.00	-20.28
39384.00	Average	28.37	23.34	51.71	54.00	-2.29
39384.00	Peak	39.13	23.34	62.47	68.20	-5.73

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11n20
 Test Frequency :5200 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10400.00	Peak	40.32	7.49	47.81	68.20	-20.39
15600.00	Average	32.68	10.38	43.06	54.00	-10.94
15600.00	Peak	43.26	10.38	53.64	74.00	-20.36
38702.00	Average	28.62	22.54	51.16	54.00	-2.84
38702.00	Peak	40.01	22.54	62.55	68.20	-5.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11n20
 Test Frequency :5220 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10440.00	Peak	39.79	7.35	47.14	68.20	-21.06
15660.00	Average	32.36	10.34	42.70	54.00	-11.30
15660.00	Peak	43.00	10.34	53.34	74.00	-20.66
38724.00	Average	28.17	22.43	50.60	54.00	-3.40
38724.00	Peak	39.40	22.43	61.83	68.20	-6.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11n20
 Test Frequency :5220 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10440.00	Peak	39.46	7.35	46.81	68.20	-21.39
15660.00	Average	32.37	10.34	42.71	54.00	-11.29
15660.00	Peak	42.88	10.34	53.22	74.00	-20.78
38768.00	Average	28.26	22.32	50.58	54.00	-3.42
38768.00	Peak	39.87	22.32	62.19	68.20	-6.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11n20
 Test Frequency :5240 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10480.00	Peak	39.23	7.31	46.54	68.20	-21.66
15720.00	Average	32.24	10.67	42.91	54.00	-11.09
15720.00	Peak	43.25	10.67	53.92	74.00	-20.08
38680.00	Average	28.11	22.58	50.69	54.00	-3.31
38680.00	Peak	39.61	22.58	62.19	68.20	-6.01

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11n20
 Test Frequency :5240 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10480.00	Peak	40.59	7.31	47.90	68.20	-20.30
15720.00	Average	32.41	10.67	43.08	54.00	-10.92
15720.00	Peak	43.03	10.67	53.70	74.00	-20.30
39450.00	Average	28.42	23.39	51.81	54.00	-2.19
39450.00	Peak	39.78	23.39	63.17	68.20	-5.03

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5260 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10520.00	Peak	39.48	7.31	46.79	68.20	-21.41
15780.00	Average	32.51	11.02	43.53	54.00	-10.47
15780.00	Peak	42.78	11.02	53.80	74.00	-20.20
39538.00	Average	28.35	23.58	51.93	54.00	-2.07
39538.00	Peak	38.54	23.58	62.12	68.20	-6.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5260 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10520.00	Peak	41.01	7.31	48.32	68.20	-19.88
15780.00	Average	32.57	11.02	43.59	54.00	-10.41
15780.00	Peak	43.53	11.02	54.55	74.00	-19.45
39494.00	Average	28.33	23.42	51.75	54.00	-2.25
39494.00	Peak	39.28	23.42	62.70	68.20	-5.50

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5280 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10560.00	Peak	39.25	7.26	46.51	68.20	-21.69
15840.00	Average	32.49	10.91	43.40	54.00	-10.60
15840.00	Peak	43.04	10.91	53.95	74.00	-20.05
39384.00	Average	28.21	23.34	51.55	54.00	-2.45
39384.00	Peak	38.81	23.34	62.15	68.20	-6.05

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5280 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10560.00	Peak	39.38	7.26	46.64	68.20	-21.56
15840.00	Average	32.62	10.91	43.53	54.00	-10.47
15840.00	Peak	42.88	10.91	53.79	74.00	-20.21
39494.00	Average	28.09	23.42	51.51	54.00	-2.49
39494.00	Peak	39.44	23.42	62.86	68.20	-5.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5300 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10600.00	Average	30.42	7.16	37.58	54.00	-16.42
10600.00	Peak	41.17	7.16	48.33	74.00	-25.67
15900.00	Average	32.52	10.74	43.26	54.00	-10.74
15900.00	Peak	43.21	10.74	53.95	74.00	-20.05
39780.00	Average	28.29	23.65	51.94	54.00	-2.06
39780.00	Peak	38.80	23.65	62.45	68.20	-5.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
Operation Mode :802.11n20
Test Frequency :5300 MHz
Test Mode :Tx
EUT Pol :H Plane

Test Site :SAC G Chamber
Test Date :2026-01-05
Temp./Humi. :20.5°C/52%
Antenna Pol. :Horizontal
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10600.00	Average	30.58	7.16	37.74	54.00	-16.26
10600.00	Peak	42.04	7.16	49.20	74.00	-24.80
15900.00	Average	32.48	10.74	43.22	54.00	-10.78
15900.00	Peak	43.58	10.74	54.32	74.00	-19.68
38680.00	Average	28.16	22.58	50.74	54.00	-3.26
38680.00	Peak	39.40	22.58	61.98	68.20	-6.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5320 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10640.00	Average	30.22	7.28	37.50	54.00	-16.50
10640.00	Peak	40.95	7.28	48.23	74.00	-25.77
15960.00	Average	32.68	10.60	43.28	54.00	-10.72
15960.00	Peak	44.10	10.60	54.70	74.00	-19.30
39538.00	Average	28.44	23.58	52.02	54.00	-1.98
39538.00	Peak	38.17	23.58	61.75	68.20	-6.45

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5320 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10640.00	Average	32.50	7.28	39.78	54.00	-14.22
10640.00	Peak	43.56	7.28	50.84	74.00	-23.16
15960.00	Average	32.80	10.60	43.40	54.00	-10.60
15960.00	Peak	43.44	10.60	54.04	74.00	-19.96
39450.00	Average	28.32	23.39	51.71	54.00	-2.29
39450.00	Peak	39.49	23.39	62.88	68.20	-5.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5500 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11000.00	Average	31.06	8.04	39.10	54.00	-14.90
11000.00	Peak	41.45	8.04	49.49	74.00	-24.51
16500.00	Peak	42.23	9.91	52.14	68.20	-16.06
38724.00	Average	27.89	22.43	50.32	54.00	-3.68
38724.00	Peak	39.80	22.43	62.23	68.20	-5.97

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5500 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11000.00	Average	32.38	8.04	40.42	54.00	-13.58
11000.00	Peak	42.71	8.04	50.75	74.00	-23.25
16500.00	Peak	42.31	9.91	52.22	68.20	-15.98
39406.00	Average	28.33	23.37	51.70	54.00	-2.30
39406.00	Peak	39.52	23.37	62.89	68.20	-5.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5600 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11200.00	Average	31.74	8.14	39.88	54.00	-14.12
11200.00	Peak	41.89	8.14	50.03	74.00	-23.97
16800.00	Peak	43.45	9.30	52.75	68.20	-15.45
38746.00	Average	28.24	22.32	50.56	54.00	-3.44
38746.00	Peak	40.23	22.32	62.55	68.20	-5.65


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5600 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11200.00	Average	34.20	8.14	42.34	54.00	-11.66
11200.00	Peak	44.56	8.14	52.70	74.00	-21.30
16800.00	Peak	44.48	9.30	53.78	68.20	-14.42
39384.00	Average	28.17	23.34	51.51	54.00	-2.49
39384.00	Peak	39.72	23.34	63.06	68.20	-5.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5700 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11400.00	Average	30.76	8.31	39.07	54.00	-14.93
11400.00	Peak	41.70	8.31	50.01	74.00	-23.99
17100.00	Peak	43.87	9.25	53.12	68.20	-15.08
39648.00	Average	28.25	23.63	51.88	54.00	-2.12
39648.00	Peak	38.26	23.63	61.89	68.20	-6.31

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5700 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11400.00	Average	30.88	8.31	39.19	54.00	-14.81
11400.00	Peak	42.01	8.31	50.32	74.00	-23.68
17100.00	Peak	43.09	9.25	52.34	68.20	-15.86
39736.00	Average	28.26	23.74	52.00	54.00	-2.00
39736.00	Peak	38.20	23.74	61.94	68.20	-6.26

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5720 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11440.00	Average	32.78	8.37	41.15	54.00	-12.85
11440.00	Peak	44.18	8.37	52.55	74.00	-21.45
17160.00	Peak	44.15	9.25	53.40	68.20	-14.80
39318.00	Average	28.42	23.28	51.70	54.00	-2.30
39318.00	Peak	38.36	23.28	61.64	68.20	-6.56


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
Operation Mode :802.11n20
Test Frequency :5720 MHz
Test Mode :Tx
EUT Pol :H Plane

Test Site :SAC G Chamber
Test Date :2026-01-05
Temp./Humi. :20.5°C/52%
Antenna Pol. :Horizontal
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11440.00	Average	34.51	8.37	42.88	54.00	-11.12
11440.00	Peak	45.11	8.37	53.48	74.00	-20.52
17160.00	Peak	43.53	9.25	52.78	68.20	-15.42
38966.00	Average	28.42	22.40	50.82	54.00	-3.18
38966.00	Peak	39.76	22.40	62.16	68.20	-6.04


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
Operation Mode :802.11n20
Test Frequency :5745 MHz
Test Mode :Tx
EUT Pol :H Plane

Test Site :SAC G Chamber
Test Date :2026-01-05
Temp./Humi. :20.5°C/52%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11490.00	Average	31.65	8.45	40.10	54.00	-13.90
11490.00	Peak	42.34	8.45	50.79	74.00	-23.21
17235.00	Peak	43.64	9.31	52.95	68.20	-15.25
39384.00	Average	28.19	23.34	51.53	54.00	-2.47
39384.00	Peak	38.89	23.34	62.23	68.20	-5.97


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5745 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11490.00	Average	34.12	8.45	42.57	54.00	-11.43
11490.00	Peak	44.47	8.45	52.92	74.00	-21.08
17235.00	Peak	44.81	9.31	54.12	68.20	-14.08
38966.00	Average	28.29	22.40	50.69	54.00	-3.31
38966.00	Peak	40.35	22.40	62.75	68.20	-5.45


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5785 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11570.00	Average	31.34	8.43	39.77	54.00	-14.23
11570.00	Peak	41.86	8.43	50.29	74.00	-23.71
17355.00	Peak	43.95	9.61	53.56	68.20	-14.64
39780.00	Average	28.16	23.65	51.81	54.00	-2.19
39780.00	Peak	38.94	23.65	62.59	68.20	-5.61


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5785 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11570.00	Average	33.00	8.43	41.43	54.00	-12.57
11570.00	Peak	44.05	8.43	52.48	74.00	-21.52
17355.00	Peak	43.19	9.61	52.80	68.20	-15.40
38702.00	Average	28.49	22.54	51.03	54.00	-2.97
38702.00	Peak	39.88	22.54	62.42	68.20	-5.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5825 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V/m	Limit @3m dB μ V/m	Margin dB
11650.00	Average	31.72	8.23	39.95	54.00	-14.05
11650.00	Peak	43.51	8.23	51.74	74.00	-22.26
17475.00	Peak	43.12	9.84	52.96	68.20	-15.24
38966.00	Average	28.26	22.40	50.66	54.00	-3.34
38966.00	Peak	40.12	22.40	62.52	68.20	-5.68


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5825 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11650.00	Average	33.79	8.23	42.02	54.00	-11.98
11650.00	Peak	43.69	8.23	51.92	74.00	-22.08
17475.00	Peak	43.35	9.84	53.19	68.20	-15.01
39384.00	Average	28.22	23.34	51.56	54.00	-2.44
39384.00	Peak	40.56	23.34	63.90	68.20	-4.30

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11n40
 Test Frequency :5190 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10380.00	Peak	40.19	7.51	47.70	68.20	-20.50
15570.00	Average	32.70	10.39	43.09	54.00	-10.91
15570.00	Peak	43.69	10.39	54.08	74.00	-19.92
38724.00	Average	27.85	22.43	50.28	54.00	-3.72
38724.00	Peak	40.25	22.43	62.68	68.20	-5.52

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11n40
 Test Frequency :5190 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10380.00	Peak	39.74	7.51	47.25	68.20	-20.95
15570.00	Average	32.91	10.39	43.30	54.00	-10.70
15570.00	Peak	43.51	10.39	53.90	74.00	-20.10
39428.00	Average	28.44	23.38	51.82	54.00	-2.18
39428.00	Peak	39.41	23.38	62.79	68.20	-5.41

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11n40
 Test Frequency :5230 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10460.00	Peak	39.11	7.30	46.41	68.20	-21.79
15690.00	Average	32.28	10.47	42.75	54.00	-11.25
15690.00	Peak	42.62	10.47	53.09	74.00	-20.91
39384.00	Average	28.21	23.34	51.55	54.00	-2.45
39384.00	Peak	38.64	23.34	61.98	68.20	-6.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11n40
 Test Frequency :5230 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10460.00	Peak	39.16	7.30	46.46	68.20	-21.74
15690.00	Average	32.27	10.47	42.74	54.00	-11.26
15690.00	Peak	43.38	10.47	53.85	74.00	-20.15
38922.00	Average	28.27	22.24	50.51	54.00	-3.49
38922.00	Peak	40.57	22.24	62.81	68.20	-5.39


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5270 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10540.00	Peak	38.60	7.30	45.90	68.20	-22.30
15810.00	Average	32.40	11.05	43.45	54.00	-10.55
15810.00	Peak	42.83	11.05	53.88	74.00	-20.12
38680.00	Average	28.45	22.58	51.03	54.00	-2.97
38680.00	Peak	39.90	22.58	62.48	68.20	-5.72


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5270 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10540.00	Peak	39.31	7.30	46.61	68.20	-21.59
15810.00	Average	32.44	11.05	43.49	54.00	-10.51
15810.00	Peak	43.04	11.05	54.09	74.00	-19.91
39274.00	Average	28.46	23.19	51.65	54.00	-2.35
39274.00	Peak	38.77	23.19	61.96	68.20	-6.24

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5310 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10620.00	Average	30.25	7.22	37.47	54.00	-16.53
10620.00	Peak	41.99	7.22	49.21	74.00	-24.79
15930.00	Average	32.54	10.66	43.20	54.00	-10.80
15930.00	Peak	43.16	10.66	53.82	74.00	-20.18
39472.00	Average	28.55	23.40	51.95	54.00	-2.05
39472.00	Peak	38.88	23.40	62.28	68.20	-5.92


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5310 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10620.00	Average	30.29	7.22	37.51	54.00	-16.49
10620.00	Peak	41.04	7.22	48.26	74.00	-25.74
15930.00	Average	32.34	10.66	43.00	54.00	-11.00
15930.00	Peak	43.51	10.66	54.17	74.00	-19.83
38724.00	Average	28.27	22.43	50.70	54.00	-3.30
38724.00	Peak	40.09	22.43	62.52	68.20	-5.68

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5510 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11020.00	Average	30.34	7.99	38.33	54.00	-15.67
11020.00	Peak	41.09	7.99	49.08	74.00	-24.92
16530.00	Peak	42.54	9.96	52.50	68.20	-15.70
39384.00	Average	28.56	23.34	51.90	54.00	-2.10
39384.00	Peak	40.71	23.34	64.05	68.20	-4.15

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5510 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11020.00	Average	30.33	7.99	38.32	54.00	-15.68
11020.00	Peak	41.85	7.99	49.84	74.00	-24.16
16530.00	Peak	42.62	9.96	52.58	68.20	-15.62
39670.00	Average	28.36	23.66	52.02	54.00	-1.98
39670.00	Peak	39.21	23.66	62.87	68.20	-5.33

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5590 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11180.00	Average	33.63	8.11	41.74	54.00	-12.26
11180.00	Peak	44.68	8.11	52.79	74.00	-21.21
16770.00	Peak	44.07	9.30	53.37	68.20	-14.83
39428.00	Average	28.19	23.38	51.57	54.00	-2.43
39428.00	Peak	38.74	23.38	62.12	68.20	-6.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
Operation Mode :802.11n40
Test Frequency :5590 MHz
Test Mode :Tx
EUT Pol :H Plane

Test Site :SAC G Chamber
Test Date :2026-01-06
Temp./Humi. :22.3°C/45%
Antenna Pol. :Horizontal
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
11180.00	Average	35.09	8.11	43.20	54.00	-10.80
11180.00	Peak	44.71	8.11	52.82	74.00	-21.18
16770.00	Peak	43.20	9.30	52.50	68.20	-15.70
39516.00	Average	28.05	23.49	51.54	54.00	-2.46
39516.00	Peak	38.43	23.49	61.92	68.20	-6.28


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5670 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11340.00	Average	30.80	8.16	38.96	54.00	-15.04
11340.00	Peak	41.24	8.16	49.40	74.00	-24.60
17010.00	Peak	43.21	9.27	52.48	68.20	-15.72
39384.00	Average	28.33	23.34	51.67	54.00	-2.33
39384.00	Peak	38.98	23.34	62.32	68.20	-5.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5670 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11340.00	Average	30.49	8.16	38.65	54.00	-15.35
11340.00	Peak	41.97	8.16	50.13	74.00	-23.87
17010.00	Peak	43.42	9.27	52.69	68.20	-15.51
39802.00	Average	28.44	23.58	52.02	54.00	-1.98
39802.00	Peak	38.51	23.58	62.09	68.20	-6.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5710 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11420.00	Average	32.03	8.34	40.37	54.00	-13.63
11420.00	Peak	42.86	8.34	51.20	74.00	-22.80
17130.00	Peak	43.48	9.24	52.72	68.20	-15.48
38966.00	Average	28.32	22.40	50.72	54.00	-3.28
38966.00	Peak	40.60	22.40	63.00	68.20	-5.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5710 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11420.00	Average	36.05	8.34	44.39	54.00	-9.61
11420.00	Peak	42.94	8.34	51.28	74.00	-22.72
17130.00	Peak	44.04	9.24	53.28	68.20	-14.92
38768.00	Average	28.41	22.32	50.73	54.00	-3.27
38768.00	Peak	40.28	22.32	62.60	68.20	-5.60


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5755 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11510.00	Average	33.14	8.47	41.61	54.00	-12.39
11510.00	Peak	43.88	8.47	52.35	74.00	-21.65
17265.00	Peak	43.36	9.36	52.72	68.20	-15.48
39472.00	Average	28.32	23.40	51.72	54.00	-2.28
39472.00	Peak	39.01	23.40	62.41	68.20	-5.79

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5755 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11510.00	Average	34.94	8.47	43.41	54.00	-10.59
11510.00	Peak	45.71	8.47	54.18	74.00	-19.82
17265.00	Peak	43.45	9.36	52.81	68.20	-15.39
38988.00	Average	28.45	22.42	50.87	54.00	-3.13
38988.00	Peak	40.50	22.42	62.92	68.20	-5.28


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5795 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11590.00	Average	33.82	8.36	42.18	54.00	-11.82
11590.00	Peak	43.55	8.36	51.91	74.00	-22.09
17385.00	Peak	42.24	9.69	51.93	68.20	-16.27
38592.00	Average	28.23	22.39	50.62	54.00	-3.38
38592.00	Peak	39.57	22.39	61.96	68.20	-6.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5795 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11590.00	Average	35.10	8.36	43.46	54.00	-10.54
11590.00	Peak	41.47	8.36	49.83	74.00	-24.17
17385.00	Peak	42.95	9.69	52.64	68.20	-15.56
38592.00	Average	28.17	22.39	50.56	54.00	-3.44
38592.00	Peak	39.77	22.39	62.16	68.20	-6.04

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11ac80
 Test Frequency :5210 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10420.00	Peak	39.60	7.42	47.02	68.20	-21.18
15630.00	Average	32.80	10.32	43.12	54.00	-10.88
15630.00	Peak	43.27	10.32	53.59	74.00	-20.41
39560.00	Average	28.39	23.63	52.02	54.00	-1.98
39560.00	Peak	40.65	23.63	64.28	68.20	-3.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11ac80
 Test Frequency :5210 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10420.00	Peak	40.81	7.42	48.23	68.20	-19.97
15630.00	Average	32.68	10.32	43.00	54.00	-11.00
15630.00	Peak	43.73	10.32	54.05	74.00	-19.95
39362.00	Average	28.49	23.30	51.79	54.00	-2.21
39362.00	Peak	39.03	23.30	62.33	68.20	-5.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11ac80
 Test Frequency :5290 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10580.00	Peak	38.39	7.21	45.60	68.20	-22.60
15870.00	Average	32.65	10.82	43.47	54.00	-10.53
15870.00	Peak	43.53	10.82	54.35	74.00	-19.65
39010.00	Average	28.25	22.47	50.72	54.00	-3.28
39010.00	Peak	39.39	22.47	61.86	68.20	-6.34

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11ac80
 Test Frequency :5290 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
10580.00	Peak	39.32	7.21	46.53	68.20	-21.67
15870.00	Average	32.61	10.82	43.43	54.00	-10.57
15870.00	Peak	43.16	10.82	53.98	74.00	-20.02
39626.00	Average	28.41	23.63	52.04	54.00	-1.96
39626.00	Peak	39.35	23.63	62.98	68.20	-5.22

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11ac80
 Test Frequency :5530 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11060.00	Average	30.72	7.92	38.64	54.00	-15.36
11060.00	Peak	41.76	7.92	49.68	74.00	-24.32
16590.00	Peak	43.11	9.82	52.93	68.20	-15.27
38680.00	Average	28.17	22.58	50.75	54.00	-3.25
38680.00	Peak	40.24	22.58	62.82	68.20	-5.38

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11ac80
 Test Frequency :5530 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11060.00	Average	30.52	7.92	38.44	54.00	-15.56
11060.00	Peak	41.09	7.92	49.01	74.00	-24.99
16590.00	Peak	42.77	9.82	52.59	68.20	-15.61
39648.00	Average	28.27	23.63	51.90	54.00	-2.10
39648.00	Peak	38.56	23.63	62.19	68.20	-6.01


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
Operation Mode :802.11ac80
Test Frequency :5610 MHz
Test Mode :Tx
EUT Pol :H Plane

Test Site :SAC G Chamber
Test Date :2026-01-06
Temp./Humi. :22.3°C/45%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11220.00	Average	30.83	8.18	39.01	54.00	-14.99
11220.00	Peak	41.34	8.18	49.52	74.00	-24.48
16830.00	Peak	43.29	9.41	52.70	68.20	-15.50
39714.00	Average	28.37	23.73	52.10	54.00	-1.90
39714.00	Peak	38.47	23.73	62.20	68.20	-6.00


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
Operation Mode :802.11ac80
Test Frequency :5610 MHz
Test Mode :Tx
EUT Pol :H Plane

Test Site :SAC G Chamber
Test Date :2026-01-06
Temp./Humi. :22.3°C/45%
Antenna Pol. :Horizontal
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11220.00	Average	30.92	8.18	39.10	54.00	-14.90
11220.00	Peak	41.53	8.18	49.71	74.00	-24.29
16830.00	Peak	43.06	9.41	52.47	68.20	-15.73
39406.00	Average	28.25	23.37	51.62	54.00	-2.38
39406.00	Peak	38.62	23.37	61.99	68.20	-6.21


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
Operation Mode :802.11ac80
Test Frequency :5690 MHz
Test Mode :Tx
EUT Pol :H Plane

Test Site :SAC G Chamber
Test Date :2026-01-06
Temp./Humi. :22.3°C/45%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11380.00	Average	30.69	8.25	38.94	54.00	-15.06
11380.00	Peak	41.13	8.25	49.38	74.00	-24.62
17070.00	Peak	42.99	9.31	52.30	68.20	-15.90
39494.00	Average	28.22	23.42	51.64	54.00	-2.36
39494.00	Peak	39.16	23.42	62.58	68.20	-5.62


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11ac80
 Test Frequency :5690 MHz
 Test Mode :Tx
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :22.3°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11380.00	Average	30.83	8.25	39.08	54.00	-14.92
11380.00	Peak	41.42	8.25	49.67	74.00	-24.33
17070.00	Peak	45.46	9.31	54.77	68.20	-13.43
39516.00	Average	28.16	23.49	51.65	54.00	-2.35
39516.00	Peak	38.81	23.49	62.30	68.20	-5.90


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
Operation Mode :802.11ac80
Test Frequency :5775 MHz
Test Mode :Tx
EUT Pol :H Plane

Test Site :SAC G Chamber
Test Date :2026-01-06
Temp./Humi. :22.3°C/45%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11550.00	Average	30.69	8.49	39.18	54.00	-14.82
11550.00	Peak	41.70	8.49	50.19	74.00	-23.81
17325.00	Peak	42.58	9.54	52.12	68.20	-16.08
38702.00	Average	28.37	22.54	50.91	54.00	-3.09
38702.00	Peak	40.54	22.54	63.08	68.20	-5.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
Operation Mode :802.11ac80
Test Frequency :5775 MHz
Test Mode :Tx
EUT Pol :H Plane

Test Site :SAC G Chamber
Test Date :2026-01-06
Temp./Humi. :22.3°C/45%
Antenna Pol. :Horizontal
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
11550.00	Average	30.85	8.49	39.34	54.00	-14.66
11550.00	Peak	41.02	8.49	49.51	74.00	-24.49
17325.00	Peak	42.32	9.54	51.86	68.20	-16.34
39648.00	Average	28.35	23.63	51.98	54.00	-2.02
39648.00	Peak	38.25	23.63	61.88	68.20	-6.32

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.4.2 Band edge falling to restricted band

Report Number : TERF2512004155ER
 Operation Mode :802.11a
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-02
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5149.60	Average	49.53	2.83	52.36	54.00	-1.64
5150.00	Peak	58.76	2.83	61.59	74.00	-12.41
5175.53	Average	100.56	2.78	103.34	-	-
5175.53	Peak	107.47	2.78	110.25	-	-
5390.62	Average	44.41	2.46	46.87	54.00	-7.13
5390.86	Peak	53.55	2.46	56.01	74.00	-17.99

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11a
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-02
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5148.16	Peak	58.83	2.83	61.66	74.00	-12.34
5148.88	Average	48.72	2.83	51.55	54.00	-2.45
5178.65	Average	99.32	2.77	102.09	-	-
5178.65	Peak	106.37	2.77	109.14	-	-
5390.14	Peak	52.34	2.46	54.80	74.00	-19.20
5443.44	Average	42.64	2.73	45.37	54.00	-8.63


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-02
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5017.81	Peak	53.08	2.96	56.04	74.00	-17.96
5101.35	Average	44.45	2.93	47.38	54.00	-6.62
5323.41	Average	101.96	2.54	104.50	-	-
5323.41	Peak	109.89	2.54	112.43	-	-
5350.05	Peak	62.26	2.51	64.77	74.00	-9.23
5352.45	Average	49.95	2.51	52.46	54.00	-1.54


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-02
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5120.80	Average	44.21	2.89	47.10	54.00	-6.90
5140.48	Peak	53.58	2.85	56.43	74.00	-17.57
5318.13	Average	96.87	2.55	99.42	-	-
5318.13	Peak	104.57	2.55	107.12	-	-
5351.97	Peak	57.56	2.51	60.07	74.00	-13.93
5353.17	Average	47.15	2.50	49.65	54.00	-4.35


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-02
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5458.58	Average	48.91	2.80	51.71	54.00	-2.29
5459.83	Peak	57.69	2.82	60.51	74.00	-13.49
5469.00	Peak	62.83	2.87	65.70	68.20	-2.50
5498.59	Average	101.48	2.99	104.47	-	-
5498.59	Peak	109.15	2.99	112.14	-	-
5905.81	Peak	52.94	4.35	57.29	68.20	-10.91


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-02
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5458.16	Peak	57.77	2.81	60.58	74.00	-13.42
5459.00	Average	47.64	2.81	50.45	54.00	-3.55
5469.00	Peak	61.07	2.87	63.94	68.20	-4.26
5498.38	Average	100.03	2.99	103.02	-	-
5498.38	Peak	107.79	2.99	110.78	-	-
5852.67	Peak	53.36	4.31	57.67	68.20	-10.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-02
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5446.49	Peak	51.81	2.75	54.56	74.00	-19.44
5457.95	Average	42.24	2.81	45.05	54.00	-8.95
5469.83	Peak	51.86	2.87	54.73	68.20	-13.47
5704.29	Average	99.16	4.03	103.19	-	-
5704.29	Peak	106.68	4.03	110.71	-	-
5725.33	Peak	59.15	4.15	63.30	68.20	-4.90


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-02
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5458.37	Peak	51.95	2.80	54.75	74.00	-19.25
5459.83	Average	42.51	2.82	45.33	54.00	-8.67
5463.37	Peak	51.18	2.83	54.01	68.20	-14.19
5699.08	Average	102.77	3.99	106.76	-	-
5699.08	Peak	110.05	3.99	114.04	-	-
5725.96	Peak	61.86	4.16	66.02	68.20	-2.18


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-02
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5368.55	Peak	52.52	2.49	55.01	74.00	-18.99
5395.02	Average	42.89	2.46	45.35	54.00	-8.65
5469.83	Peak	50.16	2.87	53.03	68.20	-15.17
5718.67	Average	100.96	4.11	105.07	-	-
5718.67	Peak	107.97	4.11	112.08	-	-
5889.97	Peak	52.43	4.33	56.76	68.20	-11.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-02
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5456.08	Average	43.08	2.80	45.88	54.00	-8.12
5457.54	Peak	51.89	2.81	54.70	74.00	-19.30
5466.50	Peak	52.55	2.85	55.40	68.20	-12.80
5724.08	Average	106.25	4.14	110.39	-	-
5724.08	Peak	113.82	4.14	117.96	-	-
5953.95	Peak	55.66	4.37	60.03	68.20	-8.17


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-02
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5615.71	Peak	52.64	3.48	56.12	68.20	-12.08
5697.41	Peak	61.84	3.98	65.82	103.28	-37.46
5718.67	Peak	71.20	4.11	75.31	110.43	-35.12
5723.04	Peak	77.54	4.14	81.68	117.73	-36.05
5742.84	Peak	107.49	4.26	111.75	-	-
5853.29	Peak	51.59	4.31	55.90	114.69	-58.79
5860.38	Peak	51.62	4.32	55.94	109.29	-53.35
5882.47	Peak	52.10	4.34	56.44	99.67	-43.23
5961.25	Peak	52.96	4.38	57.34	68.20	-10.86


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-02
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5598.63	Peak	53.88	3.39	57.27	68.20	-10.93
5699.91	Peak	66.96	4.00	70.96	105.13	-34.17
5715.54	Peak	78.89	4.09	82.98	109.55	-26.57
5724.08	Peak	84.42	4.14	88.56	120.11	-31.55
5748.88	Peak	113.85	4.28	118.13	-	-
5851.21	Peak	53.36	4.31	57.67	119.45	-61.78
5855.17	Peak	53.42	4.31	57.73	110.75	-53.02
5893.72	Peak	53.28	4.33	57.61	91.34	-33.73
5952.08	Peak	55.20	4.37	59.57	68.20	-8.63

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number :TERF2512004160ER
Operation Mode :802.11a
Test Frequency :5825 MHz
Test Mode :Bandedge
EUT Pol :H Plane

Test Site :SAC G Chamber
Test Date :2026-01-02
Temp./Humi. :21.8°C/45%
Antenna Pol. :Vertical
Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5633.01	Peak	52.87	3.56	56.43	68.20	-11.77
5656.77	Peak	53.43	3.70	57.13	73.21	-16.08
5701.16	Peak	51.70	4.01	55.71	105.52	-49.81
5724.08	Peak	52.58	4.14	56.72	120.11	-63.39
5818.07	Peak	107.35	4.35	111.70	-	-
5851.00	Peak	69.59	4.31	73.90	119.92	-46.02
5859.55	Peak	66.89	4.32	71.21	109.53	-38.32
5874.97	Peak	56.05	4.33	60.38	105.21	-44.83
5934.99	Peak	52.06	4.36	56.42	68.20	-11.78


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11a
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-02
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5634.47	Peak	53.84	3.57	57.41	68.20	-10.79
5662.40	Peak	53.07	3.73	56.80	77.37	-20.57
5719.71	Peak	52.92	4.11	57.03	110.72	-53.69
5720.96	Peak	52.59	4.12	56.71	112.98	-56.27
5819.12	Peak	114.04	4.36	118.40	-	-
5853.92	Peak	75.41	4.31	79.72	113.27	-33.55
5855.17	Peak	73.18	4.31	77.49	110.75	-33.26
5875.18	Peak	65.30	4.33	69.63	105.07	-35.44
5956.66	Peak	53.41	4.37	57.78	68.20	-10.42

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number : TERF2512004155ER
 Operation Mode :802.11n20
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-02
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5148.88	Average	49.64	2.83	52.47	54.00	-1.53
5149.12	Peak	59.65	2.83	62.48	74.00	-11.52
5182.73	Average	99.06	2.76	101.82	-	-
5182.73	Peak	106.60	2.76	109.36	-	-
5389.66	Average	44.54	2.46	47.00	54.00	-7.00
5404.79	Peak	53.17	2.49	55.66	74.00	-18.34


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11n20
 Test Frequency :5180 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-02
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5147.44	Average	46.81	2.84	49.65	54.00	-4.35
5148.88	Peak	56.51	2.83	59.34	74.00	-14.66
5182.25	Average	95.45	2.77	98.22	-	-
5182.25	Peak	102.64	2.77	105.41	-	-
5368.30	Average	42.86	2.49	45.35	54.00	-8.65
5388.70	Peak	52.35	2.46	54.81	74.00	-19.19


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-03
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
4905.46	Peak	54.09	2.81	56.90	74.00	-17.10
4928.99	Average	44.43	2.86	47.29	54.00	-6.71
5317.88	Average	98.06	2.55	100.61	-	-
5317.88	Peak	106.17	2.55	108.72	-	-
5350.53	Average	49.59	2.51	52.10	54.00	-1.90
5354.37	Peak	60.42	2.50	62.92	74.00	-11.08

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5320 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-03
 Temp./Humi. :21.8°C/45%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4926.59	Average	44.09	2.85	46.94	54.00	-7.06
4931.39	Peak	53.51	2.86	56.37	74.00	-17.63
5325.81	Average	95.62	2.55	98.17	-	-
5325.81	Peak	103.93	2.55	106.48	-	-
5350.29	Average	48.63	2.51	51.14	54.00	-2.86
5352.45	Peak	59.35	2.51	61.86	74.00	-12.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5454.83	Peak	57.08	2.80	59.88	74.00	-14.12
5459.20	Average	47.73	2.82	50.55	54.00	-3.45
5465.04	Peak	59.65	2.84	62.49	68.20	-5.71
5495.47	Average	99.47	2.98	102.45	-	-
5495.47	Peak	107.70	2.98	110.68	-	-
5827.24	Peak	53.41	4.35	57.76	68.20	-10.44


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5500 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5456.91	Peak	58.79	2.81	61.60	74.00	-12.40
5460.00	Average	49.23	2.82	52.05	54.00	-1.95
5468.17	Peak	63.43	2.85	66.28	68.20	-1.92
5506.72	Average	101.50	3.02	104.52	-	-
5506.72	Peak	109.07	3.02	112.09	-	-
5960.41	Peak	54.40	4.38	58.78	68.20	-9.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5385.43	Peak	51.65	2.47	54.12	74.00	-19.88
5452.95	Average	42.28	2.79	45.07	54.00	-8.93
5465.87	Peak	51.92	2.84	54.76	68.20	-13.44
5707.62	Average	95.82	4.05	99.87	-	-
5707.62	Peak	103.47	4.05	107.52	-	-
5725.54	Peak	58.69	4.15	62.84	68.20	-5.36


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5700 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5420.02	Peak	51.54	2.58	54.12	74.00	-19.88
5451.08	Average	42.30	2.78	45.08	54.00	-8.92
5464.21	Peak	50.85	2.84	53.69	68.20	-14.51
5701.16	Average	101.36	4.01	105.37	-	-
5701.16	Peak	109.46	4.01	113.47	-	-
5727.42	Peak	62.14	4.16	66.30	68.20	-1.90


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5379.39	Peak	52.41	2.48	54.89	74.00	-19.11
5457.54	Average	42.55	2.81	45.36	54.00	-8.64
5460.87	Peak	51.01	2.82	53.83	68.20	-14.37
5724.08	Average	100.58	4.14	104.72	-	-
5724.08	Peak	108.41	4.14	112.55	-	-
5914.77	Peak	52.83	4.35	57.18	68.20	-11.02


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5720 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5434.61	Peak	52.71	2.68	55.39	74.00	-18.61
5457.95	Average	42.49	2.81	45.30	54.00	-8.70
5465.04	Peak	50.92	2.84	53.76	68.20	-14.44
5712.20	Average	105.30	4.07	109.37	-	-
5712.20	Peak	113.31	4.07	117.38	-	-
5965.00	Peak	53.45	4.38	57.83	68.20	-10.37


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5589.66	Peak	52.66	3.35	56.01	68.20	-12.19
5696.99	Peak	59.27	3.98	63.25	102.97	-39.72
5719.92	Peak	73.98	4.11	78.09	110.78	-32.69
5724.92	Peak	80.45	4.15	84.60	122.01	-37.41
5740.13	Peak	107.52	4.24	111.76	-	-
5850.38	Peak	51.40	4.31	55.71	121.35	-65.64
5858.09	Peak	51.68	4.32	56.00	109.94	-53.94
5902.89	Peak	52.03	4.34	56.37	84.56	-28.19
5950.20	Peak	53.55	4.37	57.92	68.20	-10.28

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5745 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5643.22	Peak	52.98	3.61	56.59	68.20	-11.61
5696.57	Peak	66.47	3.98	70.45	102.66	-32.21
5719.50	Peak	77.02	4.11	81.13	110.66	-29.53
5721.58	Peak	84.25	4.13	88.38	114.41	-26.03
5749.09	Peak	112.50	4.28	116.78	-	-
5852.88	Peak	52.82	4.31	57.13	115.64	-58.51
5863.50	Peak	53.51	4.32	57.83	108.42	-50.59
5916.44	Peak	53.86	4.35	58.21	74.54	-16.33
5955.20	Peak	54.34	4.37	58.71	68.20	-9.49


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5560.28	Peak	52.14	3.20	55.34	68.20	-12.86
5689.70	Peak	52.14	3.93	56.07	97.58	-41.51
5714.50	Peak	52.43	4.09	56.52	109.26	-52.74
5720.54	Peak	51.80	4.11	55.91	112.03	-56.12
5830.37	Peak	107.18	4.34	111.52	-	-
5850.17	Peak	71.90	4.31	76.21	121.82	-45.61
5856.42	Peak	68.60	4.32	72.92	110.40	-37.48
5875.80	Peak	58.06	4.33	62.39	104.61	-42.22
5959.37	Peak	52.73	4.38	57.11	68.20	-11.09


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n20
 Test Frequency :5825 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5649.06	Peak	52.32	3.65	55.97	68.20	-12.23
5688.86	Peak	52.63	3.92	56.55	96.96	-40.41
5707.20	Peak	52.27	4.04	56.31	107.22	-50.91
5722.42	Peak	52.68	4.13	56.81	116.31	-59.50
5830.16	Peak	112.15	4.34	116.49	-	-
5850.38	Peak	82.47	4.31	86.78	121.35	-34.57
5855.17	Peak	73.33	4.31	77.64	110.75	-33.11
5876.43	Peak	63.23	4.33	67.56	104.15	-36.59
5929.99	Peak	53.42	4.36	57.78	68.20	-10.42


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11n40
 Test Frequency :5190 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
4898.02	Average	46.98	2.79	49.77	54.00	-4.23
4908.82	Peak	54.26	2.82	57.08	74.00	-16.92
5198.58	Average	87.06	2.73	89.79	-	-
5198.58	Peak	93.37	2.73	96.10	-	-
5417.51	Peak	51.66	2.57	54.23	74.00	-19.77
5418.23	Average	44.90	2.57	47.47	54.00	-6.53


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11n40
 Test Frequency :5190 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5149.84	Peak	54.02	2.83	56.85	74.00	-17.15
5150.00	Average	49.10	2.83	51.93	54.00	-2.07
5199.06	Average	90.71	2.73	93.44	-	-
5199.06	Peak	96.93	2.73	99.66	-	-
5369.02	Average	44.74	2.49	47.23	54.00	-6.77
5430.47	Peak	52.31	2.64	54.95	74.00	-19.05


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5310 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4573.94	Peak	54.94	2.01	56.95	74.00	-17.05
4905.22	Average	46.81	2.81	49.62	54.00	-4.38
5307.56	Average	90.90	2.57	93.47	-	-
5307.56	Peak	96.58	2.57	99.15	-	-
5352.93	Average	48.72	2.50	51.22	54.00	-2.78
5353.41	Peak	55.25	2.50	57.75	74.00	-16.25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5310 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4900.90	Peak	53.49	2.80	56.29	74.00	-17.71
4901.14	Average	47.21	2.80	50.01	54.00	-3.99
5315.72	Average	91.47	2.57	94.04	-	-
5315.72	Peak	96.92	2.57	99.49	-	-
5350.05	Average	49.71	2.51	52.22	54.00	-1.78
5350.53	Peak	55.55	2.51	58.06	74.00	-15.94


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5510 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5428.99	Peak	52.25	2.63	54.88	74.00	-19.12
5460.00	Average	46.00	2.82	48.82	54.00	-5.18
5469.21	Peak	55.44	2.87	58.31	68.20	-9.89
5507.34	Average	90.44	3.02	93.46	-	-
5507.34	Peak	96.06	3.02	99.08	-	-
5784.31	Peak	52.46	4.36	56.82	68.20	-11.38


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5510 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5459.00	Peak	52.00	2.81	54.81	74.00	-19.19
5459.83	Average	49.23	2.82	52.05	54.00	-1.95
5468.58	Peak	54.95	2.86	57.81	68.20	-10.39
5518.81	Average	93.09	3.06	96.15	-	-
5518.81	Peak	99.68	3.06	102.74	-	-
5921.65	Peak	52.63	4.35	56.98	68.20	-11.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5670 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5422.11	Average	45.19	2.59	47.78	54.00	-6.22
5440.03	Peak	52.27	2.71	54.98	74.00	-19.02
5464.62	Peak	50.30	2.84	53.14	68.20	-15.06
5687.20	Average	94.91	3.90	98.81	-	-
5687.20	Peak	100.71	3.90	104.61	-	-
5725.75	Peak	56.85	4.15	61.00	68.20	-7.20

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5670 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5457.33	Average	44.72	2.81	47.53	54.00	-6.47
5459.83	Peak	51.67	2.82	54.49	74.00	-19.51
5461.29	Peak	50.89	2.83	53.72	68.20	-14.48
5678.86	Average	100.79	3.84	104.63	-	-
5678.86	Peak	107.05	3.84	110.89	-	-
5726.38	Peak	62.14	4.16	66.30	68.20	-1.90


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5710 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5425.03	Peak	52.43	2.61	55.04	74.00	-18.96
5454.62	Average	44.90	2.80	47.70	54.00	-6.30
5461.70	Peak	50.39	2.83	53.22	68.20	-14.98
5707.62	Average	100.63	4.05	104.68	-	-
5707.62	Peak	106.58	4.05	110.63	-	-
5849.96	Peak	54.10	4.32	58.42	68.20	-9.78

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5710 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5447.53	Peak	51.56	2.76	54.32	74.00	-19.68
5448.99	Average	45.00	2.76	47.76	54.00	-6.24
5465.46	Peak	50.67	2.84	53.51	68.20	-14.69
5719.29	Average	105.39	4.11	109.50	-	-
5719.29	Peak	110.75	4.11	114.86	-	-
5878.93	Peak	56.03	4.33	60.36	68.20	-7.84


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5755 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5622.38	Peak	58.58	3.52	62.10	68.20	-6.10
5699.28	Peak	67.48	4.00	71.48	104.67	-33.19
5712.83	Peak	81.21	4.08	85.29	108.79	-23.50
5723.67	Peak	81.11	4.14	85.25	119.16	-33.91
5752.43	Peak	103.99	4.30	108.29	-	-
5854.54	Peak	54.35	4.31	58.66	111.84	-53.18
5862.25	Peak	54.59	4.32	58.91	108.77	-49.86
5898.73	Peak	52.54	4.34	56.88	87.64	-30.76
5948.32	Peak	52.07	4.37	56.44	68.20	-11.76

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5755 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5649.48	Peak	63.02	3.65	66.67	68.20	-1.53
5699.49	Peak	74.48	4.00	78.48	104.82	-26.34
5719.71	Peak	88.29	4.11	92.40	110.72	-18.32
5720.54	Peak	89.64	4.11	93.75	112.03	-18.28
5763.89	Peak	111.05	4.32	115.37	-	-
5852.88	Peak	61.39	4.31	65.70	115.64	-49.94
5857.88	Peak	60.36	4.32	64.68	109.99	-45.31
5889.56	Peak	57.86	4.33	62.19	94.43	-32.24
5968.75	Peak	55.57	4.39	59.96	68.20	-8.24


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5795 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5650.10	Peak	53.99	3.65	57.64	68.27	-10.63
5694.28	Peak	59.70	3.96	63.66	100.97	-37.31
5714.08	Peak	61.98	4.08	66.06	109.14	-43.08
5723.46	Peak	67.55	4.14	71.69	118.68	-46.99
5798.07	Peak	105.74	4.39	110.13	-	-
5852.04	Peak	71.06	4.31	75.37	117.54	-42.17
5858.29	Peak	68.16	4.32	72.48	109.88	-37.40
5876.84	Peak	59.47	4.33	63.80	103.84	-40.04
5930.61	Peak	52.63	4.35	56.98	68.20	-11.22


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11n40
 Test Frequency :5795 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-05
 Temp./Humi. :20.5°C/52%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5629.05	Peak	57.65	3.54	61.19	68.20	-7.01
5694.07	Peak	64.47	3.95	68.42	100.81	-32.39
5718.67	Peak	68.33	4.11	72.44	110.43	-37.99
5723.25	Peak	73.27	4.14	77.41	118.21	-40.80
5803.90	Peak	111.44	4.38	115.82	-	-
5851.00	Peak	77.43	4.31	81.74	119.92	-38.18
5858.71	Peak	74.74	4.32	79.06	109.76	-30.70
5880.80	Peak	66.51	4.33	70.84	100.91	-30.07
5928.73	Peak	57.72	4.36	62.08	68.20	-6.12


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11ac80
 Test Frequency :5210 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :21.0°C/49%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5119.60	Peak	54.58	2.89	57.47	74.00	-16.53
5122.96	Average	49.16	2.88	52.04	54.00	-1.96
5239.63	Average	84.84	2.63	87.47	-	-
5239.63	Peak	91.08	2.63	93.71	-	-
5352.69	Average	45.08	2.50	47.58	54.00	-6.42
5388.46	Peak	51.79	2.46	54.25	74.00	-19.75


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number : TERF2512004155ER
 Operation Mode :802.11ac80
 Test Frequency :5210 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :21.0°C/49%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
5113.83	Peak	56.27	2.90	59.17	74.00	-14.83
5118.88	Average	49.25	2.89	52.14	54.00	-1.86
5218.74	Average	86.81	2.68	89.49	-	-
5218.74	Peak	93.25	2.68	95.93	-	-
5351.97	Average	44.83	2.51	47.34	54.00	-6.66
5444.88	Peak	51.43	2.74	54.17	74.00	-19.83

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11ac80
 Test Frequency :5290 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :21.0°C/49%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBuV	Factor dB	Actual FS dBuV/m	Limit @3m dBuV/m	Margin dB
4905.22	Average	46.75	2.81	49.56	54.00	-4.44
5069.42	Peak	53.36	2.93	56.29	74.00	-17.71
5299.16	Average	88.58	2.58	91.16	-	-
5299.16	Peak	94.41	2.58	96.99	-	-
5373.82	Average	47.35	2.48	49.83	54.00	-4.17
5374.30	Peak	54.65	2.48	57.13	74.00	-16.87


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11ac80
 Test Frequency :5290 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :21.0°C/49%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
4889.62	Peak	53.71	2.73	56.44	74.00	-17.56
4907.14	Average	46.78	2.81	49.59	54.00	-4.41
5299.16	Average	89.14	2.58	91.72	-	-
5299.16	Peak	95.32	2.58	97.90	-	-
5363.74	Peak	56.12	2.49	58.61	74.00	-15.39
5379.34	Average	49.38	2.48	51.86	54.00	-2.14

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11ac80
 Test Frequency :5530 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :21.0°C/49%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5437.11	Average	47.48	2.69	50.17	54.00	-3.83
5437.74	Peak	54.28	2.70	56.98	74.00	-17.02
5467.33	Peak	54.18	2.85	57.03	68.20	-11.17
5547.57	Average	85.23	3.15	88.38	-	-
5547.57	Peak	91.04	3.15	94.19	-	-
5919.36	Peak	52.37	4.35	56.72	68.20	-11.48


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11ac80
 Test Frequency :5530 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :21.0°C/49%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5438.99	Average	49.78	2.70	52.48	54.00	-1.52
5458.79	Peak	56.69	2.81	59.50	74.00	-14.50
5462.54	Peak	57.26	2.83	60.09	68.20	-8.11
5558.82	Average	90.38	3.20	93.58	-	-
5558.82	Peak	96.58	3.20	99.78	-	-
5860.80	Peak	52.72	4.32	57.04	68.20	-11.16


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11ac80
 Test Frequency :5610 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :21.0°C/49%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5455.45	Average	47.51	2.80	50.31	54.00	-3.69
5455.87	Peak	53.45	2.80	56.25	74.00	-17.75
5467.12	Peak	54.86	2.85	57.71	68.20	-10.49
5627.59	Average	91.92	3.53	95.45	-	-
5627.59	Peak	97.48	3.53	101.01	-	-
5835.79	Peak	53.04	4.34	57.38	68.20	-10.82

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11ac80
 Test Frequency :5610 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :21.0°C/49%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5455.87	Peak	55.37	2.80	58.17	74.00	-15.83
5457.12	Average	49.31	2.81	52.12	54.00	-1.88
5464.00	Peak	55.18	2.84	58.02	68.20	-10.18
5638.85	Average	95.57	3.60	99.17	-	-
5638.85	Peak	101.54	3.60	105.14	-	-
5776.60	Peak	55.39	4.34	59.73	68.20	-8.47

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11ac80
 Test Frequency :5690 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :21.0°C/49%
 Antenna Pol. :Vertical
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5438.99	Peak	52.35	2.70	55.05	74.00	-18.95
5456.29	Average	46.22	2.81	49.03	54.00	-4.97
5467.96	Peak	52.36	2.85	55.21	68.20	-12.99
5687.61	Average	93.74	3.92	97.66	-	-
5687.61	Peak	99.38	3.92	103.30	-	-
5857.04	Peak	55.34	4.32	59.66	68.20	-8.54

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11ac80
 Test Frequency :5690 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :21.0°C/49%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen




Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBUV	Factor dB	Actual FS dBUV/m	Limit @3m dBUV/m	Margin dB
5452.53	Peak	54.51	2.79	57.30	74.00	-16.70
5457.12	Average	49.13	2.81	51.94	54.00	-2.06
5467.96	Peak	55.91	2.85	58.76	68.20	-9.44
5678.86	Average	99.73	3.84	103.57	-	-
5678.86	Peak	105.94	3.84	109.78	-	-
5854.34	Peak	60.78	4.31	65.09	68.20	-3.11

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
 除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11ac80
 Test Frequency :5775 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :21.0°C/49%
 Antenna Pol. :Vertical
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level d μ V	Factor dB	Actual FS d μ V/m	Limit @3m d μ V/m	Margin dB
5648.23	Peak	56.59	3.64	60.23	68.20	-7.97
5697.82	Peak	67.67	3.99	71.66	103.59	-31.93
5717.83	Peak	71.70	4.11	75.81	110.19	-34.38
5722.21	Peak	71.95	4.13	76.08	115.83	-39.75
5792.44	Peak	98.68	4.37	103.05	-	-
5852.67	Peak	66.49	4.31	70.80	116.12	-45.32
5872.26	Peak	67.62	4.33	71.95	105.97	-34.02
5882.47	Peak	59.61	4.34	63.95	99.67	-35.72
5928.32	Peak	52.25	4.36	56.61	68.20	-11.59


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Report Number :TERF2512004160ER
 Operation Mode :802.11ac80
 Test Frequency :5775 MHz
 Test Mode :Bandedge
 EUT Pol :H Plane

Test Site :SAC G Chamber
 Test Date :2026-01-06
 Temp./Humi. :21.0°C/49%
 Antenna Pol. :Horizontal
 Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dBμV	Factor dB	Actual FS dBμV/m	Limit @3m dBμV/m	Margin dB
5648.02	Peak	61.28	3.64	64.92	68.20	-3.28
5699.91	Peak	74.43	4.00	78.43	105.13	-26.70
5719.92	Peak	77.61	4.11	81.72	110.78	-29.06
5719.92	Peak	77.61	4.11	81.72	110.78	-29.06
5783.90	Peak	103.85	4.36	108.21	-	-
5853.08	Peak	71.98	4.31	76.29	115.17	-38.88
5869.55	Peak	71.72	4.33	76.05	106.73	-30.68
5875.18	Peak	65.82	4.33	70.15	105.07	-34.92
5930.19	Peak	55.20	4.35	59.55	68.20	-8.65

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

7.5 AC Power Line Conducted Emission

Level = Read Level + Factor

Factor = (LISN, ISN, or current probe)Factor + Cable Loss +Attenuator

Note: Refer to next page for measurement data and plots.

Note2: The * reveals the worst-case results that closest to the limit.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number : TERF2512004160ER

Test Site :Conduction C

Test Mode :5G


Test Date :2026-01-14

Power :120V/60Hz

Temp./Humi. :20.6°C/54%

Probe :L1

Engineer :Temo Chen



Freq. MHz	Detector Mode PK/QP/AV	Spectrum Reading Level dB μ V	Factor dB	Actual FS dB μ V	Limit dB μ V	Margin dB
0.151	Peak	30.67	10.65	41.32	65.93	-24.61
0.319	Peak	12.92	10.63	23.55	59.72	-36.17
0.641	Peak	29.10	10.64	39.74	56.00	-16.26
1.285	Peak	11.10	10.72	21.82	56.00	-34.18
3.844	Peak	10.32	10.89	21.21	56.00	-34.79
15.602	Peak	17.69	11.09	28.77	60.00	-31.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134,Wu Kung Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.sgs.com.tw

Member of SGS Group

Report Number : TERF2512004160ER

Test Site :Conduction C

Test Mode : 5G


Test Date :2026-01-14

Power :120V/60Hz

Temp./Humi. :20.6°C/54%

Probe :N

Engineer :Temo Chen



Freq.	Detector	Spectrum	Factor	Actual	Limit	Margin
MHz	Mode	Reading Level		FS		
	PK/QP/AV	dBμV	dB	dBμV	dBμV	dB
0.224	Peak	31.60	10.64	42.24	62.69	-20.44
0.646	Peak	28.66	10.63	39.29	56.00	-16.71
1.285	Peak	12.99	10.70	23.69	56.00	-32.31
5.130	Peak	10.25	10.94	21.19	60.00	-38.81
13.505	Peak	12.20	11.04	23.24	60.00	-36.76
30.000	Peak	17.58	11.39	28.97	60.00	-31.03

~ End of Report ~

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.
除非另有說明，此報告結果僅對測試之樣品負責，同時此樣品僅保留90天。本報告未經本公司書面許可，不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com.tw/Terms-and-Conditions> and for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com.tw/Terms-and-Conditions>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.