


ATTACHMENT D – TEST PLOT(S)

LGE FCC ID: BEJLG56AL (FPD1520)
1024x768 75Hz. LSE0107A1236 P.S L-A


PCTEST Engineering Lab.




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.191	44.16	63.99	-19.83	35.60	54.02	-18.42
2	1.612	30.97	56.00	-25.03	25.39	46.00	-20.61
3	1.221	30.37	56.00	-25.63	21.31	46.00	-24.69
4	1.800	30.83	56.00	-25.17	22.20	46.00	-23.80
5	1.542	30.96	56.00	-25.04	26.21	46.00	-19.79
6	1.156	29.84	56.00	-26.16	18.33	46.00	-27.67
7	1.417	32.31	56.00	-23.69	27.93	46.00	-18.07
8	1.478	30.96	56.00	-25.04	25.73	46.00	-20.27
9	1.734	30.87	56.00	-25.13	17.92	46.00	-28.08
10	2.189	29.79	56.00	-26.21	26.79	46.00	-19.21

LGE FCC ID: BEJLG56AL (FPD1520)
1024x768 75Hz. LSE0107A1236 P.S L-B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.189	41.37	64.07	-22.70	35.76	54.11	-18.35
2	3.827	30.89	56.00	-25.11	27.41	46.00	-18.59
3	3.381	30.32	56.00	-25.68	27.07	46.00	-18.93
4	3.508	30.80	56.00	-25.20	26.93	46.00	-19.07
5	3.635	30.81	56.00	-25.19	27.38	46.00	-18.62
6	3.762	31.02	56.00	-24.98	27.47	46.00	-18.53
7	2.743	28.87	56.00	-27.13	25.05	46.00	-20.95
8	3.698	31.10	56.00	-24.90	27.41	46.00	-18.59
9	3.953	30.89	56.00	-25.11	27.24	46.00	-18.76
10	4.144	30.28	56.00	-25.72	26.67	46.00	-19.33




No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.205	46.39	63.39	-17.00	30.38	53.64	-23.26
2	.373	33.16	58.43	-25.27	21.93	47.98	-26.05
3	.344	35.16	59.11	-23.95	31.13	49.14	-18.01
4	.151	50.84	65.94	-15.10	34.15	56.00	-21.85
5	1.590	32.52	56.00	-23.48	28.81	46.00	-17.19
6	.398	34.70	57.90	-23.20	22.35	47.91	-25.56
7	.371	32.73	58.47	-25.74	27.80	48.44	-20.64
8	1.382	32.40	56.00	-23.60	29.13	46.00	-16.87
9	1.797	32.17	56.00	-23.83	28.37	46.00	-17.63
10	1.866	31.79	56.00	-24.21	27.92	46.00	-18.08



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.206	48.97	63.38	-14.41	42.82	53.40	-10.58
2	.151	52.30	65.96	-13.66	44.51	56.00	-11.49
3	.382	30.81	58.23	-27.42	27.29	47.62	-20.33
4	.381	30.70	58.26	-27.56	23.59	48.23	-24.64
5	.348	37.40	59.00	-21.60	32.12	49.12	-17.00
6	.373	35.28	58.43	-23.15	31.07	48.43	-17.36
7	.215	43.89	63.00	-19.11	35.50	52.61	-17.11
8	.232	42.20	62.39	-20.19	34.83	52.17	-17.34
9	.445	28.36	56.97	-28.61	21.33	46.79	-25.46
10	.242	41.13	62.02	-20.89	33.84	51.77	-17.93

LGE FCC ID: BEJLG56AL (FPD1520)
800x600 75Hz. (ADP-36UB P.S) LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.205	46.45	63.39	-16.94	38.97	53.39	-14.42
2	.397	34.81	57.92	-23.11	19.93	48.01	-28.08
3	.151	50.36	65.95	-15.59	33.99	56.00	-22.01
4	.397	35.13	57.93	-22.80	19.63	47.84	-28.21
5	.373	33.13	58.43	-25.30	19.89	48.25	-28.36
6	1.521	32.38	56.00	-23.62	28.91	46.00	-17.09
7	1.590	32.80	56.00	-23.20	28.50	46.00	-17.50
8	1.728	32.36	56.00	-23.64	28.65	46.00	-17.35
9	1.105	31.70	56.00	-24.30	28.43	46.00	-17.57
10	.348	35.06	59.00	-23.94	31.31	49.13	-17.82

LGE FCC ID: BEJLG56AL (FPD1520)
800x600 75Hz. (ADP-36UB P.S) LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.205	47.57	63.39	-15.82	42.22	53.41	-11.19
2	.344	36.84	59.10	-22.26	32.09	49.09	-17.00
3	.398	34.49	57.90	-23.41	23.88	48.19	-24.31
4	.151	52.29	65.95	-13.66	44.57	56.00	-11.43
5	.373	33.88	58.44	-24.56	27.82	48.42	-20.60
6	1.659	31.59	56.00	-24.41	28.01	46.00	-17.99
7	.552	31.75	56.00	-24.25	28.53	46.00	-17.47
8	1.797	31.70	56.00	-24.30	26.58	46.00	-19.42
9	.262	39.11	61.36	-22.25	32.71	51.06	-18.35
10	1.382	31.99	56.00	-24.01	28.54	46.00	-17.46

LGE FCC ID: BEJLG56AL (FPD1520)
1024x768 75Hz. (ADP-36UB P.S) LINE A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.151	49.88	65.93	-16.05	33.72	56.00	-22.28
2	.206	47.14	63.38	-16.24	36.71	53.49	-16.78
3	1.383	32.15	56.00	-23.85	28.48	46.00	-17.52
4	.275	37.49	60.97	-23.48	23.70	51.13	-27.43
5	1.452	32.28	56.00	-23.72	28.77	46.00	-17.23
6	1.521	32.07	56.00	-23.93	28.60	46.00	-17.40
7	1.660	32.12	56.00	-23.88	17.45	46.00	-28.55
8	1.729	31.95	56.00	-24.05	17.40	46.00	-28.60
9	1.244	31.94	56.00	-24.06	17.43	46.00	-28.57
10	1.591	32.19	56.00	-23.81	17.44	46.00	-28.56

LGE FCC ID: BEJLG56AL (FPD1520)
1024x768 75Hz. (ADP-36UB P.S) LINE B


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.401	36.71	57.83	-21.12	23.63	47.91	-24.28
2	.206	48.05	63.38	-15.33	42.30	53.38	-11.08
3	.151	52.33	65.95	-13.62	44.31	56.00	-11.69
4	.402	36.94	57.81	-20.87	23.57	47.92	-24.35
5	.344	36.91	59.10	-22.19	32.29	49.11	-16.82
6	.638	25.67	56.00	-30.33	20.24	46.00	-25.76
7	.483	31.78	56.29	-24.51	27.08	46.29	-19.21
8	.261	39.34	61.39	-22.05	31.54	51.12	-19.58
9	.439	29.56	57.08	-27.52	22.51	47.17	-24.66
10	.760	30.21	56.00	-25.79	25.85	46.00	-20.15

LGE FCC ID: BEJLG56AL (FPD1520)
1024x768 75Hz. PSCV360104A P.S L-A


PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.190	44.33	64.02	-19.69	37.40	54.02	-16.62
2	6.352	32.96	60.00	-27.04	27.53	50.00	-22.47
3	6.288	33.69	60.00	-26.31	28.29	50.00	-21.71
4	.447	27.98	56.93	-28.95	24.65	46.96	-22.31
5	.455	23.39	56.78	-33.39	17.77	46.37	-28.60
6	.511	29.26	56.00	-26.74	19.78	46.00	-26.22
7	.703	28.19	56.00	-27.81	24.98	46.00	-21.02
8	.639	28.32	56.00	-27.68	25.56	46.00	-20.44
9	1.088	28.67	56.00	-27.33	25.39	46.00	-20.61
10	.341	27.49	59.17	-31.68	18.88	48.98	-30.10

LGE FCC ID: BEJLG56AL (FPD1520)
1024x768 75Hz. PSCV360104A P.S L-B

PCTEST Engineering Lab.



No.	Freq. [MHz]	Quasi-Pk [dBuV]	Limit [dBuV]	Margin [dB]	Average [dBuV]	Limit [dBuV]	Margin [dB]
1	.177	47.35	64.62	-17.27	39.21	54.18	-14.97
2	.259	37.86	61.48	-23.62	29.49	51.16	-21.67
3	.250	38.80	61.75	-22.95	30.18	51.39	-21.21
4	6.351	32.89	60.00	-27.11	27.50	50.00	-22.50
5	6.287	34.09	60.00	-25.91	29.27	50.00	-20.73
6	.575	28.95	56.00	-27.05	25.73	46.00	-20.27
7	.301	34.07	60.23	-26.16	26.08	49.96	-23.88
8	.270	36.76	61.12	-24.36	29.01	50.95	-21.94
9	.236	40.13	62.23	-22.10	31.85	51.97	-20.12
10	.474	25.93	56.44	-30.51	19.54	46.17	-26.63